


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles Heimerl
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 31 1994

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-10118
Phone No. 459-4739
1. Owner: CHARLES AND/OR HARRIET SIEWERT
Current Address: Re 6 Box 284 CALDWELL, ID. 83605
2. Accompanied by: Charles Siewert EXAM. DATE: 6-22-92
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2849 63-8577
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 63-2849
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached (required for irrigation of 10 acres or more)

RECORDED

APR 13 1994



T3N
R3W
SEC 6

LIC 63-02849

NWNW 15
NENW 30

PERMIT 63-10118

NWNW 10
NENW 8
SWNW 5
SENW 12

MICROFILMED


13 1994


Township N^o 3 North *Range N^o 3 West of*

Range No 3 West of

G f F e E d 113 *D*

APR 13 1968





63-10118



View of well & valve
SYSTEM.



View of South West of
PROPERTY.

APR 13 1994

63-10119



View of East of Property.



SYSTEM IN OPERATION.

View of North East to West
of Property.

APR 13 1994

APR 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10118

Priority: July 22, 1983

Maximum Diversion Rate: 0.70 CFS
Maximum Diversion Volume: 157.5 AF

This is to certify, that CHARLES SIEWERT
HARRIET SIEWERT

RT 6 BOX 284
CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 30, 1983; and has submitted Proof of Beneficial Use on August 23, 1988. An examination indicates that the works have a diversion capacity of 1.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.70 CFS	157.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(NWSW), Sec. 6, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
03N	03W	6	NESW 8	Lot 6(NWSW)	10	Lot 7(SWSW)	5	
			SESW 12					35

Total number of acres irrigated: 35

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The total combined rate of diversion under this right and Right 63-02849 shall not exceed 1.22 cfs.
6. This right when combined with Right 63-02849 shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. Right 63-02849 is also diverted through the point of diversion described above.


APR 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10118

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of MARCH, 1994.

Acting for  R. Keith Higginson, Director

APR 13 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10118 IN THE)
NAME OF CHARLES AND HARRIET SIEWERT) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1988; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 23, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10118 be REINSTATED and the priority advanced to July 22, 1983.

Dated this 6th day of October, 1988.

RECORDED

DEC 02 1988

GLEN SAXTON

Chief, Operations Bureau

For Office Use Only
Fee Received \$100.00
Date 8/19/88
Receipt # W000731
Receipt by
Reviewed by
Sent to region

STATE OF IDAHO

AUG 23 1988

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10418

Name(s) of Permit Holder: Charles & Harriet Siewert

Post Office Address: Rt. 6 Box 284

Caldwell, ID 83605 Telephone No. 459-4739

Source of Water: groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 40 acres (acres) Other/Remark expansion of WR# 63-2849

Total rate and/or volume for which proof is submitted 0.80 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 08/1972

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Charles Siewert 459-4739
(Name) (Telephone Number)

Rt 6 Box 284 Caldwell ID 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-19-88
Date

Charles Siewert DEC 14 1988
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CHARLES AND/OR HARRIET SIEWERT Phone 459-4739

Post office address Rt. 6, Box 284, Caldwell, ID 83605

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 6 Township 3N

Range 3W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .8 cfs for irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.8 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well with pump to sprinkler
system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3W	6									10	20	4	6					40

Microfilm


Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This is an expansion of land for well listed under water license 63-2849; lands have been irrigated since 1972.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles H. Hain
(Applicant)

Processed Priority 6/30/1983

Received by CEB Date 30 June 83 Time 9:30AM

Preliminary check by JB Fee \$ 30 45 00

Received by CEB Date 30 June 83 # 32265

Publication prepared by JP Date 7/28/83

Published in Press Tribune

Publication dates 8/4 & 8/11

Publication approved SAC Date 8/18/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by OBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10118, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 26th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 7, 1994


CHARLES SIEWERT
HARRIET SIEWERT
RT 6 BOX 284
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-10118

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

APR 13 1994

WR0749NP
No. L63-10118

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/23/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHARLES SIEWERT	07/22/1983	IRRIGATION	03-15 11-15	0.70 CFS	157.50 AFA
C	HARRIET SIEWERT					
	RT 6 BOX 284					
	CALDWELL ID 83605					
	(208) 459-4739					
				TOTAL DIVERSION:	0.70 CFS	157.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.22 CFS

Point(s) of Diversion: T03N R03W S06 Lot 06(NWSW)

CANYON County

Place of use Legal Description for: IRRIGATION
NE

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	03W	6	:											08	06-10	07-05	12			:	35.0
																				TOTAL ACRES	35.0

Pou County: CANYON

Other Rights: 63-2849

Other Water Rights with Same Point(s) of Diversion and Source:
63-02849 63-10118

Other Water Rights Listing Overlapping Place(s) of use:
63-02849 63-08577 63-10118

Remarks: The total combined rate of diversion under this right and
Right 63-02849 shall not exceed 1.22 cfs.
This right when combined with Right 63-02849 shall provide
no more than .02 cfs per acre nor more than 4.5 afa per acre
for the lands above.
Right 63-02849 is also diverted through the point of diversion
described above.

Dates: App. Received: 06/30/1983 Priority Date: 07/22/1983 (Priority Date Advanced.)
Proof Due Date: 08/01/1988 Proof Made Date: 08/23/1988 (Proof Received Late.)
Exam Made Date: 06/22/1992 Exam Sent to S.O.: 01/28/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 02/22/94 CHAPMAN 02/22/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6310118	T03N R03W S 6 GROUNDWATER																	
	:																	
										08	06-10	07-05		12	:			35
6302849	GROUNDWATE :									30	15							45
6308577	GROUNDWATE :										01	24	24	:			16	65

LICENSE REVIEW CHECKLIST

Permit # 63-10118 Date 2-17-44 Brenda Chapman

NAME — ✓ Or Address Change?

PRIORITY DATE ✓ — Advance? Done Advanced to: 7-22-83
✓ — Order to Reinstate Needed? Done
— ✓ Incorrect Fee for rate recommended?

SOURCE — ✓ Changes? Clarification of **Originally Intended** source
— ✓ Notice of Intent to Void - Source change.

P/D ✓ ✓ Amendment Needed? Add Gov lot 6
✓ — Overlap(s) LIC 63-2849 / .90 CFS / 45 acres

P/U — ✓ Amendment Needed? Add Gov Lots 6 & 7
✓ — Overlap(s) LIC 63-2849

TOTAL CFS — ✓ Measurement ✓ Theoretical only
Q = 1.25 TQ = .45
63-2849 Sprinklers = 1.22 CFS

CAPACITY = 1.22 CFS
63-2849 = .90
.32 CFS

Allowable Amount: 35 X .02 = .70

Capacity of System: 1.22

TOTAL VOLUME Season of Use: D/4.5 (3-15 to 11-15)

— ✓ Calculations:
35 X 4.5 = 157.5

Flow limit: .70 x 246 x 1.9835 = 341

USES — ✓ Change(s) in Nature of Use? —
— ✓ Amendment Needed? —

REMARKS WB 1 WB 4 ✓ Multiple P/Ds in 1/4 1/4?
Special Overlap WB 6 Check Surface water available

CONDITIONS — ✓ Measuring/Locking Devices
— ✓ W/Master Control - District —
— ✓ Irrigation Overlap
— ✓ Water Quality
— ✓ Other —

COMMENTS: Reduce rate and acres

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.70</u>	<u>157.5</u>	<u>✓</u>
<u>—</u>	<u>—</u>	<u>—</u>	1ST AMEND LETTER <u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	2ND AMEND LETTER <u>—</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 31 1994

Department of Water Resources

A. GENERAL INFORMATION


- Permit No. 63-10118
Phone No. 459-4739
1. Owner: CHARLES AND/OR HARRIET SIEWERT
Current Address: Re 6 Box 284 CALDWELL, ID. 83605
2. Accompanied by: Charles Siewert EXAM. DATE: 6-22-92
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2849 63-8577
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: 63-2849
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

APR 13 1994

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 20 hp motor that is submerged in the 200' well. The casing is 12' and the static water level is at 165'. The draw down is 20'. The well uses underground lines to wheel lines. This application is a expansion of 63-2849.

This wt when combined with lic 63-02849 shall not exceed the system capacity of 1.25 cfs.

☒ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		20			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	6		NE	SW	6	3n	3w	Canyon	Gravel, Anals, Quasi Ed

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	3w	6									16	16	4	6					36
*											8	10	5	12					35

* acre distribution based on ASES photo + actual acres irrigated by 12/8/93

Do not use this space

NR

APR 18 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
		NA-				

2. Measurements:

Theoretical: $20 \cdot 6.8 \cdot .70 = 123.2$
 $174 + (2.3 \cdot 45) = 277$
 $\frac{123.2}{277} = .45 \text{ cfs}$
 From previous report
 Meter Test for 63-02849 exam calculated cfs @
 1.25 cfs
 system capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Sprinkler Head = 90 heads @ 70 psi = $\frac{90 \times 6.10}{448.8} = 1.22 \text{ cfs}$

2. Alternate Method for Checking Purposes:

Theoretical = .45 cfs

Need =
 $.02 \times \frac{36}{.72} = .72 \text{ cfs}$
 $35 = .70 \text{ cfs}$

System Capacity = 1.22 cfs
 under 63-02849 = .90 cfs
 AVAILABLE = .32 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS


1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{35}{36} \times 4.5 = 157.5 \text{ AFA}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{32 \text{ cfs}}{36} \times 245 \times 1.9835 = 155.5 \text{ AFA}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 155.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

None

1994



T3N
R3W
Sec 6

LIC 63-02849
NWNW 15
NENW 30


PERMIT 63-10118
NWNW 10
NENW 8
SWNW 5
SEnw 12


Township N° 3 North

Range N° 3 West of 1

G f F e E d D

APR 18 1870





State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 3N, Rge. 3W,
Sec. 6, Qtr./Qtr. NW/SW or Lot _____
2. Owner CHARLES AND/OR HARRIET STEWERT
Address Rt 6 Box 284, City CALDWELL, State ID
3. Approx. date of well construction _____
Well Driller _____
4. Casing: Diameter 12" Condition OK
5. Casing length above land surface 12"
6. Well depth (ft) 200' Flowing No Temp. NA
Access port NA
7. Condition of piping and valving OK
8. Evidence of well seal OK
9. Shut in pressure or static water level 115
10. Evidence of leakage around the casing None
11. Does well need repair No
12. Comments _____


(OVER)

APR 13 1994

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

Inspected by



Date

6-22-92

APR 13 1994

63-10118



View of well & valve
SYSTEM.




View of South West of
PROPERTY.

APR 13 1994

APR 13 1994

68-1013



View of East of Property.



SYSTEM IN OPERATION.

View of North East to West
of Property.

APR 13 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

63-10118
Charles & Harriet Siewert
Rt. 6 Box 284
Caldwell, ID 83605

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

DEC 02 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10118

Date: 10/4/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
N Proof received timely
Y Reinstated

Source of Water:

Y Surface water
Y Groundwater
N 1. well log in file *Not found, due to reported age of well*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
N Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Y Priority Calculation:

Date proof received	<u>Aug. 23, '88</u>	<u>235</u>
Date proof due	<u>Aug. 1, '88</u>	<u>- 213</u>
No. of days late		<u>= 22</u>
Priority date	<u>June 30, '83</u>	<u>+ 181</u>
NEW PRIORITY DATE	<u>July 22, '83</u>	<u>= 203</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

To: File 63-10118

From: Groundwater Protection

Date: 9/1/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

None Follow up recommended.

RECEIVED

DEC 04 1988

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 11, 1988

CHARLES SIEWERT
HARRIET SIEWERT
RT. 6 BOX 284
CALDWELL, ID 83605

LAPSE NOTICE

RE: PERMIT NO. 63-10118

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated July 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this lapse notice or the permit will no longer be of any force of effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Operations Bureau

Enclosures

LGS:RF

DEC 02 1988

CERTIFICATION OF MAILING

I hereby certify that on 8/12/88
a ~~copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Heidi Miller

138894
CERTIFIED MAIL
May 31, 1988

SIWERT, CHARLES & HARRIET
RT. 6 BOX 284
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: Permit No. 63-10118

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

JUN 02 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SIEWERT, CHARLES & HARRIET
RT. 6 BOX 284
CALDWELL, ID 83605

SEPTEMBER 14, 1983

RE: PERMIT NO. 63-10118

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

RE: PERMIT 63-101.

PAGE 01
SEPTEMBER 14, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10107
WOLFF, DAVID L. &/or
MARGARET J. KAVANAUGH,
BAXTER M. &/or LUCILLE
1915 S. ELDER, NAMPA, ID 83651.
Source: GROUNDWATER
Date Filed: June 30, 1983
Diversion Pt: SWSE Sec 34 T 03N
R 02W

Use: DOMESTIC (0.08 CFS)
In: SWSE Sec 34 T 03N R 02W
63-10109
SPENCER, CARL P.
RT. 5 BOX 108, CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: June 27, 1983
Diversion Pt: NENW Sec 07 T 05N
R 03W

Use: DOMESTIC (0.06 CFS)
In: NENW Sec 07 T 05N R 03W
63-10112
CANYON SCHOOL DIST. NO. 139
RT. 8 BOX 474, CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: June 16, 1983
Diversion Pt: SWNW Sec 08 T 03N
R 02W

Use: DOMESTIC (0.22 CFS)
In: SWNW Sec 08 T 03N R 02W
63-10113
MACKAY, KENNETH E.
POST, ROYCE M.
2025 S. ELDER, NAMPA, ID 83651
Source: GROUNDWATER
Date Filed: June 29, 1983
Diversion Pt: SWSE Sec 34 T 03N
R 02W

Use: DOMESTIC (0.08 CFS)
In: SWSE Sec 34 T 03N R 02W
63-10117
CHURCH OF CHRIST
4012 S. 10TH ST., CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: July 12, 1983
Diversion Pt: SESE Sec 33 T 04N R
03W

Use: DOMESTIC (0.10 CFS)
In: SESE Sec 33 T 04N R 03W
63-10118
SIEWERT, CHARLES &/or
HARRIET
RT. 6 BOX 284, CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: June 30, 1983
Diversion Pt: NWSW Sec 06 T 03N
R 03W
Use: IRRIGATION (0.80 CFS)
In: NESW NWSW SWSW SESW
Sec 06 T 03N R 03W FOR 40
ACRES

63-10121
WARREN, IVAN V. &/or JOLENE
RT. 2, CALDWELL, ID 83605
Source: GROUNDWATER
Date Filed: June 29, 1983
Diversion Pt: SESE Sec 22 T 04N R
04W

Use: DOMESTIC (0.30 CFS)
In: SESE Sec 22 T 04N R 04W
The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before AUGUST 22, 1983.
KEN DUNN
Director
August 4, 11, 1983.

**AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)**

) ss.
County of Canyon)

Garrah J. Wheeler
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 4, 11, 1983

Subscribed and sworn to before me this 11th
day of August

1983

Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

REC

AUG 15 1983

Department of Water Resources
Western Region Office

RECEIVED

63-10118

SIWERT, CHARLES &/or HARRIET

RT. 6 BOX 284, CALDWELL, ID 83605

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversion Pt: NWSW Sec 06 T 03N R 03W

Use: IRRIGATION (0.80 CFS)

In: NESW NWSW SWSW SESW Sec 06 T 03N R 03W FOR 40 ACRES