


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T4N

R3W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald A. Gordon
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

KEYPUNCHED

A. GENERAL INFORMATION

Permit No. 63-10117


1. Owner: Church of Christ Phone No. 459-2281
Current Address: 4012 South 10th St., Caldwell, ID 83605
2. Accompanied by: Homer Skelton EXAM. DATE: 7-30-86
Address: Rt 6, Box 302 A Caldwell, ID 83605 Phone No. 459-4869
Relationship to Permit Holder: Church member in charge of facilities & equipment
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 5'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).







PERMIT NO. 1007

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10117

Priority: July 12, 1983

Amount: .10 CFS

3.7 AFA

This is to certify, that CHURCH OF CHRIST
4012 S. 10TH ST.

CALDWELL, ID 83605

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated July 12, 1983, and
has submitted proof to the Department of Water Resources on December 20, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .10 cfs of water from a GROUNDWATER
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.10 cfs	3.7 afa

LOCATION OF POINT OF DIVERSION(S): SESE , Sec. 33, Township 4N, Range 3W
Canyon County

PLACE OF USE: Domestic

TWN RGE SEC

4N 3W 33 SESE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for a church, 1 home & lawns.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18th day
of MAY, 1987.

WATER FILMED

JUL 07 1987

Acting for the

Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Church of Christ Phone 459-2281
Post office address 4012 South 10th St., Caldwell, Idaho 83605
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 33 Township 4N
Range 3W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Domestic well - I don't know
sizes

b. Height of storage dam N/A feet, active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet, materials used in storage dam: N/A

Period of year when water will be diverted to storage N/A to N/A inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is Unknown inches; proposed depth of well is Unknown feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is Allow 1 yr.
Existing years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 33 Township 4N
Range 3W B.M.

(2) Amount of power to be generated: N/A horsepower under N/A feet of head.

(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served Church building & grounds plus 1 family dwelling & grounds.
or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: N/A

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]**Total number of acres to be irrigated**

c. Describe any other water rights used for the same purposes as described above.

N/A

9. a. Who owns the property at the point of diversion Church of Christ

b. Who owns the land to be irrigated or place of use			
	"	"	"

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing I am presently serving as chairman of the
Board of Elders for the church which authorizes me to
file this application

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T4N

R3W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald A. Gordon
(Applicant)

Proposed Priority 7/12/1983

Received by mm Date 7-12-83 Time 9:00am

Preliminary check by js Fee \$ 30.00 # 32387

Received by to Date 7/14/83

Publication prepared by JP Date 7/28/83

Published in Press Tribune

Publication dates 8/4 & 8/11

Publication approved see Date 8/18/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10117, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 26th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10107

WOLFF, DAVID L. &/or
MARGARET J. KAVANAUGH,
BAXTER M. &/or LUCILLE
1915 S. ELDER, NAMPA, ID 83651.
Source: GROUNDWATER
Date Filed: June 30, 1983
Diversion Pt: SWSE Sec 34 T 03N
R 02W
Use: DOMESTIC (0.08 CFS)
In: SWSE Sec 34 T 03N R 02W

63-10109

SPENCER, CARL P.
RT. 5 BOX 108, CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: June 27, 1983
Diversion Pt: NENW Sec 07 T 05N
R 03W
Use: DOMESTIC (0.06 CFS)
In: NENW Sec 07 T 05N R 03W

63-10112

CANYON SCHOOL DIST. NO. 139
RT. 8 BOX 474, CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: June 16, 1983
Diversion Pt: SWNW Sec 08 T 03N
R 02W
Use: DOMESTIC (0.22 CFS)
In: SWNW Sec 08 T 03N R 02W

63-10113

MACKEY, KENNETH E.
POST, ROYCE M.
2025 S. ELDER, NAMPA, ID 83651
Source: GROUNDWATER
Date Filed: June 29, 1983
Diversion Pt: SWSE Sec 34 T 03N
R 02W
Use: DOMESTIC (0.08 CFS)
In: SWSE Sec 34 T 03N R 02W

63-10117

CHURCH OF CHRIST
4012 S. 10TH ST., CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: July 12, 1983
Diversion Pt: SESE Sec 33 T 04N R
03W

Use: DOMESTIC (0.10 CFS)
In: SESE Sec 33 T 04N R 03W

63-10118

SIEWERT, CHARLES &/or
HARRIET
RT. 6 BOX 284, CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: June 30, 1983
Diversion Pt: NWSW Sec 06 T 03N
R 03W
Use: IRRIGATION (0.80 CFS)
In: NESW NWSW SWSW SESW
Sec 06 T 03N R 03W FOR 40
ACRES

63-10121

WARREN, IVAN V. &/or JOLENE
RT. 2, CALDWELL, ID 83605
Source: GROUNDWATER
Date Filed: June 29, 1983
Diversion Pt: SESE Sec 22 T 04N R
04W
Use: DOMESTIC (0.30 CFS)
In: SESE Sec 22 T 04N R 04W

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before AUGUST 22, 1983.

KEN DUNN
Director
August 4, 11, 1983.

**AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)**

) ss.

County of Canyon)

Garrah J. Wheeler

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 4, 11, 1983

Subscribed and sworn to before me this 11th
day of August

1983

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

REC
AUG 15 1983

Department of Water Resources
Western Regional Office

UNRECORDED

May 18, 1987

CHURCH OF CHRIST
4012 S. 10TH ST.
CALDWELL, ID 83605

RE: Permit No. 63-10117

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 07 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Examiner recommends
capacity of 0.10 cfs-

- b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

- c) Volume Calculations for Other Uses:

Church use: 325 people on Sunday → allow 15 gpd/person
125 people on Wed.
Head start: 25 people ~~5 days/yr~~ ^{180 days/yr} - 8 hrs. = 20 gpd/person
home: 1.2 AFA

2. Overlap Review

- a) Other water rights with same place of use: 63-2388, 63-2529, 63-2891

- b) Other water rights with same point of diversion: none

- c) Analysis: Recommend no conditions -
this rt. for domestic purposes
only.

Volume: people
Church = $450 \times 104 \text{ days/yr} \times 15 \text{ gpd} = \frac{702,000}{325,850} \text{ gpy} = 2.2 \text{ AFA}$
headstart = $25 \times 180 \text{ days/yr} \times 20 \text{ gpd} = \frac{90,000}{325,850} \text{ gpy} = 0.3 \text{ AFA}$
home & lawns = 1.2 AFA

MICROFILMED

JUL 07 1987

$2.2 + 0.3 + 1.2 = 3.7 \text{ AFA}$
(Church)(headstart)(home)

- kw 4/20/87

License

4/20/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

A. GENERAL INFORMATION

Permit No. 63-10117

1. Owner: Church of Christ

Phone No. 459-2281

Current Address: 4012 South 10th St., Caldwell, ID 83605

2. Accompanied by: Homer Skelton

EXAM. DATE: 7-30-86

Address: Rt 6, Box 302 A Caldwell, ID 83605

Phone No. 459-4869

Relationship to Permit Holder: Church member in charge of facilities & equipment

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 5'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System has a 6" cased well 59' deep (well log data) with a 3/4 H.P. submersible pump. A 1" buried pipeline runs North 25' from the well to a box (24"x36") in which 5 sprinkler lines tee off from the main line. The pipeline then enters the church building where the control boxes and a 24"x60" pressure tank are located in a closet ~~at~~ off the room in the southeast corner of the building. A double wide mobile home

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor-Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3/4	280 1070 101	Unknown	submersible 1"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SE	33	4N	3W	Canyon	Topographic Map

6. **Place(s) of Use:**

Indicate Method of Determination Topographic Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3W	33																X	

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gauge						

2. Measurements:

3 Rise-N-Rain Sprinklers $\frac{5}{32}$ " nozzles 44 psi
 $3 \times 4.4 \text{ gpm} = 13.2 \text{ gpm} = .03 \text{ cfs}$
 "Rainbird" type sprinkler was also running in the backyard
 of the ~~the~~ residence. 1 household domestic with lawn = .04 cfs
 System was not operating at capacity. 13,200 ft² of lawn area.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $3 \times 4.4 \text{ gpm} = 13.2 = .03 \text{ cfs}$ ~~not~~ system was not at capacity

2. Alternate Method for Checking Purposes: 15' est. lift
 $\frac{.75 \times 8.8 \times .8}{15 + 2.31(20)} = \frac{5.28}{61.2} = .09 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Single Household and lawn = 1.2 afa

Church and lawn

$.06 \times 284 \times 1.98 = 33.7$

Total = 34.9 afa

Wed. + Sun. church used
 104 days/year

Head start 180 days/yr.

Total = 284 days/year used

H. REMARKS AND OVERLAP REVIEW ANALYSIS

With a lawn is located to the West of the well and is connected to the system. Pressure gauge within the building did not appear to be operating properly (it stayed at 39 psi) but Mr. Skelton had checked pressure tank on 7-29-86 and found the pump started at 28 psi and shut off at 47 psi. These measurements were made with an automotive type tire gauge.

Church use: Sundays 200 people at Morning service 125 at evening Wednesday 125 ~~at~~ at evening service (2 hrs.)

Headstart meets 5 days per week 8 hours per day with 5 adults & 20 children.

Church is in use other times on a variable basis.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic with lawns	1-1	12-31	.10	34.9
Totals:			.10	34.9

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Carter Fritschle

Signature

Carter Fritschle

Certification Date

Field Report Preparation Date


7-30-86


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 07 1986







Looking Northwest at
Church Building from 10th
Ave

p 4. 63-10117



Looking west at well
and house & lawn from
parking lot south of church
building.

PD 63-10117

PERMIT No. 63-10117 **MICROFILMED**

JUL 07 1981

CHURCH OF CHRIST

P.D. SESE 33 4N 3W
P.L. Same

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-10117
Permit No.
RECEIVED
DEC 18 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index CF 7-25-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index CF 7-25-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? 7/18/86 [Signature] (Initial and date)

- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED

JUL 07 1987

C. Review and Processing:

Exam Completed Cady Fintable 7-30-86 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent [Signature] 12/8/86 (Initial and date)
Exam Reviewed by Manager of Regional Office [Signature] 12/10/86 (Initial and date)
Exam Date Entered in Computer [Signature] 12-10-86 (Initial and date)
Exam sent to State Office [Signature] 12-18-86 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File [Signature] 12-14-86 (Initial and date)

KEYPUNCHED

4/86

RECEIVED
JUN 27 1986

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$50
Date 7-22-86
Receipt # 46479
Receipt by AMR
Sent to S.O. 7/25/86

RECEIVED
JUN 26 1986

1. Permit No. 63-10117

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE. Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: CHURCH OF CHRIST3. Post Office Address: 4012 S. 10TH ST, CALDWELL, IDAHO
83605 Telephone No. (208) 459-22814. Source of Water: GROUND WATER (WELL)

5. Extent of Use:

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)Irrigation _____ (acres) Other Remark CHURCH BUILDING,
\$ GROUNDS PLUS THE GROUND FOR THE DOMESTIC DWELLING.6. Total rate &/or volume for which proof is submitted 0.10 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

WELL HAS BEEN IN CONTINUOUS USE SINCE 1942

8. Person to contact to accompany the department representative during the field examination:

HOMER R. SKELTON
(Name)RT6, BOX 302A CALDWELL ID 83605 (208) 459-4869
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-24-86
Date

Homer R. Skelton, Member in charge
of Facilities & Equipment
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720

63-10117
CHURCH OF CHRIST
4012 S. 10TH ST.
CALDWELL, ID 83605

138048

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of **MICROFILMED** you cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

JUL 07 1987

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JUL 07 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 25, 1984

CHURCH OF CHRIST
4012 S. 10TH ST.
CALDWELL ID 83605

RE: Permit No. 63-10117

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED
JUL 07 1984



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 10, 1984

Church of Christ
4012 South 10th St.
Caldwell, ID 83605

Gentlemen:

Re: Permit No. 63-10117

This office acknowledges receipt of the statement of beneficial use postcard submitted for this permit received on December 20, 1983.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

If you have any questions regarding the field examination, please contact our Western Regional office at 334-2190.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of permit No. 63-10117.

Name(s) of Permit Holder: Church of Christ

Post Office Address: 4012 South 10th St.

Caldwell, Idaho 83605 Tel. No. 459-2281

Source of Water: Ground Water

Extent of Use: ☒ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other Church building & grounds and family dwelling grounds

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


12/19/83
Date

Harold A. Gordon
Signature of Permit Holder

Church O. Caldwell
4012 S. 10th St.
Caldwell, Idaho 83405
BOISE, ID 837
1983
DEC 17



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CHURCH OF CHRIST
4012 S. 10TH ST.
CALDWELL, ID 83605

SEPTEMBER 14, 1983

RE: PERMIT NO. 63-10117

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Judd
CHECK:

APPLICATION NUMBER: 63-10117

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: August 22, 1983 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/15/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/32387
☒ Publication dates and paper, recorded on application. Duns-trilene
☒ Protests, dates, withdrawal, etc., recorded on application. 7/4 + 7/11/83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 7/12/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS Date: 8/22/83

STATE OFFICE REVIEW: return receipt

- 510/41,416
☐ See attached sheet for more information.
By: teep

Date: 8/24/83

RECEIVED
AUG 23 1983

63-10117

CHURCH OF CHRIST

4012 S. 10TH ST., CALDWELL, ID 83605

Source: GROUNDWATER

Date Filed: 07/12/1983

Diversion Pt: SESE Sec 33 T 04N R 03W

Use: DOMESTIC (0.10 CFS)

In: SESE Sec 33 T 04N R 03W

