


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Handwritten notes on the map grid:

- Top center: RGE. 2W
- Below RGE. 2W: * pt. of use + pt. of diversion
- Left side: TWP. 2N
- Below TWP. 2N: 6

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

RECEIVED

Idaho Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: John D +/or Mary Luc Ross Permit No. 63-10096
Current Address: 2035 W. Greenhurst Rd Nampa, Id 83651 Phone No. 406-8871
2. Accompanied by: Mary Ross EXAM. DATE: 07-09-91
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: groundwater tributary to NIA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
APR 16 1993

T3N
T2N

↑
P/u PH

APR 16 1993

4823

4823

4822

4819

PERMIT 63-16096 INIT D
T. R. S. Q/Q
P/D 2 2 6 10
SCALE _____
PHOTO ID. _____

Gravel Pit

NO

EDWARDS

TH

ROAD

NORTH

Gravel

62-10096




Well casing:
Located at the
western part of
the property.



View from the north
side of the property
looking south.

APR 16 1993

63-10096



View to the East of
the PROPERTY FROM
THE WEST.



View from the
SOUTHEAST CORNER
OF THE PROPERTY.

MAILED
APR 16 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10096

Priority: June 24, 1983

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

7.4 AF

This is to certify, that MARY LUE ROSS
JOHN D ROSS

2035 W GREENHURST RD

NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 24, 1983; and has submitted Proof of Beneficial Use on October 31, 1989. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.05 CFS	6.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.05 CFS	7.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 6, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	6	NENW	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECEIVED

APR 16 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 63-10096

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16th day of MARCH, 1993.

Acting for


R. Keith Higginson, Director

APR 16 1993

RECEIVED

JUL 26 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by CP
Date 8-11-88
Receipt # C002212

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10096
Name(s) of Permit Holder: John D Ross Mary Lue Ross
Post Office Address: 3025 W Greenhurst Road
Nezperce Idaho Telephone No. 466 8840
office 467 4406
Date Proof is Due: 1 Aug 1988

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well drilled
Pump installed

Costing \$ 3,500.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

low water years of 1987, 1988 made water
for irrigation limited

Permit holder(s) request an extension to 1 Aug 1990
(1 yr. minimum) John D Ross
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1990.

Signed this 17th day of October, 1988.

J. Glen Saylor
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN D. & FOR MARY LUE ROSS Phone 466-8870
Post office address 3035 W. GREENHURST RD. NAMPA, ID 83651
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 6 Township 2N
Range 2W B.M. CANYON County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.06 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well w/pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 6 Township 2N
Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 2

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANTS

b. Who owns the land to be irrigated or place of use *APPLICANTS*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks


~~UNCLASSIFIED~~

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

RECEIVED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 6/24/1983

Received by JS Date 6/24/83 Time 1:40 P.M.

Preliminary check by JS Fee \$ 30.00

Receipted by JS Date 6/24/83 # 31159

Publication prepared by JS Date 6/30/83

Published in Boise Tribune

Publication dates 7/1 & 7/14/83

Publication approved ma Date 7-27-83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10096, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 18th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10078

McCUSKEY, FRANK &/or NEVA
3712 MOSS LN., NAMPA, ID 83651
Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NWSW Sec 08 T 03N
R 02W

Use: DOMESTIC (0.10 CFS)
In: NWSW Sec 08 T 03N R 02W
63-10085

STECHER MUTUAL WATER CO.
RT. 8 BOX 294, CALDWELL, ID
83605

Source: GROUNDWATER
Date Filed: 06/10/1983
Diversion Pt: SESE Sec 09 T 03N R
03W
Use: IRRIGATION (0.15 CFS)
DOMESTIC (0.20 CFS)
In: SESE Sec 09 T 03N R 03W FOR
8 ACRES

63-10091

LOOTENS, JOHN E. &/or
CHEGAY ROBERTS, DAVE
&/or

SYLVIA
RT. 6 BOX 229, CALDWELL, ID
83605

Source: GROUNDWATER
Date Filed: 06/23/1983
Diversion Pt: SWNE Sec 04 T 03N
R 04W

Use: DOMESTIC (0.08 CFS)
In: SWNE Sec 04 T 03N R 04W
63-10096

ROSS, JOHN D. &/or MARY LUE
2035 W. GREENHURST, RD.,
NAMPA, ID 83651

Source: GROUNDWATER
Date Filed: 06/24/1983
Diversion Pt: NENW Sec 06 T 02N
R 02W

Use: IRRIGATION (0.06 CFS)
DOMESTIC (0.04 CFS)
In: NENW Sec 06 T 02N R 02W
FOR 2 ACRES

63-10098

FARWELL, RUELL
RT. 8 BOX 118, CALDWELL, ID
83605

Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NESE Sec 01 T 03N
R 03W

Use: DOMESTIC (0.08 CFS)
In: NESE Sec 01 T 03N R 03W

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before JULY 25, 1983.

KEN DUNN,
Director

July 7, 14, 1983.

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)

) SS.
County of Canyon)

Garrah J. Wheeler

of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

July 7, 14, 1983

Subscribed and sworn to before me this 14th
day of July

1983

Garrah J. Wheeler
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

RECEIVED
JUL 25 1983

Department of Water Resources
Western Regional Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

MARY LUE ROSS
JOHN D ROSS
2035 W GREENHURST RD
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10096

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

APR 16 1993

WR0749NP
No. L63-10096

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/01/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MARY LUE ROSS	06/24/1983	IRRIGATION	03-15 11-15	0.05 CFS	6.8 AFA
C	JOHN D ROSS		DOMESTIC	01-01 12-31	0.04 CFS	0.6 AFA
	2035 W GREENHURST RD					
	NAMPA ID 83651			TOTAL DIVERSION:	0.05 CFS	7.4 AFA
	(208) 466-8871					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T02N R02W S06 NE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
02N	02W	6	:								01									:	1.5
																				TOTAL ACRES	1.5

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Non-Irrigation Uses: ~~0/2-HOMES~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-10096

Other Water Rights Listing Overlapping Place(s) of use:
63-10096

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Domestic use is for 1 home.

Dates: App. Received: 06/24/1983 Priority Date: 06/24/1983
Proof Due Date: 08/01/1990 Proof Made Date: 10/31/1989
Exam Made Date: 07/09/1991 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 03/01/93 SKAGGS

03-01-93

(7)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10096

1. Owner: John D +/or Mary Luc Ross

Phone No. 466-8871

Current Address: 2035 W. Greenhurst Rd Nampa, Id 83651

2. Accompanied by: Mary Ross

EXAM. DATE: 07-09-91

Address: same

Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Driveway 1400
house 3680
lawn 70200

65120

= 1.5 Acres

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
APR 16 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 8", 193' well with a 1.5hp motor to push water up from a 90' static water level. The well waters the lawn as well as takes care of domestic needs. All lines are underground.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		1.5			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	6	2n	2w	Camp	Quad, Census Id.	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2n	2w	6					1.5												1.5

APR 16 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
		N/A				

2. Measurements:

$1.5 \cdot 8.8 \cdot .70 = 9.24$
 $100 + (2.3 \cdot 30) = 169$
 $9.24 / 169 = .05$
 Theoretical $\downarrow$ blocks
 evidence from
 other well logs
 in area

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical $\downarrow$ blocks capacity Allow .04 Domestic

2. Alternate Method for Checking Purposes:

$$1.5 \times .03 = .05 \text{ cfs (IRR)}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \times 4.5 = 6.75 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \times 245 \times 1.9835 = 24.3 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.75 \text{ AFA} = 6.8 \text{ cfs (IRR)}$$

2. Volume Calculations for Other Uses:

Allow .6 AFA for internal Domestic

APR 16 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Theoretical was the only measurement tol because of the fact that the well was submersible - the sprinklers were pop-ups.

Remarks - DON/1 Home

Conditions - R52

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.05 ~~06~~ cfs	6.86 ~~75~~ AFA
Domestic	1-1	12-31	.04 cfs	.6 AFA
Totals:			.05 ~~06~~ cfs	7.47 ~~35~~ AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY


Signature

David Gray

Certification Date

Field Report Preparation Date

07-09-92



CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 16 1993

T3N
T2N

APR 16 1993

↑
Q/a

PERMIT 63-10096 INIT J
T. R. S. Q/Q
P/D 2a 2a 6 0000
SCALE _____
PHOTO ID. _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10096

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 2w, Sec. 6, ne 1/4 nw 1/4 or Lot _____.

2. Owner: John D. +/o Mary Luc Ross

Address 2035 W. Greenhurst Rd., City Angus, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 85'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 8"
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No _____

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

APR 16 1993

-62-10096



Well casing:
Located at the
western part of
the property.



View from the north
side of the property
looking south.

APR 16 1993

63-10096



View to the East of
the PROPERTY FROM
THE WEST.



View from the
SOUTHEAST CORNER
OF THE PROPERTY.

APR 16 1993

January 24, 1990

JOHN D. ROSS
MARY LUE ROSS
3025 W. GREENHURST RD.
NAMPA, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10096

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

FEB 22 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10096

Date: 1/3/90

General Considerations:

- ☒ Name same as permit
☐ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
 Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
 1. well log in file Jan 1968 - possible well log
 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
 Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
 Has one been installed?
 Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Please check address

RECEIVED

OCT 31 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$50.00
Date 11/1/89
Receipt # C012620
Receipt by C. Wong
Reviewed by J. J. 11/4/90
Sent to region

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10096
Name(s) of Permit Holder: John D and Mary Lue Ross
Post Office Address: 11293 Greenhurst (2035 Greenhurst)
Nampa Idaho 83686 Telephone No. 208 467 4406
Source of Water: ground
Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation 2 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.10 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Jan 1968

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

John D Ross 208 467 4406
(Name) (Telephone Number)
11293 Greenhurst Nampa Idaho 83686
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

26 Oct 1989
Date

John D Ross
Signature of Permit Holder (and title, if appropriate)

FEB 22 1990

3277953
Rto Fleet
95

0101000000

Possible well log
(not confirmed by
groundwater protection
section)

REPORT OF WELL DRILLER
State of Idaho

Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name JOHN T. BOSS

Address 115 11th Ave. So.

Marra, Idaho

Owner's Permit No. _____

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Domestic

METHOD OF CONSTRUCTION: Rotary ☒ Cable ☐

Dug ☐ Other _____

(explain) _____

CASING SCHEDULE: Threaded _____ Welded _____

8-5/8" Diam. from 0 ft. to 191 ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

Thickness of casing: 250 ft. 198 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain) _____

PERFORATED? Yes ☒ No ☐ Type of

perforator used: Factory perforated

Size of perforations: 1/2" by 1.5/8" "

perforations from _____ ft. to _____ ft.

perforations from 160 ft. to 191 ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name _____

Type _____ Model No. _____

Diam. Slot size Set from _____ ft. to _____ ft.

Diam. Slot size Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☒

No. ☐ size of gravel 5/16" max Gravel

placed from 97 ft. to 191 ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

97 ft. Material used in seal: Cement, benton

slurry

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water: _____

Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☐ No. ☒

Cemented in place? Yes ☐ No ☐

Locate well in section

		X	

LOCATION OF WELL: County Canyon

NW 1/4 NE 1/4 Sec. 6 T. 2 N. R. 2 E. W.

Use other side for additional remarks

Size of drilled hole: 12-1/4" Total

depth of well: 191 Standing water

level below ground: 90' Temp.

Fahr. Test delivery: 30 gpm

or cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

Air lift-Checked while developing

Length of time of test: _____ Hrs. _____ Min.

Drawdown: _____ ft. Artesian pressure: ft.

above land surface Give flow _____ cfs

or _____ gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

0 2 Top soil no

2 11 Hard caliche no

11 30 Gravel & boulders no

30 45 Boulders no

45 50 Gravel no

50 65 Gravel no

60 80 Sand no

80 97 Gravel some

97 128 Yellow clay no

128 136 Fine sand ver

136 150 Cemented gravel some

150 165 Cemented gravel some

165 180 Cemented boulders yes

180 191 Yellow clay no

191 191 Boulders yes

Work started: Sept. 25, 1969

Work finished: Oct. 8, 1969

Well Driller's Statement: This well was

drilled under my supervision and this report

is true to the best of my knowledge.

Name: R. W. WELL DRILLING CO., INC.

Address: Caldwell, Idaho

Signed by: _____

License No. 76 Date: Oct. 21, 1969

NOTED

FEB 27 1990

October 17, 1988

John D. and Mary Lue Ross
3025 W. Greenhurst Rd.
Nampa, ID 83651

Dear Mr. and Mrs. Ross:

Re: Permit No. 63-10096

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proof of beneficial use form is extended to August 1, 1990.

If you have any questions or concerns regarding the permit, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

DEC 02 1988

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10096Reviewed by lyDate 10-17-1988

BASIC INFORMATION

4 Date stamp received
4 Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
4 Fee received and receipted
4 Name and signature same as permit
4 Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

4 Has adequate work been completed to demonstrate due diligence?
4 Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for two years

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
Proof due date _____ = _____
No. of days late _____ = _____
Priority date _____ = + _____
ADJUSTED PRIORITY DATE _____ = _____

1 Prepare coding sheet
1 Change rolodex cardf

138887
CERTIFIED MAIL
May 31, 1988

ROSS, JOHN D. & MARY LUE
2035 W. GREENHURST RD.
NAMPA, ID 83651

PROOF DUE NOTICE

RE: Permit No. 63-10096

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

DEC 02 1988

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RUSS, JOHN D. & MARY LUE
2035 W. GREENHURST RD.
NAMPA, ID 83651

AUGUST 30, 1983

RE: PERMIT NO. 63-10096

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

RECEIVED
AUG 31 1983
WATER RESOURCES
DIVISION

RE: PERMIT 63-10096

PAGE 01
AUGUST 30, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: DS

APPLICATION NUMBER: 63-10096

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: July 25, 1983
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: July 25, 1983
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30131159
☒ Publication dates and paper, recorded on application. Boise Tribune 7/21 & 7/24/83
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ Date of priority recommended. 6/24/83
Special conditions of approval or cover letter. I.P. GW letter
26

By: DS

Date: 8/1/83

STATE OFFICE REVIEW:

SLW/LH, LH

DS

- ☐ See attached sheet for more information.

By: [Signature]

Date: 8/17/83

RECEIVED

AUG 16 1983

Department of Water Resources

MICROFILMED

63-10096

ROSS, JOHN D. &/or MARY LUE

2035 W. GREENHURST RD., NAMPA, ID 83651

Source: GROUNDWATER

Date Filed: 06/24/1983

Diversion Pt: NENW Sec 06 T 02N R 02W

Use: IRRIGATION	(0.06 CFS)
DOMESTIC	(0.04 CFS)

In: NENW Sec 06 T 02N R 02W FOR 2 ACRES