


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Williams
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10086

1. Owner: Henry Kulczyk Phone No. 286-9553
Current Address: 7451 Emmett Hwy., Eagle, Id. 83615

2. Accompanied by: owner EXAM. DATE: 7/16/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached

2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.


☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
JUN 24 1992



PREPARED BY THE UNITED STATES GEOLOGICAL SURVEY
 BY USGS, NOS/NOAA
 FROM AERIAL PHOTOGRAPHS TAKEN 1980
 CHECKED 1981 MAP EDITED 1985
 ON TRANSVERSE MERCATOR
 63000-METER UNIVERSAL TRANSVERSE MERCATOR ZONE 11
 63000-FOOT STATE GRID TICKS IDAHO, WEST ZONE
 DECLINATION

NORTH





→ P/d

PHOTO ONE-



→ pump house
and
pressure tank

PHOTO TWO-

MICROFILMED
JUN 24 1992



→ garden
(P/U)

PHOTO THREE-



→ P/U

PHOTO FOUR-

MICROFILMED
JUN 24 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>GEORGE WILLIAMS</u> Address <u>EMMETT Rd.</u> Owner's Permit No. <u> </u>		7. WATER LEVEL Static water level <u>225</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow <u> </u> Artesian closed-in pressure <u> </u> p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature <u> </u> °F. Quality <u> </u>																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) <u> </u>		8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other <u> </u> <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>2.0</u></td><td><u>275</u></td><td><u>4 1/2</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>2.0</u>	<u>275</u>	<u>4 1/2</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																	
<u>2.0</u>	<u>275</u>	<u>4 1/2</u>																																	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other <u> </u> (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Hole Diam.</th><th>Depth From To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td><u>6"</u></td><td><u>0</u> <u>250</u></td><td><u>BROWN CLAY</u></td><td>☒ ☒</td></tr><tr><td></td><td><u>250</u> <u>266</u></td><td><u>LARGE SAND</u></td><td>☒ ☒</td></tr><tr><td></td><td><u>266</u> <u>295</u></td><td><u>BROWN CLAY</u></td><td>☒ ☒</td></tr><tr><td></td><td><u>295</u> <u>315</u></td><td><u>LARGE SAND</u></td><td>☒ ☒</td></tr><tr><td></td><td><u>315</u> <u>409</u></td><td><u>BLUE CLAY</u></td><td>☒ ☒</td></tr><tr><td></td><td></td><td><u>WITH TINY STRAKS</u></td><td></td></tr><tr><td></td><td></td><td><u>OF FINE BLUE SAND</u></td><td></td></tr></tbody></table>		Hole Diam.	Depth From To	Material	Water Yes No	<u>6"</u>	<u>0</u> <u>250</u>	<u>BROWN CLAY</u>	☒ ☒		<u>250</u> <u>266</u>	<u>LARGE SAND</u>	☒ ☒		<u>266</u> <u>295</u>	<u>BROWN CLAY</u>	☒ ☒		<u>295</u> <u>315</u>	<u>LARGE SAND</u>	☒ ☒		<u>315</u> <u>409</u>	<u>BLUE CLAY</u>	☒ ☒			<u>WITH TINY STRAKS</u>				<u>OF FINE BLUE SAND</u>	
Hole Diam.	Depth From To	Material	Water Yes No																																
<u>6"</u>	<u>0</u> <u>250</u>	<u>BROWN CLAY</u>	☒ ☒																																
	<u>250</u> <u>266</u>	<u>LARGE SAND</u>	☒ ☒																																
	<u>266</u> <u>295</u>	<u>BROWN CLAY</u>	☒ ☒																																
	<u>295</u> <u>315</u>	<u>LARGE SAND</u>	☒ ☒																																
	<u>315</u> <u>409</u>	<u>BLUE CLAY</u>	☒ ☒																																
		<u>WITH TINY STRAKS</u>																																	
		<u>OF FINE BLUE SAND</u>																																	
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other <u> </u>		RECEIVED SEP 9 1978 Department of Water Resources Western Regional Office OCT 11 1978																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <u> </u> <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>2.50</u> inches</td><td><u>6"</u> inches</td><td><u>1</u> feet</td><td><u>328</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>50</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☒ Well cuttings Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	<u>2.50</u> inches	<u>6"</u> inches	<u>1</u> feet	<u>328</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet
Thickness	Diameter	From	To																																
<u>2.50</u> inches	<u>6"</u> inches	<u>1</u> feet	<u>328</u> feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
Number	From	To																																	
_____ perforations	_____ feet	_____ feet																																	
_____ perforations	_____ feet	_____ feet																																	
_____ perforations	_____ feet	_____ feet																																	
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>ADA</u> <u>SE 1/4 NW 1/4 Sec. 21 T. 5 S. R. 1 E.</u> Subdivision Name <u> </u> Lot No. <u> </u> Block No. <u> </u>		10. Work started <u>12-17-77</u> finished <u>12-27-77</u>																																	
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Howell Drilling</u> Firm No. <u>303</u> Address <u>11917 HIGHWAY 200</u> Date <u>4-16-78</u> Signed by (Firm Official) <u>Bruce H. Connolly</u> and (Operator) <u>Bruce H. Connolly</u>																																			

USE ADDITIONAL (SHEETS) IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10086

Priority: June 14, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.03 CFS
1.2 AF

This is to certify, that GEORGE WILLIAMS
DOLORES WILLIAMS

7451 EMMETT HYW
EAGLE ID 83615

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1983; and has submitted Proof of Beneficial Use on July 29, 1988. An examination indicates that the works have a diversion capacity of .030 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 21, Township 05N, Range 01W
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

05N 01W 21 SENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19TH day of JUNE, 1992.

MICROFILMED

JUN 24 1992

Acting for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant George &/or Dolores Williams Phone 286-7282

Post office address 7451 Emmett, Hyw. Eagle, ID 83615

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 5N

Range 1W B.M. Ada County, additional points of diversion if any: _____

SENW Sec. 21 T5N R1W

4. Water will be used for the following purposes:

Amount .20 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 ds cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump, Sprinkler and
Irrigation System

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 407 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NENW
SENW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 5N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

RECORDED

UNPROTECTED


Total number of acres to be irrigated 10

b. Who owns the land to be irrigated or place of use applicant

APPROVED

REVOLVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Williams
(Applicant)

Proposed Priority 6/14/1983

Received by COP Date 14 June 83 Time 12:30

Preliminary check by js Fee \$ 30.00

Receipted by COP Date 14 June 83 # 28995

Publication prepared by SP Date 6/30/83

Published in the Idaho Statesman

Publication dates 7/7 & 7/14/83

Publication approved ama Date 7-20-83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10086, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 5 day of August, 1983.

David R. Tuttle
Acting Chief, Operations Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-10079

MILLER, GEORGE B. &/or RUTH E.
RT. 3, KUNA, ID 83634
Source: GROUNDWATER
Date Filed: 06/22/1983
Diversion Point: LOT 05 (SWNW) Sec
06 T 02N R 01E
Use: IRRIGATION (0.03 CFS)
STOCKWATER (0.05 CFS)
DOMESTIC (0.04 CFS)
In: LOT 05 (SWNW) Sec 06 T 02N R
01E FOR 1 ACRES

63-10084

GWARTNEY, J. MICHAEL
6400 PIERCE PARK RD.
BOISE, ID 83703
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Point: SWSE Sec 18 T 04N
R 02E
Use: IRRIGATION (0.15 CFS)
DOMESTIC (0.02 CFS)
In: SWSE Sec 18 T 04N & 02E FOR 5
ACRES

63-10086

WILLIAMS, GEORGE &/or
DOLORES
7451 EMMETT HWY.
EAGLE, ID 83615
Source: GROUNDWATER
Date Filed: 06/14/1983
Diversion Point: NENW SENW Sec 21
T 05N R 01W
Use: IRRIGATION (0.20 CFS)
DOMESTIC (0.04 CFS)
In: NENW SENW Sec 21 T 05N R 01W
FOR 10 ACRES

63-10088

GARROW, JAMES D.
12775 HIGHWAY 55, BOISE, ID 83703
Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Point: SENE Sec 31 T 05N
R 02E SWNW Sec 32 T 05N R 02E
Use: IRRIGATION (0.80 CFS)
In: NENE SENE Sec 31 T 05N R 02E
SWNW Sec 32 T 05N R 02E for 40
ACRES

63-10095

RODDA, DAVID G. &/or LINDA S.
2625 ROLLING HILLS, STAR, ID 83669
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Point: SENE Sec 05 T 04N
R 01W
Use: IRRIGATION (0.15 CFS)
DOMESTIC (0.04 CFS)
In: NWNE Sec 05 T 05N R 01W FOR 5
ACRES

63-10097

LEWIS, BARNEY J.
755 W. LAKE HAZEL
MERIDIAN, ID 83642
Source: GROUNDWATER
Date Filed: 06/24/1983
Diversion Point: NWNE Sec 01 T 02N
R 01W FOR 5 ACRES
Use: IRRIGATION (0.15 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWNE Sec 01 T 02N R 01W FOR 5
ACRES

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, State-
house, Boise, Idaho 83720 on or before
JULY 25, 1983.

A. KENNETH DUNN
Director
Pub. July 7, 14, 1983

875

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Susan K. Mayer, being duly
sworn, deposes and says: That she is the Principal
Clerk of The Idaho Statesman, a daily newspaper
printed and published at Boise, Ada County, State
of Idaho, and having a general circulation therein
and which said newspaper has been continuously and
uninterruptedly published in said County during a
period of twelve consecutive months prior to the
first publication of the notice, a copy of which
is attached hereto; that said notice was published
in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of July 7, 1983, and ending with the
issue of July 14, 1983.

Susan K. Mayer

Subscribed and sworn to before me this 14th
day of July, 1983.

Donald E. Egan


Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
JUL 15 1983

Department of Water Resources
Western Regional Office

MICROFILMED


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237



RECEIVED
JUN 25 1992

Department of Water Resources

63-10086



fund exp





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 22, 1992

GEORGE WILLIAMS
DOLORES WILLIAMS
7451 EMMETT HYW
EAGLE ID 83615

RE: WATER RIGHT NO. 63-10086

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10086

Priority: June 14, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.03 CFS
1.2 AF

This is to certify, that GEORGE WILLIAMS
DOLORES WILLIAMS

7451 EMMETT HYW
EAGLE ID 83615

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1983; and has submitted Proof of Beneficial Use on July 29, 1988. An examination indicates that the works have a diversion capacity of .030 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 21, Township 05N, Range 01W
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

05N 01W 21 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19TH day of JUNE, 1992.

Acting for R. Keith Higginson, Director

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

I, _____, hereby assign to _____
of _____
Address _____

All my right, title, and interest in and to Permit No. _____
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of
the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second for
direct diversion, or acre feet for storage)

Made this _____ day of _____, 19____.

Permit Holder

Spouse of Permit Holder

State of Idaho)
County of _____) ss



On this _____ day of _____, 19____, personally appeared before
me the signer(s) of the above instrument, who duly acknowledged to me that
he (she) (they) executed the same.

Notary Public residing at

s e a l

My commission expires:


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 NORTH ORCHARD STREET
BOISE, IDAHO 83706-2237



Department of Water Resources

L63-10086
GEORGE WILLIAMS
7451 EMERY HWY

EAGLE



Paul EP

ID 83615



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 22, 1992

GEORGE WILLIAMS
DOLORES WILLIAMS
7451 EMMETT HYW
EAGLE ID 83615

RE: WATER RIGHT NO. 63-10086

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10086

Priority: June 14, 1983

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that GEORGE WILLIAMS
DOLORES WILLIAMS

7451 EMMETT HYW
EAGLE ID 83615

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1983; and has submitted Proof of Beneficial Use on July 29, 1988. An examination indicates that the works have a diversion capacity of .030 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 21, Township 05N, Range 01W
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

05N 01W 21

SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19th day of JUNE, 1992.

Acting for R. Keith Higginson, Director

June 22, 1992

GEORGE WILLIAMS
DOLORES WILLIAMS
7451 EMMETT HYW
EAGLE ID 83615

RE: WATER RIGHT NO. 63-10086

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MAILED
JUN 24 1992

MEMORANDUM

DATE: May 15, 1992
TO: File 63-10086
FROM: Cindy Zimmerman
SUBJECT: Change of Owner/Address

Per telephone conversation with Ada County Assessor's office this date, new owner and address is:


Henry Kulczyk
Charmagne Kulczyk
7451 Emmett Hwy
Eagle ID 83615

RECORDED
JUN 24 1992


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1901 NORTH ORCHARD STREET
BOISE, IDAHO 83706-2237

JUN 24 1992

RECEIVED



REGISTERED
FIRST CLASS



P.O. Box
Friedley



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 11, 1992

GEORGE WILLIAMS
DOLORES WILLIAMS
7451 EMMETT HYW
EAGLE ID 83615

RE: WATER RIGHT NO. 63-10086

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

WATER RIGHT NO. 63-10086

Priority: June 14, 1983

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that **GEORGE WILLIAMS**
DOLORES WILLIAMS

7451 EMMETT HYW

EAGLE ID 83615

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1983; and has submitted Proof of Beneficial Use on July 29, 1988. An examination indicates that the works have a diversion capacity of .030 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SEW , Sec. 21, Township 05N, Range 01W
ADA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

05N 01W 21

SEW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this _____ day of _____, 19____.

R. Keith Higginson, Director

May 11, 1992

GEORGE WILLIAMS
DOLORES WILLIAMS
7451 EMMETT HYW
EAGLE ID 83615

RE: WATER RIGHT NO. 63-10086

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

MICROFILMED

JUN 24 1992

LICENSE REVIEW CHECKLIST

Date 04-30-92

Permit # 63-10086

28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? <u>.03cfs (DOM)</u>
	☐	☒	Disagree with Theoretical? _____
	☐	☐	Limited by Capacity? <u>.03cfs</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☐	☒	Disagree with Examiner's Calculations? _____
	☐	☒	<u>1.2 AFA (DOM)</u>
	☐	☒	Limited by Flow? <u>.03 x 365 x 1.9835 = 21.7 > 1.2</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map _____
	☐	☒	Amendment Needed? <u>Drop NENW (Single P/D)</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☐	☒	Verify with Map _____
	☐	☒	Amendment Needed? <u>Drop NENW</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☒	☐	Changes required to be compatible with
	☐	☐	Maps, Data Entry Standards, etc? _____
	☐	☒	<u>Uses, Rates</u>
	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irrigation Uses <u>DOM / 1 Home</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED: <u>Reduce Rate, Uses, Acres</u>			
License ☐ 10-Day ☒ 15-Day ☐ Special Correspondence _____			

DATE: 04/30/92
PAGE: 1

Audit: 04/30/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10086
1. Owner: Henry Kulczyk Phone No. 286-9553
Current Address: 7451 Emmett Hwy., Eagle, Id. 83615
2. Accompanied by: owner EXAM. DATE: 7/16/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: none

☐ Copies Attached
2. Other water rights with same point of diversion: none

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUN 24 1992

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of a 407' deep well with static level of 225'. There is a submersible pump at unknown level that pumps water from well approx. 10' to a 50 gal. pressure tank. From pressure tank ^(water) it travels 300' via buried 1" line to place of use.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5	WIP4F02-01	Starite	M84B

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	21	5N	1W	Ada	7.5' USGS topo.

6. Place(s) of Use:

Indicate Method of Determination *exam*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	1W	21					D												

Do not use this space

RECORDED

JUN 24 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$Q = \frac{(8.8)(1.5)(.7)}{300 + (2.3 \times 20)} = .03 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

domestic, 1-home, internal & external

1.2 af2

MICROFILMED

JUN 24 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Data shows system can only produce
at most .03 cfs.

* I only observed one point of diversion
unlike two as permit indicates.

No Irrigation greater than .5 Ac observed.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.03	1.2
Totals:			.03 cfs	1.2 afa

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

SARA West


Signature

S.Y. West


Certification Date

Field Report Preparation Date

8/12/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



34-100 21
SHEPHERD W-57 SCALE 1:24 000 #63-10086
5N-1W-21

1 5 0

1000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10 000

MILES

FEET

#63-10086
5N-1W-21



→ P/d


PHOTO ONE-



→ pump house
and
pressure tank

PHOTO TWO-

MICROFILMED
JUN 24 1992



→ garden
(P/U)

PHOTO THREE-



→ P/U

PHOTO FOUR-

REFILMED

JUN 24 1992

Form 238-I
09/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10086

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____ 1/4 ____ 1/4 or Lot____.
2. Owner: _____
Address _____, City_____, St____
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: _____
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature: cold
Properly Valved: Yes ☒ No ☐
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

FILED
JUN 24 1992



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 10, 1988

63-10086
George Williams
P.O. Box 1235
Eagle, ID 83616

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy", is written above the typed name.

Judy Pense
Secretary

/jp

RECEIVED
JUN 24 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 43-10086

Date: 9/28/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
 Y 1. well log in file
 N/A 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	+
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED
JUL 29 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10086
Name(s) of Permit Holder: George & Dolores Williams
Post Office Address: 7451 Emmett Hwy., Eagle, Id.
P.O. Box 1235 - Eagle, Id. Telephone No. 286-7282
Source of Water: g.w.

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cts _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Feb., 1978

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No
Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

same as above
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

July 29, 1988
Date

George Williams
Signature of Permit Holder (and title, if appropriate)

MAILED
OCT 11 1988

To: File 63-10086

From: Groundwater Protection

Date: 9/20/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
☒ probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.


One well or two?

OK JM

MICROFILMED

OCT 11 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>George Williams</u> Address <u>Emmett Rd.</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>225</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.V. flow _____ Artesian closed-in pressure p.s.i. _____ Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature ____°F. Quality _____																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Baker ☒ Air ☐ Other _____																																								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Draw Down</th> </tr> </thead> <tbody> <tr> <td align="center"><u>20</u></td> <td align="center"><u>275</u></td> <td align="center"><u>N/A</u></td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Draw Down	<u>20</u>	<u>275</u>	<u>N/A</u>																																		
Discharge G.P.M.	Pumping Level	Draw Down																																							
<u>20</u>	<u>275</u>	<u>N/A</u>																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Total Depth</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Remarks</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td rowspan="4"><u>26"</u></td> <td><u>0</u></td> <td><u>20</u></td> <td>BROWN CLAY</td> <td rowspan="4">✓ ✓</td> </tr> <tr> <td><u>20</u></td> <td><u>26</u></td> <td>LARGE SAND</td> </tr> <tr> <td><u>26</u></td> <td><u>28</u></td> <td>BROWN CLAY</td> </tr> <tr> <td><u>28</u></td> <td><u>31</u></td> <td>LARGE SAND</td> </tr> <tr> <td><u>31</u></td> <td><u>40</u></td> <td>BLUE CLAY</td> <td>✓</td> </tr> <tr> <td></td> <td></td> <td></td> <td>WITH TINY STRAWS OF FINE BLUE SAND</td> <td></td> </tr> </tbody> </table>	Total Depth	Depth		Material	Remarks	From	To	<u>26"</u>	<u>0</u>	<u>20</u>	BROWN CLAY	✓ ✓	<u>20</u>	<u>26</u>	LARGE SAND	<u>26</u>	<u>28</u>	BROWN CLAY	<u>28</u>	<u>31</u>	LARGE SAND	<u>31</u>	<u>40</u>	BLUE CLAY	✓				WITH TINY STRAWS OF FINE BLUE SAND											
Total Depth	Depth		Material	Remarks																																					
	From	To																																							
<u>26"</u>	<u>0</u>	<u>20</u>	BROWN CLAY	✓ ✓																																					
	<u>20</u>	<u>26</u>	LARGE SAND																																						
	<u>26</u>	<u>28</u>	BROWN CLAY																																						
	<u>28</u>	<u>31</u>	LARGE SAND																																						
<u>31</u>	<u>40</u>	BLUE CLAY	✓																																						
			WITH TINY STRAWS OF FINE BLUE SAND																																						
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Auger ☐ Other _____																																									
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6"</u> inches</td> <td><u>+ 1</u> foot</td> <td><u>328</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>Perforations</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td>perforations</td> <td> </td> <td>feet</td> </tr> <tr> <td> </td> <td>perforations</td> <td> </td> <td>feet</td> </tr> <tr> <td> </td> <td>perforations</td> <td> </td> <td>feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Shot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☒ Well cuttings Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☒ Overlure to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between joints Describe cement part _____	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6"</u> inches	<u>+ 1</u> foot	<u>328</u> feet																	Number	Perforations	From	To		perforations		feet		perforations		feet		perforations		feet	
Thickness	Diameter	From	To																																						
<u>.250</u> inches	<u>6"</u> inches	<u>+ 1</u> foot	<u>328</u> feet																																						
Number	Perforations	From	To																																						
	perforations		feet																																						
	perforations		feet																																						
	perforations		feet																																						
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>ADA</u>	10. Work started <u>12-17-77</u> finished <u>12-27-77</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>H & O Well Drilling Co.</u> No. <u>303</u> Address <u>11917 Houston St.</u> City <u>4-H-TN</u> Signed by Operator <u>Bruce H. Connolly</u> and <u>Dwight H. Connolly</u>																																								

138683
CERTIFIED MAIL
May 31, 1988

WILLIAMS, GEORGE & DOLORES
7451 EMMETT HYW.
EAGLE, ID 83615

PROOF DUE NOTICE

RE: Permit No. 63-10086

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

OCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WILLIAMS, GEORGE & DOLORES
7451 EMMETT HWY.
EAGLE, ID 83615

AUGUST 16, 1983

RE: PERMIT NO. 63-10086

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

APPROPRIATE

RE: PERMIT 63-10086

PAGE 01
AUGUST 16, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Glover

APPLICATION NUMBER: 63-10086

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: June 25 1983

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/15/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30128995
☒ Publication dates and paper, recorded on application. Idaho Statesman
☒ Protests, dates, withdrawal, etc., recorded on application. 7/9 & 7/14/83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/14/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. I.P. GW letter

By: 0135

Date: 7/25/83

STATE OFFICE REVIEW:

SLW/LI, LI7

26

- ☐ See attached sheet for more information.

By: [Signature]

Date: 8/1/83

RECEIVED
JUL 27 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

63-10086

WILLIAMS, GEORGE &/or DOLORES

7451 EMMETT HYW., EAGLE, ID 83615

Source: GROUNDWATER

Date Filed: 06/14/1983

Diversion Pt: NENW SENW Sec 21 T 05N R 01W

Use: IRRIGATION	(0.20 CFS)
DOMESTIC	(0.04 CFS)

In: NENW SENW Sec 21 T 05N R 01W FOR 10 ACRES