

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Handwritten text on the map grid:

- R10E
- P.D.O
- 3AC
- T
- 3
- 14
- 15

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard J. Jones
(Applicant)

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Richard and/or Laura Preston Permit No. 63-10082
Current Address: 7218 Bentwood Dr., Boise, Id. 83709 Phone No. 375-0072
2. Accompanied by: owners EXAM. DATE: 7/26/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-04005A
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
☒ Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

JUL 28 1992

2971 11 NW
(CAYUSE POINT)





→ P/d

PHOTO ONE-



→ pressure tank

PHOTO TWO-

A well
MICROFILMED
JUL 28 1992

50
gal. storage
tank →

PHOTO THREE-



MICROFILMED
JUL 28 1992

P/u →

PHOTO FOUR-



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10082

Priority: June 22, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
1.2 AF

This is to certify, that RICHARD C PRESTON
LAURA E PRESTON

7218 BENTWOOD DR
BOISE ID 83709

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 22, 1983; and has submitted Proof of Beneficial Use on June 6, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 15, Township 03N, Range 10E
ELMORE County

PLACE OF USE: DOMESTIC
TWN RGE SEC

03N 10E 15 NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Place of use is also known as Lot 9, Block 4, Featherville Acres No. 2.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of JULY, 1992.

MICHAEL MED

Acting for R. Keith Higginson, Director

JUL 28 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Richard C. and/or Laura E. Preston Phone 375-0072

Post office address 7218 Bentwood Dr., Boise, ID 83709

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 15 Township 3N

Range 10E B.M. ELMORE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .09 for irrigation purposes from 6/1/ to 9/30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .13 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Sprinkler irrigation

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is _____ feet.

7 Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 15 Township 3N

Range 10E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ____/____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael J. Jones
(Applicant)

Proposed Priority 6/22/1983

Received by JKN Date 6/23/83 Time 10:45 AM

Preliminary check by [initials] Fee \$ 30 no fee # 31113

Receipted by JKN Date 6/22/83

Publication prepared by AS Date 6/30/83

Published in minn home news

Publication dates 7/17 & 7/14/83

Publication approved JKN Date 7-20-83

Protests filed by: [initials]

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by DBS [initials]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10082, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 5 day of August, 1983.

David R. Tutthill
Acting Chief, Operations Bureau

NOTICE OF APPLICATIONS
FOR WATER RIGHTS

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10081

U.S. DEPT. OF AGRI.
FOREST SERVICE, FEDERAL
BLDG., 324 25TH ST., OGDEN, UT
84401

Source: SPRING trib. to WIL-
LOW CREEK

Date Filed: 06/09/1983

Diversion Pt: NESW Sec 07 T 02N
R 06E

Use: STOCKWATER (0.01 CFS)

In: NESW Sec 07 T 02N R 06E

63-10082

PRESTON, RICHARD C. &/or
LAURA E.
7218 BENTWOOD DR., BOISE,
ID 83709

Source: GROUNDWATER

Date Filed: 06/22/1983

Diversion Pt: NWNW Sec 15 T
03N R 10E

Use: IRRIGATION (0.09 CFS);
DOMESTIC (0.04 CFS)

In: NWNW Sec 15 T 03N R 10E
FOR 3 ACRES

63-10083

MARKS, ROBERT L. &/or
FRANCES L.

ROCKY BAR STAGE, P.O. BOX
41, MOUNTAIN HOME, ID 83647

Source: GROUNDWATER

Date Filed: 06/21/1983

Diversion Pt: NENE Sec 21 T 03N
R 10E

Use: IRRIGATION (0.09 CFS)

In: NENE Sec 21 T 03N R 10E
FOR 3 ACRES

63-10087

HOGGE, DON J. &/or SHIRLEY
F.

RT. 1 BOX 1455, NAMPA, ID
83651

Source: GROUNDWATER

Date Filed: 06/21/1983

Diversion Pt: SWNE Sec 03 T 05N
R 11E

Use: DOMESTIC (0.11 CFS)

In: SWNE Sec 03 T 05N R 11E

63-10093

U.S. DEPT. OF AGRI.
FOREST SERVICE, FEDERAL
BLDG., 324 25TH ST., OGDEN, UT
84401

Source: SPRINGS trib. to SLAT-
ER CREEK

Date Filed: 06/09/1983

Diversion Pt: SWSW Sec 20 T 02N
R 05E NWSW NWSE NESE

NESE Sec 19 T 02N R 05E

Use: STOCKWATER (0.02 CFS)

In: SWSW Sec 20 T 02N R 05E

The permits will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Wa-
ter Resources, Western Region,
Statehouse, Boise, Idaho 83720 on or
before JULY 25, 1983.

KEN DUNN, Dir.

Published 07/07 & 07/14/83.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Floyd S. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

2 consecutive weeks, the first publica-

tion having been made on the 7 day

of July, 1983, and

the last publication having been made on the

14 day of July,

1983; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Floyd S. Waters
Subscribed and sworn to me this 14th

day of July, 1983

Deean W. Swanson
Notary Public

July 13, 1992

RICHARD C PRESTON
LAURA E PRESTON
7218 BENTWOOD DR
BOISE ID 83709

RE: WATER RIGHT NO. 63-10082

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUL 28 1992

June 3, 1992

RICHARD C PRESTON
LAURA E PRESTON
7218 BENTWOOD DR
BOISE ID 83709

RE: WATER RIGHT NO. 63-10082

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

28-01-1892
JUL 28 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10082

Date 05-21-92
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>.04 cfs (DOM)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
			<u>1.2 AFA (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u>Drop Irr</u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM/home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u>✓</u> <u> </u> App Rec'd
			<u>✓</u> <u> </u> Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduce Uses, Rate</u>		
	<u> </u>		
	<u> </u>		
License	<u> </u>	10-Day	<u>✓</u> 15-Day <u> </u> Special Correspondence <u> </u>

WR0749NP
No. L63-10082

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/21/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD C PRESTON	06/22/1983	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
C	LAURA E PRESTON					
	7218 BENTWOOD DR					
	BOISE ID 83709					
				TOTAL DIVERSION:	0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T03N R10E S15 NW NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
03N	10E	15	:					:			D		:					:					:

Pou County: ELMORE

Other Water Rights Listing Overlapping Place(s) of use:
63-04005A 63-10082

Remarks: Domestic use is for 1 home.
Place of use is also known as Lot 9, Block 4, Featherville Acres
No. 2.

Dates:	App. Received:	06/22/1983	Priority Date:	06/22/1983
	Proof Due Date:	08/01/1988	Proof Made Date:	06/06/1988
	Exam Made Date:	07/26/1991	Exam Sent to S.O.:	02/07/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/21/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10082
1. Owner: Richard and/or Laura Preston Phone No. 375-0072
Current Address: 7218 Bentwood Dr., Boise, Id. 83709
2. Accompanied by: owners EXAM. DATE: 7/26/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to —

B. OVERLAP REVIEW


1. Other water rights with same place of use: 63-04005A

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUL 28 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
☒ Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System consists of a 70' well with 6" casing. Static level is 15'. There is 30' of 1 1/4" buried pvc between well and pressure tank. There is 35' of same buried pvc between pressure tank and house. The yard is sprinkled by using the spigot near the well. (hooking a garden hose to it)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NWNW		15	3N	10E	Elmore	7.5' USGS topo.

6. **Place(s) of Use:**

Indicate Method of Determination exam

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	10E	15					D												

MICROFILMED

JUL 28 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.04 cfs per B/u exam.

2. Alternate Method for Checking Purposes:

Assume: $\frac{.5 \times 8.8 \times .7}{30 + (20 \times 2.3)} = .04$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

0/1 internal & external:

1.2 afa

MICROFILMED

JUL 28 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

overlap does not affect system.
No available data on pump/motor.
(other than 1/2 hp)

Drop irrigation & include yard in Domestic component

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	1.2
Totals:			.04 cfs	1.2 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other


J. AUTHENTICATION

Field Examiner's Name SARA WEST

Signature S-Y. West

Certification Date 8/9/91

Field Report Preparation Date 8/9/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED


JUL 28 1992

63-10082-
3N-10E-15

FEATHERVILLE QUADRANGLE
IDAHO-ELMORE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

2971 11 NW
(CAYUSE POINT)

ROCKY BAR 6.8 MI.
630 000 FEET



Department of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10082

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP _____, Rge _____, Sec. _____, _____ 1/4 _____ 1/4 or Lot _____.
2. Owner: _____
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____
4. Access Port: Yes ☒ No _____ Static Water Level: 15'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 6"
Flowing: Yes _____ No ☒ Temperature: cool
Properly Valved: Yes ☒ No _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MICROFILMED
JUL 28 1992



→ P/d

PHOTO ONE-



→ pressure tank

PHOTO TWO-

MICROFILMED

JUL 28 1992

A well

50 gal. storage tank →

PHOTO THREE-



MICROFILMED

JUL 28 1992

P/u →

PHOTO FOUR-





CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 10, 1988

63-10082
Richard C. Preston
7218 Brentwood Dr.
Boise, ID 83709

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy", is written above the typed name.

Judy Pense
Secretary

/jip

RECEIVED
JUL 28 1992

Form 217
03/86

RECEIVED
JUN - 6 1988

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10082

Name(s) of Permit Holder: Preston, Richard C. & Laura E.

Post Office Address: 7218 Brentwood Dr., Boise, Id. 83709

Telephone No. 375-0072

Source of Water: Groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater 7 (number and type of stock)

Irrigation 1/2 (acres) Other/Remark Sprinkler irrigation

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9/11/79

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ - 0 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Laura Preston 375-0072
(Name) (Telephone Number)

7218 Brentwood Dr. Boise ID 83709
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/6/88 Laura E. Preston
Date Signature of Permit Holder (and title, if appropriate)

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10082

Date: 9/21/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
 N 1. well log in file *Not found due to size of well*
 N/A 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

To: File 63-10082

From: Groundwater Protection

Date:

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report: ☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up ☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

I suggest you process.
JB

UNRECORDED

SEP 30 1988

138682
CERTIFIED MAIL
May 31, 1988

PRESTON, RICHARD C. & LAURA E.
7218 BENTWOOD DR.
BOISE, ID 83709

PROOF DUE NOTICE

RE: Permit No. 63-10082

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.


Sincerely,



RITA FLECK
Secretary/Records Manager

SEP 30 1988

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PRESTON, RICHARD C. & LAURA E.
7218 BENTWOOD DR.
BOISE, ID 83709

AUGUST 16, 1983

RE: PERMIT NO. 63-10082

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 63-10082

PAGE 01
AUGUST 16, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
AUG 16 1983
WATER ALLOCATION SECTION

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: D. Hoff

APPLICATION NUMBER: 63-10082

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: July 25, 1983 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-18-83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/3113
☒ Publication dates and paper, recorded on application. 478, 7/4/83
☒ Protests, dates, withdrawal, etc., recorded on application. min some news
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6/22/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. Gw letter
26

By: DBS

Date: 7/25/83

STATE OFFICE REVIEW:

SLW/LII, L17

26

RECORDED
JUL 27 1983

Department of Water Resources

- ☐ See attached sheet for more information.

By: [Signature]

Date: 8/1/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

63-10082

PRESTON, RICHARD C. &/or LAURA E.

7218 BENTWOOD DR., BOISE, ID 83709

Source: GROUNDWATER

Date Filed: 06/22/1983

Diversion Pt: NWNW Sec 15 T 03N R 10E

Use: IRRIGATION	(0.09 CFS)
DOMESTIC	(0.04 CFS)

In: NWNW Sec 15 T 03N R 10E FOR 3 ACRES

RECEIVED
JUN 27 1983
FBI - BOISE