


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

- A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.



SCALE: 2 inches equal 1 mile. Draw plan in ink.

MICROFILMED
 FEB 26 1953

T
3
N

34

P.D.

ELDER SUND.

R2w

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Penelope Ann Jeffers
(Applicant)

Vice-President ^(Applicant) Globe Water Corp.

RECEIVED

AUG 22 1983

Department of Water Resources

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)

County of Canyon) ss.
County of Canyon)

Garrah J. Wheeler

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 11, 18, 1983

Garrah J. Wheeler

Subscribed and sworn to before me this 18th
day of August

19 83

Jeanne Lust

Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 63-10070 in the name of Elder Water Corp. was published in error on June 30 and July 7, 1983.

The number was advertised as being 63-10020, WHEREAS, the actual number is 63-10070.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, Statehouse, 450 W. State Street, Boise, Idaho, 83720 on or before August 29, 1983.


KEN DUNN,
Director
August 11, 18, 1983.

RECEIVED

AUG 22 1983

Department of Water Resources
Western Regional Office

MICROFILMED



tion 34,
M.

N. 0° 30' 00" W. 1318.91'

SUNNY RIDGE ROAD

S 1/16 Corner,
Section 34

(UNPLATTED)


RECORDED
At The Request Of

Sumner M. Johnson

In
Book 11 of Plats at Page 25
Fee \$ 22.00


OF BEGINNING

N. 0° 30' 00" W. 1318.65'



ERN STREET

N. 0° 30' 00" W.



S. 0° 06' 17" E. 1318.23'

(P & F SUBDIVISION)

THIS LOT DOES NOT HAVE A RESIDENCE, BUT IT IS IRRIGATED
32 IRR. LOTS
31 RESIDENCES

WELL
&
PUMPHOUSE

SO. POWER LINE ROAD


N. 0° 12' 50" E. 1316.63'


S. 1/16 Corner,
Section 34

N. 0° 12' 50" E.
1316.63'

East 1/4 Corner, Section 34
T. 3 N., R. 2 W., B.M.

(UNPLATTED)





(UNPLATTED)

GREENHURST ROAD

N. 89°09'40" W. 314.20'

T. 2 N., R. 2 W.
T. 3 N., R. 2 W., B.

S. 1/4 Corner, Section 34,
T. 3 N., R. 2 W., B.M.

N. 0°30'00" W. 1318.91'

SUNNY RIDGE ROAD

(UNPLATTED)

S. 1/16 Corner,
Section 34

N. 89°07'03" W. 330.00'

TRUE POINT OF BEGINNING

N. 0°30'00" W. 1318.65'

Future
Street R/W

89°09'40" E
5.00'

FERN STREET

N. 0°30'00" W. 1318.52'

512.73'

S. 89°07'03" E. 323.30'

(UNPLATTED)

SOUTH

S. 0°06'17" E. 1318.23'

(P & F SUBDIVISION)

THIS LOT DOES NOT HAVE A RESIDENCE, BUT IT IS IRRIGATED.
32 IRR. LOTS
31 RESIDENCES

WELL
&
PUMPHOUSE

S. 1/16 Corner,
Section 34

N. 0°12'50" E.
1316.63'

23 34 35

SO. POWER LINE ROAD

N. 0°12'50" E. 1316.63'

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5146
WATER RIGHT NO. 63-10070

This is to certify that: **ELDER WATER CORP**
2207 FERN ST
NAMPA ID 83651

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	27.0 AF
DOMESTIC	01/01 to 12/31	0.24 CFS	18.6 AF
	Totals	* 0.36 CFS	* 45.6 AF

SOURCE

GROUNDWATER

Priority: 06/13/1983

LOCATION OF POINT(S) OF DIVERSION: ** SWSE , Sec. 34, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	34	SWSE	6		6
Total number of acres irrigated:						6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. After specific notification by the department, the right holder shall annually report the amount of water diverted to the department.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
4. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.


TRANSFER NO. 5146
WATER RIGHT NO. 63-10070

CONDITIONS OF APPROVAL AND REMARKS

5. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
6. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
7. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- * 8. The total instantaneous diversion of water from all points of diversion under Transfer 5146 shall not exceed 0.36 cfs, nor total combined annual volume of 45.6 af.
9. Approval of Transfer 5146 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
10. Domestic use is for 31 homes.
- ** 11. Two (2) points of diversion are located within SWSE, S34, T03N, R02W.

Dated this 20th day of

January, 1998


Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5146
WATER RIGHT NO. 63-10070

This is to certify that: **ELDER WATER CORP**
2207 FERN ST
NAMPA ID 83651

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	27.0 AF
DOMESTIC	01/01 to 12/31	0.24 CFS	18.6 AF
	Totals	* 0.36 CFS	* 45.6 AF

SOURCE

GROUNDWATER

Priority: 06/13/1983

LOCATION OF POINT(S) OF DIVERSION:

** SWSE, Sec. 34, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	34	SWSE	6		6
Total number of acres irrigated:						6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. After specific notification by the department, the right holder shall annually report the amount of water diverted to the department.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
4. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.

RECEIVED

SEP 3 1997

Page 1 of 7

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Transfer No. 5146

RECEIVED

JAN 13 1998

APPLICATION FOR TRANSFER OF WATER RIGHT

PART 1

RECEIVED

SEP 02 1997

Department of Water Resources

Name of applicant Elder Water Corp. Phone _____

Post Office address 2207 Fern St. Nampa, Id 83651

A. PURPOSE OF TRANSFER

- ☐ Change point of diversion
 ☒ Add diversion point(s)
 ☐ Change place of use
☐ Change nature of use
 ☐ Change period of use
 ☐ Other _____
- Describe the reason for the proposed changes Adding a second well to system because of decreasing supply from original well (due to age of the well)

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

- | Right Number | Priority | Amount (cfs/ac-ft) | Nature of Use | Period of Use |
|--------------|----------|--------------------|---------------|---------------|
| 63-10070 | 6/13/83 | .12 | Irrigation | 3/15 to 11/15 |
| | | .24 | Domestic | 1/1 to 12/31 |
| | | | | to _____ |
| | | | | to _____ |
- Total amount of water being transferred .36 cubic feet per second and/or 45.6 acre-feet per annum.
- Source of water groundwater tributary to _____
- Point(s) of Diversion: _____

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion
		SW	SE	34	3N	2W	Canyon	2 pts.

5. Lands irrigated or place of use:

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2W	34															6		6
																	D/31 homes		

Total acres 6

PART 1

6. General Information:

a. Description of diversion system wells & pumps

b. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts? N/A Yes _____ No. If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.

c. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer:
None

d. Remarks:

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____

And said application is hereby _____, subject to the following limitations and conditions:

Witness my hand this _____ day of _____, 19____

RECORDED
FEB 26 1988

PART 2

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 63-10070

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	27.0 AF
DOMESTIC	01/01 to 12/31	0.24 CFS	18.6 AF
	Totals	0.36 CFS	45.6 AF

SOURCE

GROUNDWATER

Priority: 06/13/1983

LOCATION OF POINT(S) OF DIVERSION:SWSE , Sec. 34, Township 03N, Range 02W
CANYON CountyPLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 02W 34	SWSE 6			6
Total number of acres irrigated:				6

PLACE OF USE: DOMESTIC, same as IRRIGATION useCONDITIONS/REMARKS:

1. Domestic use is for 31 homes.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT

PART 2

(Attach one copy for each right)

A. DESCRIPTION OF RIGHT AS RECORDED

See attached

1. Right evidenced by:

- a. Decree No. _____ Decreed to _____
in case of _____ vs. _____
dated _____ in _____ county of _____
- b. License No. _____ issued by the Idaho Department of Water Resources.
- c. Claim No. _____ on file with the Idaho Department of Water Resources.
- d. Transfer No. _____ which produced this right.

2. Attach a copy of last year's tax notice for the property to which the water right is appurtenant or other documents which show ownership. Label document as attachment A. Check appropriate box below:

☐ Tax Notice ☐ Warranty Deed ☐ Other _____

3. Source of water _____ tributary to _____

4. Date or priority _____

5. Water is used for the following purpose:

amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

6. Total amount of water under right _____ cubic feet per second and/or _____ acre-feet per annum.

7. Point(s) of Diversion:

Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Local name for diversion

8. Lands irrigated or place of use:

Twp.	Rge.	Sec.	NE ¼				NW ¼				SW ¼				SE ¼				Totals
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	

Total acres _____

9. Describe any other water rights used for the same purpose as described above _____

10. To your knowledge, has any portion of this water right undergone a period of five or more consecutive years of non-use?

_____ If yes, describe _____

* See attached statement.

B. DESCRIPTION OF PORTION OF RIGHT BEING TRANSFERRED

(If the entire right is to be changed by the applicant, omit part B and C.)

- amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

2. Point(s) of Diversion:

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion

3. Lands irrigated or place of use:

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total acres _____

C. DESCRIPTION OF UNCHANGED PORTION OF RIGHT (omit if there is no change)

- amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

2. Point(s) of Diversion:

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion

3. Lands irrigated or place of use:


Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total acres _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

- A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.




PAGE 6 of 7

PART 3

B. CHANGES IN NATURE OF USE

1	New Nature of Use	Amount (cfs/ac-ft)	Hours/days/year	Period of Use
				_____ to _____
				_____ to _____



3. Describe effects on other water uses resulting from the proposed change:

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

X Whinn F. Day
(Signature of Applicant)

Subscribed and sworn to before me this 27 day of August, 19 97.

John K. Bennett
(Notary Public)

My commission expires 5-28-98 Nampa, Idaho B3651

FOR DEPARTMENT USE ONLY

Transfer contains 7 pages and 0 attachments

Received by KS Date 9/12/1997 Protest filed by _____

Prelim. check by DN Fee \$100.00 C040016 _____

Receipted by B. Strand Date 9/12/97 _____

Published in Press Tribune Copies of protest forwarded by _____

Pub. dates 10-2 + 9-1997 Hearing held by _____ Date _____

Watermaster recommendation requested on _____ Recommended for ☐ approval ☐ denial

_____ rec'd. _____ by _____

Copy of transfer sent to lien holder _____

FEB 26 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10070

Priority: June 13, 1983

Amount: .36 CFS

45.6 AFA

This is to certify, that ELDER WATER CORP.

2207 FERN ST.

NAMPA, ID 83651

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 13, 1983, and has submitted proof to the Department of Water Resources on August 13, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .36 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.12 cfs	27.0 afa
Domestic	01/01 to 12/31	.24 cfs	18.6 afa
Totals		.36 CFS	45.6 AFA

LOCATION OF POINT OF DIVERSION(S):

SWSE , Sec. 34, Township 3N, Range 2W
Canyon County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
3N	2W	34	SWSE	6			6

Total number of acres irrigated: 6


PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 31 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of February, 1988.




Director

MAR 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Elder Water Corporation Phone 466-4526 (Sec'y.)
467-7579 (Pres.)
Post office address P.O. Box 575, Nampa, ID 83651

2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 3N
Range 2W. B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .27Cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .16Cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .43 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well, 168' Depth, 8" Diam.,
with 35 H.P. Submersible Pump, with pipelines to 32 Subdivision Lots and 31
Residences.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ Existing well diameter is 8 inches; proposed depth of well is 168 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 3N
Range 2W. B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 31.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

MICROFILMED

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	34															8		8


Total number of acres to be irrigated 8

c. Describe any other water rights used for the same purposes as described above. Land has Irrigation Ditch Rights from Nampa-Meridian, mostly not used.

9. a. Who owns the property at the point of diversion The Corporation
- b. Who owns the land to be irrigated or place of use Individual Sub-Division Lot Owners
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Application for Permit 63-7848, filed 8/9/1973, by Stubblefield Development Corporation, was allowed to lapse by Stubblefield in 1980. This application was essentially as applied for in the present application by the Water Corporation. Well apparently was drilled sometime in 1973. No well log in Dept. file.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Penelope Ann Jeffers
(Applicant)
Vice-President Elder Water Corp.

Proposed Priority 6/13/1983

Received by [Signature] Date 6/13/83 Time 12:00 Noon

Preliminary check by JS Fee \$ 45⁰⁰/₁₀₀

Receipted by [Signature] Date 6/13/83 # 28983

Publication prepared by JP Date 6/23/83

Published in Trans. Tribune

Publication dates 6/30 & 7/1/83 cont. 8/11 & 8/12/83

Publication approved JP Date 8/23/83

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10070, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Use of water for domestic purposes under this permit shall be limited to in-house use and watering of household stock.

Witness my hand this 6th day of September, 1983.

[Signature]
Chief, Operations Bureau

RECEIVED

OCT 20 1997

WATER RESOURCES
WESTERN REGION

OFFICERS OF CORPORATION

63-10070

Alvin Day - President

Colonel Crawford - Secretary/Treasurer

EMIL SCHANBECK VICE PRESIDENT

* Part 2A.10. - T # 5146

The use of water under Right 63-10070 has been continuous for the past 20+ years. There has not been any period of non-use.

RECEIVED

OCT 20 1997


WATER RESOURCES
WESTERN REGION

William F. Pegg

Subscribed and sworn to before me this 14 day of October, 1997.

Amelia M. O'Brien
Notary Public

My commission expires 6/2003



AJ5809NP
No. A63-10070

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 09/23/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ELDER WATER CORP	06/13/1983	IRRIGATION	03-15 11-15	0.12 CFS	27.00 AFA
			DOMESTIC	01-01 12-31	0.24 CFS	18.60 AFA
TOTAL DIVERSION:					0.36 CFS	45.60 AFA
CONSUMPTIVE USE:						21.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T03N R02W S34 SWSE

CANYON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE																				
NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM	
03N	02W	34	:		:		:		:		:		:		:		:		:		:		:		:		:		:			
																												06	:	6.0		
																												TOTAL ACRES	:	6.0		

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

POU County: CANYON

Other Rights: NONE

Remarks: GEN Domestic use is for 31 homes.

Dates: Exam Made Date:

Verified Date:

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:

Presumption Flag:

RECEIVED

AUG 22 1983

Department of Water Resources

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)

) ss.

County of Canyon)

Garrah J. Wheeler

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 11, 18, 1983

Garrah J. Wheeler

Subscribed and sworn to before me this 18th
day of August

19 83

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 63-10070 in the name of Elder Water Corp. was published in error on June 30 and July 7, 1983.

The number was advertised as being 63-10020, WHEREAS, the actual number is 63-10070.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, Statehouse, 450 W. State Street, Boise, Idaho, 83720 on or before August 29, 1983.

KEN DUNN,
Director
August 11, 18, 1983.

RECEIVED
AUG 22 1983

Department of Water Resources
Western Regional Office

1983

100-100000-100000

1) SS.

)

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10069

2214 ESTATES DR., NAMPA, ID
83651

Use: DOMESTIC (0.04 CFS)
In: LOT 03 Sec 02 T02N R 02W

Source: GROUNDWATER

Use: IRRIGATION (0.16 CFS)
DOMESTIC (0.27 CFS)

63-10073

RT. 9 BOX 209, CALDWELL, ID
83605

Use: IRRIGATION (0.15 CFS)
In: SENE Sec 08 T 04N R 03W FOR
5 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 18, 1983.

June 30; July 7, 1983

Two times

June 30; July 7, 1983

Connie Cetherth

Subscribed and sworn to before me this 7th
day of July

19 83

Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 21, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ELDER WATER CORP
2207 FERN ST
NAMPA ID 83651

RE: Water Right 63-10070 (Transfer 5146)

Dear Water Rights Holder(s):

Enclosed is a copy of your approved Transfer of Water Right for the above referenced water right (Transfer 5146). Please be sure to thoroughly read the Conditions and Remarks listed on the transfer. Also, please be advised that the accompanying transfer approval should be considered and treated as a **preliminary order** of the department issued pursuant to section 67-5243, Idaho Code. Enclosed are instructions for responding to **Preliminary Orders** if you are in disagreement with the approved transfer.


As of July 1, 1996, all water right owners are required to report any change in water right ownership and any change of mailing address to the department.

If you have acquired any other water right or have changed your mailing address **PRIOR TO** July 1, 1996, you have until July 30, 1998, to record the ownership and/or address change with the department.

If you acquired other water rights or changed your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes in a timely manner could result in a \$100 late filing fee. You can contact any office of the department for more information. If you have any questions concerning your water right listed above you can contact me at (208) 327-7947.

Sincerely,


JIM JOHNSON, Manager
Water Right Permits Section


JJ:klt
Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 21st day of January, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing **TRANSFER APPROVAL** to the person(s) listed below:

WATER RIGHT 63-10070 (Transfer 5146)

ELDER WATER CORP
2207 FERN ST
NAMPA ID 83651


Kari Lynn Townsend
Secretary

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MEMORANDUM

TO: FILE 63-10070

FROM: PAM SKAGGS/STATE OFFICE

SUBJECT: TRANSFER 5146

DATE: January 15, 1998



=====

Transfer 5146 adds a point of diversion under Right 63-10070. The applicant's require an additional well to maintain licensed rate and to provide a backup well for the subdivision.

A drilling application, 63-97-C-0552-000, has been filed and is pending approval of the transfer. Recommended conditions include drilling permit requirements, multiple points of diversion measuring devices, future annual reporting, irrigation overlap and standard transfer conditions.

63-10070-10

TRANSFER REVIEW SHEET

(06-97)

Transfer # 5146

Date Reviewed 01-15-98

Right(s) 63-10070

WRQII Print Split Summary NA Run POU Comparison Report

B:Change P/D C:Add P/D D:Change P/U E:Change Nature of Use
F:Change Period of Use G:Other H:Change P/D & Add P/D
I:Change P/D & P/U J:Add P/D & Change P/U

Proof of Ownership Corperation/ Alvin Day President

Transfer ✓ All of Right Portion of Right
Resulting Split(s) NONE

Check Transfer Against Recorded Right Season/Vol. D/4.5

(1) ✓ Priority (2) ✓ Use (3) ✓ Season (4) ✓ Rate (5) ✓ Volume

(6) ✓ Source (7) P/D (8) ✓ P/U (9) ✓ Proof/Owner (10) ✓ Map

(11) NO Water District (12) NO Pertinent Conditions (13) NO Expansion

7 Add 2nd P/D same AQ

Transfer Remarks 2 P/Ds SWSE, S34, T03N, R02W W57

Conditions 046, 028, R65, T07, T08, T09 WB4

Pending WD App. 63-97-C-0552-000 T17

Database/Processing Notes Standard ✓ Non-Standard

T file

Pccommon File 5146.txt 028 Transfer Memo Complete ✓

File Deleted 01-20-98 Database Updated 1-20-98 038

WR0749NP
No. T63-10070

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/15/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ELDER WATER CORP 2207 FERN ST NAMPA ID 83651	06/13/1983	IRRIGATION DOMESTIC	03/15 11/15 01/01 12/31	0.120 CFS 0.240 CFS	27.00 AFA 18.60 AFA
TOTAL DIVERSION:					0.360 CFS	45.60 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T03N R02W S34 SWSE CANYON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE										
T	R	S		NENE	NWNE	SWNE	SENE	: NENW	NWNW	SWNW	SENW	: NESW	NWSW	SWSW	SESW	: NESE	NWSE	SWSE	SESE	:	SUM	
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
03N	02W	34	:					:				:				:						
																			06	:	6.0	
																			TOTAL ACRES	:	6.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Conditions of Approval:

- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 028 - After specific notification by the department, the right holder shall annually report the amount of water diverted to the department.
- R65 - This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
- T07 - The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
- T08 - Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- T09 - Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
- T17 - Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.

Remarks: GEN The total instantaneous diversion of water from all points of diversion under Transfer 5146 shall not exceed 0.36 cfs, nor total combined annual volume of 45.6 af. Approval of Transfer 5146 does not grant any right-of-way or

WR0749NP
No. T63-10070

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/15/98
PAGE: 2

Remarks: easement for use of a delivery system owned by person(s) other
than the right owner.
Two (2) points of diversion are located within SWSE, S34, T03N,
R02W.
Domestic use is for 31 homes.

Dates: App. Received: 06/13/1983 Priority Date: 06/13/1983
Proof Due Date: 10/01/1984 Proof Made Date: 08/13/1984
Exam Made Date: 05/23/1985 Exam Sent to S.O.:
Licensed Date: 02/22/1988

Misc: Water District Number: Field Exam Fee:

Comments: Date: 09/25/1997 User-ID: STAYLOR Subject: TRANSFER 5146
Transfer 5146 adds a point of diversion under Right 63-10070.

Audit: 09/25/97 STAYLOR 01/15/98 PSKAGGS

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	ACC FLG	COUNTY
63-97-C-0552-000	O	ELDER WATER CORP	03N	02W	34	SW SE		P	CANYON

Subdivision Well Site Location and Description:

Subdivision Name:

Well Site Address: IN ONE LOT FROM THE MASSACHUSETTES ST. AND FERN ST NE COR

City, State:

Lot(s):

Block(s):

Geographic Location:

GPS Site ID:

Lat: : : N

Long: : : W

Accuracy Code:

Proposed Use of Well: Other

Proposed Casing Diameter: 12 In.

Proposed Depth: 170 Ft.

Anticipated Bottom Temp: 85F or less

Well Use Comments: SUBDIVISION WELL

Driller License No: 9999

Firm Name:

Official: UNLICENSED DRILLER

Permit Status: Application

Verbal Issued Date:

Verbal Issued Time:

Received Date: 08/25/1997

Approved Date:

Proposed Start Date: 09/01/1997

Extension Date:

Extension Expiration:

Receipt No. Receipt Date Fee

\$

Specific Conditions: The well schematic/specifications describe the following:

Drill a 16" well bore to 80' or a satisfactory clay layer (4' in thickness) whichever is deeper and place 146' of .375" wall 12" casing;

Through a tremie, pump a neat cement grout (5-6 gals of water per sack) back to within 5' of land surface, with a W.O.C. time of 24 hrs;

Drill out below the 12" with an assumed 12" bore and place 2' of 8" tailpipe, 20' of 8" .030" slot stainless steel screen and 8"

headpipe with a packer,

placed up into the 12" after placement of the filter pack

of 10-20 Colorado silica sand is placed and the well is developed, and settlement is minimized.

Depending on the drilling technique utilized, the annular space will remain open until placement of the annular seal. If at any time during or prior to placement the bore collapses, all tubular goods will be removed from the hole and another means of construction will be approved prior to redrilling the same bore.

The 12" casing will be sealed its entire length or to the depth described by the proposal. The filter pack will not extend across aquitards which are not going to have screened aquifers above and below the aquitard, which must be of similar quality, temperature and pressure.

A large capacity well shall be test pumped at a rate of 125% of the desired yield for a test period of a minimum of 6 hrs or longer after stabilized drawdown. If the well fails the test, the design may have to be re-evaluated and resubmitted to DEQ.

=====

WELL DRILLING PERMIT/LOG INDEX: Permit No. 63-97-C-0552-000 (cont'd)

Specific Conditions: Fifteen minutes in the any pumping sequence of this after the well has adequately developed, the sand content shall not be more than five(5) ppm. Sand content shall be measured by an approved method or sent to an approved lab. If sand production exceeds 5 ppm., the department shall be notified.

Permit Remarks:

Conditions of Approval: This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.

This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank. Public Water Supply wells must not be drilled closer than 100' from any drainfield or septic tank.

The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.

Approval of this drilling permit does not authorize trespass on the land of another party.

This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

This drilling permit does not represent a right to divert and use the water of the State of Idaho.

If a bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (DigLine is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.

The uppermost unconfined aquifer shall be cased and sealed to exclude water from this zone from entering the well. All seals will be placed from the bottom up.

The project engineer or geologist will be on site during seal placement should any peculiarities arise which require further evaluation. Any

=====

WELL DRILLING PERMIT/LOG INDEX: Permit No. 63-97-C-0552-000 (cont'd)

Conditions of Approval: alteration of the proposed or herein modified well construction procedure shall be approved by the Department before it is undertaken.

If after the commencement of drilling a construction problem develops, another means of seal placement or seal material may be approved after the Department has had an opportunity to review proposed changes. A 24 hour review period will be provided for department personnel should said changes become necessary.

If a neat cement grout is to be utilized as a seal material, additives such as the following shall be used to reduce dehydration and shrinkage.

Mix water quantity shall strictly follow manufacturer's specifications paying close attention to cement grind and water ratios, (generally between 5 and 6 gallons per sack) eliminating free water.

Water quality of the mix water shall meet drinking water standards.

The use of bentonite added to cement grout to reduce hydraulic conductivity shall not exceed 4% and shall be prehydrated prior to mixing with the neat cement. The bentonite shall not contain chemical polymers which effect long term stability, and are often found in drilling fluid grade bentonites, but will be specifically recommended by the manufacturer for use as a seal material.

Drilling fluids shall be mixed with water which meets or exceeds drinking water standards.

The screened, perforated, filterpacked or otherwise open and commingled strata which are to be produced from, shall be of similiar hydraulic head, temperature and quality. If there are notable variations encountered as the well is drilled and/or developed, the Department will be notified for evaluation.

If the supply line is connected to the pump column below ground level, a pitless device will be utilized which provides a water tight seal through the casing. The pitless will be tested according to the means described by the U.S.EPA manual EPA-430/9-74-007. The test will be run in the presence of the engineer designing the surface distribution of the system.

Reference drilling specifications of the American Water Works Association Standard for Water Wells (ANSI/AWWA A100-90) and the Recommended Standards for Water Works (Greater Lakes Upper Mississippi River Board of States Public Health & Environmental Manager 1992).

The construction location of this well will be at a site approved by the Division of Environmental Quality.

Centralizers shall be located no more than 60' apart the entire length of all strings of casing placed in the well, excepting those <60' in length.

=====

WELL DRILLING PERMIT/LOG INDEX: Permit No. 63-97-C-0552-000 (cont'd)

Conditions of Approval: The owner, operator or contractor will notify the Department of Water Resources at the time drilling commences on this well, if that date is not the same as specified on this permit. Also notification will be made to the Department 12 hours prior to the anticipated time of placement of casing and seal within this well so a Department representative may be on site.

A caliper log may be run for determining the volume of cement to be placed with an additional 25 percent on site ready for mixing. If a caliper log is not run, an additional 100% of the calculated volume of cement shall be on site ready for placement. The 25 percent additional is a minimum and is based upon well bore conditions and is not applicable if lost circulation zones occur within the section being cemented.

Injection, flow or pumping tests require 5 working days prior approval by the Director.

Comments: No Comments Found

----- WELL DRILLER'S LOG REPORT -----

Drilling Permit No: 63-97-C-0552-000 Water Right No: 63-10070
Log Status: Injection Permit No:

Nature of Work: REPLACE

Construction Method:

Casing Diameter:	In.	Static Water Level:	Ft.	Actual Start Date:
Depth of Casing:	Ft.	Temperature:	F.	Well Finish Date:
Total Depth:	Ft.	Production Rate:	GPM	Log Received Date:
Screen Installed?				Certification Date:

Field Inspection Date:

Inspector:

Well Log Remarks:

SD-0611-2 Basin: 63 Starting Water Right: 10070

S E L	Water Right No.	Name Last, First	O W N	Priority Date	STG/ STS	Source	Use Desc	S Y S
-	63-10070	ELDER WATER CORP.	C	06/13/1983	L/	GROUNDWATER	IRR DOMEST	WR
-	T63-10070	ELDER WATER CORP	C	06/13/1983	L/	GROUNDWATER	IRR DOMEST	WR
-	A63-10070	ELDER WATER CORP	C	06/13/1983	L/	GROUNDWATER	IRR DOMEST	AJ

END OF DATA...ENTER MENU OPTION AND/OR PRESS ENTER TO CONTINUE
(Enter=Continue) (GOLD7=This Query) (GOLD8=Cancel)

(Menu _____)



STATE OF IDAHO
DIVISION OF
ENVIRONMENTAL QUALITY

RECEIVED

DEC 15 1997

WATER RESOURCES
WESTERN REGION

1445 North Orchard, Boise, ID 83706-2239, (208) 373-0550

Philip E. Batt, Governor

December 11, 1997

RECEIVED

DEC 31 1997

Department of Water Resources

Gary Spackman
Idaho Department of Water Resources, Western Region
2735 Airport Way
Boise, ID 83705-5082

RE: Elder Water Corporation (a.k.a. Elder Subdivision Water Association, PWS #3140032)
Application for Transfer of Water Right; Permit Number 63-10070
SW/4 SE/4 Section 34, T3N, R2W, BM / Canyon County

Dear Mr. Spackman:

Thank you for the opportunity to review the referenced application. The subdivision has only a single source and we have encouraged the Water Association to construct a backup well. The new well site and plans for well construction were approved in September 1997.

We have no other comments regarding this application. Please call me at 373-0166 if you have questions.

Sincerely,

Bill Freeman, P.E.
Staff Engineer

c: Larry Peterson/Don Lee, DEQ-Boise Regional Office
Alvin Day, Elder Subdivision Water Association
Art Schultz, Treasure Valley Engineers
Source File #1, Elder Subdivision, Engineering Correspondence
Reading File

C:\DATA\WPWIN\LETTERS\ELDER.DWR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER ANALYSIS SHEET

JAN 13 1998

APPLICANT Elder Water Corp.

Department of Water Resources
TRANSFER NO. 5146

INITIAL ALLOCATION REVIEW BY nn
SRBA SUPERVISOR REVIEW BY [Signature]

DATE 09/23/1997
DATE 9-24-97

1. Right number(s) 63-10070
2. Type of right ☐ Decree ☒ License ☐ Statutory Claim
☐ SRBA Beneficial Use Claim
3. Purpose of transfer ☐ Change P/D ☒ Add P/D ☐ Change P/U
☐ Change N/U ☐ Change Source ☐ Split Right
☐ Other: _____
4. Check Existing Right:
☒ Source ☒ Priority ☒ Amount ☒ Purpose
☒ Period ☒ SRBA Claim
☒ Description of original point(s) of diversion
☒ Description of original place of use
☐ Overlapping rights on original place of use
5. Check Proposed Right for amount of land &/or water transferred:

☒ Also see attached memo for more analysis information

- a. ☒ All of right
- b. N/A Part of right (NOTE: Part B should be filled in only if part of right is owned by the applicant)
- c. ☒ Description of point(s) of diversion
- d. ☒ Description of place of use
- e. ☒ Map showing P/D & P/U after transfer
- f. ☒ Correct notarized signature and \$100 fee
- g. N/A Proof of ownership of right &/or land from which water is transferred
- h. ☒ Expansion in use of right - Comments: No expansion.
System will ~~not~~ have two wells - combined rate
of diversion limitation as condition of approval.

- i. N/A Existing rights from same source, on land water is being transferred to; right number(s): _____

- j). ✓ SRBA claim(s) - Comments (NOTE! Approved transfer amends SRBA claim; differences between existing water right and SRBA claim? any ownership or other outstanding issues? Explain) claimed as licensed

- k. Comment letters / Yes No
 If yes Water District #
 / Other, see #2 below for name
 and address DEQ

PUBLICATION REVIEW

1. Legal Notice electronically sent to DWR03::VAULT? ✓ Yes
2. COMMENT LETTERS

Watermaster recommendation requested on _____, Received on _____

Other comments letters: ✓ See attached information

3. Transfer published correctly? ✓ Yes ___ No
4. Affidavit of publication received? ✓ Yes ___ No
5. Protests received? ___ Yes ✓ No; Acknowledgement sent? ___ Yes
6. Data entry of application completed? ✓ Yes

RECOMMENDED ACTION

1. ☒ Approve ☐ See attached memo
2. ☐ Deny due to _____
3. Conditions (special conditions in Water Districts) None
4. By Earys Date 11/28/97

FILE FORWARDING

1. Copies made for Region file (see attached supplemental page)? ✓ Yes
2. File forwarded to S.O.: by dt date 1-12-98



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 5, 1997

ID DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
BOISE REGIONAL OFFICE
PO BOX 83720
BOISE ID 83706

Re: Application for Transfer of Permit No. 63-10070 in the Name of Elder Water Corp.

Dear Sir:

Enclosed is a copy of the above-referenced application for transfer which may be of interest to your agency. Please review the application and submit any comments you may have.

IDWR is late in asking for your comments of this transfer but if you would please send any comments you may have to this office within 10 days we would appreciate it.

If you have any questions regarding the application, please contact this office.

Sincerely,

Gary Spackman

GS:st

Encl.

MEMORANDUM

TRANSFER ANALYSIS MEMO

ELDER WATER CORP.


Elder Water Corporation seeks to add a well to license no. 63-10070. This license is for domestic use for 31 homes and associated irrigation of 6 acres. Production in the original well has declined such that the licensed rate of flow cannot be diverted.

There are no proposed changes to the rate of flow, number of homes served, or number or location of acres irrigated. The original well will still be used.

The right has been claimed as licensed in the SRBA. There are no indications of changes or nonuse in the SRBA file. NAPP (X56SE, 1987) and Scanned Airphoto (1994) indicate use as licensed.

Comment letter to DEQ-SWIRO.

Recommend approval with condition limiting combined diversion from the two wells to the licensed rate of flow/volume.

Maria Minicucci 
September 24, 1997

**NOTICE OF PROPOSED CHANGE OF WATER RIGHT,
TRANSFER NO. 6345**

Notice is given that **ELDER WATER CORP.** of 227 Fern St., Nampa ID 83651 has applied to the Department of Water Resources to add a point of diversion pursuant to I.C. § 42-222 for the following domestic and irrigation right in T3N R2W S34, Canyon County:

License no. 63-10070, priority 6/13/1983, .36 cfs, groundwater diverted and used in SWSE.

PROPOSED CHANGE

Add a second well in SWSE. No changes in licensed rate of diversion or place of use proposed.

Any protest against approval of the proposed change must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705-5082, together with a protest fee of \$25 on or before October 20, 1997. The protestant must also send a copy of the protest to the applicant.

MARK J. GREHER, Director
5986

October 2, 9, 1997

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
October 2, 9, 1997

Carolyn Spath

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 9th day of October
in the year of 1997, before me, a Notary Public, personally appeared Carolyn Spath, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he/she executed the same.

RECEIVED

OCT 10 1997

WATER RESOURCES
WESTERN REGION

James L. Smith
Notary Public for Idaho
Residing at Nampa
MY COMMISSION EXPIRES
JUNE 21ST, 2003

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources

Receipt No: C040016

Date: 9/ 2/1997
Time: 11:27:22

Received
From: ELDER WATER CORP

Type of Payment	Program A cct	Amount
APPL FOR TRANSFER 63-10070	56105 229 21 1155	100.00

CHECK 710

Total \$ 100.00

Region: STATE

Signature: 

10/10/97
10:10:10

**NOTICE OF PROPOSED CHANGE OF WATER
RIGHT, TRANSFER NO. 5146**

Notice is given that **ELDER WATER CORP.** of 2207 Fern St., Nampa ID 83651 has applied to the Department of Water Resources to add a point of diversion pursuant to I.C. § 42-222 for the following domestic and irrigation right in T3N R2W S34, Canyon County:

License no. 63-10070, priority 6/13/1983, .36 cfs, groundwater diverted and used in SWSE.

PROPOSED CHANGE

Add a second well in SWSE. No changes in licensed rate of diversion or place of use proposed.

Any protest against approval of the proposed change must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705-5082, together with a protest fee of \$25 on or before October 20, 1997. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the Press Tribune on October 2 and 9, 1997.

February 29, 1988

ELDER WATER CORP.
2207 FERN ST.
NAMPA, ID 83651

RE: Permit No. 63-10070

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

MAR 14 1988

January 21, 1988

ELDER WATER CORP.
2207 FERN ST.
NAMPA, ID 83651

RE: Permit No. 63-10070

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

MAR 14 1988

RECEIVED

OCT 16 1987

INTER-DEPARTMENT MEMO — 1

FROM Jan Shurte


DATE 10-26-87

TO Kay Walker

Department of Water Resources

SUBJECT Re-measurement of Permit No. 63-10070

The Elder Water Corp. president phoned requesting a re-measurement of their system due to repair work on their flow meter. They were told that the flowmeter was not working and had given out inaccurate readings. On 7/9/87, after it was repaired, I went out there and conducted a re-measurement which showed 160 gallons per minute rather than the 130 gallons per minute I had measured on 5/23/85. I would like to request that their license be issued for the 160 gpm rather than the 130 gpm previously shown. Thank-you.


SIGNATURE

FROM

Kay

TO

Jan

SUBJECT

Exam 63-10070

RECEIVED

AUG 11 1987

Department of Water Resources
Western Regional Office

INTER-DEPARTMENT MEMO — 1

DATE

8/10/87

Jan - I asked Jim about
changing amt. of water on this exam
and he would like to see a memo
to the file that documents your
second visit to this system.
Returning exam for you to document.
Have a nice day!! Kay

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

63-10070
Permit No.
see memo
of 10/26/87

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

130 gpm $\div$ 448.8 = .29 cfs $\checkmark$ 160 GPM $\div$ 448.8 = .36 cfs
Domestic for 31 homes is .27 cfs - in-house only.
ALLOW .24 cfs

ACRE CALCULATION - TOTAL WIDTH MINUS ~~60'~~ 60' FOR ROADS
IS 263.3'

1192.23
X 263.3
TOTAL LENGTH MINUS 126' FOR ROAD
+ ENDS IS 1192.23.

313,914.16 sq ft $\div$ 43,560 = 7.2 acres FOR SUBDIVISION LOTS.

AVE. HOME W/ GARAGE IS 1200 sq ft X 31 HOMES = 37,200 sq ft
 $\div$ 43,560 = .85 acre in HOMES. 7.2 acres - .85 = 6.35 acres.

or 6 acres of irrigation. 6 X .02 = .12 cfs
TOTAL .24 + .12 = .36 cfs

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6 \times 4.5 = 27 \text{ afa}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 58.2 \text{ afa}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 27 \text{ afa}$

c) Volume Calculations for Other Uses:

Domestic use - in house only = 31 X .6 = 18.6 *
OK afa

1 LOT HAS WELL HOUSE ON IT.

COUNTED IN IRRIGATION, BUT NOT FOR DOMESTIC USE.

2. Overlap Review

a) Other water rights with same place of use: NONE - Some NAMPA -
MERIDIAN water - not available for use.

b) Other water rights with same point of diversion: NONE OK

c) Analysis:

* RE-MEASUREMENT ON 7/9/87 (SEE MEMO DATED 10-26-87.
JS

THEORETICAL CALC.

$$\frac{15 \text{ HP} \times .8 \times 8.8}{100' + (40 \text{ PSI} \div .4333)} = \frac{105.6}{192.3} = .55 \text{ CFS}$$

THIS IS AN
APPROX. AMOUNT
FROM WELL LOGS
IN THE AREA

RECEIVED

MAR 14 1988


10 day

11. Examiner's Signature Jan Shute Date 3/13/86
Checked in Regional Office by DRT Date 3/25/87
Approved in State Office by Kay Walker Date 8/5/87
KW 1/8/88

- [illegible]

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
Submission map attached

14. Remarks _____


15. Recommended Amendments
☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Jan Shurt Date 3/13/86
Consultant's License Number _____


IDWR Director's Authorization to Conduct
Beneficial Use Examination 5/23/85
Date



CONSULTANT SEAL

*logged - 4/10/87 - GH
copy - 4/10/87 E H*




Sumner M. Johnson
In
Book 11 of Plats at Page 25
Fee \$ 2.00





RECORDED
At The Request Of
Sumner M. Johnson
In
Book 11 of Plats at Page 25
Fee \$



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 22, 1984

ELDER WATER CORP.
P.O. BOX 575
Nampa

ID 83651

RE: Permit No. 63-10070

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MAILED

MAR 14 1988

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 03-10-20.

8-10-84
Date

Richard L. Jaffee
Signature of Permit Holder

Glenn Waters Camp
Box 525
Hamper, Id 83651



RECEIVED



AUG 12 1981

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
STATEHOUSE

BOISE, IDAHO 83720

Glenn Waters Camp

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138085

ELDER WATER CORP.
P.O. BOX 575
Nampa, ID 83651

PROOF DUE NOTICE

JULY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-10070 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ELDER WATER CORP.
P.O. BOX 575
NANPA, ID 83651

SEPTEMBER 14, 1983

RE: PERMIT NO. 63-10070

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY:

Jan Weaver

APPLICATION NUMBER:

63-10070

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☒ Yes ☐ No

Platted by: _____

Map No. _____

Other rights on same place of use. *NAOMPA-MERIDIAN*

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: *7/18/83* *8/29/83*

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *July 18, 83* *8/22/83*
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. *45,289.83*
☒ Publication dates and paper, recorded on application. *Boise Tribune*
☐ Protests, dates, withdrawal, etc., recorded on application. *6/30 & 7/1/83* *Cons. 8/11 & 8/12/83*
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/13/83 Date of priority recommended.
Special conditions of approval or cover letter. *Right-of-way condition*

By: *DBS*

Date: *8/29/83*

STATE OFFICE REVIEW:

416, 04, 21

☐ See attached sheet for more information.

By: *Jeni*

Date: *8/30/83*

RECEIVED
AUG 30 1983
Department of Water Resources

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 63-10070 in the name of Elder Water Corp. was published in error on June 30 and July 7, 1983 and ///.

The number 63-10020 was advertised as being ///with the///.

WHEREAS, the actual number is 63-10070.

///in with the///

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, Statehouse, 450 W. State Street, Boise, Idaho, 83720 on or before August 29, 1983.

Ken Dunn, Director

Published in the Press-Tribune
on 8/11 and 8/18/83.

August 1, 1983

Press-Tribune
Attn: Legal Advertising Dept.
P. O. Box 9399
Nampa, ID 83651

Re: 63-10070/Elder Water Corp.

Dear Legal Advertising Dept.:

Enclosed is a copy of the original notice for the above referenced application and the affidavit of publication received by our office. Note that there is a discrepancy in the two notices.

We would like for you to publish the corrected copy sheet at your expense.

Thank you!

Judy Pense
Secretary

Enc: copy of affidavit
copy of original notice
legal notice (correction)

MICROFILMED

