


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Virginia L. Bartus
(Applicant)



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10061

Priority: May 31, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.12 CFS
18.0 AF

This is to certify, that VIRGINIA R. BARTAK
RT. 8 BOX 482

CALDWELL, ID 83605 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 31, 1983; and
has submitted Proof of Beneficial Use on March 20, 1984. An examination indicates
that the works have a diversion capacity of .140 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.12 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 3, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	3	SWSW	4		4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The right to use water confirmed by this license is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of _____, 1989.

MICROFILMED

JUL 18 1989

Issued for

R. Keith Higginson, Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant VIRGINIA R. BARTAK Phone 459-3914
Post office address Rt. 8 Box 482 CADWELL, IDAHO 83605
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is ^{256 ft.} SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 3 N
Range 3W B.M. CANYON County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for irrigation purposes from Apr. 1 to Oct. 31. (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. SEE REMARKS

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above. _____

None

9. a. Who owns the property at the point of diversion VIRGINIA R BARTAK

b. Who owns the land to be irrigated or place of use VIRGINIA R. BARTAK

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This acreage is 3.99 acres. It is in the Wilder Irrigation
District. The underground pipe leading to my property was shot so
I had a well drilled and put the acreage under underground irrigation.
It was a weed patch when I purchased it three years ago and is now
a beautiful stand of grasses.
My well is 120 feet deep, has a 5 hp motor and pumps 60 gallon a min..
when in operation. Doty Well Drilling drilled the well.
My lawn irrigates with underground sprinklers from the same well.
My ditch rider said every acreage should have a water system like it.
I work long hours and with this method I do not have to worry about
run-off water going on a neighbor.

10-10-1964

Proposed Priority 5-31-83

Received by ls. Date 5-31-83 Time 8:30 AM

Preliminary check by jc Fee \$ 30.00
30/28916

Receipted by JP Date 6/11/83

Publication prepared by JP Date 6/15/83

Published in Press-Tribune

Publication dates 6/11/83 & 6/23/83

Publication approved to Date 7/6/83

Protests filed by: one

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10061, and said application is hereby Approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 26th day of July, 1983.

L. Glen Saxton
Chief, Operations Bureau



MICROFILMED

1st House North Hemlock Rd (Cherry)
Rd. on 10th -

LEGAL NOTICES

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have

waters of the State of Idaho:

63-10053

TULLIS, KATHLEEN E.
P.O. BOX 90, MARSING, Idaho
83639

Source: GROUNDWATER

Date Filed: June 6, 1983

Diversion Pt: NENE NESE Sec 28
T 02N R 03W NWSW Sec 27 T 02N
R 03W

Use: IRRIGATION (6.40 CFS)

In: NENE SENE NESE NWSE

SESE Sec 28 T 02N R 03W

NESW NWSW SWSW Sec 27 T

02N R 03W FOR 320 ACRES

63-10054

TULLIS, FREDERIC C.

P.O. BOX 90, MARSING, Idaho
83639

Source: GROUNDWATER

Date Filed: June 6, 1983

Diversion Pt: SWSE SWNE NENW
Sec 21 T 02N R 03W NWNE
SWNE Sec 28 T 02N R 03W

Use: IRRIGATION (6.40 CFS)

In: NWNE SWNE NENW NWSE

SWSE Sec 21 T 02N R 03W

NWNE SWNE NENW NWNW

SENE Sec 28 T 02N R 03W

FOR 320 ACRES

63-10055

HOOD, DEWITT &/or GEORGIA
MAY

RT. 2, PARMA, Idaho 83660

Source: UNNAMED DRAIN trib.
to SNAKE RIVER

Date Filed: June 7, 1983

Diversion Pt: NESE Sec 17 T 06N
R 05W

Use: IRRIGATION (0.28 CFS)

STOCKWATER (0.02 CFS)

In: NESE Sec 17 T 06N R 05W FOR
14 ACRES

63-10057

WYMAN, ARTHUR C.

VARGASON, GERALD

RT. 1 BOX 402, CALDWELL,
Idaho 83605

Source: GROUNDWATER

Date Filed: June 3, 1983

Diversion Pt: NESE Sec 32 T 05N
R 02W

Use: DOMESTIC (0.12 CFS)

In: NESE Sec 32 T 05N R 02W

63-10058

McELEARNEY, THOMAS &/or
JUDY

RT. 2 BOX 153, CALDWELL,
Idaho 83605

Source: GROUNDWATER

Date Filed: June 1, 1983

Diversion Pt: NWNW Sec 26 T 04N
R 04W

Use: IRRIGATION (0.03 CFS)

In: NWNW Sec 26 T 04N R 04W

FOR 1 ACRE

63-10059

GOERING, WINSTON K. &/or
MARGARET K.

297 DAVIS AVE., NAMPA, Idaho
83651

Source: GROUNDWATER

Date Filed: June 7, 1983

Diversion Pt: NWSE Sec 08 T 03N
R 02W

Use: COMMERCIAL (0.20 CFS)

DOMESTIC (0.08 CFS)

In: NWSE Sec 08 T 03N R 02W

63-10060

REIBE, DAVID

RT. 1 BOX 471, CALDWELL,
Idaho 83605

Source: GROUNDWATER

Date Filed: May 31, 1983

Diversion Pt: SWSE Sec 26 T 05N
R 02W

Use: IRRIGATION (3.20 CFS)

In: SWNE SESW NWSE SWSE

Sec 26 T 05N R 02W FOR

160 ACRES

63-10061

BARTAK, VIRGINIA R.

RT. 8 BOX 482, CALDWELL,
Idaho 83605

Source: GROUNDWATER

Date Filed: May 31, 1983

Diversion Pt: SWSW Sec 03 T 03N
R 03W

Use: IRRIGATION (0.12 CFS)

In: SWSW Sec 03 T 03N R 03W

FOR 4 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before JULY 5, 1983.

KEN DUNN

Director

June 16, 23, 1983

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Garrah J. Wheeler

of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

June 16, 23, 1983

Subscribed and sworn to before me this 23rd
day of June

19 83

Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

VED

1383

ater Resources
ional Office

RECEIVED

July 17, 1989

VIRGINIA R. BARTAK
RT. 8 BOX 482
CALDWELL, ID 83605

RE: PERMIT NO. 63-10061

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 18 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
6310061	03N	03W	3	SW SW		GROUNDWATER	BARTAK, VIRGIN
6310678						GROUNDWATER	ESKEW, GARY
							<i>DIFF WELL</i>

MICROFILMED

JUL 18 1989

MAR 25 1968

63-10061

Department of Water Resources

Permit No. 63-10061

Phone No. 459-3914

1. Owner: Virginia R. Betts Phone No. 459-3914
Current Address: Rt 8 Box 482 Caldwell, Ida 83603
2. Accompanied by: Dorcas Hager EXAM. DATE: 6/13/84
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6"	Red Jacket	5	—	Red Jacket	—

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

17 heads - 9/64 - 42 PSI average - Permanent set -
Set up to cover lawns etc. small nozzles - 9/64
nozzles for posture - 3 sets will abrogate the
4. Power.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Pressure gauge</i>	-	-	-	-		-

7. Measurements Rainbird ☐ Additional data/computation sheets attached

17 Rds 9/64 - 42 PSI = 3.69 GPM x 17 x .002228 = .14 GSS 4 acres x .03 = .12 recommended
4.5 AFM x 4 = 18 AFM

- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

[illegible]

10. Other water rights on these lands Wilder Irrigation District
11. Other water right diverted from same p.d. none

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

*note = used pressure gauge - averaged readings - 3" line 9/64 nozzles.
System pressurized by 5HP submersible pump.*


13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature John H. Meyer Date 4/12/84
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date _____ CONSULTANT SEAL



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

RECEIVED

MAR 25 1986

69-10061
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

17 hole 9/64 nozzle 42 PSI 3.69 GPM

$$3.69 \times 17 \times .002228 = \underline{\underline{.1455}}$$

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 4.5 = 18 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .14 \times 245 \times 1.9835 = 68 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: Wilber gr. District

- b) Other water rights with same point of diversion: none.

- c) Analysis:

MICROFILMED

JUL 18 1989

RECOMMENDED AMOUNTS

- | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|------------|----------|--------|-----------|----------------------|-----------------|
| 61-10061 | 5/31/83 | .12 | 5/31/83 | 3/20/84 | .14 |

4. Permit Holder: Virginia R. Bartak

Address: A-18 Box 482 Caldwell, Ida 83605

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
-------------------	--------------------------	------------------------------	--------------------------

immigration	4/1	10/31	.12	18
-------------	-----	-------	-----	----

Allowable Maximums: _____

- 7. Point(s) of Diversion:**

[illegible]

- 8. Place(s) of Use**

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
3 N	3 W	3											4					4	
Total Acres																		4	

9. Recommended Conditions/Remarks: _____

- ## 10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature John K. Meyer Date 6/13/84

Checked in Regional Office by 625 Date 3/20/86

Approved in State Office by JWM Date 2/28/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 5, 1984

VIRGINIA R. BARTAK
P.O. BOX 82
CALDWELL

ID 83605

RE: Permit No. 63-10061

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

JUL 18 1989



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-10061.

Name(s) of Permit Holder: VIRGINIA R. BARTAK

Post Office Address: R 8 Box 482

CADWELL IDAHO 83605 Tel. No. 459-3914

Source of Water: Ground water

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>3.99</u>	(acres)
☐ Other	

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/20/1984
Date

Virginia R. Bartak
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

MAR 20 1984



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BARTAK, VIRGINIA R.
RT. 8 BOX 482
CALDWELL, ID 83605

AUGUST 02, 1983

RE: PERMIT NO. 63-10061

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jerry Power

APPLICATION NUMBER: 63-10061

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

Orig. Dist. etc. but doesn't use - see remarks

In form for advertising. _____

Final date for protests: 7/5/83 ✓

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/6/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application. Press. Tribune
☒ Protests, dates, withdrawal, etc., recorded on application. 201,28916
6/16/83 6/23/83
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

✓ 5/31/83 Date of priority recommended.

✓ Special conditions of approval or cover letter. I.P. GW letter

By: DBS

Date: 7/12/83

STATE OFFICE REVIEW: return receipt

SLW/L16

☐ See attached sheet for more information.

By: [Signature]

Date: 7/25/83

RECEIVED
JUL 21 1983

Department of Water Resources

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

63-10061

BARTAK, VIRGINIA R.

RT. 8 BOX 482, CALDWELL, ID 83605

Source: GROUNDWATER

Date Filed: 05/31/1983

Diversion Pt: SMSW Sec 03 T 03N R 03W

Use: IRRIGATION (0.12 CFS)

In: SMSW Sec 03 T 03N R 03W FOR 4 ACRES

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]