

T
 3
 M

82 W
 8
 P. 2
 P. U

RECEIVED

Winston K. Boering
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources
Permit No. 63-70057

A. GENERAL INFORMATION


1. Owner: Winston K. & Margaret K. Goering Phone No. 466-7551
Current Address: 297 Davis Ave. Nampa, Id. 83651
2. Accompanied by: Byron Holtry EXAM. DATE: 6-20-90
Address: 2929 Keim Lane Nampa Id. 83651 Phone No. 466-9034
Relationship to Permit Holder: Son-in-law
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED


SEP 10 1992

Scale: 1" = not to scale


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

3N-24W



63-10059



pump + well
location inside
pump House

[motor + pump
above ground]



domestic Home next
to roller magic
(with $\frac{1}{2}$ acre of
irrigation). Home
located 70 feet
east of roller magic

MICROFILMED
SEP 10 1992

63-10059



This is a picture of roller magic and Water magic looking from the north end of the parking lot toward the south.

MICROFILMED

SEP 10 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10059

Priority: June 7, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.08 CFS
3.3 AF

This is to certify, that WINSTON K GOERING
MARGARET K GOERING

297 DAVIS AVE
NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 7, 1983; and has submitted Proof of Beneficial Use on June 6, 1988. An examination indicates that the works have a diversion capacity of .080 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	2.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.08 CFS	3.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 8, Township 03N, Range 02W
CANYON County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

03N 02W 8 NWSE

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a roller skating rink.
6. Domestic use is for 1 home.

RECORDED


SEP 10 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10059

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of AUGUST, 1992.

Acting for  R. Keith Higginson, Director

SEP 10 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Winston K. &/or Margaret K. Goering Phone 466-7551

Post office address 297 Davis Ave. Nampa, ID 83651

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 8 Township 3N

Range 2W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .20 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump, pipelines to place of use

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 8 Township 3N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: ROLLER SKATING RINK - DOMESTIC
HYDROTUBE (WATER MAGIC).

the tabulation below:

100-443887-100

NONE


applicant

applicant

Roller Magic - water Magic

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 6-7-83

Received by JKM Date 6/7/83 Time 10:05 AM

Preliminary check by jk Fee \$ 30.00 22948

Receipted by AP Date 6/7/83

Publication prepared by AP Date 6/9/83

Published in Bozeman Tribune

Publication dates 6/16 & 6/23/83

Publication approved tw Date 7/6/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10059, and said application is hereby Approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of July, 1983.

A. Glen Saxton

Chief, Operations Bureau

LEGAL NOTICES

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have

waters of the State of Idaho:

63-10053

TULLIS, KATHLEEN E.
P.O. BOX 90, MARSING, Idaho
83639

Source: GROUNDWATER
Date Filed: June 6, 1983
Diversion Pt: NENE NESE Sec 28
T 02N R 03W NWSW Sec 27 T 02N
R 03W

Use: IRRIGATION (6.40 CFS)
In: NENE SENE NESE NWSE
SESE Sec 28 T 02N R 03W
NESW NWSW SWSW Sec 27 T
02N R 03W FOR 320 ACRES

63-10054

TULLIS, FREDERIC C.
P.O. BOX 90, MARSING, Idaho
83639

Source: GROUNDWATER
Date Filed: June 6, 1983
Diversion Pt: SWSE SWNE NENW
Sec 21 T 02N R 03W NWNE
SWNE Sec 28 T 02N R 03W

Use: IRRIGATION (6.40 CFS)
In: NWNE SWNE NENW NWSE
SWSE Sec 21 T 02N R 03W
NWNE SWNE NENW NWNW
SENE Sec 28 T 02N R 03W
FOR 320 ACRES

63-10055

HOOD, DEWITT &/or GEORGIA
MAY

RT. 2, PARMA, Idaho 83660
Source: UNNAMED DRAIN trib.
to SNAKE RIVER

Date Filed: June 7, 1983
Diversion Pt: NESE Sec 17 T 06N
R 05W

Use: IRRIGATION (0.28 CFS)
STOCKWATER (0.02 CFS)
In: NESE Sec 17 T 06N R 05W FOR
14 ACRES

63-10057

WYMAN, ARTHUR C.
VARGASON, GERALD
RT. 1 BOX 402, CALDWELL,
Idaho 83605

Source: GROUNDWATER
Date Filed: June 3, 1983
Diversion Pt: NESE Sec 32 T 05N
R 02W

Use: DOMESTIC (0.12 CFS)
In: NESE Sec 32 T 05N R 02W

63-10058

McELEARNEY, THOMAS &/or
JUDY
RT. 2 BOX 153, CALDWELL,
Idaho 83605

Source: GROUNDWATER
Date Filed: June 1, 1983
Diversion Pt: NWNW Sec 26 T 04N
R 04W

Use: IRRIGATION (0.03 CFS)
In: NWNW Sec 26 T 04N R 04W
FOR 1 ACRE

63-10059

GOERING, WINSTON K. &/or
MARGARET K.
297 DAVIS AVE., NAMPA, Idaho
83651

Source: GROUNDWATER
Date Filed: June 7, 1983
Diversion Pt: NWSE Sec 08 T 03N
R 02W

Use: COMMERCIAL (0.20 CFS)
DOMESTIC (0.08 CFS)
In: NWSE Sec 08 T 03N R 02W

63-10060

REIBE, DAVID
RT. 1 BOX 471, CALDWELL,
Idaho 83605

Source: GROUNDWATER
Date Filed: May 31, 1983
Diversion Pt: SWSE Sec 26 T 05N
R 02W

Use: IRRIGATION (3.20 CFS)
In: SWNE SESE NWSE SWSE
Sec 26 T 05N R 02W FOR
160 ACRES

63-10061

BARTAK, VIRGINIA R.
RT. 8 BOX 482, CALDWELL,
Idaho 83605

Source: GROUNDWATER
Date Filed: May 31, 1983
Diversion Pt: SWSW Sec 03 T 03N
R 03W

Use: IRRIGATION (0.12 CFS)
In: SWSW Sec 03 T 03N R 03W
FOR 4 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before JULY 5, 1983.

KEN DUNN

Director
June 16, 23, 1983

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Garrah J. Wheeler

of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

June 16, 23, 1983

Subscribed and sworn to before me this 23rd
day of June

19 83

Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

VED

1983

Water Resources
Divisional Office

MICROFILMED

August 20, 1992

WINSTON K GOERING
MARGARET K GOERING
297 DAVIS AVE
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10059

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

SEP 10 1992

July 21, 1992

WINSTON K GOERING
MARGARET K GOERING
297 DAVIS AVE
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10059

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 10 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10059

Date 7-20-92

2

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>.04 cfs (DOM) .04 cfs (COMM)</u>
	☒	☐	Disagree with Theoretical? <u>1.5 x 8.8 x .7 = .075</u>
	☒	☐	Limited by Capacity? <u>.08 cfs 30' x (2.31 x 40)</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>1.2 cfs (DOM) 2.1 cfs (COMM)</u>
	☒	☐	Limited by Flow? <u>.04 x 208 x 1.9835 = 16.5 > 2.1</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM / Home</u> <u>COMM / Roller Bank</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			<u> </u> <u> </u> Water Dist.
			<u> </u> <u> </u> App Rec'd
			<u> </u> <u> </u> Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate, Uses
Static level 11' / Used 30' dynamic estimate

License 10-Day ☒ 15-Day Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WINSTON K GOERING	06/07/1983	COMMERCIAL	01-01 12-31	0.04 CFS	2.1 AFA
C	MARGARET K GOERING		DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
	297 DAVIS AVE					
	NAMPA ID 83651					
	(208) 466-7551					
				TOTAL DIVERSION:	0.08 CFS	3.3 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.08 CFS

Point(s) of Diversion: T03N R02W S08 NW SE

Place of use Legal Description for: COMMERCIAL

[illegible]

Place of use location for DOMESTIC is the same location as described for: COMMERCIAL

Pou County: CANYON

Other Water Rights Listing Overlapping Place(s) of use:
63-02597 63-05062

Remarks: Commercial use is for a roller skating rink.
Domestic use is for 1 home.

Dates: App. Received: 06/07/1983 Priority Date: 06/07/1983
Proof Due Date: 08/01/1988 Proof Made Date: 06/06/1988
Exam Made Date: 06/20/1990 Exam Sent to S.O.: 03/15/1991
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/20/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10059
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
420 Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

None Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 7-20-89 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☒ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: 63-5062 overlap possible

Check of P/U index 7-20-89 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: Add uses.

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? L.W. 5-29-90 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Aug 4. Minto 8-15-90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JFW 2/25/91 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 3/15/91 (Initial and date)

Exam Date Entered in Computer ✓ st (Initial and date)

Exam sent to State Office 3-15-91 st (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources
Permit No. 63-16034

A. GENERAL INFORMATION


1. Owner: Winston K. +/or Margaret K. Goering Phone No. 466-7551
Current Address: 297 Davis Ave. Nampa, Id. 83651
2. Accompanied by: Byron Holtry EXAM. DATE: 6-20-90
Address: 2929 Keim Lane Nampa Id. 83651 Phone No. 466-9034
Relationship to Permit Holder: Son-in-law
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well supplies water to Roller magic roller ring for use in the snack bar & bathrooms and for a heat pump, well also supplies water to domestic house next to roller magic house irrigates approx. 1/2 acre.

Readings: 40 psc, static water 11' 208 days per year, 150 per day
(recorded from pressure) (from well report)
(gauge on system)

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Red Jacket	1.5	6L79	Red Jacket	1.5" discharge

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE		8	3N	2W	Canyon	maps/on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination *maps/on site inspection*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2W	8																	

MICROFILMED

Do not use this space

SEP 10 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None required, cfs = 0.2

Heat pump 300 gpd (as per owner)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\text{Theoretical} = \frac{HP \times 8.8 \times \text{Eff}}{1.44 + (2.3 \text{ (PSC)})} = \frac{(1.5)(8.8)(.7)}{11 + (2.3(40))} = 0.089 \text{ cfs} \approx 0.09 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic 1/2 acre or less irrigated = 1.2 AFA.

→ roller ring @ (150 kds/day) = 150 kds (15 gpd) (208 days/year) (1.8) ÷ 325,850 = 1.9 AFA.

Heat pump (flow 300 gpd) = 300 gpd (208 days) ÷ 325,850 = 0.20 AFA.

Total AFA = 3.3 AFA.

MICROFILMED

SEP 10 1992

values from
Tables in notebook
figure only
80% use bathroom
& shower area

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

limit to 0.04 cfs + 1.2 AFA for domestic
and 0.04 cfs + 2.1 AFA for commercial
note: water meter is no longer being used because
the owner was losing money on it.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04 cfs	1.2 AFA
Commercial	1-1	12-31	0.04 cfs	2.1 AFA
Totals:			0.08 cfs	3.3 AFA

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Larry L. Waters
 Signature Larry L. Waters
 Certification Date _____
 Field Report Preparation Date 8-15-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
SEP 10 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10057

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 2W, Sec. 8, NW 1/4 SE 1/4 or Lot _____.

2. Owner: Winston K. & Margaret K. Goring

Address 297 Davis Ave., City Wampa, St. Id

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☐ No ☒ Static Water Level: 11'
Pressure Gauge: Yes ☒ No ☐ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature: -

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

RECEIVED


SEP 10 1992

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

3N-24W



63-10059



pump + well
location inside
pump house

[motor + pump]
above ground]



domestic home next
to roller magic
(with $\frac{1}{2}$ acre of
irrigation). Home
located 70 feet
east of roller magic

MICROFILMED
SEP 10 1992

63-10059



This is a picture of roller magic and Water magic
looking from the north end of the parking lot
toward the south.

RECEIVED

SEP 10 1962



CECIL D. ANDRUS
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 10, 1988

63-10059
Winston Goering
297 Davis Ave.
Nampa, ID 83651

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

SEP 10 1992

RECEIVED

JUN - 6 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$50.00
Date 6-7-88
Receipt # C00177
Receipt by [Signature]
Reviewed by [Signature]
Sent to region [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10059-

Name(s) of Permit Holder: Goering, Winston K. & Margaret K. -

Post Office Address: 297 Davis Ave Nampa Ida 83651

Telephone No. 466-2551

Source of Water: Well -

Extent of Use:

Domestic ☒ (number of households) 1 Stockwater (number and type of stock)

Irrigation (acres) Other/Remark Commercial -

Heat pump in Roller Magic and water for Water magic hydrostatic

Total rate and/or volume for which proof is submitted .20 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1980

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Byron Holtry 466-9034 Home
(Name) (Telephone Number)


2929 Heim Lane, Nampa Ida 83651
(Address) 466-6486 Business

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

June 3, 1988 Winston K. Goering
Date Signature of Permit Holder (and title, if appropriate)



OFFICE OF THE MAYOR
CITY HALL
NAMPA, IDAHO 83651



*Idaho Dept of Water Resources
State House
Boise, Ida 83720*

WINSTON K. GOERING, MAYOR

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10059

Date: 9/21/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
N/A 1. well log in file *Not found due to size of well*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

To: File 63-10059

From: Groundwater Protection

Date: 9/1/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report: ☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up ☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

Well is 1980 or earlier

No action recommended.

SEP 30 1988

138674
CERTIFIED MAIL
May 31, 1988

GOERING, WINSTON K. & MARGARET K.
297 DAVIS AVE.
NAMPA, ID 83651

PROOF DUE NOTICE

RE: Permit No. 63-10059

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED
MAY 31 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GOERING, WINSTON K. & MARGARET K.
297 DAVIS AVE.
NAMPA, ID 83651

AUGUST 02, 1983

RE: PERMIT NO. 63-10059

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Glover APPLICATION NUMBER: 53-10059
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: June 5, 1983 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/16/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/28948
☒ Publication dates and paper, recorded on application. Press - Tribune 6/16/83 6/23/83
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6-7-83 Date of priority recommended.
Special conditions of approval or cover letter. _____
26

By: DBS
STATE OFFICE REVIEW:

Date: 7/12/83

RECEIVED
JUL 21 1983

SLW/LIT 26
By: Jan

Date: 7/25/83

Department of Water Resources

☐ See attached sheet for more information.

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

63-10059

GOERING, WINSTON K. &/or MARGARET K.

297 DAVIS AVE., NAMPA, ID 83651

Source: GROUNDWATER

Date Filed: 06/07/1983

Diversion Pt: NWSE Sec 08 T 03N R 02W

Use: COMMERCIAL	(0.20 CFS)
DOMESTIC	(0.08 CFS)

In: NWSE Sec 08 T 03N R 02W

MICROFILMED