


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

⊙ well location

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Basabe
(Applicant)


63-10052
System Diagram.



RECEIVED
FEB 01 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



63-10052



#1

P/D -
Domestic well



#2

P/D - Irrigation well.

MISSOURI

FEB 01 1993

63-10052



#3

P14



#4

Well house
with pressure
tanks, valves
and electrical
sources.

MICROFILMED

FEB 01 1993

63-10052



#5
P14 and the
irrigation gun
used to measure
pressure. This
is the 1st sprinkler
nearest the well.



#6.
Corral where
livestock are
watered and
stock tanks serviced
from domestic
well.

RECEIVED

FEB 01 1993

63-10052



#7

View of home
and part of
irrigation from
a site about
 $\frac{1}{4}$ mile below on
County road.



#8.

Part of irrigated
land is beyond
the TV dish

MICROFILMED

FEB 01 1993

63-10052



#9.

user with
sprinkler gun
East of well site



#10

one of four
users located
North of well site.

MICROCY MEN

FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10052

Priority: May 26, 1983

Maximum Diversion Rate: 0.15 CFS
Maximum Diversion Volume: 48.0 AF

This is to certify, that JOHN BASABE
E RUBY BASABE

4566 WILLOW CREEK RD
EAGLE ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 26, 1983; and has submitted Proof of Beneficial Use on July 25, 1990. An examination indicates that the works have a diversion capacity of .150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.11 CFS	46.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
Totals		0.15 CFS	48.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 28, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	28	SWSW	12			12
		33	NWNW	4			4

Total number of acres irrigated: 16

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
05N	01E	33	NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

RECORDED

FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10052

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Two points of diversion are located within SWSW, S28, T05N, R01E. Domestic use is for 1 home.
7. Stockwater use is for 4 horses and 100 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of DECEMBER, 1992.

Acting for R. Keith Higginson, Director

FEB 11 1993

State of Idaho
Department of Water Resources

RECEIVED

NOV 25 1992

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10052

Department of Water Resources

Date of Priority: May 26, 1983

Maximum Diversion Rate: 0.15 CFS
Maximum Diversion Volume: 48.0 AF

Comes now E RUBY BASABE
4566 WILLOW CREEK RD.
EAGLE ID 83617

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-10052, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.11 CFS	46.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.15 CFS	48.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 28, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	28	SWSW	12		12
		33	NWNW	4		4

Total number of acres irrigated: 16

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
05N	01E	33
		NWNW

RECEIVED

NOV 01 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10052

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Eagle, Idaho, this 23 day of November, 1992

John Basabe
(Signature)
E. Ruby Basabe

RECEIVED
FEB 01 1993

FEB 01 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10052

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Receipted by [Signature] # 0026125 Date 11-25-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10052 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Two points of diversion are located within SWSW, S28, T05N, R01E. Domestic use is for 1 home.
7. Stockwater use is for 4 horses and 100 range cattle.

Witness my hand this 15TH day of DECEMBER, 1992

Acting for [Signature]
R. Keith Higginson, Director

FEB 6 1 1993

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	63-10052	Basabe, John	3.27 total
Full Assignment	63-10052	Basabe, John E. Ruby	3.27 total

MICROFILMED

DEC 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by
Date 7-16-1988
Receipt # COO1746

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

RECEIVED
JUL - 8 1988

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10052

Name(s) of Permit Holder: John Basabe & E. Ruby Basabe

Post Office Address: 4000 Willow Creek, Eagle, ID 83617

Telephone No. 939-6912

Date Proof is Due: August 1, 1988

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Two wells have been drilled. One is used for domestic and one provides water to an
irrigation system which serves about 30 acres of irrigation. Have built a barn and
have a water distribution system set up for future acquisition of stock.

Costing \$ 64,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

This property is on a hill. Because of zoning regulations, the entire 160 acres had to
be purchased to acquire the piece for the home site. Finance restraints and time have
made it impossible to put more land under irrigation, although it is our plan to continue
making improvements yearly.

Permit holder(s) request an extension to August 1, 19 93.
(1 yr. minimum)

E. Ruby Basabe
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1990.

OCT 11 1988

Signed this 19th day of September, 19 88.

A. Glen Sayton
Chief, Operations Bureau

State of Idaho
Department of Water Resources

RECEIVED

JUL - 6 1988

ASSIGNMENT OF PERMIT

Department of Water Resources

I, John Basabe, hereby assign to John and/or E. Ruby Basabe
of 4000 Willow Creek Rd., Eagle, ID 83617 JB
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 63-10052
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 24th day of JUNE, 1988.

John Basabe
Permit Holder

E. Ruby Basabe
Spouse of Permit Holder

State of Idaho)
County of ADA) ss.

On this 24th day of JUNE, 1988, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

[Signature]
Notary Public residing at

MERIDIAN, ID

My commission expires:

5-3-93

RECEIVED

OCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant John Basabe Phone 939-6912

Post office address 4000 Willow Creek Road, Eagle, Idaho, 83617

2. Source of water supply well which is a tributary of Boise River-Snake

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 33 Township 5N

Range 1 E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.2 for irrigation purposes from Apr 01 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .03 for stock water purposes from Jan 01 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for domestic purposes from Jan 01 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.27 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 12" well - pump and mainline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 28 Township 5N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 100 cows

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	1E	33					40	40											80
5N	1E	28											40	40					80

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion John Basabe

b. Who owns the land to be irrigated or place of use John Basabe

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

⊙ well location

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Basabe
(Applicant)

Proposed Priority 5/26/1983

Received by JP Date 5/26/83 Time 3:00

Preliminary check by JG Fee \$ \$185.00
105728896

Receipted by JP Date 5/27/83

Publication prepared by JP Date 6/2/83

Published in the Idaho Statesman

Publication dates 6/9 & 6/10/83

Publication approved JP Date 6/17/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10052, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 18th day of August, 1983.

J. Glen Saylor
Chief, Operations Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:
63-10049

JOSELEY, L. G.
70 MAYFIELD STAGES
BOISE, ID 83706
Source: UNNAMED STREAM trib. to
SAND CREEK
Date Filed: 05/24/1983
Diversion Point: LOT 04 (NWNW) Sec
06 T 01S R 04E
Use: IRRIGATION STORAGE (45.0
AF)
IRRIGATION FROM STORAGE
(45.0 AF)
in: LOT 03 (NENW) LOT 04 (NWNW)
LOT 05 (SWNW) SENW Sec 06 T
01S R 04E

63-10050
FROHWERK, ROBERT A.
51 CLEARVUE DR.
MERIDIAN, ID 83642
Source: GROUNDWATER
Date Filed: 04/19/1983
Diversion Point: SENW Sec 19 T 04N
R 01E
Use: IRRIGATION (0.05 CFS)
DOMESTIC (0.04 CFS)
in: SENW Sec 19 T 04N R 01E FOR 5
ACRES

63-10051
KIMBALL, CALLY &/or THELMA
119 15TH AVE. N., NAMPA, ID 83651
Source: GROUNDWATER
Date Filed: 05/25/1983
Diversion Point: SESW Sec 09 T 05N
R 01W
Use: IRRIGATION (0.24 CFS)
DOMESTIC (0.08 CFS)
in: SESW Sec 09 T 05N R 01W FOR 12
ACRES

63-10052
BASABE, JOHN
4000 WILLOW CREEK RD.
EAGLE, ID 83617
Source: GROUNDWATER
Date Filed: 05/26/1983
Diversion Point: NWNW Sec 33 T 05N
R 01E
Use: IRRIGATION (3.20 CFS)
STOCKWATER (0.03 CFS)
DOMESTIC (0.04 CFS)
in: NENW NWNW Sec 33 T 05N R 01E
SWSW SESW Sec 28 T 05N R 01E
FOR 160 ACRES

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, State
house, Boise, Idaho 83720 on or before
JUNE 27, 1983.

A. KENNETH DUNN
Director
Pub. June 9, 1983

624

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Jill Backsen, being duly
sworn, deposes and says: That she is the Principal
Clerk of The Idaho Statesman, a daily newspaper
printed and published at Boise, Ada County, State
of Idaho, and having a general circulation therein
and which said newspaper has been continuously and
uninterruptedly published in said County during a
period of twelve consecutive months prior to the
first publication of the notice, a copy of which
is attached hereto; that said notice was published
in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of June 9, 1983, and ending with the
issue of June 16, 1983.

Jill Backsen
Subscribed and sworn to before me this 16th
day of June, 1983.

Barack E. Egan
Notary Public for Idaho, Residing at Boise, Idaho

FILED

RECEIVED
JUN 10 1983
IDAHO DEPT. OF WATER RESOURCES
BOISE, IDAHO



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 17, 1992

JOHN BASABE
E RUBY BASABE
4566 WILLOW CREEK RD
EAGLE ID 83617

RE: WATER RIGHT NO. 63-10052

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10052

Date of Priority: May 26, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.15 CFS
48.0 AF

Comes now John &/or E RUBY BASABE
4566 WILLOW CREEK RD.
EAGLE ID 83617

and represents to the Director of the

Idaho Department of Water Resources:
Database Corrected 11-23-92

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-10052, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.11 CFS	46.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.15 CFS	48.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 28, Township 05N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	01E	28	SWSW	12		12
		33	NWNW	4		4

Total number of acres irrigated: 16

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
05N	01E	33
		NWNW

FEB 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1992

E RUBY BASABE
4566 WILLOW CREEK RD.
EAGLE ID 83617

RE: WATER RIGHT NO. 63-10052

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 01 1993

LICENSE REVIEW CHECKLIST

Permit # 63-10052

Date 11-02-92

28

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance? _____
	<u>Yes</u>	<u>No</u>	Memo to Advance _____
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed? _____
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended? _____
	<u>Yes</u>	<u>No</u>	Disagree with Actual Measurement? _____
	<u>Yes</u>	<u>No</u>	<u>16x.02=.32 / .11 cfs (IRR) .04 cfs (DOM) .02 cfs (STOCK)</u>
	<u>Yes</u>	<u>No</u>	Disagree with Theoretical? _____
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>.15 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>4-1 to 10-31</u> Per Permit Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations? _____
	<u>Yes</u>	<u>No</u>	<u>16x4.5=72 afa (IRR) 1.2 afa (DOM) .3 afa (STOCK)</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow? <u>.11x213x1.9835=46.5 < 72</u>
			<u>46.5 afa (IRR)</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source _____
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void. _____
P/D			Verify with Map <u>Add 2nd P/D</u>
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Change NWNW, S33 to SWSW, S28</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Drop SESW, S28 & NENW, S33</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration? _____
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use? _____
	<u>Yes</u>	<u>No</u>	Amendment Needed? _____
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4? <u>2/SWSW</u>
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>DOM / 1 Home</u> <u>STOCK / 100 cattle, 4 horses</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition _____
	<u>Yes</u>	<u>No</u>	Other _____
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device _____
	<u>Yes</u>	<u>No</u>	W/Master Control _____
	<u>Yes</u>	<u>No</u>	Overlap _____
	<u>Yes</u>	<u>No</u>	Water Quality _____
			DATES/MISC
			Water Dist. _____
			App Rec'd _____
			Exam Made _____

COMMENTS/MEMOS NEEDED: Reduced rate, acres Amend P/D

License 10-Day 15-Day Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	E RUBY BASABE 4566 WILLOW CREEK RD. EAGLE ID 83617 (208) 939-6912	05/26/1983	IRRIGATION STOCKWATER DOMESTIC	04-01 10-31 01-01 12-31 01-01 12-31	0.11 CFS 0.02 CFS 0.04 CFS	46.5 AFA 0.3 AFA 1.2 AFA
TOTAL DIVERSION:					0.15 CFS	48.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.15 CFS

Point(s) of Diversion: T05N R01E S28 SW SW

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
05N	01E	28	:								12					12.0
05N	01E	33	:						04							4.0
TOTAL ACRES																16.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE				
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
05N	01E	33	:													

Pou County: ADA

Non-Irrigation Uses: S/100 RANGE

Other Water Rights Listing Overlapping Place(s) of use:
63-10052

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Two points of diversion are located within SWSW, S28, T05N, R01E.
Domestic use is for 1 home.
Stockwater use is for 4 horses and 100 range cattle.

Dates: App. Received: 05/26/1983 Priority Date: 05/26/1983
Proof Due Date: 08/01/1990 Proof Made Date: 07/25/1990
Exam Made Date: 09/26/1991 Exam Sent to S.O.: 04/23/1992
Licensed Date:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Basabe, John & Ruby Permit No. 63-10052
Current Address: 4566 Willow Creek Rd; Eagle, Idaho 83617 Phone No. 939-6912
2. Accompanied by: Ruby Basabe & Walt Stilwell EXAM. DATE: 9-26-91
Address: same Phone No. same
Relationship to Permit Holder: owner & neighbor
3. Source: groundwater tributary to none
2-wells

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

FEB 01 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See attached

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Domestic</i>	<i>Franklin</i>	<i>3</i>	<i>282-3028-103</i>	<i>Joacuzzi</i>	<i>2" 5418-S2</i>
<i>Drugation</i>	<i>"</i>	<i>5</i>	<i>282-1139-202</i>	<i>"</i>	<i>2" 554x P18</i>
<i>Drugation</i>	<i>"</i>	<i>3</i>	<i>282-3028-202</i>	<i>"</i>	<i>2" 534C</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			<i>SW</i>	<i>SW</i>	<i>28</i>	<i>5N</i>	<i>1E</i>	<i>Okla</i>	<i>Orthophoto quad & aerial map.</i>

6. Place(s) of Use:

Indicate Method of Determination *facing*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>5N</i>	<i>1E</i>	<i>28</i>											<i>12</i>						<i>12</i>
<i>5N</i>	<i>1E</i>	<i>33</i>						<i>4</i>											<i>4</i>
																			<i>16</i>

RECORDED

FEB 01 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Sprinkler head</i>						
<i>Pressure gauge</i>						

2. Measurements:

A pressure measurement was taken on a sprinkler gun located about 120' from the well. The measurements were 50 psi on the $\frac{3}{8}$ " nozzle and 40 psi on the $\frac{1}{2}$ " nozzle. No measurement was taken on the domestic system.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: *Per attached Rainbird performance table for Model 85EPS H - 90 psi = 51.4 gpm = .11 cfs for irrigation system.*

2. Alternate Method for Checking Purposes:

Irrigation: $\frac{8 \times 8.8 \times .7}{280 + (2.3 \times 60)} = .12 \text{ cfs}$ - Domestic $\frac{3 \times 8.8 \times .7}{235 + (2.3 \times 40)} = .06 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Stockwater: $104 \times .00022 = .02 \text{ cfs}$

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 16 \times 4.5 = 72 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .11 \times 246 \times 1.9835 = 53.7 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 53.7 \text{ afa}$

2. Volume Calculations for Other Uses:

Domestic internal and external = 1.2 afa

*Stockwater = $12 \text{ gpd} \times 100 \text{ hd} \times 60 \text{ days} = 72,000 \text{ gpd}$
 $12 \text{ gpd} \times 4 \text{ hd} \times 270 \text{ d} = 12,960 \text{ gpd}$*

VS. $.03 \times 365 \times 1.9835 = 21.7 \text{ afa}$

*FEB 01 1993
72,000 gpd
12,960 "
84,960 = .3 afa -
325,850*

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

Stockwater = 104 hd x 12 = 1248 / 120 = 10.4 gpm = .02 cfs
Stockwater is part of the irrigation system well. This system
is limited to the measured rate of .11 cfs therefore the
total diversion rate recommendation is .04 cfs for the
domestic system plus .11 cfs for the irrigation system = .15 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Note: 0.11 cfs is insufficient water to satisfy needs for 16 acres.
 However, use is pasture so beneficial use can be made on
 all 16 acres by the flow available. Recommend licensing as shown
 below.

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1-1</u>	<u>12-31</u>	<u>.04 cfs</u>	<u>1.2 afa</u>
<u>Stockwater</u>	<u>3-15</u>	<u>11-15</u>	<u>.02 cfs</u>	<u>.3 afa</u>
<u>Irrigation</u>	<u>3-15</u>	<u>11-15</u>	<u>.11 cfs</u>	<u>53.7 afa</u>

Totals: .15 cfs 55.2 afa.

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte

Signature

Melvin T. Schulte

Certification Date


3-17-92

Field Report Preparation Date

3-17-92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.




APPROVED

FEB 01 1993

63-10052
System Diagram.



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



63-10052 NARRATIVE & IRRIGATION ACREAGE CALCULATION

The system contains two wells--one for domestic and one for irrigation. The domestic well has a 6" casing and a 3 Hp submersible pump that delivers water to a pressure tank located in a well house 50' from the well. From the pressure tank water is diverted through a buried pipe uphill about 200' to a single family residence with about one-half acre of lawn and shrubs. A buried one and an half inch buried pipe also runs North from the domestic well about 120' to a stocktank located in a corral.

The irrigation well has an 8" casing with 3 & 5 Hp submersible pumps that deliver water to a pressure tank and valve system in the well house located about 5' from the well. From the pressure tank water can be diverted South about 120' where it enters a buried mainline with risers to irrigate native grass and shrubs around the domestic site. The irrigation provides for grazing and fire protection around the home site which sets on top of a small hill.

From the irrigation well a buried pipe goes East about 400' to a riser that is fitted with a sprinkler gun. About 150' along this pipe a buried one inch pipe goes North about 150' to a stock tank. At the riser mentioned above the pipe turns North for about 1,000' to a second stock tank located in a fenced pasture area.

At the irrigation well another buried pipe goes North about 1,000' to a riser and then continues North about 500' to a second riser and Northwest about 500' to a 3rd riser. These risers allow a 10 acre field to be irrigated with handlines. About 150' from the irrigation well a pipe goes East from the mainline mentioned in this paragraph to service three sprinkler guns around the corral.

Irrigation is provided by 21 half-circle impact sprinkler guns with 90' radius and dual nozzles. The nozzle diameters were 3/8 and 7/32 and registered 50 and 40 psi respectively. The sprinkler gun system is set on a timer mechanism and operates one sprinkler at a time.

According to the owner the maximum number of stock watered is 100 head of mixed range cattle for 60 days each Spring and four head of horses for nine months of each year.

IRRIGATION ACREAGE CALCULATION:

Section 28: $620' \times 670' = 415,400 = 9.5 \text{ acres}$
 $8 \text{ guns} \times 3.1416 \times 89 / 2 = 99,538 = \underline{2.3}$
11.8 acres =
12 acres

Section 33: $13 \text{ guns} \times 3.1416 \times 89 / 2 = 161,750 = 3.7 \text{ acres} =$
4 acres

RECEIVED
FEB 01 1993

68-10052

85EPSH / 85EWPSH

Full or Part Circle
Impact Sprinklers

85EPSH

1-1/4" male bearing. H bearing only. Cast bronze body, trips, and arm. Brass bearing sleeve and nipple. Stainless steel arm spring, trip spring and trip collars. Stainless steel slip trip pin (capable of full or part circle operation as desired). Full circle operation obtained by sliding the trip pin up.

85EWPSH

Same as 85EPSH except for a plug that replaces spreader nozzle

Operating Range

Precipitation Rate:

.66 to 1.90 inches per hour

Spacing: 81 to 134 feet

Pressure: 70 to 100 psi

Features

- Proven impact drive
- Straight-through flow
- Full circle or adjustable arc — 20° to 340°
- Wide choice of nozzles
- FP trip for full or part circle operation
- Carbide arm spoon insert
- Superior H bearing
- Rugged brass construction

For complete explanations of product features, see page 19.

Specifications

- 1-1/4" male threaded inlet
- For standard nozzle at normal operating pressure, the highest point of stream is 14' above nozzle

85EPSH Performance

PSI	Radius ¹	GPM	Nozzle ²	*Precip. ■	*Precip. ▲
70	81	40.1	11/32x7/32	1.18	.94
	± 83	44.9	3/8x7/32	1.26	1.01
	86	50.4	13/32x7/32	1.31	1.05
80	83	42.6	11/32x7/32	1.19	.96
	± 86	48.3	3/8x7/32	1.26	1.01
	89	54.3	13/32x7/32	1.32	1.06
	92	60.0	7/16x7/32	1.37	1.09
	94	66.7	15/32x7/32	1.45	1.64
	97	78.0	1/2x1/4	1.60	1.28
	101	84.5	17/32x1/4	1.60	1.28
	104	93.6	9/16x1/4	1.67	1.34
90	107	110.0	5/8x1/4	1.85	1.48
	86	45.7	11/32x7/32	1.19	.95
	± 89	51.4	3/8x7/32	1.25	1.00
	92	57.9	13/32x7/32	1.32	1.06
	95	63.9	7/16x7/32	1.36	1.09
	97	70.7	15/32x7/32	1.45	1.16
	100	82.6	1/2x1/4	1.59	1.28
	104	90.0	17/32x1/4	1.60	1.29
100	106	99.5	9/16x1/4	1.71	1.37
	110	117.0	5/8x1/4	1.86	1.49
	88	47.9	11/32x7/32	1.19	.96
	± 91	54.5	3/8x7/32	1.27	1.02
	94	61.2	13/32x7/32	1.33	1.07
	97	67.5	7/16x7/32	1.38	1.11
	99	74.8	15/32x7/32	1.47	1.18
	102	87.2	1/2x1/4	1.61	1.29
	106	94.6	17/32x1/4	1.62	1.30
	109	105.0	9/16x1/4	1.70	1.36
	112	124.0	5/8x1/4	1.90	1.53

85EWPSH Performance

PSI	Radius ¹	GPM	Nozzle ²	*Precip. ■	*Precip. ▲
70	81	28.1	11/32	.82	.66
	± 83	33.3	3/8	.93	.75
	86	38.9	13/32	1.01	.81
80	83	30.4	11/32	.85	.68
	± 86	35.7	3/8	.93	.75
	89	41.8	13/32	1.02	.82
	92	48.4	7/16	1.10	.88
	94	55.1	15/32	1.20	.96
	97	61.6	1/2	1.26	1.01
	101	68.1	17/32	1.29	1.03
	104	77.5	9/16	1.38	1.11
90	107	94.1	5/8	1.58	1.27
	86	32.7	11/32	.85	.68
	± 89	38.3	3/8	.93	.75
	92	44.6	13/32	1.01	.81
	95	51.5	7/16	1.10	.88
	97	58.5	15/32	1.20	.96
	100	65.3	1/2	1.26	1.01
	104	72.4	17/32	1.29	1.03
100	106	82.2	9/16	1.41	1.13
	110	99.9	5/8	1.59	1.28
	88	34.0	11/32	.85	.68
	± 91	40.7	3/8	.95	.76
	94	47.4	13/32	1.03	.83
	97	54.5	7/16	1.12	.89
	99	61.5	15/32	1.21	.97
	102	68.9	1/2	1.28	1.02
	106	76.4	17/32	1.31	1.05
	109	87.2	9/16	1.41	1.13
	112	105.2	5/8	1.62	1.30


*Precipitation Rates based on half circle operation.

■ Square spacing based on 50% diameter of throw.

▲ Triangular spacing based on 60% diameter of throw.

Non-shaded areas in performance charts are recommended for optimum distribution.

± Standard Nozzle Size recommended



85EPSH

RECEIVED

FEB 01 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10052
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 1E, Sec. 28, SW1/4SW1/4
or Lot .
2. Owner: John & Ruby Bassbe
Address 4560 Willow Creek Rd, City Eagle, St
3. Casing $\geq$ 12 inches above ground: Yes ✓ No
4. Access Port: Yes No ✓ Static Water Level: 270
Pressure Gauge: Yes ✓ No Casing Diameter: 8"
Flowing: Yes No ✓ Temperature:
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes No ✓

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: Irrigation well

RECORDED

FEB 01 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10052
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 1E, Sec. 28, SW 1/4 SW 1/4
or Lot _____.
2. Owner: John & Ruby Basabe
Address 4566 Willow Creek Rd, City Eagle, St
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 225
Pressure Gauge: Yes ☒ No ☐ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature: _____
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.


Remarks:

Domestic well

RECORDED

FEB 01 1993

63-10052



#1

P/D -

Domestic well



#2

P/D - Irrigation well.

MAILED 100-10052


FEB 01 1993

63-10052



#3

P14



#4

Well house
with pressure
tanks, valves
and electrical
sources.

RECEIVED

FEB 01 1993

63-10052



#5
P14 and the
irrigation gun
used to measure
pressure. This
is the 1st sprinkler
nearest the well.



#6.
Corral where
livestock are
watered and
stock tanks serviced
from domestic
well.

RECEIVED


FEB 01 1993

63-10052



#7

View of home
and part of
irrigation from
a site about
 $\frac{1}{4}$ mile below on
County road.



#8.

Part of irrigated
land is beyond
the TV dish

RECEIVED

FEB 01 1993

63-10052



#9.

user with
sprinkler gun
East of well site



#10

one of four
users located
North of well site.

RECEIVED

FEB 01 1993

December 14, 1990

JOHN BASABE
E. RUBY BASABEB
4000 WILLOW CREEK RD.
EAGLE, ID 83616

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10052

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 17 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10052

Date: 11-27-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely
N/A Reinstated

Source of Water:

 Surface water
y Groundwater
 y 1. well log in file
 2. drilling permit
 N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
 y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
no Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Needs access port
Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/89

RECEIVED

JUL 25 1990

STATE OF IDAHO

For Office Use Only
Fee Received \$100.00
Date 7/25/90
Receipt # C.017796
Receipt by *[Signature]*
Reviewed by _____
Sent to region _____

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10052

Name(s) of Permit Holder: JOHN AND/OR E. RUBY BASABE

Post Office Address: 4566 WILLOW CK. RD.

EAGLE, IDAHO 83616 Telephone No. (208) 939-6912

Source of Water: WELL

Extent of Use:

Domestic 1 (number of households)

Stockwater 10 HEAD / HORSES + CATTLE (number and type of stock)

Irrigation 40 (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 0.86 cfs 120 acre-feet

Show the date water was first diverted and beneficially used under this permit: 8-7-80

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

JOHN or E. RUBY BASABE 939-6912 or WALTER STILLWELL 939-6561
(Name) (Telephone Number)

4566 WILLOW CK. RD. EAGLE, IDAHO 83616
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-25-89

Date

E. Ruby Basabe
Signature of Permit holder (and title, if appropriate)

MICROFILMED

JAN 17 1991

138809
May 31, 1990

JOHN BASABE
E. RUBY BASABEB
4000 WILLOW CREEK RD.
EAGLE, ID 83616

PROOF DUE NOTICE

RE: PERMIT NO. 63-10052

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JAN 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10052
Name(s) of Permit Holder(s): JOHN BASABE
Post Office Address: 4000 WILLOW CREEK RD
EAGLE, IDA 83617 Tel. No. 2-6912

☒ I hereby certify that construction of diversion works for the above referenced permit began on SEPT 1980 (date) and I understand that I must continue to develop the water system with diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

Sept 13-83
Date

John Basabe
Signature of Permit Holder

JOHN DASARE

4000 WILLOW CR RD

EAGLE, IDA 83617

RECEIVED

JAN 07 1991



RECEIVED

SEP 24 1988

IDAHO DEPARTMENT OF WATER RESOU
STATEHOUSE
BOISE, IDAHO 83720

To: File 63-10052

From: Groundwater Protection

Date: 9/29/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK-

Note: Request for Extension

was approved. JB

OCT 11 1988

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

JUL 14 1986

State of Idaho requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

I. WELL OWNER

Name John Basabe
Address 4800 Willow Cr. Rd.
Owner's Permit No. 63-10052

7. WATER LEVEL

Static water level 225 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>30</u>	<u>275</u>	<u>1</u>

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6"	0	3	Top Soil		
	3	25	SAND		
	25	40	SANDY CLAY		
	40	58	SAND		
	58	93	SANDY CLAY		
	93	112	SAND		
	112	121	SANDY CLAY		
	121	128	SAND		
	128	176	SANDY CLAY		
	176	220	yellow CLAY		
	220	250	SANDY CLAY		
	234		BROWN CLAY SEAM		
	250	255	SAND dry		
	255	273	CLAY		
	273	299	SANDY CLAY (1st water)		
	299	330	SAND heaving		
	330		CLAY		

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>318</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Johnson
Type SS Model No. 304

Diameter 3 Slot size 0020 Set from 320 feet to 330 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout

☐ Puddling clay ☒ Well cuttings

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata


Describe access port _____

10.

Work started 4/10/86 finished 4/22/86

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Adz

NW 1/4 NW 1/4 Sec. 33 T. 5 N. R. 1 E.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Phipps Drilling Firm No. 311

Address 2915 ONA Date _____

Signed by (Firm Official) _____

and
(Operator) Wesley A. Phipps

63-10052
1st Well


Form 238.7
1/78

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
BALLPOINT PEN

RECEIVED
DEC 5 1980

1. WELL OWNER Name <u>MR. JOHN BASABE</u> Address <u>GRANDVIEW, IDAHO 83624</u> Owner's Permit No. _____		7. WATER LEVEL Department of Water Resources Static water level <u>270</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																																													
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandonment) _____		8. WELL TEST DATA ☐ Pump ☐ Sucker ☒ Air ☐ Other <table border="1"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td>200</td> <td></td> <td>8</td> </tr> </table>		Discharge G.P.M.	Pumping Level	Hours Pumped	200		8																																																																						
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																													
200		8																																																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Hole Class.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>0'</td> <td>4'</td> <td>top soil</td> <td></td> <td>x</td> </tr> <tr> <td>10"</td> <td>4'</td> <td>8'</td> <td>hard pan</td> <td></td> <td>x</td> </tr> <tr> <td>10"</td> <td>8'</td> <td>20'</td> <td>clay with some sand layers</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>20'</td> <td>200'</td> <td>clay with some sand layers</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>200'</td> <td>360'</td> <td>sand & clay layers</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>360'</td> <td>370'</td> <td>clay</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>370'</td> <td>375'</td> <td>sand</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>375'</td> <td>420'</td> <td>sand & clay layers</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>420'</td> <td>525'</td> <td>sand strata with soft sand layers</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>525'</td> <td>530'</td> <td>sand medium coarse</td> <td></td> <td>x</td> </tr> <tr> <td>8"</td> <td>530'</td> <td>-</td> <td>blue clay with sand</td> <td></td> <td>x</td> </tr> </tbody> </table>		Hole Class.	Depth		Material	Water		From	To	Yes	No	10"	0'	4'	top soil		x	10"	4'	8'	hard pan		x	10"	8'	20'	clay with some sand layers		x	8"	20'	200'	clay with some sand layers		x	8"	200'	360'	sand & clay layers		x	8"	360'	370'	clay		x	8"	370'	375'	sand		x	8"	375'	420'	sand & clay layers		x	8"	420'	525'	sand strata with soft sand layers		x	8"	525'	530'	sand medium coarse		x	8"	530'	-	blue clay with sand		x
Hole Class.	Depth		Material		Water																																																																										
	From	To		Yes	No																																																																										
10"	0'	4'	top soil		x																																																																										
10"	4'	8'	hard pan		x																																																																										
10"	8'	20'	clay with some sand layers		x																																																																										
8"	20'	200'	clay with some sand layers		x																																																																										
8"	200'	360'	sand & clay layers		x																																																																										
8"	360'	370'	clay		x																																																																										
8"	370'	375'	sand		x																																																																										
8"	375'	420'	sand & clay layers		x																																																																										
8"	420'	525'	sand strata with soft sand layers		x																																																																										
8"	525'	530'	sand medium coarse		x																																																																										
8"	530'	-	blue clay with sand		x																																																																										
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. WORK SCHEDULE Work started <u>7-24-80</u> finished <u>8-7-80</u>																																																																													
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>8 inches</td> <td>2' 6"</td> <td>518' 2"</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld ☐ Cemented between struts Describe access port _____		Thickness	Diameter	From	To	250 inches	8 inches	2' 6"	518' 2"	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BILL DOTY WELL DRILLING</u> No. <u>42</u> Address <u>RT. 87 BX 311 CALDWELL</u> Date <u>8-12-80</u> Signed by (Firm Official) <u>Bill Doty</u> and (Operator) <u>Bob Doty</u>																																																																					
Thickness	Diameter	From	To																																																																												
250 inches	8 inches	2' 6"	518' 2"																																																																												
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>ADA</u>		12. NOTES USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																													

RECEIVED

OCT 11 1988

September 16, 1988

John Basabe
4000 Willow Creek Road
Eagle, ID 83617

RE: Permit No. 63-10052

Dear Mr. Basabe:

The department acknowledges receipt of the assignment which conveys the permit to John and/or Ruby Basabe. Department records will be changed accordingly.

The department has also reviewed the request for extension of time submitted in connection with the above referenced permit, and has approved the request for an additional development period of two (2) years based on a showing of due diligence.

The permit will eventually need to be amended, since the permit anticipated the construction of one well and you apparently have constructed two wells. Amendment of the permit can occur in the future before a license is issued.

The department has located a well log for the 530 foot well constructed for you by Bill Doty in July 1980, but has not been able to locate a well log for the other well, however. Please provide information on the other well including when the well was constructed and by whom. Wells constructed after July 1, 1987 must be authorized by a "drilling permit" which is a separate document from the water right permit.

Please submit the information on the second well at your earliest convenience. Please feel free to contact the department if you have questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Encl: 1

MAILED

OCT 11 1988

To: File 63-10052

From: Groundwater Protection

Date: 9/1/88

Drilling Permit: ✓ Not Applicable ?
Found and in file
Not Found

Well Drillers Report:

 Not found, due to reported age of well
probably not available
3/1 Found and is in file
 Not found

Follow-up

 Request from permit holder the well
drillers report and/or the name of the
well driller.
 Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

Water Right Permit shows 1 well.
The Extension request shows 2 wells
And a plan for more. I
suggest you request logs or
driller name for existing wells
And inform owner of drilling
permit requirement if any new
wells drilled.

RECEIVED

OCT 11 1988

Also need to make
w- to show several pds.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED
DEC 5 1967

1. WELL OWNER

Name MR. JOHN R. SMITH

Address CHAMBERLAIN, IDAHO 83424

Owner's Permit No. _____

2. WATER LEVEL

Department of Water Resources

Static water level 278 feet below land surface.

Pumping? ☐ Yes ☒ No S.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

3. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandonment) _____

4. WELL TEST DATA

☐ Pump ☐ Soller ☒ Air ☐ Other _____

Discharge G.P.M. _____ Pumping Level _____ Head Pumped _____

200 _____ 8

5. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste disposal or injection
☐ Other _____ (specify type)

6. LITHOLOGIC LOG

Depth	From	To	Material	Notes
0'	0'	4'	top soil	
4'	4'	8'	hard pan	
8'	8'	20'	clay with some sand layers	
20'	20'	250'	clay with some sand layers	
250'	250'	260'	hard A clay layers	
260'	260'	265'	clay	
265'	265'	270'	hard	
270'	270'	275'	hard A clay layers	
275'	275'	280'	hard clay with some sand layers	
280'	280'	285'	hard yellow sandstone	
285'	285'	290'	blue clay with sand	

7. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Soller ☐ Bag ☐ Other _____

8. WELL CONSTRUCTION

Casing material: ☒ Steel ☐ Concrete ☐ Other _____

Section	From	To	Material	Notes
1	0'	2'	Steel	
2	2'	8'	Steel	
3	8'	20'	Steel	
4	20'	250'	Steel	
5	250'	260'	Steel	
6	260'	265'	Steel	
7	265'	270'	Steel	
8	270'	275'	Steel	
9	275'	280'	Steel	
10	280'	285'	Steel	
11	285'	290'	Steel	

Well casing diameter: ☒ 4" ☐ 6" ☐ 8" ☐ 10" ☐ 12" ☐ 14" ☐ 16" ☐ 18" ☐ 20" ☐ 24" ☐ 30" ☐ 36" ☐ 42" ☐ 48" ☐ 54" ☐ 60" ☐ 72" ☐ 84" ☐ 96" ☐ 108" ☐ 120" ☐ 144" ☐ 168" ☐ 192" ☐ 216" ☐ 240" ☐ 264" ☐ 288" ☐ 312" ☐ 336" ☐ 360" ☐ 384" ☐ 408" ☐ 432" ☐ 456" ☐ 480" ☐ 504" ☐ 528" ☐ 552" ☐ 576" ☐ 600" ☐ 624" ☐ 648" ☐ 672" ☐ 696" ☐ 720" ☐ 744" ☐ 768" ☐ 792" ☐ 816" ☐ 840" ☐ 864" ☐ 888" ☐ 912" ☐ 936" ☐ 960" ☐ 984" ☐ 1008" ☐ 1032" ☐ 1056" ☐ 1080" ☐ 1104" ☐ 1128" ☐ 1152" ☐ 1176" ☐ 1200" ☐ 1224" ☐ 1248" ☐ 1272" ☐ 1296" ☐ 1320" ☐ 1344" ☐ 1368" ☐ 1392" ☐ 1416" ☐ 1440" ☐ 1464" ☐ 1488" ☐ 1512" ☐ 1536" ☐ 1560" ☐ 1584" ☐ 1608" ☐ 1632" ☐ 1656" ☐ 1680" ☐ 1704" ☐ 1728" ☐ 1752" ☐ 1776" ☐ 1800" ☐ 1824" ☐ 1848" ☐ 1872" ☐ 1896" ☐ 1920" ☐ 1944" ☐ 1968" ☐ 1992" ☐ 2016" ☐ 2040" ☐ 2064" ☐ 2088" ☐ 2112" ☐ 2136" ☐ 2160" ☐ 2184" ☐ 2208" ☐ 2232" ☐ 2256" ☐ 2280" ☐ 2304" ☐ 2328" ☐ 2352" ☐ 2376" ☐ 2400" ☐ 2424" ☐ 2448" ☐ 2472" ☐ 2496" ☐ 2520" ☐ 2544" ☐ 2568" ☐ 2592" ☐ 2616" ☐ 2640" ☐ 2664" ☐ 2688" ☐ 2712" ☐ 2736" ☐ 2760" ☐ 2784" ☐ 2808" ☐ 2832" ☐ 2856" ☐ 2880" ☐ 2904" ☐ 2928" ☐ 2952" ☐ 2976" ☐ 3000" ☐ 3024" ☐ 3048" ☐ 3072" ☐ 3096" ☐ 3120" ☐ 3144" ☐ 3168" ☐ 3192" ☐ 3216" ☐ 3240" ☐ 3264" ☐ 3288" ☐ 3312" ☐ 3336" ☐ 3360" ☐ 3384" ☐ 3408" ☐ 3432" ☐ 3456" ☐ 3480" ☐ 3504" ☐ 3528" ☐ 3552" ☐ 3576" ☐ 3600" ☐ 3624" ☐ 3648" ☐ 3672" ☐ 3696" ☐ 3720" ☐ 3744" ☐ 3768" ☐ 3792" ☐ 3816" ☐ 3840" ☐ 3864" ☐ 3888" ☐ 3912" ☐ 3936" ☐ 3960" ☐ 3984" ☐ 4008" ☐ 4032" ☐ 4056" ☐ 4080" ☐ 4104" ☐ 4128" ☐ 4152" ☐ 4176" ☐ 4200" ☐ 4224" ☐ 4248" ☐ 4272" ☐ 4296" ☐ 4320" ☐ 4344" ☐ 4368" ☐ 4392" ☐ 4416" ☐ 4440" ☐ 4464" ☐ 4488" ☐ 4512" ☐ 4536" ☐ 4560" ☐ 4584" ☐ 4608" ☐ 4632" ☐ 4656" ☐ 4680" ☐ 4704" ☐ 4728" ☐ 4752" ☐ 4776" ☐ 4800" ☐ 4824" ☐ 4848" ☐ 4872" ☐ 4896" ☐ 4920" ☐ 4944" ☐ 4968" ☐ 4992" ☐ 5016" ☐ 5040" ☐ 5064" ☐ 5088" ☐ 5112" ☐ 5136" ☐ 5160" ☐ 5184" ☐ 5208" ☐ 5232" ☐ 5256" ☐ 5280" ☐ 5304" ☐ 5328" ☐ 5352" ☐ 5376" ☐ 5400" ☐ 5424" ☐ 5448" ☐ 5472" ☐ 5496" ☐ 5520" ☐ 5544" ☐ 5568" ☐ 5592" ☐ 5616" ☐ 5640" ☐ 5664" ☐ 5688" ☐ 5712" ☐ 5736" ☐ 5760" ☐ 5784" ☐ 5808" ☐ 5832" ☐ 5856" ☐ 5880" ☐ 5904" ☐ 5928" ☐ 5952" ☐ 5976" ☐ 6000" ☐ 6024" ☐ 6048" ☐ 6072" ☐ 6096" ☐ 6120" ☐ 6144" ☐ 6168" ☐ 6192" ☐ 6216" ☐ 6240" ☐ 6264" ☐ 6288" ☐ 6312" ☐ 6336" ☐ 6360" ☐ 6384" ☐ 6408" ☐ 6432" ☐ 6456" ☐ 6480" ☐ 6504" ☐ 6528" ☐ 6552" ☐ 6576" ☐ 6600" ☐ 6624" ☐ 6648" ☐ 6672" ☐ 6696" ☐ 6720" ☐ 6744" ☐ 6768" ☐ 6792" ☐ 6816" ☐ 6840" ☐ 6864" ☐ 6888" ☐ 6912" ☐ 6936" ☐ 6960" ☐ 6984" ☐ 7008" ☐ 7032" ☐ 7056" ☐ 7080" ☐ 7104" ☐ 7128" ☐ 7152" ☐ 7176" ☐ 7200" ☐ 7224" ☐ 7248" ☐ 7272" ☐ 7296" ☐ 7320" ☐ 7344" ☐ 7368" ☐ 7392" ☐ 7416" ☐ 7440" ☐ 7464" ☐ 7488" ☐ 7512" ☐ 7536" ☐ 7560" ☐ 7584" ☐ 7608" ☐ 7632" ☐ 7656" ☐ 7680" ☐ 7704" ☐ 7728" ☐ 7752" ☐ 7776" ☐ 7800" ☐ 7824" ☐ 7848" ☐ 7872" ☐ 7896" ☐ 7920" ☐ 7944" ☐ 7968" ☐ 7992" ☐ 8016" ☐ 8040" ☐ 8064" ☐ 8088" ☐ 8112" ☐ 8136" ☐ 8160" ☐ 8184" ☐ 8208" ☐ 8232" ☐ 8256" ☐ 8280" ☐ 8304" ☐ 8328" ☐ 8352" ☐ 8376" ☐ 8400" ☐ 8424" ☐ 8448" ☐ 8472" ☐ 8496" ☐ 8520" ☐ 8544" ☐ 8568" ☐ 8592" ☐ 8616" ☐ 8640" ☐ 8664" ☐ 8688" ☐ 8712" ☐ 8736" ☐ 8760" ☐ 8784" ☐ 8808" ☐ 8832" ☐ 8856" ☐ 8880" ☐ 8904" ☐ 8928" ☐ 8952" ☐ 8976" ☐ 9000" ☐ 9024" ☐ 9048" ☐ 9072" ☐ 9096" ☐ 9120" ☐ 9144" ☐ 9168" ☐ 9192" ☐ 9216" ☐ 9240" ☐ 9264" ☐ 9288" ☐ 9312" ☐ 9336" ☐ 9360" ☐ 9384" ☐ 9408" ☐ 9432" ☐ 9456" ☐ 9480" ☐ 9504" ☐ 9528" ☐ 9552" ☐ 9576" ☐ 9600" ☐ 9624" ☐ 9648" ☐ 9672" ☐ 9696" ☐ 9720" ☐ 9744" ☐ 9768" ☐ 9792" ☐ 9816" ☐ 9840" ☐ 9864" ☐ 9888" ☐ 9912" ☐ 9936" ☐ 9960" ☐ 9984" ☐ 10000" ☐ 10024" ☐ 10048" ☐ 10072" ☐ 10096" ☐ 10120" ☐ 10144" ☐ 10168" ☐ 10192" ☐ 10216" ☐ 10240" ☐ 10264" ☐ 10288" ☐ 10312" ☐ 10336" ☐ 10360" ☐ 10384" ☐ 10408" ☐ 10432" ☐ 10456" ☐ 10480" ☐ 10504" ☐ 10528" ☐ 10552" ☐ 10576" ☐ 10600" ☐ 10624" ☐ 10648" ☐ 10672" ☐ 10696" ☐ 10720" ☐ 10744" ☐ 10768" ☐ 10792" ☐ 10816" ☐ 10840" ☐ 10864" ☐ 10888" ☐ 10912" ☐ 10936" ☐ 10960" ☐ 10984" ☐ 11008" ☐ 11032" ☐ 11056" ☐ 11080" ☐ 11104" ☐ 11128" ☐ 11152" ☐ 11176" ☐ 11200" ☐ 11224" ☐ 11248" ☐ 11272" ☐ 11296" ☐ 11320" ☐ 11344" ☐ 11368" ☐ 11392" ☐ 11416" ☐ 11440" ☐ 11464" ☐ 11488" ☐ 11512" ☐ 11536" ☐ 11560" ☐ 11584" ☐ 11608" ☐ 11632" ☐ 11656" ☐ 11680" ☐ 11704" ☐ 11728" ☐ 11752" ☐ 11776" ☐ 11800" ☐ 11824" ☐ 11848" ☐ 11872" ☐ 11896" ☐ 11920" ☐ 11944" ☐ 11968" ☐ 11992" ☐ 12016" ☐ 12040" ☐ 12064" ☐ 12088" ☐ 12112" ☐ 12136" ☐ 12160" ☐ 12184" ☐ 12208" ☐ 12232" ☐ 12256" ☐ 12280" ☐ 12304" ☐ 12328" ☐ 12352" ☐ 12376" ☐ 12400" ☐ 12424" ☐ 12448" ☐ 12472" ☐ 12496" ☐ 12520" ☐ 12544" ☐ 12568" ☐ 12592" ☐ 12616" ☐ 12640" ☐ 12664" ☐ 12688" ☐ 12712" ☐ 12736" ☐ 12760" ☐ 12784" ☐ 12808" ☐ 12832" ☐ 12856" ☐ 12880" ☐ 12904" ☐ 12928" ☐ 12952" ☐ 12976" ☐ 13000" ☐ 13024" ☐ 13048" ☐ 13072" ☐ 13096" ☐ 13120" ☐ 13144" ☐ 13168" ☐ 13192" ☐ 13216" ☐ 13240" ☐ 13264" ☐ 13288" ☐ 13312" ☐ 13336" ☐ 13360" ☐ 13384" ☐ 13408" ☐ 13432" ☐ 13456" ☐ 13480" ☐ 13504" ☐ 13528" ☐ 13552" ☐ 13576" ☐ 13600" ☐ 13624" ☐ 13648" ☐ 13672" ☐ 13696" ☐ 13720" ☐ 13744" ☐ 13768" ☐ 13792" ☐ 13816" ☐ 13840" ☐ 13864" ☐ 13888" ☐ 13912" ☐ 13936" ☐ 13960" ☐ 13984" ☐ 14008" ☐ 14032" ☐ 14056" ☐ 14080" ☐ 14104" ☐ 14128" ☐ 14152" ☐ 14176" ☐ 14200" ☐ 14224" ☐ 14248" ☐ 14272" ☐ 14296" ☐ 14320" ☐ 14344" ☐ 14368" ☐ 14392" ☐ 14416" ☐ 14440" ☐ 14464" ☐ 14488" ☐ 14512" ☐ 14536" ☐ 14560" ☐ 14584" ☐ 14608" ☐ 14632" ☐ 14656" ☐ 14680" ☐ 14704" ☐ 14728" ☐ 14752" ☐ 14776" ☐ 14800" ☐ 14824" ☐ 14848" ☐ 14872" ☐ 14896" ☐ 14920" ☐ 14944" ☐ 14968" ☐ 14992" ☐ 15016" ☐ 15040" ☐ 15064" ☐ 15088" ☐ 15112" ☐ 15136" ☐ 15160" ☐ 15184" ☐ 15208" ☐ 15232" ☐ 15256" ☐ 15280" ☐ 15304" ☐ 15328" ☐ 15352" ☐ 15376" ☐ 15400" ☐ 15424" ☐ 15448" ☐ 15472" ☐ 15496" ☐ 15520" ☐ 15544" ☐ 15568" ☐ 15592" ☐ 15616" ☐ 15640" ☐ 15664" ☐ 15688" ☐ 15712" ☐ 15736" ☐ 15760" ☐ 15784" ☐ 15808" ☐ 15832" ☐ 15856" ☐ 15880" ☐ 15904" ☐ 15928" ☐ 15952" ☐ 15976" ☐ 16000" ☐ 16024" ☐ 16048" ☐ 16072" ☐ 16096" ☐ 16120" ☐ 16144" ☐ 16168" ☐ 16192" ☐ 16216" ☐ 16240" ☐ 16264" ☐ 16288" ☐ 16312" ☐ 16336" ☐ 16360" ☐ 16384" ☐ 16408" ☐ 16432" ☐ 16456" ☐ 16480" ☐ 16504" ☐ 16528" ☐ 16552" ☐ 16576" ☐ 16600" ☐ 16624" ☐ 16648" ☐ 16672" ☐ 16696" ☐ 16720" ☐ 16744" ☐ 16768" ☐ 16792" ☐ 16816" ☐ 16840" ☐ 16864" ☐ 16888" ☐ 16912" ☐ 16936" ☐ 16960" ☐ 16984" ☐ 17008" ☐ 17032" ☐ 17056" ☐ 17080" ☐ 17104" ☐ 17128" ☐ 17152" ☐ 17176" ☐ 17200" ☐ 17224" ☐ 17248" ☐ 17272" ☐ 17296" ☐ 17320" ☐ 17344" ☐ 17368" ☐ 17392" ☐ 17416" ☐ 17440" ☐ 17464" ☐ 17488" ☐ 17512" ☐ 17536" ☐ 17560" ☐ 17584" ☐ 17608" ☐ 17632" ☐ 17656" ☐ 17680" ☐ 17704" ☐ 17728" ☐ 17752" ☐ 17776" ☐ 17800" ☐ 17824" ☐ 17848" ☐ 17872" ☐ 17896" ☐ 17920" ☐ 17944" ☐ 17968" ☐ 17992" ☐ 18016" ☐ 18040" ☐ 18064" ☐ 18088" ☐ 18112" ☐ 18136" ☐ 18160" ☐ 18184" ☐ 18208" ☐ 18232" ☐ 18256" ☐ 18280" ☐ 18304" ☐ 18328" ☐ 18352" ☐ 18376" ☐ 18400" ☐ 18424"

Permit No. 63-10052

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ✓
 2. Notary? ✓
 3. a. Full Assignment? ✓
b. ~~Partial Assignment?~~
 4. "No assignment" condition on permit? - *N/A*
 5. Commencement of Works received? - *Ext. rec'd - diligence shown*
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. ~~Cancellation~~ Cancellation necessary?
 6. Affidavit of residency required? ✓
 7. Extension granted due to litigation?
(If yes, commencement of works is not required.)
-
1. Type permit summary sheet. ✓
 2. Coding sheet. ✓
 3. Acknowledgement letter type. - *Rate w/ extension*
 4. Copy to region. ✓

Date 8-22-88

Employee S Curtis

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
CALIGRAPHY
DEC 5 1988

1. WELL OWNER Name <u>MR. JOHN BARNER</u> Address <u>GERMANTOWN, IDAHO 83624</u> Owner's Permit No. _____	7. WATER LEVEL Department of Water Resources Static water level <u>220</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature _____ of Quality _____																																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandonment) _____	8. WELL TEST DATA ☐ Pump ☐ Soller ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumping</th> </tr> <tr> <td style="text-align: center;">200</td> <td></td> <td style="text-align: center;">8</td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumping	200		8																																																								
Discharge G.P.M.	Pumping Level	Hours Pumping																																																													
200		8																																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Elev.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yrd No.</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>10'</td> <td>0'</td> <td>4'</td> <td>top soil</td> <td></td> </tr> <tr> <td>10'</td> <td>4'</td> <td>8'</td> <td>hard pan</td> <td></td> </tr> <tr> <td>10'</td> <td>8'</td> <td>20'</td> <td>clay with some sand layers</td> <td></td> </tr> <tr> <td>10'</td> <td>20'</td> <td>200'</td> <td>clay with some sand layers</td> <td></td> </tr> <tr> <td>10'</td> <td>200'</td> <td>360'</td> <td>sand & clay layers</td> <td></td> </tr> <tr> <td>10'</td> <td>360'</td> <td>370'</td> <td>clay</td> <td></td> </tr> <tr> <td>10'</td> <td>370'</td> <td>375'</td> <td>sand</td> <td></td> </tr> <tr> <td>10'</td> <td>375'</td> <td>420'</td> <td>sand & clay layers</td> <td></td> </tr> <tr> <td>10'</td> <td>420'</td> <td>525'</td> <td>sand above with soft sand layers</td> <td></td> </tr> <tr> <td>10'</td> <td>525'</td> <td>530'</td> <td>sand medium coarse</td> <td></td> </tr> <tr> <td>10'</td> <td>530'</td> <td></td> <td>blue clay with sand</td> <td></td> </tr> </tbody> </table>	Elev.	Depth		Material	Water Yrd No.	From	To	10'	0'	4'	top soil		10'	4'	8'	hard pan		10'	8'	20'	clay with some sand layers		10'	20'	200'	clay with some sand layers		10'	200'	360'	sand & clay layers		10'	360'	370'	clay		10'	370'	375'	sand		10'	375'	420'	sand & clay layers		10'	420'	525'	sand above with soft sand layers		10'	525'	530'	sand medium coarse		10'	530'		blue clay with sand	
Elev.	Depth		Material	Water Yrd No.																																																											
	From	To																																																													
10'	0'	4'	top soil																																																												
10'	4'	8'	hard pan																																																												
10'	8'	20'	clay with some sand layers																																																												
10'	20'	200'	clay with some sand layers																																																												
10'	200'	360'	sand & clay layers																																																												
10'	360'	370'	clay																																																												
10'	370'	375'	sand																																																												
10'	375'	420'	sand & clay layers																																																												
10'	420'	525'	sand above with soft sand layers																																																												
10'	525'	530'	sand medium coarse																																																												
10'	530'		blue clay with sand																																																												
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>7-24-80</u> Finished <u>8-7-80</u>																																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>8</u> inches</td> <td><u>2' 6"</u> feet</td> <td><u>518' 2"</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well casings Sealing procedure used: ☐ Shurry pk ☐ Temp. surface casing ☒ Overhaul as seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld ☐ Cemented between strings Describe casing part _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>2' 6"</u> feet	<u>518' 2"</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>BILL DOTY WELL DRILLERS</u> No. <u>42</u> Address <u>RT. 87 BX 311 CHAMBERLAIN</u> Date <u>8-12-80</u> Signed by (Firm Official) <u>Bill Doty</u> and _____ (Operator) _____																																										
Thickness	Diameter	From	To																																																												
<u>250</u> inches	<u>8</u> inches	<u>2' 6"</u> feet	<u>518' 2"</u> feet																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																												
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">N</td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">6</td> </tr> </table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>IDAHO</u>	N	E	1	2	3	4	5	6	USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHOLE SET TO THE DEPARTMENT																																																						
N	E																																																														
1	2																																																														
3	4																																																														
5	6																																																														

OCT 11 1988

138671
CERTIFIED MAIL
May 31, 1988

BASABE, JOHN
4000 WILLOW CREEK RD.
EAGLE, ID 83617

PROOF DUE NOTICE

RE: Permit No. 63-10052

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

OCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BASABE, JOHN
4000 WILLOW CREEK RD.
EAGLE, ID 83617

AUGUST 30, 1983

RE: PERMIT NO. 63-10052

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

RECEIVED
AUG 31 1983
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RE: PERMIT 63-10052

PAGE 01
AUGUST 30, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Javer

APPLICATION NUMBER: 103-10052

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/27/83 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/17/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application. one Idaho Statesman
☒ Protests, dates, withdrawal, etc., recorded on application. 6/9 & 6/10/83 105/22896
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 5/26/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

By: DBS

Date: 8/2/83

STATE OFFICE REVIEW:

SLW/L17,103, L11 26 OIC
☐ See attached sheet for more information.

By: [Signature]

Date: 8/17/83

RECEIVED
AUG 16 1983

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

63-10052

BASABE, JOHN

4000 WILLOW CREEK RD., EAGLE, ID 83617

Source: GROUNDWATER

Date Filed: 05/26/1983

Diversion Pt: NWNW Sec 33 T 05N R 01E

Use: IRRIGATION	(3.20 CFS)
STOCKWATER	(0.03 CFS)
DOMESTIC	(0.04 CFS)

In: NENW NWNW Sec 33 T 05N R 01E SWSW SESW Sec 28 T 05N R 01E
FOR 160 ACRES

