

RECEIVED

MAY 10 1993

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 5-10-93
Receipt No. 5015731
Receipt by mts
RECEIVED

MAY 11 1993

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 45-7683 Telephone No. 673-6287
2. Name(s) of Permit Holder(s): Eldon Adams
3. Mailing Address: P.O. Box 494, Albion ID 83311
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Tom McKenzie Date Drilled: 1989

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 14 1/2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Eldon Adams Telephone No. Same as above

Address Same as above

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 5/10/93 Signature (and title, if on behalf of a company or organization) Eldon Adams

JUN 30 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 45-07683

Proposed Priority: December 6, 1990 Maximum Diversion Rate: 0.29 CFS
This is to certify, that **ELDON ADAMS**

P.O. BOX 494
ALBION, ID 83311

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.29 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 7 (SESWSW), Sec. 6, Township 12S, Range 25E
CASSIA County

<u>PLACE OF USE:</u> IRRIGATION						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
12S	25E	6	SWSW	14.5		14.5
Total number of acres irrigated:						14.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
7. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
8. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.

FILED

JUL 21 1991

State of Idaho
Department of Water Resources


Permit To Appropriate Water

NO. 45-07683

9. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

24th day of June, 1991.

for 
R. Keith Higginson, Director

RECEIVED

JUL 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Eldon Adams Phone 673-6287
Post office address P.O. Box 494, Albion, ID 83311
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 1
Sec. 6 Township 12S Range 25E B.M. C95519 County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.29 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.29 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing well, larger pump to be installed

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. ~~Proposed~~ well diameter is 8 inches; ~~proposed~~ depth of well is 150 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
Two years (minimum 1 year).

RECEIVED

JUL 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	25E	6											14.5						14.5

Total number of acres to be irrigated 14.5

10. Describe any other water rights used for the same purposes as described above.

Marsh Co. decreed rights

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: Well will supplement decreed surface rights.

Well was drilled this year for stock use under 45-90-5-013.

RECEIVED

JUL 21 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED
JUL 21 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elton Adams
(Applicant)

Received by J. F. Clinton Date 12-6-90 Time 2:55 pm Preliminary check by DR1
Fee \$ 45.00 Receipted by JO # 5012874 Date 12-6-90
Publication prepared by _____ Date _____ Published in _____
Publication approved 5/1 Date 5-24-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

UNRECORDED
JUL 21 1991

AFFIDAVIT of PUBLICATION

RECEIVED

MAY 24 1991

State of Idaho,)
)SS.
County of Lincoln)

Department of Water Resources

Patty Nance, being first duly sworn, deposes and says that he is the printer (publisher) of the Lincoln County Journal, a newspaper published every week in Shoshone, County of Lincoln, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, know as House Bill 145; that the annexed advertisement was published once each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 15th day of May 1991, and the date of the last publication was on the 22nd day of May, 1991.

Patty Nance

Subscribed and sworn to before me this 23rd day of May, 1991.
(SEAL)

William J. Gaudin
NOTARY PUBLIC

LINCOLN COUNTY JOURNAL
Shoshone, Idaho
COST OF PUBLICATION

Number of Lines in Notice _____
Number of Insertions 2x

Lines tabular at _____ 6¢/Pica
295.3 Lines straight at 14.77 5¢/Pica
Subsequent lines at 11.82 4¢/Pica
TOTAL COST 26.59

COPY OF NOTICE (Paste Here)

Not. Appl. To Wat. Rt.
TITLE OF NOTICE

Adams.

45-07683

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Id. Dept. Water Res.
BILL TO B.

PUBLICATION RATES

(Idaho Code, Rev. Statutes 1984)

7-8 pt. per line straight.....5¢/Pica
7-8 pt. per line tabular.....6¢/Pica
7-8 pt. per line successive
insertions.....4¢/Pica

No 3490

JUL 21 1991

4387

OK
5-24-91

**NOTICE OF APPLICATION FOR
TRUST WATER RIGHT
45-07683**

**ADAMS, ELDON
P.O. BOX 494
ALBION, ID 83311**


**Source: GROUNDWATER
Diversion Pt: LOT 7
(SESWSW) Sec 6 T 12S R 25E
Use: IRRIGATION (.290 CFS)
Total Diversion: (.290 CFS)
Date Filed: 12/6/1990
In: T12S R25E S06 SWSW
14.5 ACRES TOTAL**

The permit will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JUNE 3, 1991.

**-s- R. Keith Higginson, Director
Pub: 5-15, 22 L4387**

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Dayton	1 1/2	?	Tee1	Model 3P627

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5-gallon bucket						

2. Measurements: 9.8×10.1 seconds per 5 gallons. = 30 gpm
 Pump rated 32 gpm at 40' lift = 20 psi per pump c/q log.
 Rated 27 gpm at 50 psi.

E. NARRATIVE/REMARKS/COMMENTS

Well, submersible motor & pump, pressure tank, line to mobile home. Outside double spigot provides water to ~~the~~ two 2" plastic mainlines serving rainbird sprinklers watering a grain field (8 sprinklers), lawn (2 heads), & small pasture (1 head). $5/32"$ & $9/64"$ nozzles. There is also Marsh Creek decreed water for this ground that is used for gravity irrigation. Well supplements surface right, which is often cut off by mid summer.

P/U includes about 11 acres of cropland & $1/2$ acre of lawn & pasture. Well is sometimes dumped into gravity system instead of being run thru sprinklers. Flexible mainline is moved around as needed.

Although the pasture covers 9n acre or so, only part of it is irrigated.

With a grain crop, owner has enough surface water to finish the crop or nearly so. Therefore, actual groundwater irrigation is much less than the 4 AFA/acre allowed. It is unlikely that this right could be transferred to other land with creating an expansion of usage.

Not to exceed 4.0 AFA/acre for all rights combined on this land.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Measured 30 gpm open discharge (12 psi on owner gauge at well head)
= 0.07 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 11.5 \times 4 = 46$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.07 \times 214 \times 1.9835 = 29.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	0.07	29.7
Totals:			0.07	29.7

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name J. E. Stanton Date 10-19-95

Reviewer _____ Date _____

SEAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Eldon Adams
PO Box 494
Albion, ID
83311

October 18, 1994

RE: Water Permit 45-07683

Dear Mr. Adams;

With regard to the above-referenced water permit, which covers the irrigation well on your property, I have been trying to do the licensing examination of your water system. Since I have not been able to reach you by phone to schedule the exam, I visited your property a couple of times this summer. No one was home, however. If possible, I would like to complete the exam before winter sets in. The well does not need to be in operation during the exam, but I do need to determine exactly what land is irrigated. I also need to get information on the motor and pump. Please contact me on this matter.

Thank You,

James E. Stanton
Sr. Water Resource Agent

Dept. Of Water Resources
222 Shoshone East
Twin Falls, Idaho

RECEIVED

8/16/95

AUG 16 1995

Department of Water Resources
Southern Region


Dept. Of Water Resources;


I have a question for you and it definitely needs to be addressed A.S.A.P.!!
I would like to know WHY Eldon Adams of Albion, Idaho , is allowed to run a "rain-
bird sprinkler line" anytime day and night or all day and all night off a well
that is only supposed to have a permit for house water and to water livestock?????

This goes on every year even though he has been turned in before or not!!!
There are users and abusers and he falls into both catagories. I am getting sick
and tired of him taking more than his share of the underground water table that
supplies my well and many others that live around his property!!! If my water-
pressure drops or my well has to be drilled deeper, there is going to be Hell to
pay!!

So what are you going to do about it?? Are you going to send someone to
Albion to check it out or do I need to get in touch with someone in Boise? Seems
to me, you would keep closer tabs on someone who had been turned in and fined
before!! Take care of this.....

"AN UNHAPPY PERMIT-HOLDER"









Well



Pressure Tank



Grain field



Pasture

45-07683

June 25, 1993

ELDON ADAMS
P.O. BOX 494
ALBION ID 83311

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 45-07683

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a measuring device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the measuring device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUN 30 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 11, 1993

Eldon Adams
PO Box 494
Albion, ID 83311

Re: Permit No. 45-07683
Drilling Permit No. 45-90-S-0013-000

Dear Permit Holder:

On May 11, 1993, the Department corresponded with you and explained the need to submit an additional \$90 to upgrade your domestic drilling permit to a non-domestic drilling permit. The Department asked that you submit the additional \$90 within 30 days of the date of the last mailing. As of this date, the Department has not received the required \$90 drilling permit fee.

Since one of the conditions of your water right permit states that you must comply with the drilling permit requirements, you are in violation of your water right permit. The Department will allow an additional 15 days in which to submit the required \$90 fee. If the Department has not received the \$90 fee at the end of that time, we will take action to lapse your permit for failure to comply with all conditions.

Please remember to submit the additional \$90 within 15 days of the date of this mailing and to submit it directly to me. In the mean time, if you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

RECEIVED

JUN 30 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 11, 1993

Eldon Adams
PO Box 494
Albion, ID 83311

Re: Permit No. 45-07683
Drilling Permit No. 45-90-S-0013-000

Dear Permit Holder:

Enclosed is a copy of the Proof of Beneficial Use submitted in connection with the above referenced water right. It, and your permit to appropriate water (copy enclosed), both indicate that the use is for irrigation of 14.5 acres. Also enclosed is a copy of the drilling permit for which you applied in connection with this water right. It indicates the extent of use to be stockwater.

You were accordingly charged \$10 for the stockwater well drilling permit. However, because of the use you have indicated (irrigation of 14.5 acres), the drilling permit is no longer considered strictly stockwater. The charge for an irrigation drilling permit is at that time was \$100.

Before the Department can accept the proof of beneficial use as filed, you will need to pay the additional \$90 fee associated with the drilling permit. I will hold your file for 30 days to allow you time in which to submit the additional fee. Please submit the additional \$90 drilling permit fee directly to me.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: IDWR Regional Office

Enclosures


MINISTERED
JUN 30 1993

9/89

Drilling Permit No. 45-90-5-013

Water Right Permit No. _____

Injection Permit No. _____




MAR 29 1990

Department of Water Resources

State of Idaho
Department of Water Resources

DRILLING PERMIT



MAR 28 1990

Department of Water Resources
Southern Region Office

1. Applicant Eldon Adams
2. Mailing Address Box 491 Albion, ID 83311
Telephone _____
- (☒) Well Owner (☐) Well Operator (☐) Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. 7,
Sec. 6, Twp. 12S, Rge. 25E, County Cassia,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
(☒) Single family or stockwater use (less than 13,000 gallons per day)
(☐) Irrigation (more than 1/2 acre)
(☐) Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
(☐) Other (describe fully) _____
5. Well construction information:
A. (☐) New well (☒) Deepen (☐) Replace - See Condition 9.
B. Proposed surface diameter 8" Maximum depth 150'
C. Anticipated bottom hole temperature:
(☒) 85°F or less (Cold water well)
(☐) 85°F to 212°F (Low temp. geothermal well)
(☐) 212°F or more (Geothermal well)
6. Construction Start Date 3/20/90 (Verbal Approval 3/19/90)
7. Anticipated Well Driller M. Kenzie Drilling
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Tom MacKenzie Date 3/28/90
Title Driller - Agent
(Owner, Firm Representative, Other)

JUN 30 1993

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Amended Date 5/28/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Sarah O. Harkin
Signature of Authorized Department Representative

Southern Region Mgr
Title

Receipt No. 5011503 Received by SL Fee 10.00 Date 3/28/90


EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date MICROFILMED

This extension is good for 60 days beyond the above extension approval date.

JUN 30 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Elden Adams</u> Address <u>P.O. Box 494 Albion Idaho 83311</u> Owner's Permit No. <u>45-20-5-013 &</u>		7. WATER LEVEL Static water level <u>52</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>44</u> °F. Quality <u>good</u> Describe artesian or temperature zones below																																																															
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>75</u></td><td><u>60'</u></td><td><u>1.4</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>75</u>	<u>60'</u>	<u>1.4</u>																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
<u>75</u>	<u>60'</u>	<u>1.4</u>																																																															
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>10"</td><td>15</td><td>25</td><td>Tea sandy clay gravel,</td><td> </td></tr><tr><td>10"</td><td>25</td><td>61</td><td>cables, sand boulders</td><td> </td></tr><tr><td>8"</td><td>61</td><td>92</td><td>Brown clay</td><td> </td></tr><tr><td>8"</td><td>92</td><td>108</td><td>Brown sandy clay</td><td> </td></tr><tr><td>8"</td><td>108</td><td>107</td><td>Tea sandy clay</td><td> </td></tr><tr><td>8"</td><td>107</td><td>119</td><td>Hard packed blama</td><td> </td></tr><tr><td>8"</td><td>119</td><td>136</td><td>Sand</td><td> </td></tr><tr><td>8"</td><td>136</td><td>150</td><td>Hard packed sand-</td><td> </td></tr><tr><td>8"</td><td>150</td><td> </td><td>27" coarse</td><td> </td></tr><tr><td>8"</td><td> </td><td> </td><td>Hard packed white</td><td> </td></tr><tr><td>8"</td><td> </td><td> </td><td>Sand-102 coarse</td><td> </td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	10"	15	25	Tea sandy clay gravel,		10"	25	61	cables, sand boulders		8"	61	92	Brown clay		8"	92	108	Brown sandy clay		8"	108	107	Tea sandy clay		8"	107	119	Hard packed blama		8"	119	136	Sand		8"	136	150	Hard packed sand-		8"	150		27" coarse		8"			Hard packed white		8"			Sand-102 coarse	
Bore Diam.	Depth		Material		Water Yes No																																																												
	From	To																																																															
10"	15	25	Tea sandy clay gravel,																																																														
10"	25	61	cables, sand boulders																																																														
8"	61	92	Brown clay																																																														
8"	92	108	Brown sandy clay																																																														
8"	108	107	Tea sandy clay																																																														
8"	107	119	Hard packed blama																																																														
8"	119	136	Sand																																																														
8"	136	150	Hard packed sand-																																																														
8"	150		27" coarse																																																														
8"			Hard packed white																																																														
8"			Sand-102 coarse																																																														
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____		10. RECEIVED APR 5 1990 Department of Water Resources MAR 28 1990 Department of Water Resources Southern Region Office																																																															
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>7 7/8</u> inches</td><td><u>15</u> feet</td><td><u>92</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>7/8</u> inches by <u>9</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>29</u> perforations</td><td><u>59</u> feet</td><td><u>77</u> feet</td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>25</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>in well cap</u>		Thickness	Diameter	From	To	<u>250</u> inches	<u>7 7/8</u> inches	<u>15</u> feet	<u>92</u> feet													Number	From	To	<u>29</u> perforations	<u>59</u> feet	<u>77</u> feet							11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>MacKenzie Well Dr.</u> Firm No. <u>37</u> Address <u>P.O. Box 43 Albion Idaho 83311</u> Signed by (Firm Official) <u>Tom MacKenzie</u> and (Operator) <u>Tom MacKenzie</u>																															
Thickness	Diameter	From	To																																																														
<u>250</u> inches	<u>7 7/8</u> inches	<u>15</u> feet	<u>92</u> feet																																																														
Number	From	To																																																															
<u>29</u> perforations	<u>59</u> feet	<u>77</u> feet																																																															
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CASSIA</u>		12. RECEIVED JUN 30 1990 USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																															

S015891

6/21/1993
09:41:46

ADAMS, ELDON

FEE BALANCE 45-90-S-013

64115

229 21 1155

90.00

CHECK

106

\$90.00

Region: SOUTHERN

Signature: _____

Karen - Here is a copy of our Receipt
for the Drilling Permit Balance due
in connection with 45-07683 Per your
Recent letter.

LH.

45-7683

April 30, 1993

ELDON ADAMS
P.O. BOX 494
ALBION ID 83311

PROOF DUE NOTICE

RE: PERMIT NO. 45-07683

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUN 30 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 2, 1991

ELDON ADAMS
P.O. BOX 494
ALBION, ID 83311

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 45-07683

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of

RECEIVED

JUL 21 1991

Idaho for the use and benefit of the people within the state.
Conditions pertaining to a term review, annual use fee and
jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

ENCLOSURE

JUN 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

MAY 3, 1991

South Idaho Press
Box 190
Burley, ID 83318

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 3, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

RECEIVED

JUL 21 1991

45-07683

ADAMS, ELDON
P.O. BOX 494
ALBION, ID 83311

Source: GROUNDWATER

Diversion Pt: LOT 7 (SESWSW) Sec 6 T 12S R 25E

Use: IRRIGATION (.290 CFS)
Total Diversion: (.290 CFS)

Date Filed: 12/ 6/ 1990

In: T12S R25E S06 SWSW

14.5 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before JUNE 3, 1991.

R. Keith Higginson, Director

Published 5/15/1991 & 5/22/1991

21 1991

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 45-7683/Trust Water Processing

DATE: 4-26-91

The above application has come up for sequential trust water processing. The applicant returned the trust water questionnaire and states that the project represented by the application has not been completed and that the source is supplemental to surface water diversions from Marsh Creek.

My review of a 1980 infrared aerial photo on file at the department confirms that all of the land under the filing was irrigated at that time. This groundwater development does appear to be supplemental. The acreage will not be counted as trust acreage, but all other trust water conditions apply.

RECEIVED

APR 26 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

Department of Water Resources Application No. 45-7683

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐

b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☐ No ☒

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. _____

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. 14.7

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

MARSH CREEK

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Eldon Adams

Date April 24 1991

MICROFILMED

JUL 21 1991

198 photo contains info.


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Spec.

Enclosures

RECEIVED
JUL 21 1991

I would like to extend the
period of time I need to
establish a sprinkling system. to 5
years if possible.

John Adam

UNRECORDED

JUL 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 10, 1991

RE: APPLICATION FOR PERMIT NO. _____

Dear APPLICANT:

Due to the Swan Falls litigation and subsequent backlog of pending applications, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, or if the application proposes diversion of more than 5.0 cfs, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

MICROFILMED

JUL 21 1991


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Spec.

Enclosures

MICROFILMED

JUL 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

17-Dec-1990

R. KEITH HIGGINSON
Director

ELDON ADAMS
PO BOX 494
ALBION ID 83311

Re: Application for permit No. 45-07683

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

Because your application proposes to appropriate water which has been identified as "trust water" in the Swan Falls agreement, it will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your application.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineering Specialist

DJ:MB

RECEIVED

JUL 21 1991