

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 45-07638

Priority: March 10, 1989

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

1.6 AF

This is to certify, that KEITH HOLMES
KAY HOLMES

RT 1 BOX 45
RUPERT ID 83350

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 10, 1989; and has submitted Proof of Beneficial Use on September 28, 1989. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	03/01 to 11/30	0.06 CFS	1.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 25, Township 10S, Range 22E
CASSIA County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC

10S 22E 25 SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. Industrial use is for an asphalt plant.

MICROFILMED

OCT 26 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 45-07638

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of OCTOBER, 1992.


Acting for R. Keith Higginson, Director

MICROFILMED

OCT 26 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 45-7638)
IN THE NAME OF KEITH AND/OR KAY HOLMES)
_____)

ORDER

WHEREAS, on August 16, 1989, the Department of Water Resources issued Permit No. 45-7638 with a condition of approval which states:


Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

WHEREAS, on September 28, 1989, the permit holders requested the condition be removed; and,

WHEREAS, the Department of Water Resources has determined that this condition is not required at this time;

NOW, THEREFORE, IT IS ORDERED that the condition of approval requiring installation of an flow measurement port on Permit No. 45-7638 be REMOVED.

Dated this 23rd day of October, 1989.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

NOV 13 1989

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 45-07638

Proposed Priority: March 10, 1989

Maximum Diversion Rate:

1.20 CFS

This is to certify, that **KEITH HOLMES**
KAY HOLMES
RT. 1 BOX 45
RUPERT, ID 83350

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

INDUSTRIAL

03/01 to 11/30

1.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNE Sec. 25, Township 10S, Range 22E
CASSIA County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

10S 22E 25

SWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. Industrial use is for an asphalt plant.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of August, 1989.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

AUG 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Keith &/or Kay Holmes Phone 678-0481 bus.
436-6364 home.
Post office address Rt. 1 Box 45, Rupert, Ida. 83350
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot _____
Sec. 25 Township 10S Range 22E OR 25E 510 B.M. Cassia County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.2 for Industrial purposes from March 1 to Nov. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.2 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 8" x 65' well with
pump delivering to pipeline to dust control unit on
hot plant (asphalt)
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. ~~Proposed~~ Existing well diameter is 8" inches; proposed depth of well is 65' feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MicroFILMED

AUG 22 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Industrial Use - Used in connection with asphalt hot plant to control the dust in the process.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	22E	25			I														

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? Minidoka Co. Hwy. Dist.
- Who owns the land to be irrigated or place of use? Minidoka Co. Hwy. Dist.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. The applicant has a lease on the property.

12. Remarks: After water goes thru the plant it is discharged into a pond on the property where it evaporates &/or sinks into the ground. The water is used not more than 8 hrs./day.

AUG 22 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 22 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Kay Holmes
(Applicant)

Received by ADM Date 3/10/89 Time 11:52 Preliminary check by DRJ
Fee \$ 65⁰⁰ Receipted by ADM # 5006519 Date 3/10/89
Publication prepared by M. Baldwin Date 5/4/89 Published in So. ID. Press
Publication approved M. Baldwin Date 6/2/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

AUG 22 1989

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)

) ss.

STATE OF IDAHO)

MARGE BORENDREGT being first

duly sworn, deposes and says that he is the

Print of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for two (2) consecutive weeks, commencing with the issue

dated May 18 1989, and ending

with the issue dated May 25 1989.

Marge Borendregt

- STATE OF IDAHO

COUNTY OF

On this 30th day of May in the year of 1989, before me, a Notary Public, personally appeared MARGE BORENDREGT known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Robert Mabe
Notary Public for Idaho

Residing at Burley, ID

My commission expires: 5/4/93

Cost of Publication 23.04

Notary Fee 50

Total Cost 23.54

RECEIVED

JUN 1 1989

Department of Water Resources
Southern Region Office

MICROFILMED

AUG 22 1989

OK
MB
6/2/89

SOUTH IDAHO PRESS
BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

MARGE BOERNDORF being first
duly sworn, deposes and says that he is the

Owner of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for two
consecutive weeks, commencing with the issue
dated May 18 1989, and ending
with the issue dated May 25 1989.

Marge Boerndorf

89-245

NOTICE OF APPLICATION FOR
WATER RIGHT

The following application (s) have been filed to
appropriate the public waters of the State of
Idaho:

45-07638

HOLMES, KEITH

HOLMES, KAY

RT. 1 BOX 45

RUPERT, ID 83350

Source: GROUNDWATER

Diversion Pt: SWNE Sec 25 T 10S R 22E

Use: INDUSTRIAL (1,200 CFS)

Date Filed: 3/10/1989

In: T10S R22E S25 SWNE

The permit(s) will be subject to all prior water
rights. Protests must be filed with the Director,
Dept. of Water Resources, Southern Region, 2148
4th Avenue East, Twin Falls, Idaho 83301 on or
before JUNE 5, 1989.

A/R. KEITH HIGGINSON, Director

Published in the South Idaho Press on May 18
and 25, 1989.

STATE OF IDAHO

COUNTY OF

On this 30th day of May in the year of 1989, before me,
a Notary Public, personally appeared MARGE BOERNDORF
known or identified to me to be the person whose name subscribed to the within instrument,
and being by me first duly sworn, declared that the statements therein are true, and
acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at: _____

My commission expires: _____

Cost of Publication 23.04
Notary Fee .50
Total Cost 23.54

RECEIVED

JUN 1 1989

Department of Water Resources
Southern Region Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 23, 1992

KEITH HOLMES
KAY HOLMES
RT 1 BOX 45
RUPERT ID 83350

RE: WATER RIGHT NO. 45-07638

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
OCT 26 1992

September 17, 1992

KEITH HOLMES
KAY HOLMES
RT 1 BOX 45
RUPERT ID 83350

RE: WATER RIGHT NO. 45-07638

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
OCT 26 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 16 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 45-7638

1. Owner: Keith & Kay Holmes

Phone No. 436-6364

Current Address: RT. 1 Box 45, Rupert, ID

2. Accompanied by: Mr. Holmes

EXAM. DATE: 11-14-89

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
OCT 26 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, submersible pump to high-pressure pump to scrubbers. Water goes out thru many fine spray nozzles inside the scrubber units to clean the air emitted from an asphalt hot-mix plant.

Runs not over 320 hours per annum.

Used water runs to settling pond where it evaporates.

Mainly runs in July, August, & September.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main Pump	Sta-Rite	5	20P4J05	Same	
Pressure Pump	GE	15	# 0Y85520	Berkeley	62ERL CW

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	NE	25	10S	22E	Cassia	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	22E	25			X														

Do not use this space

MICROFILMED

OCT 26 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured, Pump rated at 30 gpm at 20' of head & 225 psi.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

30 gpm = 0.002 cfs

30 gpm x 60 min/hr = 1800 gal/hr x 320 hrs/d = 576,000 gal/d = 1.77 AF. Allow 1.8 AFA

APPROVED

OCT 26 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

System is very mismatched according to Floyd Lilly Co. (sell Sta-Rite pumps). Should have about 1/2 hp pump due to shallow water level. Large pump will work but is subject to breakdown from excessive pressure & lack of backpressure.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	3-1	11-30	0.067	1.8
Totals:			0.07	1.8

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date 4/10/91
Field Report Preparation Date 11-12-89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


RECEIVED

OCT 2 1991




267 50' R. 22 E. (KENYON) R. 23 E. 270 47°30" 271
3268 1/4 NE OAKLEY 19 MI.

SCALE 1:24000



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929




MICROFILMED
OCT 26 1992

IDAHOC
QUADRANGLE

45-7638



Well in foreground.
Scrubbers in NE
quadrant of photo.



High-pressure pump.

RECEIVED

NOV 17 1989

Department of Water Resources
Southern Region Office
Nov. 16, 1989

James E. Stanton

SR. Water Resource Agent
Southern Regional Office
Department of Water Resources
2148 4th Ave. East Twin Falls, Idaho 83301

RE: Permit No. 45-7638

Dear Sir;

This is a reply to your Request on 11/14/89 for additional information on Pump after your physical examination of well and pump.

Make----- STARITE

HP----- 3 phase 460 Volt


Model----- P105-9P

Serial--- Not Available

Flow Rateing-30 GPM

Rateing Conditions- 2 Month per year possible useage

Thank you


Keith Holmes

MICROFILMED

OCT 26 1992

October 31, 1989

Keith and Kay Holmes
Rt. 1 Box 45
Rupert, ID 83350

Dear Mr. and Mrs. Holmes:

Re: Permit No. 45-7638

The department acknowledges receipt of the proof of beneficial use form submitted to this office for the above referenced permit. The department granted your request for removal of the flow measurement port. Enclosed is a copy of the order.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use of the water.

If you have questions concerning the field inspection, please feel free to contact our Southern Regional Office at 734-3578 in Twin Falls.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: IDWR - region

NOV 13 1989

NOV 13 1989

RECEIVED
SEP 28 1989

Department of Water Resources
Southern Region Office

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
OCT 02 1989

For Office Use Only

Fee Received \$50.

Date 9-28-89

Receipt # 5009438

Receipt by J. E. Stanton

Reviewed by

Sent to region 9-28-89
J.E.

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 45-07638 4

Name(s) of Permit Holder: Keith &/or Kay Holmes

Post Office Address: Rt. 1 Box 45, Rupert, ID 83350

Telephone No. 678-0481 work 436-6364 home

Source of Water: Groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation (acres) Other/Remark

Industrial - dust control on gravel piles at asphalt plant

Total rate and/or volume for which proof is submitted 0.07 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1975

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 50.
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Waiver of measuring device/access port requested

Person to contact to accompany the Department representative during the field examination:

Applicants

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

NOV 13 1989

9/28/89
Date

Kay Holmes
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

03/11/1983

03/11/1983

I, Kay Holmes, do hereby request a waiver of the measuring device/access port requirement for Permit 45-07638. Our pump man has recently told us that the pump produces 30 gpm, which is less than the flow rate that ~~requires~~ requires the device/port. The 2" mainline can't be measured anyway.

Thank You,

Kay Holmes
9-28-89

Kay Holmes

RECEIVED

NOV 13 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 17, 1989

KEITH HOLMES
KAY HOLMES
RT. 1 BOX 45
RUPERT, ID 83350

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P45-07638

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

AUG 22 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

AUG 22 1989

ISSUING

☒ Yes ☐ No In _____ m for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

D COPIES TO

☒ Idaho Dept. of Health & Welfare ☐ U.S. BLM, District _____
☐ Idaho Dept. of Fish & Game, Region _____ ☐ U.S. Forest Service, Forest _____
☐ Idaho Dept. of Lands ☐ Water District # _____
☐ Adjudication Bureau Unit ☐ Other _____

AL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
 Final date for protest 6/5/89
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 45F
☒ Yes ☐ No Special conditions of approval or cover letter below.

OLG

☐ See below for additional information

Date of priority recommended 3/10/89
 BY Karen O. Halmer Date 7/5/89

STATE OFFICE REVIEW

P05, P23, P03 P16

46 09E 04 OLG

By KW

☐ See below for additional information
 Date 8/10/89

ADDITIONAL INFORMATION

Well Completed in 1975 - See Log in F.L.

App. in TRUST area - DCM I

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name PEE WEE Construction
Address Box 27 Pocatello, Idaho
Owner's Permit No. _____

7. WATER LEVEL

Static water level 18 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>50</u>	<u>10'</u>	<u>2</u>
<u>NEED PUMP</u>		
<u>1987-1001152</u>		
<u>1.11 G.P.M.</u>		

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>10</u>	<u>0</u>	<u>4</u>	<u>gravel & clay</u>		☒
<u>10</u>	<u>4</u>	<u>3.5</u>	<u>gravel & clay</u>		☒
<u>8</u>	<u>3.5</u>	<u>3.5</u>	<u>sand</u>		☒
<u>8</u>	<u>3.5</u>	<u>5.5</u>	<u>sand & gravel</u>	☒	
<u>8</u>	<u>5.5</u>	<u>6.5</u>	<u>gravel</u>	☒	

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 6.5 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>8</u> inches	<u>1</u> feet	<u>6.5</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 4 inches by 4 inches

Number	From	To
<u>30</u> perforations	<u>5.4</u> feet	<u>5.9</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____
Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 2.5 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttings

Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Cassia

SE x NE x Sec 24 T. 10 N. S. R. 33 E. N

10.

Work started 6-14-75 finished 6-16-75

11. DRILLERS CERTIFICATION

Firm Name R.O. Dentonson Firm No. 83

Address Box 364 Pocatello Idaho Date 6-20-75

Signed by (Firm Official) R.O. Dentonson

and
(Operator) Randy Williams

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

09-May-1989

Keith &/or Kay Holmes
Rt. 1 Box 45
Rupert, ID 83350

Re: Application for Permit No. 45-07638

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the South Idaho Press on 5/18 & 5/25/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

AUG 22 1989

09-May-1989

Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83303-1626

Re: Applications for Permit

Gentlemen:

Please find enclosed copies of Applications for Permit for
your information and files.

If you have any questions or if this office can be of further
assistance, please feel free to contact us.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

Enclosures

MICROFILMED

AUG 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

MAY 4, 1989

SOUTH IDAHO PRESS
BOX 190
BURLEY, ID 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 5, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl⁽ication(s) have been filed ⁽appropriate the public
waters of the State of Idaho:

MICROFILMED

AUG 22 1969

45-07638

HOLMES, KEITH
HOLMES, KAY
RT. 1 BOX 45
RUPERT, ID 83350

Source: GROUNDWATER

Diversion Pt: SWNE Sec 25 T 10S R 22E

Use: INDUSTRIAL (1.200 CFS)

Date Filed: 3/10/1989

In: T10S R22E S25 SWNE

MICROFILMED

AUG 44 1989

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

R. KEITH HIGGINSON, Director

Published 5/18/1989 & 5/25/1989

MICROFILMED

AUG 22 1989