

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 45-7521 Priority January 14, 1983 Amount 0.01 cfs

THIS IS TO CERTIFY, that Northern Stone Supply, Inc.
of Oakley, Idaho, has complied with the terms and conditions of Permit
No. 45-7521 issued pursuant to Application for Permit dated January 14, 1983,
and has submitted proof to the Department of Water Resources on October 6, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.01 cfs of water from springs,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic	from <u>March 1</u> to <u>December 1</u>	at <u>0.01</u> cfs and	<u>0.01</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.01 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
0.6 acre feet per year, said waters to be diverted within the (2 pts) T4S44,
Section 14, Twp 15S, Rge 22E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	22E	15													X				

Total number of acres irrigated _____

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 15TH day of NOVEMBER, 19 85.

Acting for the Director *Norman C Young*

403 ✓

STATE OF IDAHO

Licensing

RECEIVED

NOV 7 1985

APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use

APPROVED

Comes now Northern Stone Supply, Inc.

Phone _____

of (address) Box 249 Oakley, ID 83346, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 45-7521, and requests that the permit and permit map be changed as follows:

(2 pts)
1. Point of diversion: NW ¼ SW ¼, Section 14, Township 15S, Range 22E, B.M.,
County of Cassia. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)
No change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	22E	15													X				

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? BLM
- b. Who owns the land to be irrigated or the place of use? Domestic
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

MICROFILMED

Show 40-acre subdivisions, townships, ranges and ditches.

Not Necessary

[illegible]

Signed at Oakley, Idaho, this 5th day of November, 19 85.

Northern Stone Supply, Inc.
by *Doug Mullen* - Pres. (Signature)

Preliminary check by EW Fee = \$20.00 ✓

Received by 19 Date 11-8-85#37297

Publication prepared by N/A Date _____

Published in _____

Publication dates _____

I, A. KENNETH DUNN, of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 45-7521.

Witness my hand this 15TH day of NOVEMBER, 1988

Acting for the Director

the Director

122 ✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Northern Stone Supply, Inc. Phone 208/862-3353Post office address P.O. Box 249 Oakley, Idaho 833462. Source of water supply Spring which is a tributary of sinks3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 15 SRange 22 E B.M. Cassia County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .01 for domestic purposes from March 1 to December 1 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .01 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. An enclosed cement head box collects
Spring water that is piped approx. 1200 feet to cabins. Unused water is returned
to drainage.b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is five years (minimum 1 year — maximum 5 years).


8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 15S
Range 22 E B.M.(2) Amount of power to be generated: None horsepower under _____ feet of head.(3) List number of each kind of livestock to be watered None(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water One.

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Northern Stone Supply Inc
By Edith Gruenwell
(Applicant)

Proposed Priority 1/14/1983

Received by merpa Date 1/10/83 Time 8:00 a
Preliminary check by JP Fee \$ 30.00 23 928
Received by merpa Date 1/14/83
Publication prepared by merpa Date 2/3/83
Published in south id press
Publication dates 2/10 & 2/17/83 2/24/83
Publication approved merpa Date 2/14/83
Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADL RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7521, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water for domestic purposes under this permit shall be limited to in-house use and watering of household stock.

Witness my hand this 23rd day of March, 1983.

A. Glen Saxton
Chief, Operations Bureau

1/14/83

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

..... Mary Summers being first
duly sworn, deposes and says that she is the

..... Clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for Two
consecutive weeks, commencing with the issue
dated February 10 th 19 83, and ending
with the issue dated February 24th 1983...

Mary Summers

Subscribed and sworn to before me

this *10th* day of *March*

19 *83*

Henrich Marx Notary Public

Cost of Publication \$ 5.20

Notary Fee

Total Cost \$ 5.20

83-34

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

45-7522

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346.

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: NENW Sec. 23 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: NENW Sec. 23 T 15S R 22E.

45-7530

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346.

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: SESE Sec. 15 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting of
any permit must be filed with the Director of the
Idaho Department of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls, Idaho 83301 and
received on or before MARCH 7, 1983.

/s/ A. KENNETH DUNN

Director

Published in the South Idaho Press February 10,
17 and 24, 1983.

RECEIVED

MAR 11 1983

Department of Water Resources
Southern District Office

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Mary Summers, being first
duly sworn, deposes and says that she is the

Clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for Two
consecutive weeks, commencing with the issue
dated February 10th, 1983, and ending
with the issue dated February 24th 1983.

Subscribed and sworn to before me

this 16th day of March

1983.

Kenidi Hor Notary Public

Cost of Publication \$ 5.20

Notary Fee

Total Cost \$ 5.20

83-34

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

45-7522

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346.

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: NENW Sec. 23 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: NENW Sec. 23 T 15S R 22E

45-7521

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: SWNW Sec. 14 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E

45-7520

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346.

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: SESE Sec. 15 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting of
any permit must be filed with the Director of the
Idaho Department of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls, Idaho 83301 and
received on or before MARCH 7, 1983.

/s/ A. KENNETH DUNN

Director

Published in the South Idaho Press February 10,
17 and 24, 1983

RECEIVED

FEB 24 1983

Department of Water Resources
Twin Falls, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 45-7521
Name(s) of Permit Holder(s): Northern Stone Supply Inc
Post Office Address: Box 249 Oakley, Idaho
Telephone: 208-842-3353

- ☐ I hereby certify that construction of diversion works on the above referenced permit began on 6-1-83. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

4-15-83
Date

Earl Greenwald
Signature of Permit Holder

Northern Stone Supply
P.O. Box 249
Cabley, Ida 83344

PLACE
STAMP
HERE

MICROFILMED

JUN 29 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

December 2, 1985

RE: Permit No. 45-7521

Northern Stone Supply, Inc.
Box 249
Oakley, ID 83346

Gentlemen:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

OCT 3 1985

45-7521

Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

measured 3.7 gpm, allow 0.01 cfs. ✓

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

$50 \text{ gal/day/person} \times 5 \text{ persons} = \frac{250}{300} \text{ gal/day} \times 245 \text{ days} = \frac{73500}{300} \text{ gal/ann} = 0.2 \text{ AFA} \leftarrow \text{LOW}$

allow standard 0.6 AF for in-house domestic use.

2. Overlap Review

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED

RECOMMENDED AMOUNTS

30 day #1 & #3

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	45-7521	1-14-1983	0.01 cfs	1-14-1983	10-6-1983	0.01 cfs

MICROFILMED

4. Permit Holder: Northern Stone Supply, Inc.

Address: P.O. Box 249, Ozkley, Ida., 83346

5. Source: Springs tributary to Sinks

6. Beneficial Use Period of Use From To Rate of Diversion Q (cfs) Annual Volume V (afa)

Domestic (1 unit) Mar 15 Nov 15 0.01 cfs 0.2

ALLOW 3-1 12-1 per permit ALLOW 0.6 AF

Allowable Maximums: 0.01 cfs 0.6 AF

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
(2 points)	SE	NW	SW		14	15S	22E	Cassia

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	22E	15													X				
Total Acres _____																			

Total Acres

9. Recommended Conditions/Remarks:

Mr. Greenwell stated that Mar 15-Nov 15 is the longest season to be expected due to weather conditions.

Not to exceed 0.2 AFA when combined with rights 45-7520 + 45-7522. Not used because of separate sources and different places of use.

10. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
- ☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature J. P. Stanton

Date 9-25-84

Checked in Regional Office by Allen D. Moritt

Date 4/10/85

Approved in State Office by Jim

Date 11-13-85

October 21, 1985

RE: Permit No. 45-7521

Northern Stone Supply, Inc.
Box 249
Oakley, ID 83346

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 45-7521 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 0.01 cfs Source: Springs trib to sinks

The maximum quantity diverted shall not exceed 0.6 acre feet per
year.

Point(s) of diversion: (2 pts)NWSW, Sec. 14, Twp 15S, Rge 22E

Beneficial Use: Domestic use for 1 unit within NESE, Sec. 15,
Twp 15S, Rge 22E

Priority date established: January 14, 1983

Conditions (if any):

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.


Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

10. Other water rights on these lands
11. Other water right diverted from same p.d.
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks The two springs arise on each side of a narrow draw in a wet area of the
draw. So the springs may represent a single water source.

15. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature J. F. Stanton Date 9-25-84

Consultant's License Number

IDWR Director's Authorization to Conduct

Beneficial Use Examination

Date

CONSULTANT SEAL

→ Sec. 23 14.5 sec for 4, 3 gal cabin spring above Slide Spring
45-7522 2' metal standpipe, 1 1/4" ABS line to cabin w/ sink & shower

→ Sec 14 4, 3 gal / 69 sec lines from 2 springs to 1' concrete standpipe, 3/4" line
45-7521 to cabin & stock tank for clothes washing, etc

→ Sec. 22 Slide Spring headbox & 1 1/4" pipe to 2 cabins measure 4 gpm
45-7520

use period Mar 15 - Nov 15 at the most

request license ASAP

MICROFILMED

3268 III NW
(OAKLEY)

263000m. E.

264

265

50

266

4667000m.N.

45-7521

T. 15 S.

T. 16 S.

3268 III SW
BLUE HILL

4660

Spring
MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

DECEMBER 14, 1987

NORTHERN STONE SUPPLY, INC.
BOX 249
OAKLEY ID 83346

RE: Permit No. 45-7521

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of F

No. 45-7520
7521
7522

Name(s) of Permit Holder: Northern Stone Supply Inc

Post Office Address: Box 249, Oakley, Idaho

83346

Tel. No. 208-862-3353

Source of Water: SPRINGS

Extent of Use: ☒ Domestic 3 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-4-83

Date

Northern Stone Supply Inc
Earth Greenwell
Signature of Permit Holder

original
w

45-7520

was received 10-6-83.
kw

September 28, 1983

Northern Stone Supply, Inc.
Box 249
Oakley, ID 83346

RE: Water Right Permit NO. 45-7521

Gentlemen:

Pursuant to your telephonic request last week, we are enclosing a copy of the above-referenced permit, as well as a set of instructions for filing proof of beneficial use, and a statement of beneficial use post-card. If you have further questions about the procedure to be followed, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

Enclosures

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

NORTHERN STONE SUPPLY, INC.
P.O. BOX 249
OAKLEY, ID 83346

MARCH 29, 1983

RE: PERMIT NO. 45-7521

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
MARCH 31 1983

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-2521-

NORTHERN STONE SUPPLY, INC.

P.O. BOX 249, OAKLEY, ID 83346

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt: SWNW Sec 14 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec 15 T 15S R 22E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd, North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 21, 1983.

28

A. KENNETH DUNN

Director

MICROFILMED

Published 2/3 & 2/10/83.

2/10 + 2/14/83

2/24/83

92
merge
2/1/83

45-7521

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: SWNW Sec. 14 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E

February 4, 1963

South Idaho Press
Box 190
Burley, Idaho 83318

Re: Applications for Permit No. 45-7520, 45-7521, 45-7522

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Mary A. Hill
Sec/Office Corr

11:

Bill submitted: _____