

State of Idaho
Department of Water Resources
WATER RIGHT LICENSE

License of Water Right No. 45-7520 Priority January 14, 1983 Amount 0.01 cfs

THIS IS TO CERTIFY, that Northern Stone Supply, Inc.
of Oakley, Idaho, has complied with the terms and conditions of Permit
No. 45-7520 issued pursuant to Application for Permit dated January 14, 1983,
and has submitted proof to the Department of Water Resources on October 6, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.01 cfs of water from Slide Spring,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 Unit)	from <u>March 1</u> to <u>December 1</u>	at <u>0.01</u> cfs and	<u>0.6</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.01 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
0.6 acre feet per year, said waters to be diverted within the NE1/4 Section 22,
Twp 15S, Rge 22E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
15S	22E	22	X																

Total number of acres irrigated _____

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.


b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

MICROFILMED

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 15TH day of NOVEMBER, 19 80.

Acting for the Director



✓

STATE OF IDAHO

Licensing

APPLICATION FOR AMENDMENT OF A PERMIT

1985

RECEIVED

Nov 7

To change the point of diversion and/or the place of use, Department of Water Resources

APPROVED

Comes now Northern Stone Supply, Inc.

Phone _____

of (address) Box 249 Oakley, ID 83346, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 45-7520, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE ¼ NE ¼, Section 22, Township 15S, Range 22E, B.M., County of Cassia. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

No change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	22E	22	X																

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Northern Stone Supply, Inc. (patented)
- b. Who owns the land to be irrigated or the place of use? Domestic
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

MICROFILMED

Show 40-acre subdivisions, townships, ranges and ditches.

Not Necessary

[illegible]

Scale: 2 inches equal 1 mile.

Signed at Oakley, Idaho, this 5th day of November, 1985.

(Signature)

(Signature)
Northern States Supply Inc.

Preliminary check by tw Fee = \$20.00 ✓

Received by SA Date 11-8-85 # 37297

Publication prepared by N/A Date

Published in _____

Publication dates _____

I, A. KENNETH DUNN, of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 45-7520.

Witness my hand this 15TH day of November, 19 88.

Norma C. Young
 Director

✓

Form 202
3/78

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Northern Stone Supply, Inc. Phone 208/862-3353Post office address P.O. Box 249 Oakley, Idaho2. Source of water supply Spring which is a tributary of sinks3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 15 SRange 22 E.B.M. Cassia County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .01 for domestic purposes from March / to December / (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .01 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. an enclosed cement head box collects
Spring water that is piped approximately 200 feet to cabins. Unused water is
returned to the drainage.b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is Five years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 15 S
Range 22 E.B.M.(2) Amount of power to be generated: None horsepower under _____ feet of head.(3) List number of each kind of livestock to be watered None(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water One.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

5

[illegible]**Total number of acres to be irrigated**

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Bureau of Land Management

b. Who owns the land to be irrigated or place of use Bureau of Land Management

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant operated stone quarry nearby on patented land.
The cabins are part of the operation and a right of way from the B.L.M. for the
pipeline will be secured when water permit is granted.

10. Remarks The Spring, pipeline and cabin is located on public land and is used to
house employees at the nearby building stone quarry.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Northern Stone Supply Inc
by Earl Guemell
(Applicant)

Proposed Priority 1/14/1983

1/14/83 12:00 p

Received by maria Date 1/10/83 Time 8:01 a
Preliminary check by gl Fee \$ 30.⁰⁰ 23928
Receipted by maria Date 1/14/83
Publication prepared by maria Date 1/3/83
Published in south id press
Publication dates 2/10 & 2/17/83 2/24/83
Publication approved maria Date 2/14/83
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ADM RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7520, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Use of water for domestic purposes under this permit shall be limited to in-house use and watering of household stock.

Witness my hand this 23rd day of March, 1983.

J. Glen Saxton
Chief, Operations Bureau

APR 1 1983



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Alfred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

January 25, 1983

Garth Greenwell
Northern Stone Supply, Inc.
P. O. Box 249
Oakley, Idaho 83346

Dear Mr. Greenwell:

Per our conversation of January 25, 1983, we are returning your three applications for permit for correction. On all three applications, the period of use, Item 4, must be shown. Also, Item 8a (1), place of use, must be completed, as must Item 5a. The application for use of the spring in Sec. 22 contains a discrepancy in that Item 3 does not agree with the map, Item 11.

Please make the necessary additions and corrections, and return the applications to this office for further processing. A receipt for your filing fee is enclosed.

If you have questions concerning this matter, please feel free to contact this office.

Sincerely,

James E. Stanton
Sr. Water Resource Agent

LOH:JES:marya

Encl:

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

January 11, 1983

Northern Stone Supply, Inc.
P. O. Box 249
Oakley, Idaho 83346

Gentlemen:

Please find enclosed the three applications for permit which you recently sent our office.

We are returning these to you because they were not accompanied with the proper filing fees. Please find enclosed an instruction sheet which sets forth the current fee schedule. As filed, each application would have a fee of \$30.00.

If you return these applications with the proper fee our office will process your applications.

Very truly yours,

Allen D. Merritt
Sr. Water Resource Analyst

LOH:ADM:marya

Encl

RECEIVED
JAN 11 1983

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

..... Mary Summers....., being first

duly sworn, deposes and says that she is the

..... Clerk..... of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for Two..... consecutive weeks, commencing with the issue dated February 10th 19 83, and ending with the issue dated February.....24, 19 83.

Mary Summers

Subscribed and sworn to before me

this *10th* day of *March* 19 *83*.

Kenich Moul Notary Public

Cost of Publication \$ 11.70.....

Notary Fee

Total Cost \$ 11.70.....

83-34

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-7522

NORTHERN STONE SUPPLY, INC., P.O. BOX 249, OAKLEY, ID. 83346.

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: NENW Sec. 23 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: NENW Sec. 23 T 15S R 22E,

45-7521

NORTHERN STONE SUPPLY, INC., P.O. BOX 249, OAKLEY, ID. 83346

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: SWNW Sec. 14 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E

MAR 11 1983

Department of Water Resources
Southwest District Office

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Mary Summers being first
duly sworn, deposes and says that she is the

Clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for Two
consecutive weeks, commencing with the issue
dated February 10th 1983, and ending
with the issue dated February 24, 1983.

Subscribed and sworn to before me

this 10th day of March
1983

Notary Public

Cost of Publication \$ 11.70

Notary Fee

Total Cost \$ 11.70

83-34

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

45-7522

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346.

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: NENW Sec. 23 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: NENW Sec. 23 T 15S R 22E

45-7521

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: SWNW Sec. 14 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E

45-7520

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346.

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt.: SESE Sec. 15 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting of
any permit must be filed with the Director of the
Idaho Department of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls, Idaho 83301 and
received on or before MARCH 7, 1983.

/s/ A. KENNETH DUNN
Director

Published in the South Idaho Press February 10,
17 and 24, 1983.

WATER RESOURCES

Idaho Department of Water Resources
Twin Falls Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 45-7520
Name(s) of Permit Holder(s) Northern Stone Supply, Inc
Post Office Address: Box 249 OAKLEY, ID 83346
8-862-3353

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on 6-1-82 (date) JUN 29 1988 I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

4-15-83
Date

Northern Stone Supply
Signature of Permit Holder
by Faith Greenwell

Mertha Stone Supply
P.O. Box 249
Lakley, Idaho 83346

PLACE
STAMP
HERE

MICROFILMED

JUN 29 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

December 2, 1985

RE: Permit No. 45-7520

Northern Stone Supply, Inc.
Box 249
Oakley, ID 83346

Gentlemen:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 37297 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

OCT 3 1985

45-7520
Permit No.

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

measured .01 cfs

- b) Volume Calculations for Irrigation:

ALLOW 0.6 AF per standard
in-house use requirement ✓

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .01 \times 1.9835 \times 275 = 5.5 \text{ AF} \checkmark$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

- c) Volume Calculations for Other Uses:

50 gal/day/person x 5 persons = 500 gal/day x 275 days/ann = 13750 gal/ann = 0.2 AFA ← LOW

50 gal/day/person x 6 persons = 300 gal/day x 275 days/ann.
= 82500 gal/yr. = 0.25 ≈ 0.3 AF ✓
325830 (AF-one)

2. Overlap Review

gal. per day x .001118 = AFA 300 x .001118 = 0.33 AFA

- a) Other water rights with same place of use: -

- b) Other water rights with same point of diversion: -

- c) Analysis:

Permit allows use for 1 unit; examiner determined that system is used for 2 cabins - can show only 1 on license. ✓

MICROFILMED

UNRECORDED

RECOMMENDED AMOUNTS

30 day #1, #3

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	45-7520 ✓	1-14-1983	0.01 cfs	1-14-1983	10-6-1983	0.01 cfs

4. Permit Holder: Northern Stone Supply, Inc. ✓

Address: P.O. Box 249, 'Oakley', Idz., 83346 -

5. Source: Slide Spring ✓ tributary to Sinks ✓
per quad map attached.

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Domestic (1 unit) ✓</u>	<u>3-15</u>	<u>11-15</u>	<u>0.01 cfs</u>	<u>0.2</u>
	<u>ALLOW per permit 3-1</u>	<u>12-1</u>		<u>ALLOW 0.6 AF</u>

Allowable Maximums: 0.01 cfs 0.6 AF

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		SW	NE	NE	22	15S.	22E.	Cassia

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	22E	22	X																
Total Acres _____																			

Total Acres _____

9. Recommended Conditions/Remarks:

Mr. Greenwell stated that Apr 15-Nov 15 is the longest use period that is expected.
Not to exceed 0.3 AFA when combined with rights 45-7522 & 45-7521. ←
Source known locally as Slide Spring This condition
not used because of separate sources used under
rts. 45-7522 & 45-7521.

10. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature J.F. Stanton Date 9-25-84

Checked in Regional Office by Chad Smith Date 4/10/85

Approved in State Office by K. Walker Date 11-13-85

RECEIVED

October 21, 1985

RE: Permit No. 45-7520

Northern Stone Supply, Inc.
Box 249
Oakley, ID 83346

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 45-7520 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 0.01 cfs Source: Slide Spring trib to
sinks

The maximum quantity diverted shall not exceed 0.6 acre feet per
year.

Point(s) of diversion: NENE, Sec. 22, Twp 15S, Rge 22E

Beneficial Use: Domestic use for 1 unit within NENE, Sec. 22,
Twp 15S, Rge 22E

Priority date established: January 14, 1983

Conditions (if any):

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

1. Owner: Northern Stone Supply Inc. Phone No. 862-3353
Current Address: P.O. Box 249, Oakley, ID 83346

2. Accompanied by: Garth Greenwell EXAM. DATE: 9-21-84
Address: same Phone No. 862-3432
Relationship to Permit Holder: quarry operator

3. Source: Slide Spring tributary to Sinks

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
Headbox & 1 1/4" buried pipeline to 2 cabins for quarry workers,

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Non Calibrated Bucket					4.3 gallon	


7. Measurements ☐ Additional data/computation sheets attached

Measured 4 gpm = .01 cfs

8. Point(s) of Diversion:	Indicate Method of Determination

[illegible][illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____

15. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature JP Stanton Date 9-25-84
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

DateCONSULTANT SEAL

→ Sec. 23 14.5 sec for 4.3 gal cabin spring above slide spring
 45-7522 2' ~~metal~~ standpipe, 1 1/4" ABS line to cabin w/ sink & shower

→ Sec 14 4.3 gal / 69 sec lines from 2 springs to 1' concrete standpipe, 3/4" line
 45-7521 to cabin & stock tank for clothes washing, etc

→ Sec. 22 slide spring headbox & 1 1/4" pipe to 2 cabins measure 4 gpm
 45-7520

use period Mar 15 - Nov 15 at the most

request license ASAP

3268 111 NW
(OAKLEY)

263000m. E.

264

265

50'

25

4667000m N.

4666

4665

4564

4663

4562

T. 15 S

T. 16 S

449

2

18

269

re

ALCO

PU Slide
AD Spring
AD
JEEP

TRAIL

MICROFILMED

45-7520

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

DECEMBER 14, 1983

NORTHERN STONE SUPPLY, INC.
BOX 249
OAKLEY ID 83346

RE: Permit No. 45-7520

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of F

Permit No. 45-7520
7521
7522

Name(s) of Permit Holder: Northern Stone Supply Inc

Post Office Address: Box 249, Oakley, Idaho

83344

Tel. No. 208-862-3353

Source of Water: SPRINGS

Extent of Use:

☒ Domestic

3

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device: Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

Access Port: Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-4-83

Date

Northern Stone Supply Inc
Garth Greenwell

Signature of Permit Holder


Northern Stone Supply
P.O. Box 249
Oakley, Ida 83246



PLACE
13 CENT
STAMP
HERE



OCT



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

NORTHERN STONE SUPPLY, INC.
P.O. BOX 249
OAKLEY, ID 83346

MARCH 29, 1983

RE: PERMIT NO. 45-7520

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-2528

NORTHERN STONE SUPPLY, INC.

P.O. BOX 249, OAKLEY, ID 83346

Source: SPRING trib. to SINKS

Date Filed: 01/14/1983

Diversion Pt: SESE Sec 15 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec 15 T 15S R 22E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 21, 1983.

March 7, 1983

A. KENNETH DUNN

Director

MICROFILMED

Processed 2/3 & 2/10/83.

~~2/10/83~~ + 2/24/83

2/10/83

2/24/83

46-7830

NORTHERN STONE SUPPLY, INC., P.O. BOX 249,
OAKLEY, ID. 83346.

Source: SPRING R.D. to SINKS

Date Filed: 01/15/1983

Diversion Pt.: SESE Sec. 15 T 15S R 22E

Use: DOMESTIC (0.01 CFS)

In: SESE Sec. 15 T 15S R 22E.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 28, 1983.

/s/ A. KENNETH DUNN

Director

Published in the South Idaho Press February 10 and 17, 1983.

February 4, 1963

South Idaho Press
Box 150
Burley, Idaho 83313

Re: Applications for Permit No. 45-7520, 45-7521, 45-7522

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Mary A. Hill
C/Office Corr

RECEIVED
FEB 11 1963
FBI - BURLEY

Bill submitted: _____