

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 45-07493

Priority: January 20, 1982

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

12.0 AF

This is to certify, that GARY L CRAWFORTH

PO BOX 592

ALBION ID 83311-0592

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 20, 1982; and has submitted Proof of Beneficial Use on September 18, 1991. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	10/01 to 10/15	0.07 CFS	12.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 13, Township 12S, Range 24E
CASSIA County

PLACE OF USE: IRRIGATION

TWN RGE SEC
12S 24E 13

NWNW

ACRES

ACRES

ACRES

TOTAL

3

number of acres irrigated:

3

CONDITIONS OF LICENSE AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The amount of water covered by this right is limited to the amount that may be beneficially used. The maximum diversion volume is subject to more accurately describe the beneficial use to the extent accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

FEB 23 1996

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 45-07493

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of FEBRUARY, 1996


Acting for KARL J. DREHER, Director




FEB 23 1996

RECEIVED
SEP 18 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 45-07493 Telephone No. 208-673-5326

2. Name(s) of Permit Holder(s): GARY L. CRAWFORTH

3. Post Office Address: P.O. Box 592 ALBION, IDAHO 83311

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: JACK TANNER Date drilled: 6 MO. 1983

b. Pump horsepower: 3 Pressure (psi): 50 Dynamic pumping level (ft.): 164

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 6 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

30 GPM

6. Total rate and/or volume for which proof is submitted .07 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ___Yes XNo Installed? ___Yes ___No

OR

Flow Measurement Port: Required? ___Yes XNo Installed? ___Yes ___No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

GARY L. CRAWFORTH 208-673-5326
Name Telephone No.

P.O. Box 592 ALBION, IDAHO 83311 50. MAIN ST. OFF HWY 77
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 9/17/91

Gary L. Crawford
Signature (and title if on behalf of a company or organization)

SEP 15 1991

RECEIVED
SEP 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by 102
Date 9/28/90
Receipt # C018469

REQUEST FOR EXTENSION OF TIME

Department of Water Resources To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 45-07493

Name(s) of Permit Holder: GARY L. CRAWFORTH

Post Office Address: 2317 PLATT DR MARTINEZ, CA 94553

Telephone No. 415-228-4967

Date Proof is Due: 10/1/90

Describe what work has been completed toward the development of this water right: THE WELL
(This must be filled out! If no work has been completed, show "none".)

HAS BEEN DRILLED. THE WELL WAS DRILLED PRIOR TO
BEING CAUGHT UP IN THE IDAHO POWER ADJUDICATION. MY
PERMIT WAS RE-APPROVED ABOUT 1-YEAR AGO

Costing \$ ± 6000⁰⁰

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

DUE TO THE DISTANCE I LIVED FROM THE PROPERTY AND NOT
HAVING ANYONE TO ACT FOR ME PLUS SOME OTHER PERSONAL HEALTH
PROBLEMS, I WAS UNABLE TO HAVE POWER RUN TO THE PROPERTY AND
THE PUMP INSTALLED. I AM MOVING FROM MY PRESENT ADDRESS TO
ALBION, IDAHO IN SIX WEEKS. PLEASE GRANT ME A 1-YEAR EXTENSION.
Permit holder(s) request an extension to OCT 1, 1991.
(1 yr. minimum) Gary L. Crawford (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

RECEIVED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to October 1, 1991.

Signed this 11th day of January, 19 91.

J. Allen Saylor
Chief, Water Allocation Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 45-7493, IN THE NAME) CONTINUATION ORDER
OF GARY L. CRAWFORTH.)
_____)

This matter having come before the Idaho Department of Water Resources (IDWR) as a requirement of Section 42-203D, Idaho Code, the Department Finds, Concludes and Orders as follows:

FINDINGS OF FACT

1. Section 42-203D, Idaho Code, directs IDWR to review all permits issued prior to July 1, 1985, located within the Swan Falls Trust Water Area, to determine if water was beneficially used prior to said date.

2. If water was not beneficially used until after July 1, 1985, Section 42-203D further directs IDWR to review the permit under the provisions of Section 42-203C, Idaho Code.

3. Section 42-203C requires IDWR to determine whether diversion of water under a permit issued prior to July 1, 1985, causes a significant reduction of trust water available for power production and, if there is a significant reduction, to determine whether the reduction is in the public interest.

4. Permit No. 45-7493 (permit) was issued to Gary L. Crawford (permit holder) authorizing the diversion of 0.130 cfs of groundwater for irrigation of 6.4 acres.

5. Information submitted by the permit holder shows that the irrigation of the 6.4 acres authorized under this permit did not occur prior to July 1, 1985.

MICROFILMED

DEC 18 1989

6. The development and use of water authorized under this permit does not cause a significant reduction of trust water.

CONCLUSIONS OF LAW

1. The water authorized for diversion under Permit No. 45-7493 is trust water.

2. The use of water under the permit satisfies the provisions of Sections 42-203C and 42-203D, Idaho Code.

3. An order continuing the permit shall be issued.

ORDER

IT IS HEREBY ORDERED that Permit No. 45-7493 is valid and may CONTINUE as provided in Section 42-203D, Idaho Code, subject to the following additional conditions and limitations:

1. Proof of construction of works and application of water to beneficial use shall be submitted to IDWR on or before October 1, 1990.

2. The use of trust water authorized by this right is subject to review 20 years after the date of this order to determine availability of trust water and to reevaluate the public interest.

3. The construction of diversion works must be commenced within one (1) year of the date of this order and shall proceed diligently and uninterruptedly to completion unless temporarily interrupted by circumstances over which the permit holder has no control.

4. Diversion and use of trust water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

5. The Director retains jurisdiction of this right to change, add or remove any requirement as determined to be appropriate.

MICROFILMED

DEC 18 1989

6. All conditions of approval contained on the permit are incorporated into and made part of this order.

Dated this 13th day of November, 1989.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

DEC 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 45-7423

Name(s) of Permit Holder: GARY L. CRAWFORTH

Post Office Address: 2317 PLATT DR

MARTINEZ, CA. 94553 Telephone No. 415-228-4967

Date Proof is Due: March 1, 1987

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

THE WELL HAS BEEN DRILLED

Costing \$ 4892⁰⁰

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

I have been involved with the Idaho Power litigation. I am still involved and have not been exposed as yet to my knowledge. Due to the uncertainty of being able to obtain licensed irrigation water I have not completed my project.

Permit holder(s) request an extension to Oct 1, 19 90.
(1 yr. minimum)

(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

DEC 18 1989

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to October 1, 1990.

Signed this 13th day of November, 19 89.

J. Blum Saylor
Chief, Water Allocation Bureau

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)

) ss.

STATE OF IDAHO)

Lannette Sellers being first

duly sworn, deposes and says that she is the

Clerk of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for Two (2) consecutive weeks, commencing with the issue

dated September 21 1989, and ending

with the issue dated September 28 1989

Lannette Sellers

STATE OF IDAHO

COUNTY OF

On this 23rd day of October in the year of 1989, before me, a Notary Public, personally appeared Lannette Sellers, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Delores M. Key
Notary Public for Idaho

Residing at Burley, ID

My commission expires: 12/1/93

Cost of Publication 23.04

Notary Fee .50

Total Cost 23.54

RECEIVED

OCT 25 1989

Department of Water Resources

MICROFILMED

DEC 18 1989

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

....., being first
duly sworn, deposes and says that...he is the

..... of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for
consecutive weeks, commencing with the issue
dated 19....., and ending
with the issue dated 19.....

STATE OF IDAHO

COUNTY OF

On this 23rd day of October in the year of 1987, before me,
a Notary Public, personally appeared Lanette Serrano,
known or identified to me to be the person whose name subscribed to the within instrument,
and being by me first duly sworn, declared that the statements therein are true, and
acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at

My commission expires:

Cost of Publication 23.00
Notary Fee 50
Total Cost 23.50

89-541

NOTICE OF EXISTING
WATER RIGHT PERMIT

Presently recorded as follows:
45-07493

CRAWFORTH, GARY L.

2317 PLATT DR.

MARTINEZ, CA 94553

Source: GROUNDWATER

Diversion Pt: NWNW Sec 13 T 12S R 24E

Use: IRRIGATION (.130 CFS)

Priority: 1/20/1982

In: T12S R24E S13 NWNW

6.4 ACRES TOTAL

Permits not developed by July 1, 1985,
are being reprocessed in compliance with
Section 42-203d, Idaho Code. Protests
against the continuance of permits must be
filed with the Director, Dept. of Water Re-
sources, Statehouse Mail, Boise, Idaho
83720 on or before OCTOBER 9, 1989.

R. Keith Higginson, Director
Published in the South Idaho Press on Oc-
tober 4 and 11, 1989.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office

1. Name of applicant GARY L. CRAWFORTH Phone (415) 228-4967

Post office address 2317 Platt Dr. Martinez, CA. 94553

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 13 Township 12 S

Range 24 B.M. Cassia County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Allow 0.13 cfs LGS 3/24/82

Amount 2000 for Irrigation purposes from April 1 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

ALLOW 0.13 cfs LGS 3/24/82

a. 20 cubic feet per second and/or b. 20 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Exact sizes of Pump
and sprinklers is not known at this time

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10" inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: N/A

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 1/20/1982

Received by maaya Date 1/20/82 Time 3:00 p

Preliminary check by ADM Fee \$ 30.00 # 20765

Receipted by maaya Date 1/20/82

Publication prepared by maaya Date 1/21/82

Published in south ida press

Publication dates 1/28 + 2/4/82

Publication approved maaya Date 1/27/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7493, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The maximum rate of diversion shall not exceed 0.13 cfs.

Witness my hand this 23rd day of _____ March, 19 82.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

	NESE	40	A	3246	*	45-7442	L	03-19-1980	GROUNDWATER
	NWSE	40	A	722	*	45-7440	P	03-19-1980	GROUNDWATER
	SESE	40	A	722	*	45-7305	P	05-12-1977	GROUNDWATER
	SWSE	40	A	1.0000	*	45-7440	P	03-19-1980	GROUNDWATER
	NESH	40	A	1.0000	*	45-7440	P	03-19-1980	GROUNDWATER
04	SESH	40	A	1.0000	*	45-7440	P	03-19-1980	GROUNDWATER
	NWSE	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	SWSE	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	SESH	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
06	NENE	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	NWNE	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	SENE	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	SWNE	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	NENH	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	SENH	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER
	SWNH	40	A	1.038	*	45-7186	P	09-10-1974	GROUNDWATER

D16

WRD420

WATER RIGHTS BY PLACE OF USE
SHOWING OVERLAPPING RIGHTS AND DIVERSION RATE PER ACRE

07/10/81

PAGE 3457

TOWNSHIP	RANGE	SECTION	TRACT	LOT	ACRES	USE	INCHES PER ACRE	ACRE FEET PER ACRE	RIGHT NUMBER	STAGE	STATUS	PRIORITY DATE	SOURCE OF WATER
125	24E	06	NESE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			NWSE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			SESE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			SWSE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			NESH	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			NWSE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			SESH	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			SWSH	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
		07	NWSE	02	01	10.0000	*	45-2122	L			06-30-1912	NICA SPRING
			SENE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			SWNE	02	01	9523	*	45-4122	S			03-01-1936	WASTE WATER
			SENE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
			SWNE	40	A	1.038	*	45-7186	P			09-10-1974	GROUNDWATER
		11	NENE	40	A	1.0000	*	45-2704	P			04-02-1964	WASTE WATER
			SENE	40	A	1.0000	*	45-2704	P			04-02-1964	WASTE WATER
			SWNE	40	A	1.0000	*	45-2704	P			04-02-1964	WASTE WATER
			NESE	40	A	1.0000	*	45-2704	P			04-02-1964	WASTE WATER
			SESE	40	A	1.0000	*	45-2704	P			04-02-1964	WASTE WATER
		12	NENE	40	A	1.0000	*	45-7322	P			08-18-1977	GROUNDWATER
			NWNE	40	A	1.0000	*	45-7322	P			02-26-1972	GROUNDWATER
			SENE	40	A	1.0000	*	45-7322	P			08-18-1977	GROUNDWATER
			SWNE	40	A	1.0000	*	45-7322	P			08-18-1977	GROUNDWATER
			SENE	40	A	1.0000	*	45-7322	P			02-26-1972	GROUNDWATER
			SWNE	40	A	1.0000	*	45-7322	P			04-02-1964	WASTE WATER
			SENE	40	A	1.0333	*	45-7090	P			02-26-1972	GROUNDWATER
			SWNE	40	A	1.0333	*	45-7322	P			09-07-1977	GROUNDWATER
			NESE	40	A	1.0000	*	45-7322	P			02-22-1979	GROUNDWATER
			SESE	40	A	1.0000	*	45-7322	P			09-07-1977	GROUNDWATER
			SWSE	40	A	1.0000	*	45-7322	P			02-22-1979	GROUNDWATER
			NESH	40	A	1.0000	*	45-7322	P			09-07-1977	GROUNDWATER
			NWSE	40	A	1.0000	*	45-7322	P			09-07-1977	GROUNDWATER
			SESH	40	A	1.0000	*	45-7322	P			02-22-1979	GROUNDWATER
			SWSH	40	A	1.0000	*	45-7322	P			09-07-1977	GROUNDWATER
		13	NENE	03	A	1.0000	*	45-7322	P			08-20-1977	GROUNDWATER
			SENE	40	A	1.0000	*	45-7322	P			02-22-1979	GROUNDWATER
			SWNE	24	A	1.0000	*	45-7322	P			02-22-1979	GROUNDWATER
		22	NESE	10	A	1.0000	*	45-2137	L			04-01-1914	LAND CREEK
		27	NENE	02	A	1.0000	*	45-2178	L			05-08-1930	SPRING
125	25E	02	NENH	40	A	1.0030	*	45-7257	P			01-30-1976	GROUNDWATER
			SENE	40	A	1.0000	*	45-7257	P			01-30-1976	GROUNDWATER
			SWNE	40	A	1.0000	*	45-7257	P			01-30-1976	GROUNDWATER
			SENE	40	A	1.0000	*	45-7257	P			01-30-1976	GROUNDWATER
			SWNE	15	A	1.677	*	45-7450	P			07-02-1980	HARBOR SPRING
			SESE		A	*	*	45-7119	S			03-01-1876	HARBOR SPRING

E16

MICROFILMED

WATER RIGHTS BY PLACE OF USE
SHOWING OVERLAPPING RIGHTS AND DIVERSION RATE PER ACRE

07/10/81

PAGE 3458

TOWNSHIP	RANGE	SECTION	TRACT	LOT	ACRES	USE	INCHES PER ACRE	ACRE FEET PER ACRE	RIGHT NUMBER	STAGE	STATUS	PRIORITY DATE	SOURCE OF WATER
125	25E	02	SESE	40	A	1.0000	*	45-7257	P			01-30-1976	GROUNDWATER
			SWSE	40	A	1.0000	*	45-7257	P			01-30-1976	GROUNDWATER
			NESH	40	A	1.0000	*	45-7257	P			01-30-1976	GROUNDWATER
			SESH	15	A	1.677	*	45-7450	P			07-02-1980	HARBOR SPRING

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Mary Summers, being first

duly sworn, deposes and says that she is the

Clerk of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for Two consecutive weeks, commencing with the issue dated January 28th 1982 and ending with the issue dated February 4th 1982.

Mary Summers

Subscribed and sworn to before me

this 25th day of Feb

1982.

Norma M. Peterson Notary Public


Cost of Publication \$ 16.25

Notary Fee

Total Cost \$ 16.25

**NOTARY PUBLIC RESIDING AT
RUPERT, IDAHO. MY COMMISSION
EXPIRES JUNE 21, 1985.**

MICROFILMED



RECEIVED
FEB 11 1982
Department of Water Resources
Southern District Office

ab
marjo

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Mary Summers being first
duly sworn, deposes and says that she is the

Clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for Two
consecutive weeks, commencing with the issue
dated January 28th 1982 and ending
with the issue dated February 4th 1982.

Subscribed and sworn to before me

this 25th day of Jan

1982.

[Signature] Notary Public

Cost of Publication \$ 16.25

Notary Fee

Total Cost \$ 16.25

NOTARY PUBLIC RESIDING AT
RUPERT, IDAHO. MY COMMISSION
EXPIRES JUNE 21, 1985.

82-25

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

45-7493

CRAWFORTH, GARY L., 2317 PLATT DR.,
MARTINEZ, CA. 94553. Source: GROUNDWATER.
Date Filed: 01/20/1982. Amount: 0.20 CFS.
Diversion Point: NWNW Sec 13 T 12S R 24E,
CASSIA Co. Use: IRRIGATION (0.20 CFS) from
04/01 to 10/15. Place of Use: NWNW Sec 13 T
12S R 24E FOR 6.4 ACRES. Diversion Means:
PUMP, SPRINKLERS.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting of
any permit must be filed with the Director of the
Idaho Department of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls, Idaho 83301 and
received on or before FEBRUARY 15, 1982.

A. KENNETH DUNN
Director

Published January 28 and February 4, 1982.

sb
marcia



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 15, 1996

GARY L CRAWFORTH
PO BOX 592
ALBION ID 833110592

RE: WATER RIGHT NO. 45-07493

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

FEB 23 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 15 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 45-07493

1. Owner: Gary L. Crawford Phone No. 673-5326

Current Address: PO Box 592, Albion, ID 83311

2. Accompanied by: owner per telecon EXAM DATE: 8-24-94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	NW	13	12S	24E	Cassia	

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12S	24E	13						3											3

FEB 1996

3.

Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	3			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Site	Date

2. Measurements: None. Pump is rated 30-35 gpm at 60 psi. 100' lift. per Huls Pump Service, Ruyter, I.D. = 0.07 cfs
When water sits at about 6' below LSD, but drops to 100' when pump is turned on.

E. NARRATIVE/REMARKS/COMMENTS

Well, submersible motor & pump, mainline to Rainbird sprinklers with 7/64" nozzles. Runs 7 heads at a time.

System was examined in May of 1993. Well was pumping open discharge into a ditch along the west side of the property. During my second visit, in August of 1994, a mainline (portable) and handlines had replaced the gravity system. The same 3 acres was being watered both times, but with much greater efficiency under sprinklers. The property is quite flat. The 3 irrigated acres are more than enough to feed the 2 cows that were pastured there in August.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

FEB 23 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$7 \text{ heads at } \approx 4.3 \text{ gpm/head} = 30.1 \text{ gpm} = 0.07 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 4 = 12$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.07 \times 214 \times 1.9835 = 29.7$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = 12.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-1</u>	<u>10-31</u>	<u>0.07</u>	<u>12.0</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.07</u>	<u>12.0</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other


I. AUTHENTICATIONField Examiner's Name JE Stanton Date 9-2-94

Reviewer _____ Date _____

SEAL

FEB 23 1996

45-7493
125-R24E-S13




Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
photographs taken 1967. Field checked 1968

Projection: 1927 North American datum
6000-foot grid based on Idaho coordinate system,
Central zone


600-meter Universal Transverse Mercator grid ticks,
shown in blue

Dashed lines indicate selected fence lines



UTM GRID AND 1968 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

FEB 23 1996



THIS MAP C
FOR SALE BY U. S. GEOLOGICAL SURVEY
A FOLDER DESCRIBES

45-07493

✓

HIGH
ELEVATION

482
276 NW

18
T1372

12 35.7

13



5
44
4
10.6

3
27.6

4
13.5

12 7
13 18

6
16.1

FEB 28 1996

45-07493

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water within 30 days after the completion or abandonment of the well.



urces JUL 5 1983

~~Department of War. Resources~~
Southern District Office

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

45-07493



P/D


Mainline

August '94

FILED 8/8/96

45-07493

45-07493





F/E

Mainline

August '64

45-7493





P/D

Discharge Into Ditch May 1983

RECEIVED

FEB 2 8 1983

45-07493



1000 1000 1000

45-7493



P/U - Pasture

DEC 3 3 1936

45-07493



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

1. WELL OWNER

Name Gary Crawford
2317 Platt Dr.
Address Martinez, California 94553
Owner's Permit No. 7493

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250 inches 8-5/8 inches + 1 feet 128 feet
.250 inches 6 inches 95 feet 175 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation * 1/8 inches by 2 inches
Number * 1/8 From 3 w/torch
320 perforations 18 feet 50 feet
* 376 perforations 128 feet 175 feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☒ Cement grout
☐ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing
☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location
N
W E
S
County Cassia
Subdivision Name _____
Lot No. _____ Block No. _____
NW ¼ NW ¼ Sec. 13 T. 12 S. R. 24 E/W.

7. WATER LEVEL

Static water level 1/2 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 52 °F. Quality good

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____
Discharge G.P.M. Pumping Level Hours Pumped
60 80 ft. 4 hours

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
12	0	3	Top soil		☒
12	3	18	Glacial Till (deposits)	☒	
8	18	55	Glacial Till (deposits)	☒	
8	55	115	Silt and clay		☒
8	115	128	Alluvial		☒
8	128	140	Alluvial		☒
8	140	145	Large quartz boulder	☒	
8	145	185	Alluvial (silt, sand and various sized rocks)	☒	

RECEIVED
NOV 01 1991
Department of Water Resources
FEB 23 1992

10.

Work started 6-3-83 finished 6-29-83

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Tanner Drilling Co. Firm No. 359
Address 602 South D St.
Rupert, Idaho 83350 Date 7-5-83
Signed by (Firm Official) Francis D. Tanner
and
(Operator) Francis D. Tanner

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

pg. 2
7/14/83

45-7493
Gary Crowthorn

RECEIVED

JUL 19 1983

Department of Water Resources
Southern District Office

To: Loren Holmes

From: John Beal

Re: Attached well log and
requested waiver.

Before granting a waiver, you
should find out:

- 1) How much of the seal
does he want to remove
or leave? put seal to 10',
- 2) Is the water at 140-185
under any artesian pressure
- 3) Is there any chance the
well will be used for
domestic - either now or
in the future? Irv.
- 4) Location of nearby wells. ^{1/4 mil}

My thoughts and concerns are -

- If the deeper aquifer is under
a greater pressure than the
3-55' zone then a waiver
seems okay.
- If the upper zone is of
drinking water quality (or as
good as the lower zone) then
a waiver is okay.
- If neither of the above is
true then I suggest that
a waiver could be granted
only if the bottom zone
is sealed out and only the
upper zone used.

MICROFILMED
MAY 05 1992

FEB 23 1990

NNNN

12S 24E Sec. 13

Please Note my Change
of address to
✓ P.O. Box 592

Albion, Idaho 83311

Ray F. Campbell

RECEIVED

NOV 26 1991

October 9, 1991

GARY L. CRAWFORTH
P O BOX 592
ALBION ID 83311

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 45-07493

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED

NOV 15 1991

138913

July 31, 1991

GARY L. CRAWFORTH
2317 PLATT DR.
MARTINEZ, CA 94553

PROOF DUE NOTICE

RE: PERMIT NO. 45-07493

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

NOV 15 1991

January 14, 1991

GARY L CRAWFORTH
2317 PLATT DR
MARTINEZ CA 94553

Dear Mr. Crawforth:

Re: Permit No. 45-7493

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to October 1, 1991.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JAN 28 1991

138095
July 31, 1990

GARY L. CRAWFORTH
2317 PLATT DR.
MARTINEZ, CA 94553

PROOF DUE NOTICE

RE: PERMIT NO. 45-07493

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 28 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 16, 1989

RE: Permit No. 45-7493

Gary L. Crawforth
2317 Platt Dr.
Martinez, CA 94553

Dear Mr. Crawforth:

Enclosed is an order that authorizes you to continue development under Permit to Appropriate Water No. 45-7493. Please note in condition #1., page two of the order that you must develop your system and beneficially use the water prior to October 1, 1990. Failure to beneficially use the water before October 1, 1990 could result in a loss of your water right permit.

Also enclosed is a copy of the approved extension of time request.

Please note the conditions of approval contained in your permit and the continuation order. You must comply with the conditions to fully complete beneficial use.

Sincerely,

TIM LUKE
Sr. Water Resource Agent

TL:sc

RECORDED

DEC 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

SEPTEMBER 25, 1989

South Idaho Press
Box 190
Burley, ID 83318

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 9, 1989.

Yours truly,

SHARLA CURTIS
Secretary

Encl.

MICROFILMED

DEC 18 1989

45-07493

CRAWFORTH, GARY L.
2317 PLATT DR.
MARTINEZ, CA 94553

Source: GROUNDWATER

Diversion Pt: NWNW Sec 13 T 12S R 24E

Use: IRRIGATION (.130 CFS)

Priority: 1/20/1982

In: T12S R24E S13 NWNW

6.4 ACRES TOTAL

RECORDED

DEC 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED

SEP 20 1989

Department of Water Resources

PERMIT NO. 45-7493

IF YOU ARE NOT INTERESTED IN HAVING YOUR PERMIT PROCESSED,
PLEASE COMPLETE AND RETURN THE ENCLOSED RELINQUISHMENT FORM.

INSTRUCTIONS: Please answer the following questions as
thoroughly as possible and submit the \$20.00 readvertisement
fee if applicable.

1. Did irrigation occur on the lands identified under your
permit prior to July 1, 1985? Yes _____ No ✓

If yes, you are requested to submit clear evidence that shows the
number and location of acres irrigated.

Aerial photographs taken prior to July 1, 1985, located in area
ASCS offices, are best forms of evidence. Photos submitted to the
the Department must be accompanied by a signed statement from an
ASCS representative which verifies the photo date and that the
lands were irrigated prior to July 1, 1985. If ASCS does not have
photos for the land and/or time in question, you must have the ASCS
provide the Department with a statement that photos are not avail-
able and then proceed to submit other forms of suitable evidence.

2. Please state the number of acres you have irrigated under this
permit since July 1, 1985. N/A

3. If you have not irrigated lands under this permit, please
state the number of acres you plan to complete. 6.4

NOTE: You must submit the \$20.00 readvertisement fee if any or
all of the lands were not irrigated before July 1, 1985.

4. If the permit is a supplemental filing please identify other
water rights which are used on the same land. N/A

Use the reverse side of this form if you wish to add any comments.

I hereby assert that the responses provided above are true to the
best of my knowledge. I understand that any willful misrepresentations
may result in voiding of the application.

Permit Holder [Signature]

Date 8/21/89

MICROFILMED

DEC 18 1989

Rec #

001715

IDAHO DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

5. REMARKS/COMMENTS:

[illegible]

MICROFILMED

DEC 18 1984



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 18, 1989

RE: PERMIT NO. 45-7493

Dear PERMIT HOLDER:

Due to the Swan Falls litigation, development proposed by the enclosed permit may have been delayed. The Department is presently reviewing the permit and may authorize completion of development proposed under the permit.

The purpose of this letter is to determine: (1) the extent of development under the permit, and (2) your continued interest in developing or completing development under the permit. Enclosed are two forms which will help the Department expedite the reprocessing of the permit.

Please complete and return the enclosed questionnaire if you wish to continue with your plans of development or have completed all or a portion of your development before July 1, 1985.

Please complete the enclosed relinquishment form and return it to the Department if you have abandoned or have no interest in continuing with your plans for development of the project.

If the entire project was not completed prior to July 1, 1985, and you still wish to proceed with your plans of development, then you must submit a \$20.00 re-advertisement fee to the Department as required by Water Appropriation Rule 4,2,3. and Section 42-221F, Idaho Code.

Failure to return the questionnaire and pay any required re-advertisement fee within thirty (30) days of the date of this letter is cause for the Department to cancel the permit.

MICROFILMED

DEC 18 1989

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720
Attn: Tim Luke
Water Allocation/Trust Water

Please note that a copy of your permit is enclosed. The permit number is shown on the enclosed questionnaire.

Sincerely,

TIM LUKE
Sr. Water Resource Agent

Enclosures

cc: Region

MAILED

DEC 16 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 45-7493
Name(s) of Permit Holder(s): CRAWFORTH GARY L.
Post Office Address: 2317 PLATT DR.
MARTINEZ, CA. 94553 Tel. No. 415-228-4967

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6/2/83 (date) **RECEIVED** I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

CARL L. CRABERTH

2317 PLATT ST

PACTINEZ, CA 94553

Volunteer
lend a hand



USA 20c

Microfilmed

DEC 18 1989



RECEIVED

JUN 13 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

February 23, 1987

Gary L. Crawford
2317 Platt Dr.
Martinez, CA 94553

Dear Mr. Crawford:

Re: Permit No. 45-7493

The department has reviewed the request for extension of time submitted in connection with the above referenced permit. The department will hold the request without action until the permit is reprocessed in compliance with the provisions of Sec. 42-203D, Idaho Code. Upon completion of reprocessing, an appropriate development period will be granted if the permit is to be continued.

Please feel free to contact this office if you have any questions.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:rf

cc: Region

MICROFILMED

DEC 18 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

February 19, 1987

Gary L. Crawford
2317 Platt Dr.
Martinez, CA 94553

PERMIT NO. 45-7493

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 41461.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

DEC 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
DECEMBER 31, 1986

138587

CRAWFORTH, GARY L.
2317 PLATT DR.
MARTINEZ, CA 94553

PROOF DUE NOTICE

RE: PERMIT NO. 45-7493

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

DEC 18 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. Glen Saxton

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

DEC 18 1985



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

August 12, 1983

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Francis D. Tanner
Tanner Drilling Co.
602 South D St.
Rupert, ID 83350

RE: Permit No. 45-7493 (Well Construction)

Dear Mr. Tanner:

Your request for a waiver of minimum well construction standards is approved with the condition that the surface seal must extend to at least 10 feet below land surface.

In reviewing the well log and other well logs in the area, I do not believe the 18 feet seal provides any more protection than a good 10 feet seal.

I do want you and the well owner to be aware that minimum well construction standards state "sealing is also to prevent the movement of groundwater either upward or downward from zones that have been cased out of the well because of poor quality or other reasons." In this well you are mixing the water above 55 feet with the water at 140 feet. I have no reason to suspect that the upper water is of poor quality. Realizing that Mr. Crawford can use both zones, I am not suggesting that you isolate the two. If, however, any contamination problems should occur in the future, Mr. Crawford may be required to modify the well.

If you suspect any water quality problems, I suggest that you sample and test the water from the two zones (if possible).

If you have any questions, feel free to contact me.

Sincerely,

JOHN E. BEAL, Supervisor
Construction Permits Section

JEB:ldt

CC: Gary Funderburg - IDWR S. Reg., Gary L. Crawford

MICROFILMED

DEC 18 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CRAWFORTH, GARY L.
2317 PLATT DR.
MARTINEZ, CA 94553

MARCH 30, 1982

RE: PERMIT NO. 45-7493

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

2/1/82

State of Idaho
Dept of Water Resources

Idaho Department of Water Resources
Caldwell Permit Office

I do not have reason to request
more than 0.02 CFS of water per acre.
The fact sheet for Excessive
Irrigation Flows is returned incomplete.

I will look forward to receiving
a permit for 0.02/CFS/acre.
Hope there are no problems
in receiving it.

Sincerely,

Greg L. Crawford
2317 Platt Dr.
Monting, Ca. 94553

MICROFILMED

3344.64

119.

9063.48

5613.48

Department of _____ 1945
Southern District Office

Ident. No. _____

FACT SHEET
for
Excessive Irrigation Flows

This information is to be submitted with any application for permit for which the irrigation rate of flow requested is more than .02 cfs per acre. One exception is that .03 cfs per acre is allowed for up to five (5) acres.

Soil type and soil profile: _____

Soil water holding capacity: _____

Soil intake family (if known): _____

Field slope: _____

Anticipated crops: _____

Method of irrigation: _____

Remarks _____

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-2493-

CRAWFORTH, GARY L.

2317 PLATT DR., MARTINEZ, CA 94553

Source: GROUNDWATER

Date Filed: 01/20/1982

Amount: 0.20 CFS

Diversion Point: NNW Sec 13 T 12S R 24E, CASSIA Co.

Use: IRRIGATION (0.20 CFS) from 04/01 to 10/15

Place of Use: NNW Sec 13 T 12S R 24E FOR ~~EXXON~~ 6.4 ACRES

Diversion Means: PUMP, SPRINKLERS

RECEIVED
FEB 10 1982

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 15, 1982.

A. KENNETH DUNN

Director

Filed 1/28 & 2/4/82.

RECEIVED
FEB 10 1982

82-25

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-7493

CRAWFORTH, GARY L., 2317 PLATT DR., MARTINEZ, CA. 94553. Source: GROUNDWATER. Date Filed: 01/20/1982. Amount: 0.20 CFS. Diversion Point: NWNW Sec 13 T 12S R 24E, CASSIA Co. Use: IRRIGATION (0.20 CFS) from 04/01 to 10/15. Place of Use: NWNW Sec 13 T 12S R 24E FOR 6.4 ACRES. Diversion Means: PUMP, SPRINKLERS.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 15, 1982.

A. KENNETH DUNN
Director

Published January 28 and February 4, 1982.

MICROFILMED

*ed
maga
1/27/82*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 21, 1982

South Idaho Press
P.O. Box 190
Burley, Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 15, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

January 21, 1982

Gary L. Crawforth
2317 Platt Drive
Martinez, California 94553

Dear Mr. Crawforth:

Our office has recently received your application for permit to appropriate the public waters of the State of Idaho and is presently processing your application. It is expected that advertising of your application and review of your application in our office will be completed by February 21, 1982.

Since your application seeks to appropriate more than 0.02 cfs/acre, it will be necessary for you to complete and return the enclosed Fact Sheet for excessive irrigation flows. Section 42-202 of the IDAHO CODE, states that...

'no one shall be authorized to divert for irrigation purposes more than one cubic foot of water per second of the normal flow for each fifty acres of land to be irrigated..... unless it can be shown to the satisfaction of the Department of Water Resources that a greater amount is necessary'.

We request that you return the Fact Sheet to our office by February 21, 1982. If after that date our office has not received the Fact Sheet our office will recommend that the rate of diversion be reduced to 0.13 cfs.

If you have any questions, please feel free to contact our office.

Sincerely,

Allen D. Merritt
Senior Water Resource Analyst

ADM:marya

MICROFILMED