

file 45-7-27

RECEIVED

JUN 04 1992

MORATORIUM EXEMPTION QUESTIONNAIRE

Department of Water Resources
Southern Region Office

IF YOUR APPLICATION PROPOSES AN IRRIGATION USE, PLEASE
COMPLETE AND RETURN THE FOLLOWING:

- Has ALL the land you propose to irrigate been irrigated with surface water in the past?

Yes

- Do you summer fallow any of your irrigated land? If so, how many acres?

NO

- List the water right(s) you have used to irrigate the land listed on the application. If you have received water from a canal company or water district, please identify the name of canal or water district.

A 45-07421

A 45-07449

Burley Irrigation District

- During the last ten years, how many years has your surface irrigation water been available for the entire irrigation season?

10 years

- What crops have you grown in the past ten years?

Beets, Beans, Grain

I understand if my proposed diversion of groundwater is approved as a supplemental use, that I can only use my well during periods of drought, when a full supply of water is not available. I also agree that my surface water will be fully used to the extent available, will not be sold or used on other lands, and that a change in use of my surface water may result in revocation of any groundwater right granted pursuant to my application for supplemental water.

Dated this 28 day of May, 1992.

(Please sign)

Carl Schenk

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 45-07471

Priority: May 22, 1981

Maximum Diversion Rate: 1.36 CFS
Maximum Diversion Volume:¹ 272.0 AF

This is to certify, that CARL SCHRENK
STAR RT. BOX 3
DECLO, ID 833230000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 22, 1981; and has submitted Proof of Beneficial Use on September 17, 1985. An examination indicates that the works have a diversion capacity of 1.940 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.36 CFS	272.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 30, Township 10S, Range 25E
CASSIA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	25E	29	NWNW 4	SWNW 8		12
		30	NENE 22	NWNE 1	SWNE 4	56
			SENE 29			

Total number of acres irrigated: 68

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. 3 points of diversion located in SWNE, S30, T10S, R25E.

MICROFILMED

MAR 06 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 45-07471

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of JANUARY, 1990

Acting for R. Keith Higginson, Director

MICROFILMED

MAR 06 1990

State of Idaho
Department of Water Resources

RECEIVED

SEP 06 1989

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 45-07471

Department of Water Resources

Date of Priority: May 22, 1981

Maximum Diversion Rate: 1.36 CFS
Maximum Diversion Volume: 272.0 AF

Comes now **CARL SCHRENK**
STAR RT. BOX 3
DECLO, ID 833230000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 45-07471, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.36 CFS	272.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE, Sec. 30, Township 10S, Range 25E
CASSIA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	25E	29	NWNW 4	SWNW 8		12
		30	NENE 22	NWNE 1	SWNE 4	56
			SENE 29			

Total number of acres irrigated: 68

MICROFILMED

MAR 06 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Carl Schrenk, this 1 day of Sept., 1989.

Carl Schrenk
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 45-07471

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by CP Date 9/7/89
ACTION OF THE DEPARTMENT OF WATER RESOURCES 2011066

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 45-07471 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. 3 points of diversion located in SWNE, S30, T10S, R25E.

Witness my hand this 23rd day of JANUARY, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED

MAR 06 1990

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	45-7451	Schrenk, Ivan Carl	1.36
Full Assignment	45-7451	Schrenk, Carl	1.36

MICROFILMED

FEB 29 1988

RECEIVED

OCT 14 1987

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources

RECEIVED

OCT 9 1987

Department of Water Resources
Southern Region Office

I, Ivan &/or Carl Schrenk, hereby assign to Carl Schrenk
of Star Route Box 3, Declo, ID 83323
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 45-7471
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. 45-7471 to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

2 points SW 1/4 of NE 1/4 Sec. 30 TWS 12S
Range 25E B.M. Cassia (1.36 CFS)
TWP 10S Range 25E Sec 29 and 30 (Sec 29 - SW 1/4 15)
Sec 30 - NE 1/4 9 SW 1/4 8 SE 1/4 36 Total 53

Made this 30 day of Sept., 19 87.

Witness Nancy Bottorley
Nancy Bottorley

Carl Schrenk
Linda Schrenk

Carl Schrenk
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Cassia) ss.

On this 30 day of Sept., 19 87, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Nelda Matthews
Notary Public residing at
Declo, Idaho

NOTARIZED

My commission expires:
6-1-91

FEB 29 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ivan &/or Carl Schrenk Phone 654-7354 or 4651

Post office address Star Route, Declo, ID 83323

2. Source of water supply Groundwater which is a tributary of 2 points

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 30 Township 10S

Range 25E B.M. Cassia County, additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 1.36 cfs for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.36 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two wells & pumps

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township

Range B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be supplied with domestic water

(5) If water is to be used for other purposes describe:

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 68

c. Describe any other water rights used for the same purposes as described above.

None


9. a. Who owns the property at the point of diversion Ivan Schrenk

b. Who owns the land to be irrigated or place of use " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing property will be purchased by Carl Schrenk this fall

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carl Schunk
(Applicant)

Proposed Priority 5/22/81
Received by js Date 5-22-81 Time 10:37 am
Preliminary check by ADM Fee \$ 65.00
Receipted by js Date 5-22-81 # 18622
Publication prepared by lh Date 6/5/81
Published in south idaho press
Publication dates 6/16 + 6/23/81
Publication approved macya Date 6/9/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ADM RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7471, and said application is hereby approved.


1. Approval of said application is subject to the following limitations and conditions:


- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:


An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 11 day of July, 1981.

David R. Tuttle
Acting Chief, Operations Bureau







SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
STATE OF IDAHO) ss.

Mary Summers being first
duly sworn, deposes and says that s/he is the

Clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for Two
consecutive weeks, commencing with the issue
dated June 16 th 1981 .., and ending
with the issue dated June 23 1981 ..

Mary Summers

Subscribed and sworn to before me
this 24th day of June
1981 ..

Norma M. Peterson Notary Public

Cost of Publication \$ 13.52
Notary Fee
Total Cost \$ 13.52

NOTARY PUBLIC RESIDING AT
RUPERT, IDAHO. MY COMMISSION
EXPIRES JUNE 21, 1985

81-150

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

45-7471

SCHRENK, IVAN &/or CARL, STAR ROUTE,
DECLO, ID 83323. Source: GROUNDWATER. Date
Filed: 05/22/1981. Amount: 1.36 CFS. Diversion
Point: SWNE Sec 30 T 10S R 25E, CASSIA Co. Use:
IRRIGATION (1.36 CFS) from 03/15 to 11/15.
Place of Use: SWNW Sec 29 T 10S R 25E NENE
SWNE SENE Sec 30 T 10S R 25E FOR 68 ACRES.
Diversion Means: WELLS & PUMPS.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting of
any permit must be filed with the Director of the
Idaho Department of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls, Idaho 83301 and
received on or before JULY 3, 1981.

A. KENNETH DUNN
Director

Published in the South Idaho Press June 16 and
23, 1981.

RECEIVED

JUN 25 1981

Department of Water Resources
Southern District Office

RECEIVED

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Mary Summers, being first

duly sworn, deposes and says that s/he is the

Clerk of the South Idaho Press, a daily newspaper published at Burley Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for Two

consecutive weeks, commencing with the issue

dated June 16 th 1981, and ending

with the issue dated June 23, 1981.

Mary Summers

Subscribed and sworn to before me

this 24th day of June

1981.

Norma M. Peterson Notary Public

Cost of Publication \$ 13.52

Notary Fee _____

Total Cost \$ 13.52

NOTARY PUBLIC RECORDS
BURLEY, IDAHO
EXPIRES JUNE 21, 1985

81-150

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-7471

SCHRENK, IVAN &/or CARL, STAR ROUTE, DECLO, ID 83323. Source: GROUNDWATER. Date Filed: 05/22/1981. Amount: 1.36 CFS. Diversion Point: SWNE Sec 30 T 10S R 25E, CASSIA Co. Use: IRRIGATION (1.36 CFS) from 03/15 to 11/15. Place of Use: SWNW Sec 29 T 10S R 25E NENE SWNE SENE Sec 30 T 10S R 25E FOR 68 ACRES. Diversion Means: WELLS & PUMPS.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JULY 3, 1981.

A. KENNETH DUNN
Director

Published in the South Idaho Press June 16 and 23, 1981.

Idaho Department of Water Resources
Twin Falls, Idaho

January 24, 1990

CARL SCHRENK
STAR RT. BOX 3
DECLO, ID 833230000

RE: PERMIT NO. 45-07471

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

MAR 06 1990

MEMORANDUM

TO: FILE/PERMIT NO. 45-7471

FROM: TIM LUKE *TL*

RE: SWAN FALLS PROCESSING

DATE: 11-22-89

This permit was dismissed from the Swan Falls litigation, Ada County Case No. 81375, by Idaho Power Co. The permit therefore is exempt from processing under Section 42-203D, Idaho Code. The permit was identified in dismissal group number 4.

MICROFILMED

MAR 06 1990

August 30, 1989

CARL SCHRENK
STAR RT. BOX 3
DECLO, ID 833230000

RE: PERMIT NO. 45-07471

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 06 1990

MEMORANDUM

TO: 45-7449 AND 45-7471

FROM: ROXANNE MCCARTHY

RE: SYSTEM CAPACITY

DATE: 6-MAR-1989

Upon reviewing these rights I believe that the system capacity should be the total of the three interconnected wells. The wells can be used to supplement one another, although they don't in current practice. The system total is:

$0.41 \text{ cfs} + 0.80 \text{ cfs} + 0.73 \text{ cfs} = 1.94 \text{ cfs}$

MICROFILMED

MAR 06 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES45-7447
Permit No.

DO NOT SCAN

Staff Analysis Sheet
for
Beneficial Use Field ReportRECEIVED
FEB 03 1989

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of Department of Water Resources
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 45-7447 (Initial and date)Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?Type of Overlap? ☒ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed J. E. Stanton 1-4-1989 (Signature of examiner and date)Exam Reviewed by Senior Water Resource Agent JR 1-5-89 (Initial and date)Exam Reviewed by Manager of Regional Office LT 2/1/89 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
 Replied in White File _____ (Initial and date)

DO NOT SCAN

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE EXAMINATION
CHECKLIST

RECEIVED
FEB 03 1989

Department of Water Resources

WATER RIGHT 45-7471

REVIEWER DRJ

DATE 1-5-89

[EACH RULE MUST BE CHECKED]

SEE FOOTNOTE FOR SYMBOLS

RULE 5 EXAMINATION FOR BENEFICIAL USE;

1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>✓</u>	1,5. <u>N/A</u>
1,6. <u>✓</u>	1,7. <u>✓</u>	1,8. <u>✓</u>	1,9. <u>✓</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>N/A</u>	1,13. <u>✓</u>
1,14. <u>N/A</u>	1,15. <u>✓</u>	1,16. <u>✓</u>	1,17. <u>✓</u>

RULE 6 MEASUREMENT TERMINOLOGY;

1,1. <u>✓</u>	1,2. <u>✓</u>	2. <u>✓</u>	3. <u>✓</u>
4. <u>✓</u>	5. <u>✓</u>		

RULE 7 DRAWINGS, MAP, AND SCHEMATIC DIAGRAM;

1,1. <u>✓</u>	1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>✓</u>
1,5. <u>✓</u>			

RULE 5,2. FIELD REPORT ACCEPTABILITY [STATE OFFICE REVIEW]

2,1. <u> </u>	2,2. <u> </u>	2,3. <u> </u>	2,4. <u> </u>
--------------------	--------------------	--------------------	--------------------

Reviewer

Date

N/A = NOT APPLICABLE
** = SEE ATTACHMENT NO.

* = SEE ITEM IN BENEFICIAL USE REI
*** = SEE REMARKS ATTACHED

MICROFILMED

MAR 06 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 03 1989

A. GENERAL INFORMATION

Permit No. 45-7449


1. Owner: Carl Schrent Phone No. 654-2510
Current Address: Star Rt. Box 3, Declo, ID 83323
2. Accompanied by: Mr. Schrent EXAM. DATE: 8-16-88
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: 45-7449 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 06 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3 Two 15 hp submersible pumps connected via buried mainline. Run 90-100-9/89-7/89
Rainbirds at 45-50 psi.
Well #1 & 2 are used north of highway. Well #3 is used south of hwy. All 3 wells
are connected via buried mainline, but friction loss is considerable. Of north wells
are used south of highway.

WICUT-IT-NEED

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
2	Bent Franklin	15	none	Berkley	none
3	"	15	"	"	"
31	Hitachi	15	"	"	"
	"				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
2		NW	SW	NE	30	10S	25E	C955,9	
3		SE	"	"	"	"	"		
1		NW	SW	NE	"	"	"		

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
Land irrig:	10S	25E	29					14	8										22
				30	23	9	20	23							1				83
P/U Port A	10S	25E	29					4	8										123
				30	22	1	4	29											56

MICROFILMED

MAR 06 1990

Do not use this space

Do not use this space

WUE 001 (1990)

MICROFILMED

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Meter, AnnuBar					6"	

2. Measurements:

Well #2: 12.1 - 4.4 = 7.7 = 12.2 - 5.4 = 6.8 = 370 gpm w/45 heads on 6.4 - 12.1 = 5.7 = 339 gpm
 #3: 8.3 - 3.6 = 4.7 = 307 gpm 8.2 - 3.7 = 4.5 = 300 gpm w/45 heads on
~~#2 + #3 = 2.3 - 17.5 = 3.8 = 277 gpm 2.7 - 17.5 = 4.2 = 290 w/77 heads on (2/3 1/6" x 1/2 1/8" 1022/23)~~

Pipe ID at M.P. is 0.52' Total = 0.80 cfs + 0.73 cfs = 1.53 cfs Allow 1.36 cfs

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

(68 ac x .02 cfs/ac)

1. Measured Method:

2. Alternate Method for Checking Purposes:

77 nozzles at 50 psi = about 290 gpm

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 50 psi x 2.31 = _____ ft (1); Dynamic pumping level: 65 ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 68 = 272$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

2. Volume Calculations for Other Uses:

MICROFILMED

MAR 06 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Well #2 is used on both sides of highway. Well #3 is only used south of hwy. System capacity is total of measurements of the two wells measured individually. When measured together at Well #3, a lesser measurement was obtained. This shows that the pipelines at Well #3 can't carry both flows together. This does not reduce system capacity, as the wells normally run separately. Well #1 is normally used on 25 acres under Permit 45-7449, but can be used on this permit if needed. So Well #1 does not add to system capacity under 45-7471. System presently irrigates 10 acres in the NW/NW Sec. 29 without a water right. Permittee decided that this land be left off the license (as opposed to 10 acres somewhere else on the farm).

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	1,36 cfs	272
Totals:				

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☒ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date 4/6/89
Field Report Preparation Date 1-8-89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

reviewed: Ryan McElroy 3/6/89

MICROFILMED

MAR 06 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: J. F. Stanton Date 8-17-88
Owner: Carl Schenk Permit No. 45-7471

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #3, Measured at Well #3.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 21.6
T = Pipe Thickness in Inches = 1/4"
ID = 2 [(0.1592 X CIR) - T] = 6.38

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test _____

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 8.25
Low Reading = 4.65
High - Low = H = 3.60

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(6.38)^2 \cdot (\sqrt{3.60}) \cdot (3.75)}{448.8} = \frac{291}{448.8} \text{ CFS} = 0.65 \text{ CFS}$$

291 gpm 327.4
0.65 0.73

SKETCH (If not shown on Field Report)

MICROFILMED

MAR 06 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: Jeff Clinton Date 8-17-88
Owner: Carl Schrent Permit No. 45-~~7447~~7471

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Well #2, Measured at Well #3,

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 21.6
T = Pipe Thickness in Inches = 1/4"
ID = 2 [(0.1592 X CIR) - T] = ... 6.38

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6"

State ID No. _____

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

PD #2 High Reading = ~~44.0~~ 40.9 12.1
Low Reading = 6.6 AM
High - Low = H = ... 5.5

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$


358 gpm

$$Q = \frac{(6.38)^2 \cdot (\sqrt{5.5}) \cdot (3.75)}{448.8} = \underline{0.80 \text{ cfs}}$$

SKETCH (if not shown on Field Report)

MICROFILMED

MAR 06 1990



MICROFILMED

MAR 06 1990

1 HSL
379.5

1748

19 20

HSL 30 29

1 00
3 13.5

HSL 2 54

1 24

32.0

47.7

4 29.1

HSL 3.5

5.0

1.8

14.4

536

6

2.2

6.6

122

11.7

A 1.7

NC

7 25.3

A 1.8

B

10.7

D

7.8

R

C419

32.4

23.2

2.8

13.1

13.2

HSL C

HSL D

HSL E

8.6


HSL B

HSL A

46

3 35

10.3



Permits 45-7449, 7071

Well #1



Well #2



MICROFILMED

MAR 06 1990

Permits 45-7449, 45-70

PD #3



P/U
looking east



MICROFILMED

MAR 06 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 45-7471

Name(s) of Permit Holder(s): Ivan &/or Carl Schrenk

Post Office Address: Star Route

Declo, ID

Tel. No. 634-7354 or 4651

☒ I hereby certify that construction of diversion works on the above referenced permit began on 1-5-1993. I understand that I must

continue to develop the water **MICROFILMED** within due diligence to maintain a valid permit.

☐ I hereby certify that construction of **MAR 06 1990** starting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

1-5-93
Date

Carl Schrenk
Signature of Permit Holder

PLACE
STAMP
HERE
RECEIVED

JAN 5 1983

Department of Water Resources
Southern District Office



MICROFILMED

MAR 06 1990

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, ~~450 W. State Street~~, Boise, Idaho

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 22, 1987

RE: Permit Nos. 45-7449 & 45-7471

Carl Schrenk
Star Rt., Box 3
Declo, ID 83323

Dear Mr. Schrenk:

This office acknowledges receipt of the Assignment of the above referenced permits to you.

Enclosed for your records are copies of the permits. Be sure to note the special conditions of approval on the fourth pages that identify requirements necessary for developing the permits into licensed water rights.

In reviewing the permits, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permits will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED
FEB 29 1988

File
()



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

September 22, 1987

RECEIVED
SEP 24 1987

Carl Schrenk
Star Rt, Box 3
Declo, ID 83323

Department of Water Resources

Re: Permits 45-7449 & 45-7471

Dear Mr. Schrenk:

Per our conversation of 9/22/87 we have prepared Assignment of Permit forms for the above-referenced permits. We have also partially prepared Examination Fee Information forms for your use.

Please return the completed forms to this office with the appropriate examination fees. These permits will lapse on December 11, 1987 and are losing a day of priority for every day that the fees and Fee Information forms are not received in this office.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

James E. Stanton

James E. Stanton
Sr. Water Resource Agent

JS:MB

Enclosures

MICROFILMED

FEB 29 1988

4/86

For Office Use Only
Fee Received 125.00
Date 10/2/87
Receipt # 44254
Receipt by M. Baldwin
Sent to S-9 10/2/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED
OCT 08 1987

1. Permit No. 45-7471

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Carl Schrenk

3. Post Office Address: Star Route Box 3, Declo, ID 83323

Telephone No. 654-2510

4. Source of Water: Groundwater

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 68 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.36 cfs ~~acre~~ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

March 15 1983

8. Person to contact to accompany the department representative during the field examination:

MICROFILMED

FEB 29 1988

Carl Schrenk
(Name)

Star Route Box 3 Declo 83323 654-2510
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

9-30-87
Date

Carl Schrenk owner
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 1, 1987

45-7471
Ivan &/or Carl Schrenk
Star Rt. Box 3
Declo, Id 83323

RE: Permit to Appropriate Water No. 45-7471

The Department mailed the original of the enclosed letter in an attempt to inform him that he was required to pay an examination fee on the above referenced permit. The letter was returned to the Department as undeliverable mail. Research of the records of the County Assessor reveals that you own property which may have been listed as the place of use in the permit.

Please read the enclosed letter. It may be necessary that you file an examination fee with the Department to prevent loss of a developed water right. Should we not hear from an interested party within sixty (60) days of the date of this letter, action will be initiated to remove the permit from the Department files.

Respectfully,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:jf

CC:

MICROFILMED

FEB 29 1988



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

45-7471
SCHRENK, IVAN
SCHRENK, CARL
STAR RT. BOX 3
DECLO, ID 83323

138104

August 12, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water

FEB 29 1988

right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department office.

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Sincerely,

Loren Holmes
LOREN HOLMES
Southern Regional Manager

Enclosures

MICROFILMED
FEB 29 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

SW NE Sec 30
10 25 E
Cassia




RECEIVED
SEP 2 1986

Department of Water Resources

RECEIVED

FEB 29 1986



Somes



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

45-7471
SCHRECK, IVAN
SCHRECK, CARL
STAR RT. BOX 3
DEULO, ID 83323

returned

138104

August 12, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. **NOTIFIED** **FEB 29 1988** You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water

right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department office.

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Sincerely,

Loren Holmes
LOREN HOLMES
Southern Regional Manager

Enclosures

MICROFILMED

FEB 29 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

NOVEMBER 19, 1985

IVAN /OR CARL SCHRENK
STAR RT. BOX 3
DECLD ID 83323

RE: Permit No. 45-7471

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

FEB 29 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 45-7471.

Name(s) of Permit Holder: Ivan / or Carl Schrenk

Post Office Address: Star Route Box 3 Declo Ida.
83323 Tel. No. 654-2510

Source of Water: Ground water

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 68 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


9-13-85

Date

MICROFILMED

Carl Schrenk
Signature of Permit Holder

Carl Schreier
Star Route Box
Declo Idaho 83323



RECEIVED



SEP 17 1985 IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

UNRECORDED

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCHRENK, IVAN & CARL
STAR ROUTE
DECLO, ID 83323

JULY 21, 1981

RE: PERMIT NO. 45-7471

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MISSOURI

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-2471-

SCHRENK, IVAN &/or CARL

STAR ROUTE, DECLD, ID 83323

Source: GROUNDWATER

Date Filed: 05/22/1981

Amount: 1.36 CFS

Diversion Point: SWNE Sec 30 T 10S R 25E, CASSIA Co.

Use: IRRIGATION (1.36 CFS) from 03/15 to 11/15

Place of Use: SWNW Sec 29 T 10S R 25E NENE SWNE SENE Sec 30 T 10S R 25E
FOR 68 ACRES

Diversion Means: WELLS & PUMPS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JULY 3, 1981.

A. KENNETH DUNN

Director

Published 6/16 & 6/23/81.

MICROFILMED

81-150

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-7471

SCHRENK, IVAN &/or CARL, STAR ROUTE, DECLO, ID 83323. Source: GROUNDWATER. Date Filed: 05/22/1981. Amount: 1.36 CFS. Diversion Point: SWNE Sec 30 T 10S R 25E, CASSIA Co. Use: IRRIGATION (1.36 CFS) from 03/15 to 11/15. Place of Use: SWNW Sec 29 T 10S R 25E NENE SWNE SENE Sec 30 T 10S R 25E FOR 68 ACRES. Diversion Means: WELLS & PUMPS.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JULY 3, 1981.

A. KENNETH DUNN
Director

Published in the South Idaho Press June 16 and 23, 1981.

*OK
maysa
6/9/81*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JUNE 5, 1981

South Idaho Press
P.O. Box 190
Burley, Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 3, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED