

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 45-7310 Priority May 27, 1977 Amount 0.85 cfs

THIS IS TO CERTIFY, that Odeen K. & Darla D. Redman
of Albion, Idaho, has complied with the terms and conditions of Permit
No. 45-7310 issued pursuant to Application for Permit dated May 27, 1977,
and has submitted proof to the Department of Water Resources on June 9, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.85 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from March 15 to November 15</u>	<u>at 0.85 cfs</u>	<u>and 252.0 acre feet</u>
_____	_____	_____	_____
_____	_____	_____	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.85 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
252.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 16, Twp.
12S, Rge. 25E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	25E	16																20	72

Total number of acres irrigated 72

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
November, 19 81.

Acting for the Director

Norman C. Young

APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

Identification No. _____

Application No. 45-7310

RECEIVED

MAY 27 1977

Department of Water Resources
Southern District Office

1. Name of applicant ODEEN K. AND DARLA D. REDMAN Phone: 208-673-5353
post office address P. O. Box 22 Albion, Idaho 83311
2. Source of water supply Ground Water which is a tributary of N.A.
3. a. Location of point of diversion is N.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$ of Section 16 Township 12 S
Range 25E B.M. Cassia County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into Howell Creek at a point in S.E. $\frac{1}{4}$
of S.E. $\frac{1}{4}$ of Section 9 Township 12S Range 25E B.M.
4. Water will be used for the following purposes:
Amount 1.60 for Irrigation purpose from March 1 to Nov. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.60 cubic feet per second and/or
b. 3.21 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Deep Well Pump
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 6,500.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12S	25E	16													40	20		20	80

Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion ODEEN K & DARLA REDMAN


b. Who owns the land to be irrigated or place of use SAME

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N.A.

10. Remarks This well is to be drilled in order to irrigate 80 acres of Land that presently has no water right. About 50 acres is farmable and 26 acres of dryland pasture. This property has no water right but is irrigate with waste water when available.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 25 E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Oliver K. Redman
(Applicant)
Willis R. Redman

Proposed Priority 5/27/77

Received by Am Date 5/27/77 Time 3:30 p.m.

Preliminary check by J.A. Fee \$ 35.00

Received by Am Date 6/2/77 # 3569

Publication prepared by Sm Date 6/2/77

Published in South Idaho Press

Publication dates 6/14/77 6/21/77

Publication approved RD Date 6/28/77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mls/p


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7310, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

Witness my hand this 22 day of August, 19 77.


Deputy Director

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Granda Eagle, being first

duly sworn, deposes and says that she is the

Book-keeper of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for two times consecutive weeks, commencing with the issue dated June 14 1977, and ending with the issue dated June 21, 1977.

Subscribed and sworn to before me
this 24th day of June
1977.

Naethy Bomers Notary Public

Cost of Publication

Notary Fee

Total Cost 910


Notary Public Residing at Burley, Idaho
My Commission Expires Oct. 10, 1980

RECEIVED

JUN 25 1977

Department of Water Resources
Southern District Office

9/10K
6/29/77



INDEXED

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

George Eugene, being first
duly sworn, deposes and says that he is the

Editor of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for fourteen
consecutive weeks, commencing with the issue
dated December 11, 1977, and ending
with the issue dated January 11, 1978

Subscribed and sworn to before me
this 14th day of June,
1977.

George Eugene Notary Public

Cost of Publication

Notary Fee

Total Cost 9.10

Notary Public Residing at Burley, Idaho
My Commission Expires Oct. 10, 1980

77-242

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that O'Deen K.
& Darla D. Redman, Albion, ID 83311,
has on 5/27/77 submitted Application
No. 45-7310 for a permit to ap-
propriate 1.60 cubic feet per second of
water from groundwater by means of
deep well pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 16, Twp. 12S, Rge. 25E., B.M.,
Cassia County to be used from Mar. 1
to Nov. 30 for irrigation purposes of 80
acres within the N $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 16, Twp. 12S, Rge. 25E., B.M.

If issued, this permit will be subject
to all prior water rights. Protests again-
st the granting of the permit must be
filed with the Idaho Department of
Water Resources, 1041 Blue Lakes
Blvd., North, Twin Falls, Idaho, 83301
on or before July 1, 1977.

C. Stephen Allred
Director

Published in the South Idaho Press on
June 14, 21, 1977.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name O Deen K Redman
Address PO Box 22 Albion Id
Owner's Permit No. 45-92-5-002, 5-7310

2. NATURE OF WORK

- ☐ New well ☒ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

No casing installedCasing schedule: ☐ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
_____ inches	_____ inches + _____	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☐ NoWas a packer or seal used? ☐ Yes ☐ NoPerforated? ☐ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout☐ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent☐ Weld☐ Cemented between strataDescribe access port pipe into side of casing

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block _____

County CassiaNE 1/4 SE 1/4 Sec. 16, T. 12 N, R. 25 E

7. WATER LEVEL

Static water level 128 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 64 °F. Quality good

Describe artesian or temperature zones below.

8. WELL TEST DATA

Not Tested☐ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

166 10 1992

9. LITHOLOGIC LOG

Department of Water Resources
Southern Region ID

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12"	456	532	Hard sandstone		
	532		Sandstone with thin		
		540	strips of sticky clay		
	540	555	Tan + white sandstone		
	555	565	Gray sandstone - soft		
	565	568	Tan sandstone - Hard		
	568	571	Tan + yellow sandy clay		
	571	602	Gray Clay		
	602	624	Gray lava or rhyolite		
	624		Gray rhyolite + dark		
		626	Brown sandy clay		
	626	654	Black to gray rhyolite		
	654	736	Sandstone		
	736	739	Sticky green clay		
	739	742	Hard gray clay		
	742		Hard tan clay with		
			thin strips of sticky		
		759	Clay		
	759		Hard packed sand - black,		
		765	Tan, + white		
	765	770	Green + gray sticky clay		
	770	783	Soft Sandstone		
	783	798	Tan sandy clay		
	798	813	Hard Sandstone		
	813	827	Volcanic ash		
	827	852	Tan clay		
	852		Tan sandy clay with		
		863	a little coarse sand		
	863	870	Hard packed sand		
	870		Tan sandy clay - Hard		
			with thin strips of		
12"		874	sticky clay		

10.

Work started 1/24/92 finished 3/6/92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name MacKenzie W.D. Firm No. 37Address PO Box 43 Albion Date 3/6/92Signed by (Firm Official) Tom MacKenzie

and

(Operator) Tom MacKenzie



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 1, 1981

RE: Permit No. 45-7310

Odeen K. & Darla D. Redman
P.O. Box 22
Albion, ID 83311

Dear Mr. and Mrs. Redman:

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

RECEIVED



of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 9, 1981

RE: Permit No. 45-7310

Odeen K. & Darla D. Redman
P.O. Box 22
Albion, ID 83311

Dear Mr. and Mrs. Redmond:

A representative of this Department has made an examination of the works covered by your Permit No. 45-7310, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.85 cfs Source: groundwater

The maximum quantity diverted shall not exceed 252.0 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, Twp. 12S, Rge. 25E, Cassia County

Beneficial use: Irrigation of 72 acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16,
Twp. 12S, Rge. 25E

Priority date established: May 27, 1977

Conditions (if any):

Also, on your permit you proposed an irrigation period of 3/1 to 11/30. Our office identifies a period of 3/15 to 11/15 for your area.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MULTICOPIED

For. 219
12/79

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

45-7310

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	7-8-81	GLF	
☐ Telephone call made: (List Telephone No. used)			
☒ Appointment scheduled for: (Date, time, location)	noon 7-17-81	js	

EXAMINATION

Date 7-17-81 Accompanied by Mr. Redman Total Q measured 0.85 cfs
If source is surface water, estimate total flow of source
Methods of measurement 6.065" Anemometer Meets Permit requirements? ☒

Measurement calculations:
measured 8.2" pressure = 7.25" corrected ^{capacity} 0.85 cfs. Allow full amount.
Volume: 72 ac x 3.5 AFA/ac = 252 AFA ✓
.85 x 1.9835 x 245 = 413.1

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	50	U.S. Motors	R-6221-05-1117	Anemometer	38172297	Cable Eye Meter	Good	Notes #091464

System Description Well, pump, motor, mainline, handline

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS	USE	Irrigation requirement = 3.5 AFA/Acre	
		Q (cfs)	V (afa)
irrigation		0.85 cfs ✓	252 ✓
Total			


Remarks Use period should be reduced to standard irrigation season. Mr. Redman stated that the longer season was not needed.

MICROFILMED

No Overlapping rights

[illegible]

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SE 1/4 Sec. 16, T. 12S R. 25E

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature A. E. Stanton


Checked by Lester A. Blair

Approved by T. J. [Signature]

Date 7-20-81

Date 7-20-81

Date 11/5/81





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

July 8, 1981

Odeen K. & Darla D. Redman
P. O. Box 22
Albion, Idaho 83311

Re: Permit No. 45-7310

Dear Mr. & Mrs. Redman:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:maray

RECEIVED
JUL 10 1981

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 45-7310.

Name(s) of Permit Holder: ODELL K & DARLA D. REDMAN

Post Office Address: P.O. Box 22 ALBION, ID
83311 Tel. No. 673-5353

Source of Water: DEEP WELL
 Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 30 (acres)
☐ Other

Measurement Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/8/81

Date


[Signature]

Signature of Permit Holder

O.K. PEDMAN

Box 22

ALBANY ID. 8334



MICROFILMED

JUN 9 1981

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

August 25, 1977

Re: Permit No. 45-7310

Odeen K. & Darla D. Redman
P. O. Box 22
Albion, ID 83311

Dear Mr. & Mrs. Redman:

Enclosed is a copy of your approved Application for Permit No. 45-7310. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

MICROFILMED

June 2, 1977

Mr. O'Deen K. Redman
P. O. Box 22
Albion, ID 83311

Re: Application for Permit No. 45-7310-O'Deen K. & Darla D. Redman

Dear Mr. Redman:

Enclosed is your Receipt No. 3569 for Check No. 92-146 in the amount of \$35.00 for the above-referenced Application for Permit.

If you have any questions regarding this application, please feel free to contact this office.

Sincerely,

Sheryl Nunsee
Secretary

Enclosure

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that O'Deen K. & Darla D. Redman
Albion, ID 83311.
has on 5/27/77 submitted Application No. 45-7310
for a permit to appropriate 1.60 cubic feet per second ~~acre feet per annum~~
of water from groundwater
by means of deep well pump
within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, Twp. 12S, Rge. 25E., B.M., Cassia County

to be used from Mar. 1 to Nov. 30
for irrigation purposes of 80 acres

within the N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, Twp. 12S, Rge. 25E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before July 1, 1977.

C. Stephen Allred

Director

Published in the South Idaho Press
on June 14 and June 21, 1977

RECORDED

77-242

**NOTICE OF APPLICATION
FOR WATER PERMIT**

6/13/77

Notice is hereby given that O'Deen K. & Darla D. Redman, Albion, ID 83311, has on 5/27/77 submitted Application No. 45-7310 for a permit to appropriate 1.60 cubic feet per second of water from groundwater by means of deep well pump within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, Twp. 12S, Rge. 25E., B.M., Cassia County to be used from Mar. 1 to Nov. 30 for irrigation purposes of 80 acres within the N $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, Twp. 12S, Rge. 25E., B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before July 1, 1977.

C. Stephen Alfred
Director

Published in the South Idaho Press on
June 14, 21, 1977.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

June 2, 1977

South Idaho Press
Box 190
Burley, ID 83318

RE: Application For Permit No. 45-7311-Tom & Terry Asher
" " " " 45-7310-O'Deen K. & Darla D. Redman

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sm

Enclosures