

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 45-07150

Priority: August 17, 1973

Maximum Diversion Rate: 6.20 CFS

Maximum Diversion Volume: 1258.8 AF

This is to certify, that MICHAEL WAYNE CRANNEY

OAKLEY ID 83346 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 17, 1973; and has submitted Proof of Beneficial Use on September 2, 1981. An examination indicates that the works have a diversion capacity of 6.650 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	6.20 CFS	1256.0 AF
STOCKWATER	11/01 to 04/01	0.11 CFS	2.8 AF
	Totals	6.20 CFS	1258.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 1, Township 13S, Range 21E
CASSIA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
12S	22E	17	NENE 39	NWNE 39	SWNE 40	
			SENE 40	NENW 39	NWNW 38	
			SWNW 39	SENW 40		314
						Total number of acres irrigated: 314

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
12S	22E	17
		NWNE
		SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, applicable Idaho law.

JUL 26 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 45-07150

CONDITIONS/REMARKS:

5. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
6. This right uses the same well as Right 45-07055 and when combined with Right 45-07055 shall not exceed a diversion rate of 6.65 cfs nor provide more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 15TH day of JUNE, 1994.

Acting for


R. Keith Higginson, Director

JUL 26 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Michael Wayne Cranney
of (address) Oakley, Idaho 83346, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 45-7150, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE ¼ NE ¼, Section 1, Township 13S, Range 21E, B.M.,
County of Cassia. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 6.2 for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre feet per annum)

Amount .12 for stock purposes from Oct 15 to Mar 15 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)


3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	22E	17	40	40	40	40	40	40	40	40									320

Total number of acres to be irrigated = 320

4. a. Who owns the property at the point of diversion? applicant
b. Who owns the land to be irrigated or the place of use? applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

B 0 0 3 3 E



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, this 28 day of March, 19 80.

Michael W. Crarney
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by ADM Fee = \$20.00

Received by TWB Date 3-28-80 # 17172

Publication prepared by Mary Date 4/10/80

Published in South Idaho Press

Publication dates 4/22 & 4/29/80

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Chief, Operations Bureau of the Department of Water Resources hereby

APPROVE the above referenced Amendment for Permit No. 45-7150 with the

condition that an access port or other device as specified by the Department

shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 22nd day of May, 19 80.

L. Glen Saxton

RECEIVED

4. Remarks _____

I hereby assert that no one will be injured by such change and the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

(Signature of applicant)

Subscribed and sworn to before me this _____ day of _____, 19 ____.

(Notary public)

My commission expires _____


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____
and said application is hereby _____, subject to the following limitations and conditions:

Witness my hand this _____ day of _____, 19 ____.

FOR DEPARTMENT USE ONLY

Received by _____	Date _____	Protest filed by _____
Prelim. check by _____	Fee _____	_____
Receipted by _____	Date _____	_____
Published in _____		Copies of protest forwarded by _____
Pub. dates _____		Hearing held by _____ Date _____



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, this 28 day of March, 19 80.

Michael W. Brannery
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by ADM Fee = \$20.00

Received by TAB Date 3-28-80 # 17172

Publication prepared by Mary Date 4/10/80

Published in South Idaho Press

Publication dates 4/22 & 4/29/80

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Chief, Operations Bureau of the Department of Water Resources hereby

APPROVE the above referenced Amendment for Permit No. 45-7150 with the

condition that an access port or other device as specified by the Department

shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 22nd day of May, 19 80.

L. Glen Saxton


RECEIVED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Range 21 E.

Range 22 E.



SCALE: 2 inches equal 1 mile. Draw plan in ink.

The 20" hole has been tested twice,

At 940' estimated to flow at 40"

At 1670' estimated to flow at 50"

Presently the static water level is at 472'

To get the 50" of water you have to pump at 600; which is uneconomical at this time.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 45-7150

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources

Michael W. Cranney of Oakley, Idaho
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 45-7150.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before September 1, 19 78.

That he has heretofore performed the following work described under said permit: Commenced drilling a 20" well to a depth of 1835 feet. The well will only pump 50" at a lift of 560 feet so we would like to develop the well to increase the feasibility of pumping it. The well ended up in a caving clay formation so we need to get a larger rig than Rex Weech's to set pipe and deepen it. We are now waiting on another driller costing \$ 38,000.00 to complete the well. The well is uneconomical to pump at this time.

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: We have not been able to get a driller to do the work because of a shortage of drillers. The depth of the well has made it hard to find a driller.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to September 1, 19 83.

Michael Cranney
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit proof of beneficial use of water is extended to September 1, 1983.

Signed this 22 day of August, 19 78.

Billy D. Flannery
Chief, Regional Office Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Twin Falls)

Permit No. 45-7150

Michael Wayne Cranney of Oakley, Idaho
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 45-7150.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before September 1, 19 78.

That he has heretofore performed the following work described under said permit:
Commenced drilling a 20" well to a depth of 183.5 feet. At that depth
a caving clay formation which will require a liner was reached. The well
rig was removed because it wasn't big enough to hang the liner. A larger
well rig has not been found to do the work as yet. Costing \$ 38,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Difficulty in time factor for arranging for
larger well rig because of extreme depth of well and to
the recent demand for well drillers because of the drought.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to September 1, 19 83.

Michael Cranney
(signature) *

Subscribed and sworn before me this 11 day of May, 19 77.

seal

[Signature]
Notary Public residing at
Hauser

My commission expires 2/22/81

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
IT IS HEREBY ORDERED that the above application for extension of time be _____

Witness my hand this _____ day of _____, 19 ____.

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

* See Attached Sheet

Application For Extension

Supplemental Sheet

45-7150

The 20" hole has been tested twice,


At 940' estimated to flow at 40"

At 1670' estimated to flow at 50"

Presently the static water level is at 472'

To get the 50" of water you have to pump at 600; which is uneconomical at this time.

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at TWIN FALLS, this 8 day of JAN, 19 76
Michael Wayne Cronney
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, R. KEITH HIGGINSON, Director of the Department of Water Resources
hereby approve the foregoing application for amendment for Permit No. 45-7150 subject
to the condition that the maximum rate of diversion and volume per year shall not exceed
0.02 cfs / 4.0 acre feet (per acre) when combined with License No. 20494/45-2260.

Witness my hand this 27 day of February, 19 76.

R. Keith Higgins
Director

Identification No. _____

Application No. 45-7150

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Michael WAYNE CRANNEY
post office address OAKLEY, Idaho 83346
2. Source of water supply well which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 36 Township 12S
Range 21E B.M. CASSIA County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 6.2 for IRRIGATION purpose from MARCH 15 to OCT 15 (both dates inclusive)
(cfs or acre-feet per annum)

per tel. 8-21-73 Amount NOT 6.2 for Stock Water purpose from OCT 15 to MARCH 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .12 cfs for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 6.2 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Propose Sprinkler
System with mainline under ground. Two
CIRCLE SPRINKLER ON HAND LINES

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 20-24 inches; proposed depth of well is 1200 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 20,000.

8. Description of proposed uses:

- a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ ~~of~~ SW $\frac{1}{4}$ of Section 36 Township 12S
Range 21E B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.


(3) List number of each kind of livestock to be watered CATTLE - 400 - 500

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

45 7150

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael Wayne Crasney
(Applicant)

45 7150

Proposed Priority 8-17-1973

Received by jmm Date 8-17-73 Time 2:15 pm

Preliminary check by KOF Fee \$ 85.00

KOF Received by jmm Date 8-17-73 # 10991

Publication prepared by jmm Date 8-21-73

Published in South Idaho Press

Publication dates 8-28 & 9-4-73

Publication approved jmm Date 9-7-73

Priority ~~reduced to~~ 8-17-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W JDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7150, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1978.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19th day of September, 1973.

P. Keith Higgins
Director

76-14

LEGAL NOTICE

Notice is hereby given that on September 19, 1973, Permit No. 45-7150 was issued to Michael Wayne Cranney of Oakley, Idaho, for the diversion of 6.2 cfs from a well, point of diversion within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 12S., R. 21E, B.M. Cassia County, to be used for irrigation of the SW $\frac{1}{4}$, SE $\frac{1}{2}$, Sec. 36, T. 12S, R. 21E, B.M.

The permit holder now proposes to amend said permit and request that the point of diversion be changed to the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E, Cassia County, and the place of use be the SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E. B.M. NW $\frac{1}{4}$ -NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 9, T. 13S, R. 21E. B.M.

Any protest against the amending of this permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, on or before January 30, 1976.

R. Keith Higginson
Director

Department of Water Resources
Published in the South Idaho Press
on Jan. 13 and Jan. 20, 1976.

Proposed Priority 8-17-1973

Received by jmm Date 8-17-73 Time 2:15 pm

Preliminary check by KOF Fee \$ 85.00

KOF Received by jmm Date 8-17-73 # 10991

Publication prepared by jmm Date 8-21-73

Published in South Idaho Press

Publication dates 8-28 & 9-4-73

Publication approved jmm Date 9-7-73

Priority ~~reduced to~~ 8-17-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KOF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7150, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1978.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19th day of September 1973.

P. Karl Higin
Director

January 9, 1976

South Idaho Press
Box 190
Burley Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:rjn

Bill submitted: _____

Notice is hereby given that on September 19, 1973, Permit No. 45-7150 was issued to Michael Wayne Cranney of Oakley, Idaho, for the diversion of ~~6.2~~ dcfs from a well, point of diversion within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 12S., R. 21E, B.M. Cassia County, to be used for irrigation of the SW $\frac{1}{4}$, SE $\frac{1}{2}$, Sec. 36, T. 12S, R. 21E, B.M.

The permit holder now propose to amend said permit and request that the point of diversion be change to the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec, 4, T.13S, R. 21E, Cassia, County, and the place of use be the S $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E.B.M. NW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 9, T. 13S. R. 21E.B.M.

Any protest against the amending of this permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, on or before January 30, 1976.

R. Keith Higginson
Director, Department of Water Resources

Published in the South Idaho Press on Jan 13 and Jan. 20 .

Published in the South West Press on Jan 13

4187

990* 50

DIRECTOR, DEPARTMENT OF MARINE RESOURCES
P. O. BOX 11000

ON OF BEFORE JANUARY 30TH 1978.

DEPARTMENT OF APPLIED GEOLOGY

PHIL BLOOMER 9491022 THE SINGING

INSTRUMENT NUMBER 260 6 1 132

921 70 0069 and 922 70 0069

FIG 20107 OF 2146210N PS CPSI

106 DECEMBER 1968

B*W*

092219 COMBLY TO BE 0269 101

FROM A REPLY TO ONE OF QUAGLIA

122050 TO MICROFILM READING CLERK

NOTICE IS HEREBY GIVEN THAT

LEGAL NOTICE

Notice is hereby given that on September 19, 1973, Permit No. 45-7150 was issued to Michael Wayne Cranney of Oakley, Idaho, for the diversion of 6.2 cfs from a well, point of diversion within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 36, T. 12S., R. 21E, B.M. Cassia County, to be used for irrigation of the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M.

The permit holder now proposes to amend said permit and request that the point of diversion be changed to the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E, Cassia County, and the place of use be the SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E, B.M. NW $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E, B.M. NW $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, T. 13S, R. 21E, B.M.

Any protest against the amending of this permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, on or before January 30, 1976.

R. Keith Hightinson
Director
Department of Water Resources
Published in the South Idaho Press
on Jan. 13 and Jan. 20, 1976.

76-14

LEGAL NOTICE

Notice is hereby given that on September 19, 1973, Permit No. 45-7150 was issued to Michael Wayne Cranney of Oakley, Idaho, for the diversion of 6.2 cfs from a well, point of diversion within the SE1/4SE1/4, Sec. 36, T. 12S., R. 21E, B.M. Cassia County, to be used for irrigation of the SW1/4, SE1/4, Sec. 36, T. 12S, R. 21E, B.M.

The permit holder now proposes to amend said permit and request that the point of diversion be changed to the SW $\frac{1}{4}$ /SW $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E, Cassia, County, and the place of use be the SW $\frac{1}{4}$, NW $\frac{1}{4}$ /SE $\frac{1}{4}$, SW $\frac{1}{4}$ /SE $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E. B.M. NW $\frac{1}{4}$ -NW $\frac{1}{4}$, NE $\frac{1}{4}$ /NW $\frac{1}{4}$, Sec. 9, T. 13S, R. 21E. B.M.

Any protest against the amending of this permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, on or before January 30, 1976.

R. Keith Higginson
Director

Department of Water Resources
Published in the South Idaho Press
on Jan. 13 and Jan. 20, 1976.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 16, 1994

MICHAEL WAYNE CRANNEY
OAKLEY ID 83346

RE: WATER RIGHT NO. 45-07150

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUL 26 1994

RECEIVED
DEC 02 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 45-7150

1. Owner: Mike Cranny

Phone No. _____

Current Address: Oakley, ID 83346

2. Accompanied by: Mr. Cranny

EXAM. DATE: 5-3-1982

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: 45-7055

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

JUL 26 1994

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, motor, pump, open discharge to concrete ditch running about 4 miles to P/U.
2 pivots with handlines for corners. Discharge into pond for stock use.

Stock use for 500 cattle.

Period of use for stock is slightly different from what is on permit.

This is a re-write of the original exam, which was lost in Boise.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P/U	GE	500	JMT 922022	Lyne & Bowler	no tag
re-lift pump	U.S. Motors	125	C1005906	" "	D27365

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	41		NE	NE	1	13S	21E	Cassia	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12S	22E	17	39	39	40	40	39	38	39	40									3/4
				S	S														

Do not use this space

JUL 26 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar						
Eagle Eye Meter						

2. Measurements:

Measure 27" pressure = 2883 gpm = ⁶⁵ 6.2 cfs, Allow 6.2 cfs applied for.

Allow 0.11 cfs for stock. 500 hd x .00022 cfs/hd = 0.11 cfs.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3/4 \times 4.0 = 1256 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1256 \text{ AFA}$

2. Volume Calculations for Other Uses:

$500 \text{ hd} \times 12 \text{ gpd/hd} \times 151 \text{ days/ann} = 2.8 \text{ AFA}$

MEASURED

JUL 26 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

[illegible]

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	6.2	1256
Livestock	11-1	4-1	0.11	2.8
		Totals:	6.2	1258.8

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date 4/10/91
Field Report Preparation Date 9-21-87




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

1990


JUL 26 1994

th Range (N^o 21 East Boise Meridian




This same well also serves other lands. Condition license not to ~~exceed~~ ^{exceed} 6.43 cfs for all lands watered from this well.

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: lot 1
(NE 1/4 NE 1/4) Sec. 1 T. 18S R. 21E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
18S	22E	17	39	39	40	40	39	39	39	40									314
				X	X														

X = stock use

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☐ None

☒ Other

period of use for livestock

Examiner's Signature _____

Checked by _____

Approved by _____

Date _____

Date _____

Date _____

JUL 26 1994

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: J. E. Stanton Date 5-3-1982
Owner: Mike Cragney Permit No. 45-7150

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____
T = Pipe Thickness in Inches = _____
ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots 12''$

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 12''
State ID No. 10844

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.99

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = _____
Low Reading = _____
High - Low = H = 27''

CALCULATION OF DISCHARGE IN CFS (Q)


$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$



2986 gpm

$$Q = \frac{(12)^2 (\sqrt{27}) (3.99)}{448.8} = 6.65 \text{ CFS}$$

SKETCH (If not shown on Field Report)

JUL 26 1982






ROAD CLASSIFICATION

Medium-duty


Light-duty

36 7.8 37 128.0 38 14.5 39 526.2 40 5.8 41 8.9


17 1303 1 6.1 2 5.4 3 3.8 4 17 6.3



5 2.2 6 132.8 7 10.0 8 11.5 9 33.9 10 12.0



11 4.0 12 132.7 13 5.8 14 7.4 15 125.5 16 6.1



Well & pump
looking north,
Line north of
mainline discharges
into canal.




Additional view of
mainline.



45-7150

JUL 26 1994


Left side
of the
main discharge
into pond.



Left side of
mainline.




Additional view
of mainline



Discharge into
canal east of
well,

JUL 26 1994


Additional View
of mainline



Discharge into
canal east of
well




45-7/50



NE 1/4 Sec. 17



Pond & re-lift pump



NW 1/4 Sec. 17

JUL 26 1994

45-7150

NE 1/4 Sec. 19



Pond & re-lift pump




NW 1/4 Sec. 19



JUL 26 1994

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: Lot 1 Sec. 1 T. 13S R. 21E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
13S	22E	11	33	37x	40x	40	37	39	37	40									359

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

JUL 26 1994

Examiner's Signature James E. Stanton
Checked by Allen D. Merrill
Approved by _____

Date 5-10-82
Date 12/4/82
ate _____

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: J. P. Stanton

Date 5-3-1982

Owner: Granny Farms

Permit No. 45-7150

Description of well &/or measuring site (give distance to restrictions upstream and downstream): Access point 1' below well.

Measured inside diameter of pipe in inches (A) _____

Size of Annubar used in test 12

State ID# of Annubar Meter used _____

Size Eagle Eye Meter used 10-80"

State ID# of Meter used 091474

Date of Last Calibration of Meter Spring 1982

Observed inches of H2O read on Meter 27


Adjusted inches of H2O from Last Calibration (B) 27

CALCULATION: $\frac{(3.85) \times (A) \times (B)}{448.8} = 1.012$ 6.50 cfs measured

correction factor

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.

SKETCH:





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

September 10, 1981

Michael Wayne Cranney
Oakley,
Idaho 83346

Re: Permit No. 45-7150

Dear Mr. Cranney:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 45-7150.

Name(s) of Permit Holder: Michael Wayne Cranney

Post Office Address: Oakley, ID

Tel. No. 862-3480

Source of Water: Groundwater

Extent of Use:

☐ Domestic		(number of households)
☒ Stockwater	<u>400</u>	(number and type of stock)
☒ Irrigation	<u>320</u>	(acres)
☐ Other		

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9-2-81

Date

Michael Cranney
Signature of Permit Holder

RECEIVED

SEP 2 1981

Department of Water Resources
Southern District Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

SEP 3 1981

RECEIVED

PLACE
TEN CENT
STAMP
HERE

May 22, 1980

Michael Wayne Cranney
Oakley,
Idaho 83346

Dear Mr. Cranney,

RE: Permit No. 45-7150

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Shelley Shopper being first
duly sworn, deposes and says that *She* is the

Clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for *Five*
consecutive weeks, commencing with the issue

dated *April 22* 19*80*, and ending

with the issue dated *April 29*, 19*80*.

Shelley Shopper

Subscribed and sworn to before me

this *29th* day of *April*

19*80*.

Thomas M. Peterson Notary Public

Cost of Publication *11.89*

Notary Fee

Total Cost *11.89*

NOTARY PUBLIC RESIDING AT
RUPERT, IDAHO. MY COMMISSION
EXPIRES JUNE 21, 1981

sk many 4/30/80

88-158

**NOTICE OF AMENDMENT TO
A WATER PERMIT
NO. 45-7150**

Notice is hereby given that Michael Wayne
Cranney is the holder of approved permit No. 45-
7150 authorizing the diversion of 6.2 cubic feet
per second of water from groundwater in the
SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T.13S R.21E, County of
Cassia, to be used for irrigation and stock (on 320
acres) within SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 4; N $\frac{1}{2}$ NW $\frac{1}{4}$,
Sec. 9, T.13S, R.21E.

The permit holder has applied to the Department
of Water Resources for an Amendment to the
permit, to change the Point of diversion and place
of use as follows:

Point(s) of Diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T.13S,
R.21E, B.M., County of Cassia, Place of Use:
NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 17, T.12S, R.22E, County of
Cassia.

Any protest against approval of the amending of
Permit No. 45-7150 as set forth above must be
filed with the Idaho Department of Water
Resources, 1041 Blue Lakes Blvd. North, Twin
Falls, Idaho, 83301, on or before May 9, 1980.

C. STEPHEN ALLRED
Director

Published in the South Idaho Press on April 22,
1980.

RECEIVED

APR 29 1980

Idaho Department of Water Resources
Twin Falls, Idaho 83301

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
STATE OF IDAHO) ss.

Shelley Shapiro being first
duly sworn, deposes and says that *She* is the

owner of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for *June*
consecutive weeks, commencing with the issue
dated *April 22*, 19*80*, and ending
with the issue dated *April 29*, 19*80*.

Subscribed and sworn to before me
this *29th* day of *April*

19*80*.

Thomas M. Peterson Notary Public

Cost of Publication *11.80*

Notary Fee *80*

Total Cost *12.60*

NOTARY PUBLIC RESIDING AT
RUPERT, IDAHO. MY COMMISSION
EXPIRES JUNE 21, 1981

80-158

**NOTICE OF AMENDMENT TO
A WATER PERMIT
NO. 45-7150**

Notice is hereby given that Michael Wayne
Cranney is the holder of approved permit No. 45-
7150 authorizing the diversion of 6.2 cubic feet
per second of water from groundwater in the
SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T.13S R.21E, County of
Cassia, to be used for irrigation and stock (on 320
acres) within SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 4; N $\frac{1}{2}$ NW $\frac{1}{4}$,
Sec. 9, T.13S, R.21E

The permit holder has applied to the Department
of Water Resources for an Amendment to the
permit, to change the Point of diversion and place
of use as follows:

Point(s) of Diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T.13S,
R.21E, B.M., County of Cassia, Place of Use:
NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 17, T.12S, R.22E, County of
Cassia.

Any protest against approval of the amending of
Permit No. 45-7150 as set forth above must be
filed with the Idaho Department of Water
Resources, 1041 Blue Lakes Blvd. North, Twin
Falls, Idaho, 83301, on or before May 9, 1980.

C. STEPHEN ALLRED

Director

Published in the South Idaho Press on April 22,
29, 1980.

*de
maye 4/30/80*

RECEIVED

1980

APR 29

NOTICE OF AMENDMENT TO A WATER PERMIT

NO. 45-7150

Notice is hereby given that Michael Wayne Cranney is the holder of approved permit No. 45-7150 authorizing the diversion of 6.2 cubic feet per second of water from groundwater in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T.13S R. 21E,

County of Cassia, to be used for irrigation and stock (on 320 acres) within SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 4; N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 9, T.13S, R.21E

The permit holder has applied to the Department of Water Resources for an Amendment to the permit, to change the Point of diversion and place of use as follows:

Point(s) of Diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T.13S, R.21E, B.M., County of Cassia

Place of Use: NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 17, T.12S, R.22E, County of Cassia

Any protest against approval of the amending of Permit No. 45-7150 as set forth above must be filed with the Idaho Department of Water Resources 1041 Blue Lakes Blvd. North, Twin Falls, Idaho, 83301, on or before May 9, 1980.

C. STEPHEN ALLRED
Director

Published in the South Idaho Press
on April 22 AND April 29, 1980.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

April 10, 1980

South Idaho Press
Box 190
Burley, Idaho 83318

Re: Notice of Proposed Change of Water Right No. 45-0516, No. 45-7242, No. 2431
No. 45-7150 - Notice of Amendment to a Water Permit

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Mary A. Hill
Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

August 23, 1978

Re: Permit No. 45-7150

Michael W. Cranney
Oakley,
Idaho 83318

Dear Mr. Cranney:

Enclosed is a copy of the Order modifying the measuring device requirement on your permit. Also enclosed is the approved extension of time request. Please note that the time within which to submit proof of beneficial use has been extended to September 1, 1983.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enc.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

June 30, 1978

Re: Permit No. 45-7150

138830

Michael Wayne Cranney
Oakley,
Idaho 83318

Dear Mr. Cranney:

One of the conditions of approval of your water Permit No. 45-7150 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK
Water Rights

1: Proof affidavit

MICROFILM

May 17, 1977

Re: Permit No. 45-7150

Michael Wayne Cranney
Oakley,
Idaho 83318

Dear Mr. Cranney:

We have received your request for an extension of time, however, we are returning that request as we feel it is being filed prematurely.

Proof of beneficial use on Permit No. 45-7150 is not due until September 1, 1978. Sixty (60) days prior to that date, the Department will notify you that proof of beneficial use of water is due. If at that time you still wish to file for an extension of time, please do not hesitate to do so.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:JFR

RECEIVED
MAY 17 1977

WELL DRILLER'S REPORT

FEB 16 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Southern District Office

1. WELL OWNER

Name CRANNEY BROTHERS, INC.
Box 781
Address BURLEY, IDAHO 83318
Owner's Permit No. 45-7150

7. WATER LEVEL

Static water level 471 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 19 inches Total depth 1800 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>20 AD.</u> inches	<u>1</u> feet	<u>223'8"</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 80 Material used in seal ☐ Cement grout☒ Pudding clay ☒ Well cuttingsSealing procedure used ☐ Slurry pit ☐ Temporary surface casing☒ Overbore to seal depth

6. LOCATION OF WELL

Each map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County CASSIASW 1/4 SW 1/4 Sec. 4, T. 13S N/S, R. 21E EW

10.

Work started 6/3/76 finished 2/10/77

11. DRILLERS CERTIFICATION

Firm Name WEECH WELL DRILLING Firm No. 210Address 632 E 42ND
BURLEY, IDAHO 83318 Date 1/14/77Signed by (Firm Official) Don A. Weech

and

(Operator) _____

March 1, 1976

Re: Permit No. 45-7150

**Mr. Michael Wayne Cranney
Oakley,
Idaho 83346**

Dear Mr. Cranney:

Enclosed is a copy of the approved application for amendment in connection with the above referenced permit.

We direct your attention to the condition of approval of this amendment. Also enclosed, for your records, is a copy of License 20494/45-2260.

Sincerely,

**BOBBY D. FLEENOR
Chief, Water Rights**

**BDF:DR
Enc: Copy of amendment
Copy of Lic 45-2260**

cc: Southern Regional Office

SOUTH IDAHO PRESS
BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)

) ss.

STATE OF IDAHO)

Zelma Stevenson being first
duly sworn, deposes and says that *she* is the
bookkeeper of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for 2
consecutive weeks, commencing with the issue
dated January 13 1976, and ending
with the issue dated January 20, 1976.

Zelma Stevenson
Subscribed and sworn to before me
this 21st day of January
1976.

Edith Ravatell Notary Public

Cost of Publication 10.85

Notary Fee _____

Total Cost _____

My Commission expires October 23, 1979

RECEIVED

JAN 22 1976

Department of Water Resources
Southern District Office



SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

..... being first

duly sworn, deposes and says that he is the

..... of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for consecutive weeks, commencing with the issue dated 1976, and ending with the issue dated 1976.

Subscribed and sworn to before me

this day of

1976.

..... Notary Public

Cost of Publication 10.55

Notary Fee

Total Cost

My Commission expires October 23, 1979

76-14

LEGAL NOTICE

Notice is hereby given that on September 19, 1973, Permit No. 45-7150 was issued to Michael Wayne Cranney of Oakley, Idaho, for the diversion of 6.2 cfs from a well, point of diversion within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 12S., R. 21E, B.M. Cassia County, to be used for irrigation of the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M.

The permit holder now proposes to amend said permit and request that the point of diversion be changed to the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E, Cassia, County, and the place of use be the SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 13S, R. 21E. B.M. NW $\frac{1}{4}$ -NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 9, T. 13S, R. 21E. B.M.

Any protest against the amending of this permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, on or before January 30, 1976.

R. Keith Higginson
Director

Department of Water Resources
Published in the South Idaho Press
on Jan. 13 and Jan. 20, 1976.

September 24, 1973

Re: Permit No. 45-7150

Mr. Michael Wayne Cranney
Oakley,
Idaho 83346

Dear Mr. Cranney:

Enclosed is a copy of your approved Application for Permit No. 45-7150. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

45 7150

August 21, 1973

RE: Application No. 45-7150 - Michael Wayne Cranney

South Idaho Press
Box 190
Burley, ID 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct,
that the amount claimed is legally due, after allowing all just
credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:jmm

Enc.: Legal Notice

45 7150

OK jmm 8-24-73

73-274

NOTICE OF APPLICATION FOR
WATER PERMIT

Notice is hereby given that Michael Wayne Cranney Oakley, ID has on August 17, 1973 submitted Application No. 45-7150 for a permit to appropriate 6.2 cubic feet per second of water from groundwater by means of sprinkler systems within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M., Cassia County to be used from Oct. 15 to Mar. 15 for stockwater, and from Mar. 15 to Oct. 15 for irrigation of 320 acres within the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before September 14, 1973.

R. KEITH HIGGINSON

Director

Published in the South Idaho Press on August 28 and September 4, 1973.

45
7150

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)

) ss.

STATE OF IDAHO)

Ruth Chambers, being first

duly sworn, deposes and says that He is the

Bookkeeper of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for 2

consecutive weeks, commencing with the issue

dated August 28, 1973 and ending

with the issue dated September 4, 1973.

Ruth Chambers

Subscribed and sworn to before me

this 6th day of September

1973.

Edith Rautsch Notary Public

Cost of Publication 11.90

Notary Fee

Total Cost

My commission expires October 23, 1975

73-274

Michael Wayne Cranney

Notice is hereby given that Michael Wayne Cranney Oakley, ID has on August 17, 1973, submitted Application No. 45-7150 for a permit to appropriate 6.2 cubic feet per second of water from groundwater by means of sprinkler systems within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M., Cassia County to be used from Oct. 15 to Mar. 15 for stock water and from Mar. 15 to Oct. 15 for irrigation of 320 acres within the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before September 14, 1973.

R. KEITH HIGGINSON

Director

Published in the South Idaho Press on August 28 and September 4, 1973.

45 7150

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Ruth Harrison being first

duly sworn, deposes and says that he is the

Franklin of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for *2*

consecutive weeks, commencing with the issue

dated *August 28* 19 *73* and ending

with the issue dated *September 4* 19 *73*

Ruth Harrison

Subscribed and sworn to before me

this *6th* day of *September*

19 *73*

Edith Raustadt Notary Public

Cost of Publication *11.90*

Notary Fee

Total Cost

My commission expires October 23, 1975

73-274

**NOTICE OF APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Michael Wayne Cranney Oakley, ID has on August 17, 1973, submitted Application No. 45-7150 for a permit to appropriate 6.2 cubic feet per second of water from groundwater by means of sprinkler systems within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M., Cassia County to be used from Oct. 15 to Mar. 15 for stock-water, and from Mar. 15 to Oct. 15 for irrigation of 320 acres within the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before September 14, 1973.

R. KEITH HIGGINSON

Director

Published in the South Idaho Press on August 28 and September 4, 1973.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Michael Wayne Cranney
Oakley, ID
has on August 17, 1973 submitted Application No. 45-7150
for a permit to appropriate 6.2 cubic feet per second ~~acre feet per annum~~
of water from groundwater
by means of sprinkler systems
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M., Cassia County

to be used from Oct. 15 to Mar. 15 for stockwater, and from Mar. 15 to Oct. 15
for irrigation of 320 acres

within the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 36, T. 12S, R. 21E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before September 14, 1973.

R. KEITH HIGGINSON
Director

Published in the South Idaho Press
on August 28 and September 4, 1973

August 21, 1973

RE: Application No. 45-8150

Mr. Michael Wayne Cranney
Oakley, Idaho
83346

Dear Mr. Cranney:

Enclosed is your Receipt No. 10991 for Check No. 92-139 in the amount of \$35.00 for the above referenced application for permit which was received in our office on August 17, 1973.

Very truly yours,

Janet M. Messersmith
Secretary

45 7150