

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 45-7137 Priority May 24, 1973 Amount 3.43 cfs

THIS IS TO CERTIFY, that Ore-Ida Foods, Inc.
of Burley, Idaho, has complied with the terms and conditions of Permit
No. 45-7137 issued pursuant to Application for Permit dated May 24, 1973,
and has submitted proof to the Department of Water Resources on June 9, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.43 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Industrial</u>	<u>from January 1 to December 31</u>	<u>at 3.43 cfs and</u>	<u>884.5 acre feet</u>
_____	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	_____
_____	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	_____

(both dates inclusive)

Subject, however, to the condition that no more than 3.43 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
884.5 acre feet per year, said waters to be diverted within the Government Lot 1 (SW $\frac{1}{4}$ SE $\frac{1}{4}$),
Section 23, Twp. 10S, Rge. 22E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10S	22E	23																	

Total number of acres irrigated _____

Industrial use is for potato processing.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
January _____, 19 83.


Director

STATE OF IDAHO

RECEIVED

Licensing
APPLICATION FOR AMENDMENT OF A PERMIT
DEC 2 1962
Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now Ore-Ida Foods, Inc. Phone _____
of (address) P.O. Box 10, Burley, ID 83318, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 45-7137, and requests that the permit and permit map be changed as follows:

Government Lot 1
1. Point of diversion: (SW ¼ SE ¼) Section 23, Township 10S, Range 22E, B.M.,
County of Cassia. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 3.43 for industrial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	22E	23															GL 1 X		

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? _____
b. Who owns the land to be irrigated or the place of use? _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

Show 40-acre subdivisions, townships, ranges and ditches.

[illegible]

WALSH

Identification No. _____

Application No. 45-7137

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Ore-Ida Foods, Inc. Burley, Idaho
post office address Post Office Box 10 Burley, Idaho 83318
2. Source of water supply Ground Water which is a tributary of NA
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 23 Township 10S
Range 22E B.M. Cassia County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into Snake River at a point in SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 23 Township 10S Range 22E B.M. Cassia
4. Water will be used for the following purposes:
Amount 5 CFS for Industrial purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 5 C.F.S. cubic feet per second and/or
b. NA acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. This will be a 350 hp electric motor with sized pump to deliver water through a 12" pipe line to two plants for industrial use and used as a continuous feed year round.
- b. Height of storage dam None feet, active reservoir capacity None acre feet; total reservoir capacity None acre feet, materials used in storage dam: None
Period of year during which storage will occur None to None inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 20 inches; proposed depth of well is 1,000 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$50,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 10S
Range 22E B.M.
(2) Amount of power to be generated: None hp under None feet of head.
(3) List number of each kind of livestock to be watered None
(4) Name of municipality to be served None, or number of families to be supplied with domestic water None.
(5) If water is to be used for other purposes describe: To be used for processing potatoes into different frozen potato food products.

45 7107

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated None

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Ore-Ida Foods, Inc.


b. Who owns the land to be irrigated or place of use Ore-Ida Foods, Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R22E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank A. Hume
(Applicant)
Vice Pres. Operations
45 7137

Received by jm Date 5/24/73 Time 2:45 PM 713
Preliminary check by KOF Fee \$ 65.00 fee 100
Receipted by jm Date 5/24/73 # 10891
KOF Publication prepared by jmm Date 5-30-73
Published in South Idaho Press
Publication dates 6-5 & 6-12-73
Publication approved jmm Date 6-18-73
Priority ~~reduced~~ 5-24-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by N BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7137, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 78.
- c. Other: Return water shall be treated to insure that the effluent meets intrastate stream water quality standards. A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 2nd day of July 1973.


Deputy Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	KDF	5-25-73	Application No. <u>45-7137</u> Name <u>Ore-Ida Foods, Inc.</u>
(2)	KDF	5-25-73	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/T ☒ Place of Use ☐ Map ☐ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	KDF	5-25-73	In form for advertising _____
(6)	jmm	6-18-73	Affidavit of Publication received _____
(7)			Final date for protests <u>June 25, 1973</u> Protests received: yes _____ no ☒
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)			Critical groundwater area: yes _____ no _____
(11)			Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(12)			Comments: _____
(13)			Action recommended: ☒ Approve ☐ Deny Reason for Reduction <u>No fee first time</u> See attached sheet for conditions of approval <u>See attached sheet</u> No conditions for approval
(14)			District <u>Southern</u> By <u>Bob Haynes</u> Date <u>6-25-73</u> Title <u>Dist Engr</u>

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☒ Return water shall be treated to insure that the effluent meets ~~(interstate)~~ intrastate stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: _____

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Ruth Chambers, being first

duly sworn, deposes and says that She is the

Bookkeeper of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for 2

consecutive weeks, commencing with the issue

dated June 5 1973, and ending

with the issue dated June 12, 1973.

Ruth Chambers

Subscribed and sworn to before me

this 16th day of June

1973.

Edith Raustadt Notary Public

Cost of Publication 11.55

Notary Fee

Total Cost

My commission expires October 23, 1975

73-177

**NOTICE OF APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Ore-Ida Foods, Inc. P.O. Box 10, Burley, ID has on May 24, 1973 submitted Application No. 45-7137 for a permit to appropriate 10 cubic feet per second of water from a groundwater source by means of a pump to deliver water through a 12" pipe line within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 23, T. 10S, R. 22E, B.M. Cassia County to be used from Jan. 1 to Dec. 31 for Industrial use within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 23, T. 10S, R. 22E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Bo Boulevard North, Twin Falls, Idaho, 83301 on or before June 12, 1973.

Robert HIGGINSON
Director

Published in the South Idaho Press on June 5 and June 12, 1973.

45 711

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss
STATE OF IDAHO)

Keith Vanhook being first

duly sworn, deposes and says that she is the

Bookkeeper of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for 2
consecutive weeks, commencing with the issue

dated *June 5* 1973 and ending

with the issue dated *June 12* 1973.

Keith Vanhook

Subscribed and sworn to before me

this *16th* day of *June*

1973.

Edith Faustett Notary Public

Cost of Publication *11.55*

Notary Fee

Total Cost

My commission expires October 23, 1975

73-177

**NOTICE OF APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Ore-Ida Foods, Inc. P.O. Box 10, Burley, ID has on May 24, 1973 submitted Application No. 45-7137 for a permit to appropriate 5 cubic feet per second of water from a groundwater source by means of a pump to deliver water through a 12" pipe line within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, T. 10S, R. 22E, B.M., Cassia County to be used from Jan. 1 to Dec. 31 for Industrial use within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T. 10S, R. 22E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 25, 1973.

R. KEITH HIGGINSON

Director

Published in the South Idaho Press on June 5 and June 12, 1973.

INTER-DEPARTMENT MEMO — 1

DATE 1/27/83

FROM Allen Mewitt

TO File

SUBJECT On 1/25/83 I met with LeRoy Klamm to discuss Ore-Idz water rights on their plant in Burley. In reviewing the use and the records we concluded that the attached map correctly shows the relationship between the wells and water rights. I left Mr. Klamm a transfer form to possibly tie the red wells and rights together for they are all connected together in one common system. The black well is separate and is used at the A & P plant which is owned by Ore-Idz but the plant is not used.

ADM

SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM

Polyn

TO

File

DATE


3/31/83

SUBJECT

Note: This exam was received 3-25-1983, after the license was issued. The c/s amount, P/O \$ P/O are the same.


SIGNATURE

Ore-Ida Complex





Plant #1

P.D.

A49

A41


A558

A397

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Lot 1

Point(s) of diversion: (SW 1/4 SE 1/4) Sec. 23 T. 10S R. 22E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	22E	23												X			X		
													442			441			

Recommended Amendments:

- ☒ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ None
- ☒ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature J F Stanton
 Checked by Allen D. [Signature]
 Approved by _____

Date 7-14-1982
 Date 1/19/83 2/16
 Date _____

INTER-DEPARTMENT MEMO — 1

FROM Dave Tuthill

DATE August 7, 1979

TO Loren Holmes and Gary Funderburg (Southern)

AUG 13 1979

SUBJECT Field Exam for 45-7137

Department of Water Resources
Southern District Office

Attached I am returning all materials related to the field exam including the field report, letter from Ore-Ida concerning well output, and diagram of the potato processing plant.

As we discussed, we will need actual measurement information to substantiate the licensable flow. Note that existing licensed rights on the plant are: 45-2747 (4.0 cfs), 45-2748 (0.6 cfs), 45-2758 (2.08 cfs).

Also note there is another outstanding permit, No. 45-2749. It seems that all exams, etc. were completed on this permit, but no license was issued pending resolution of a wastewater problem (see microfiche). Now would be a good time to resolve this problem.

Dkt

SIGNATURE

RECEIVED

DEPARTMENT OF WATER RESOURCES

FIELD REPORT

JUL 6 1973

1. Name of permit holder Ore-Ida Foods, Inc.
 Post office address P.O. Box 10, Burley, ID Department of Water Resources Southern District Office
 Person to contact E. D. Nelson, Factory Mgr. Phone 678-1013
Dick Hodge - Le Roy Clam
 2. Source of water supply: Groundwater ☒ Surface water ☐ (name spring, stream, etc.)
 Tributary to _____

3. Water will be used for the following purposes:

Amount 5.0 c.f.s. for Industrial
 _____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 45-7137
 Examination for b/c

4. Total amount to be appropriated:

Max Rate of Diversion 5 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 10S N/S, Range 22E E/W, B.M., Section 23, Subdivision SE 1/4 SW 1/4, Cassia County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Other Points of Diversions: _____

Description of diverting works: 200hp motor w/95' G 10" TL Bore
16" casing, 372' deep, 10" pipeline to 2 factories for
indus. use & cont. feeding year round.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>10S</u>	<u>22E</u>	<u>23</u>							X										

TOTAL ACREAGE _____




Diagram of System

RECEIVED
MED

Approved by _____ Date _____

February 16, 1983

RE: Permit No. 45-7137

Ore-Ida Foods, Inc.
P.O. Box 10
Burley, ID 83318

Gentlemen:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 25313 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 19, 1982

RE: Permit No. 45-7137

Ore-Ida Foods, Inc.
P.O. Box 10
Burley, ID 83318

Gentlemen:

A representative of this Department made an examination of the works covered by your Permit No. 45-7137 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 3.43 cfs Source: groundwater

The maximum quantity diverted shall not exceed ^{884.5}~~1768.9~~ acre feet
per year.

Point of diversion: Gov. Lot 1(SW¹SE⁴), Sec. 23, Twp. 10S, Rge. 22E,
Cassia County

Beneficial use: Industrial use for potato processing within the Gov. Lot
1(SW¹SE⁴), Sec. 23, Twp. 10S, Rge. 22E

Priority date established: May 24, 1973

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RE EXAM

45-7137

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:☐ Telephone call made:
(List Telephone No. used)☐ Appointment scheduled for:
(Date, time, location)

10 am 7-8-82

JG

Note: Address is
P.O. Box 10
Burley, ID

EXAMINATION

Date 7-8-1982

Accompanied by Larry Gusterson

Total Q measured

1541

1498 gpm

If source is surface water, estimate total flow of source

Methods of measurement Annular (10.02")

Meets Permit requirements?

✓

Measurement calculations:

Measure 15" pressure = $1498 \text{ gpm} \times 1.027 = 1541 \text{ gpm} / 472 \text{ gpm/cfs} = 3.43 \text{ cfs}$

capacity

Volume: $3.43 \text{ cfs} \times 1.98 \text{ AF/cfs/day} \times 260 \text{ days} = \frac{1768.9}{2} = 884.5 \text{ AF/A}^*$ 5 days/wk $\times$ 52 wks/yr = 260 days/yr = (Assumes 24 HR/DAY OPERATION)

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	200	48 Motor	C2671-00-459	Leister	45509	Engle Eye Meter	Good	meter # 091474

System Description Well, motor, pump, pipeline to processing plant, overflow into Snake River.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

industrial

Irrigation requirement =

AFA/Acre

Q (cfs)
3.43

V (afa)

1768.9

FROM

TO

1-1

12-31

1768.9

884.5 AFA*

Total

Remarks Field exam was done some years ago but water was not measured by a certified engineer or by the Department. This is a re-examination done for that reason. Original exam is missing.

This well is one of several serving this facility. It is separate from all other wells at the Burley One-2 plant, & is not covered by any other water rights.


This well serves Plant #2. Plant operation lasts from 200-250 days per year.

* ALLOW 12 HR/DAY OPERATION Jim

11-20-82

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Lot 1

Point(s) of diversion: (SW 1/4 SE 1/4) Sec. 23 T. 105 R. 22E

Place(s) of Use

TWP.	RGE.	SEC.	NEX				NWX				SWX				SEX				TOTALS
			NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	
105	22E	23															X		
																	111		

Recommended Amendments:

- ☒ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

Examiner's Signature

Checked by


Approved by

J F Stanton

Date 7-14-1982

Date

Date 11-16-82



MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Dave Tuthill

DATE August 7, 1979

TO Loren Holmes and Gary Funderburg (Southern)

SUBJECT Field Exam for 45-7137

Attached I am returning all materials related to the field exam including the field report, letter from Ore-Ida concerning well output, and diagram of the potato processing plant.

As we discussed, we will need actual measurement information to substantiate the licensable flow. Note that existing licensed rights on the plant are: 45-2747 (4.0 cfs), 45-2748 (0.6 cfs), 45-2758 (2.08 cfs).

Also note there is another outstanding permit, No. 45-2749. It seems that all exams, etc. were completed on this permit, but no license was issued pending resolution of a wastewater problem (see microfiche). Now would be a good time to resolve this problem.

SIGNATURE

July 5, 1978

Re: Permit No. 45-7137

Ore-Ida Foods, Inc.
P.O. Box 10
Burley, ID 83318

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in

Sincerely,

JANICE RENK
Water Rights



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

138725

April 28, 1978

CERTIFIED MAIL

Re: Permit No. 45-7137

Ore-Ida Foods, Inc.
P.O. Box 10
Burley, Idaho 83318

Gentlemen:

One of the conditions of approval of your water Permit No. 45-7137 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

☒ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Flow in C.F.S.
------------------	-----------	----------------

PROPOSED USE

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material
	From	To	

24	0	1	Gravel
----	---	---	--------

24	1	16	Sand and small gravel
----	---	----	-----------------------

24	16	19	Coarse gravel
----	----	----	---------------

24	10	19	Coarse gravel
20	10	33	Sand and small gravel

20	19	33	Sand and small gravel
20	33	43	Grav. clay

20	33	43	Grey clay
20	43	50	Greenish clay

20	43	58	Cemented gravel
----	----	----	-----------------

20	58	62	Loose coarse gravel	...
----	----	----	---------------------	-----

20	62	72	Sand and small gravel
----	----	----	-----------------------

20	72	107	Yellow clay
----	----	-----	-------------

20	107	110	Black basalt
----	-----	-----	--------------

16	110	145	Black basalt
----	-----	-----	--------------

16	145	165	Broken grey basalt
----	-----	-----	--------------------

16	165	200	Broken grey basalt and
----	-----	-----	------------------------

red cinders

16	200	215	Grey basalt and yellow clay
----	-----	-----	-----------------------------

10. Work started Aug. 12, 1974 finished Nov. 7, 1974

Work started Aug. 12, 1974 finished

Subdivision Name _____

Lot No. _____ Stock No. _____

11. DRILLER'S CERTIFICATION

Firm Name R.J.Strasser Drilling Co. 95 Firm No.

Box 155, Rupert, Ida. Nov. 20. 1974

Signed by (Firm Official) [Signature]
and
(Operator) [Signature]

FORWARD THE WHITE COPY TO THE DEPARTMENT

LAYNE PUMPS, Inc.

VERTICAL TURBINE PUMPS

PHONE 733-3284

P. O. BOX 640

TWIN FALLS, IDAHO 83301

WELL TESTING REPORT AND AGREEMENT

There for all well testing to be cash upon completion of test

NAME Ore-Ida LOCATION DATE Nov. 7, 1974

I.D. Well Well Depth Amount of Casing in Well

Static Water Level 209 Will Well Pump Sand? Orifice Size

Bowl Capacity Max Discharge Pipe to Use Size of Col. & Length X

Time	Water Level Ft. from Top	R.P.M.	Orifice Reading Inches	G.P.M.	Minor Inches	Remarks — Sand? Cascading Water? etc.
11:30	238			1000		Cloudy
11:45	234			1000		Cloudy
12:00	234			1000		Cloudy
12:30	234			1000		Clear
12:45	240			1000		Cloudy
1:00	242			1000		Clear
1:30	242			1000		Clear
1:35	254		6 1/2	1250		Sandy
2:00	255		6 1/2	1250		Sandy
2:10	271		6 1/2	1635		Sandy
3:00	272		6 1/2	1635		Clear
3:30	272		6 1/2	1635		Clear

Con't on page 2

A minimum charge of \$.....for installing and pulling test pump, \$.....for one hour engine time, plus \$.....
per hour for each succeeding hour of engine time. An additional charge of \$.....per foot for 8" column or smaller, or
\$.....per foot for 10" column will be charged for every foot over 200'.

\$..... Plus \$..... Plus \$..... Plus \$..... Equals \$.....
(Column Setting) (1st Hr. Engine) (Hrs. @ \$.....) (Mileage) (Total Minimum Charge)

Without grace for value received, I promise to pay to the order of the Layne Pump, Inc., the above mentioned amounts, payable upon completion of well test. I also agree that if this note be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. If not paid at maturity, this note shall thereafter draw interest at the rate of eight per cent (8%) per annum until paid. Layne Pumps, Inc., will in no way be held liable for damage or losses to customer's well that may occur during well testing.

APPROVED BY:

(Owner of Well)

(Date Well Tested)

APPROVED BY:

(Layne Pumps, Inc.)

LAYNE PUMPS, Inc.

VERTICAL TURBINE PUMPS

PHONE 733-3284 P. O. BOX 640
TWIN FALLS, IDAHO 83301

WELL TESTING REPORT AND AGREEMENT

There for all well testing to be cash upon completion of test

NAME Ore-Ida LOCATION DATE November 7, 74

I.D. Well Well Depth Amount of Casing in Well

Static Water Level 209 Will Well Pump Sand? Orifice Size

Bowl Capacity Max Discharge Pipe to Use Size of Col. & Length x

Time	Water Level Ft. from Top	R.P.M.	Orifice Reading Inches	G.P.M.	Minor Inches	Remarks — Sand? Cascading Water? etc.
3:35	280		13	1775		Cloudy
3:45	282		12 1/2	1740		Clear
4:15	293		16	1470		Clear
4:30	294		16	1470		Clear
5:00	294		16	1470		Clear
5:30	294		16	1470		Clear
November 8, 1974						
9:30	227			600		Clear
10:00	238			1000		Clear
10:15	238			1000		Clear
10:30	274		17	2030		Clear

Con't on page 3

A minimum charge of \$ for installing and pulling test pump, \$ for one hour engine time, plus \$ per hour for each succeeding hour of engine time. An additional charge of \$ per foot for 8" column or smaller, or \$ per foot for 10" column will be charged for every foot over 200'.

\$ Plus \$ Plus \$ Plus \$ Equals \$
(Column Setting) (1st Hr. Engine) (Hrs. @ \$) (Mileage) (Total Minimum Charge)

Without grace for value received, I promise to pay to the order of the Layne Pump, Inc., the above mentioned amounts, payable upon completion of well test. I also agree that if this note be placed with an attorney for collection or suit, I

LAYNE PUMPS, Inc.

VERTICAL TURBINE PUMPS

PHONE 733-3284

P. O. BOX 640

TWIN FALLS, IDAHO 83301

WELL TESTING REPORT AND AGREEMENT

There for all well testing to be cash upon completion of test

NAME Ore-Ida LOCATION DATE Nov. 7, 1974

I.D. Well Well Depth Amount of Casing in Well

Static Water Level 209 Will Well Pump Sand? Orifice Size

Bowl Capacity Max Discharge Pipe to Use Size of Col. & Length X

Time	Water Level Ft. from Top	R.P.M.	Orifice Reading Inches	G.P.M.	Minor Inches	Remarks — Sand? Cascading Water? etc.
11:30	238			1000		Cloudy
11:45	234			1000		Cloudy
12:00	234			1000		Cloudy
12:30	234			1000		Clear
12:45	240			1000		Cloudy
1:00	242			1000		Clear
1:30	242			1000		Clear
1:35	254		6 1/2	1250		Sandy
2:00	255		6 1/2	1250		Sandy
2:10	271		6 1/2	1635		Sandy
3:00	272		6 1/2	1635		Clear
3:30	272		6 1/2	1635		Clear

Con't on page 2

A minimum charge of \$.....for installing and pulling test pump, \$.....for one hour engine time, plus \$.....
per hour for each succeeding hour of engine time. An additional charge of \$.....per foot for 8" column or smaller, or
\$.....per foot for 10" column will be charged for every foot over 200'.

\$..... Plus \$..... Plus \$..... Plus \$..... Equals \$.....
(Column Setting) (1st Hr. Engine) (Hrs. @ \$.....) (Mileage) (Total Minimum Charge)

Without grace for value received, I promise to pay to the order of the Layne Pump, Inc., the above mentioned amounts, payable upon completion of well test. I also agree that if this note be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. If not paid at maturity, this note shall thereafter draw interest at the rate of eight per cent (8%) per annum until paid. Layne Pumps, Inc., will in no way be held liable for damage or losses to customer's well that may occur during well testing.

APPROVED BY:

(Owner of Well)

(Date Well Tested)

APPROVED BY:

(Layne Pumps, Inc.)

STANDARD TIME FALLS

WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Name ORE-IDA FOODS INC.
Address Burley, Idaho
Owner's Permit No. 45-7137

7. WATER LEVEL
Static water level 209 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA
☒ Pump ☐ Bailer ☐ Other
Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____
See attached test data

3. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

4. METHOD DRILLED
☒ Cable ☐ Rotary ☐ Dug ☐ Other

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
24	0	1	Gravel		
24	1	16	Sand and small gravel		
24	16	19	Coarse gravel		
20	19	33	Sand and small gravel		
20	33	43	Grey clay		
20	43	58	Cemented gravel		
20	58	62	Loose coarse gravel		
20	62	72	Sand and small gravel		
20	72	107	Yellow clay		
20	107	110	Black basalt		
16	110	145	Black basalt		
16	145	165	Broken grey basalt		
16	165	200	Broken grey basalt and red cinders		
16	200	215	Grey basalt and yellow clay		
16	215	230	Hard grey basalt		
16	230	239	Broken grey basalt		
16	239	247	Red cinders		
16	247	270	Brown sandy clay & small gravel		
16	270	301	Brown sandy clay		
16	301	320	Black basalt		
16	320	327	Black basalt & cinders		
16	327	347	Broken black basalt and black cinders. Lost 50% of cuttings		X
16	347	372	Porous black basalt. Lost 50% of cuttings from 357-369		X
16	372	377	Grey clay with some gravel. Hole back-filled with gravel to 370 ft. level		

5. WELL CONSTRUCTION
Diameter of hole 16 inches Total depth 377 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness Diameter From To
.375 inches 20 inches 1 feet 112 feet
.375 inches 16 inches 1 feet 304 feet
.250 inches 24 inches 1 feet 19 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 19 Material used in seal ☒ Cement grout
☐ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
Permanent 24" surface ☐ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name _____
Cassia

10. Work started Aug. 12, 1974 finished Nov. 7, 1974

11. DRILLERS CERTIFICATION
Firm Name R.J. Strasser Drilling Co. Firm No. 95
Address Box 155, Rupert, Ida. Nov. 20, 1974
Signed by (Firm Official) _____
and
(Operator) _____

RECEIVED

Form No. 42-217
1-18-1978

JUN 9 1978

Department of Water Resources

Identification No. _____

Permit No. 45-7137

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Ore-Ida Foods, Inc.
b) Post Office Address P.O. Box 10, Burley, Idaho 83318
2. Permit Number 45-7137
3. Date of Priority that you are prepared to establish Deep well ground water 1975
4. a) Source from which water was appropriated Deep well ground water
b) Location of the point of diversion: S.E. 1/4 S.W. 1/4, Section 23
Township 105, Range 22E Boise Meridian, Other points of diversion: None
5. a) The amount of water and use to which the water has been applied:
Amount 5 CFS for Industrial purposes from JA 1 to DEC 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 5 CFS cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Layne Pump Co. Twin Falls, Idaho, by use of an office,
reading 6 1/2 in, 1635 G.P.M.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
None
b) Describe the agreement or understanding by which you take water from the works:
None
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 200 H.P. Electric Motor W/95' G 10" TL Bowl depth of well 377', Well casing 16", to deliver water through 10" pipe line to "two" (2) factories for industrial use and continous feed year around.
b) Describe the type and size of measuring device which you have installed at your point of diversion:
One Badger, Model M.D.I.M. Badger water meter, size 10" and a parshall flume.
Meter accuracy - 2% of actual flow rate.
c) Give well driller's name and address and the date the well was completed:
Strasser Well Drilling Co. Rupert, Idaho Completed 1975
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

Examined 2/5/78 JG

Ore-Ida Foods, Inc.

An Affiliate of H. J. Heinz Company



August 5, 1974

P.O. Box 10

Burley, Idaho 83318

Telephone: 208 678-9431

RECEIVED

AUG 6 1974

Department of Water Resources

State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

ATTENTION: BOBBY D. FLEENOR

Dear Mr. Fleenor:

This is to notify you that we are in the process of exercising our Permit Number 45-7137 issued to us July 3, 1973, for the purpose of drilling a well which will be used for processing potatoes into different frozen potato products. Please notify me if you wish any further information concerning our drilling activity.

Upon completion of the well we will install appropriate measuring device as outlined in your Permit Application Approval.

Very truly yours,

E. D. Nelson
Factory Manager

EDN/wdk

cc: Bob Trowbridge

MICROFILMED

July 3, 1973

Re: Permit No. 45-7137

Ore-Ida Foods, Inc.
P. O. Box 10
Burley, Idaho 83318

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 45-7137. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

45 7137

May 26, 1973

RE: Application No. 45-7137

South Idaho Press
Box 190
Burley, ID 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

Bill submitted 6-18-73 by jmm

BH:jmm

Enc.

45 7137

OK 6/1/73

73-177

NOTICE OF APPLICATION FOR
WATER PERMIT

Notice is hereby given that Ore-Ida Foods, Inc. P.O. Box 10, Burley, ID has on May 24, 1973 submitted Application No. 45-7137 for a permit to appropriate 5 cubic feet per second of water from a groundwater source by means of a pump to deliver water through a 12" pipe line within the SE 1/4 SW 1/4, Sec. 23, T. 10S, R. 22E, B.M., Cassia County to be used from Jan. 1 to Dec. 31 for Industrial use within the SW 1/4 NW 1/4, Sec. 23, T. 10S, R. 22E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 25, 1973.

R. KEITH HIGGINSON
Director

Published in the South Idaho Press on June 5 and June 12 1973

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ore-Ida Foods, Inc.

P.O. Box 10, Burley, ID

has on May 24, 1973 submitted Application No. 45-7137

for a permit to appropriate 5 ~~xxxx~~ cubic feet per second ~~xxxx feet per annum~~

of water from a groundwater source

by means of a pump to deliver water through a 12" pipe line

within the SE1/4SW1/4, Sec. 23, T. 10S, R. 22E, B. 11, Cassia County

to be used from Jan. 1 to Dec. 31

for Industrial use

within the SW1/4NW1/4, Sec. 23, T. 10S, R. 22E, B. 11

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 25, 1973.

R. KEITH HIGGINSON

Director

Published in the South Idaho Press

on June 5 and June 12, 1973

45 7137

May 18, 1973

Ore-Ida Foods, Inc.
~~P. O. Box 10~~
Burley, ID 83318

Gentlemen:

We are returning your Application for Permit. No. filing fee was received with the application. The fee for 5.0 cubic feet per second is \$65.00. Please return the application and filing fee to our office in Twin Falls at 1041 Blue Lakes Boulevard North.

If you have any questions, please feel free to contact us.

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:alw

Enc.

45 7137

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
SOUTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

1041 Blue Lakes Boulevard North
Twin Falls, Idaho 83301
(208) 734-3578

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

Please Mail this to

May 18, 1973

Ore-Ida Foods, Inc.
P. O. Box 10
Burley, ID 83318

Gentlemen:

We are returning your Application for Permit. No filing fee was received with the application. The fee for 5.0 cubic feet per second is \$65.00. Please return the application and filing fee to our office in Twin Falls at 1041 Blue Lakes Boulevard North,

If you have any questions, please feel free to contact us.

Very truly yours,

Bob Haynes
Bob Haynes
District Engineer
Southern District

BH:alw

Enc.

45 7187

May 25, 1973

RE: Application No. 45-7137 - Ore-Ida Foods, Inc.

Ore-Ida Foods, Inc.
P.O. Box 10
Burley, ID 83310

Gentlemen:

Attached is your Receipt No. 10891 in the amount of \$65.00 for the above reference Application for Permit which was received in this office under the above date.

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:jmm

Enc.

45 7137