

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 45-7134 Priority June 11, 1973 Amount 1.9 cfs

THIS IS TO CERTIFY, that GLEN R. KUNAU
of Burley, Idaho, has complied with the terms and conditions of Permit
No. 45-7134 issued pursuant to Application for Permit dated May 10, 1973,
and has submitted proof to the Department of Water Resources on July 3, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.9 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from April 1 to October 1</u> at <u>1.9</u> cfs and <u>512</u> acre feet		
	<u>from _____ to _____</u> at _____ cfs and _____		
	<u>from _____ to _____</u> at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 1.9 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
512 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, Twp. 10S,
Rge. 24E, B.M. in the County of Cassia

Description and location of place of use:


Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$								Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10S	24E	13	32	32	32	32													128

Total number of acres irrigated 128

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
December, 19 80.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 45-7134
in the name of GLEN R. KUNAU

ORDER OF REINSTATEMENT

WHEREAS, on May 10, 1973, Glen R. Kunau applied to the Department of Water Resources for a permit to appropriate 2.2 cubic feet per second of water from a groundwater source within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 24E, B.M., Cassia County, to be used for irrigation purposes; and,

WHEREAS, on June 18, 1973, the Department approved said application and issued Permit No. 45-7134 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before June 1, 1978; and,

WHEREAS, on March 31, 1978, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on June 9, 1978, the Department notified the permit holder that Permit No. 45-7134 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on July 3, 1978; ¹

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 45-7134 be REINSTATED and the priority advanced to June 11, 1973.


BOBBY D. FLEENOR, Chief
Regional Office Bureau

MICROFILMED

Identification No. _____
Application No. 45-7134

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Glen R. Kunau
post office address 1941 Miller Avenue, Burley, Idaho 83318
2. Source of water supply Underground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 13 Township 10 South
Range 24 E. B.M. Cassia County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.2 for Irrigation purpose from April 1st to October 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. A 16 inch diameter well 225 feet deep will be drilled and equipped with a 100 H.P. motor and vertical turbine pump. Water will be conveyed through 10" pipe from well to pivot near center of NE $\frac{1}{4}$ Sec 13, thence through circle sprinkler to cover ground to be irrigated.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 225 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 26,000.00 including circle sprinkler.
8. Description of proposed uses:
a. If water is **not** for irrigation: N.A.
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

45 7134

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10 S	24 E	13	35	35	35	35													140

Total number of acres to be irrigated 140

c. Describe any other water rights used for the same purposes None


9. a. Who owns the property at the point of diversion Glen R. Kunau

b. Who owns the land to be irrigated or place of use Glen R. Kunau

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Applicant owns the property subject to a State Land Sale Contract from the State of Idaho

11. Map of proposed project: Northeast Quarter of Section 13, Township 10 South
Range 24 East of the Boise Meridian



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elen A Kuman
(Applicant)

Proposed Priority 5-10-1973

Received by alw Date 5/10/73 Time 3:00P.
Preliminary check by alw Fee \$ 45.00
Receipted by alw Date 5-10-73 # 10875
Publication prepared by alw Date 5-11-73
Published in South Idaho Press, Burley, ID
Publication dates 5-22 & 5-29-73
Publication approved jmm Date 5-31-73
Priority reduced to 5-10-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by alw DDH

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7134, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 78.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 18th day of June 19 73.

R. Keith Higgins
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)			Application No. <u>45-7134</u> Name <u>Glen R Kuman</u>
(2)	<u>RWA</u>	<u>5-10-73</u>	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/C ☒ Place of Use ☒ Map ☒ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(5)	<u>RWA</u>	<u>5-10-73</u>	In form for advertising _____
(6)	<u>from</u>	<u>5-31-73</u>	Affidavit of Publication received _____
(7)			Final date for protests <u>June 8, 1973</u> Protests received: yes _____ no ☒
(8)			Date and Place of hearing _____ Decision reached at hearing _____
(9)			Located within Water District No. _____
(10)			Critical groundwater area: yes _____ no ☒
(11)			Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(12)			Comments: _____
(13)			Action recommended: ☒ Approve ☐ Deny Reason for Reduction <u>No Fee Received</u> See attached sheet for conditions of approval <u>first time</u> No conditions for approval <u>misreading</u> <u>denied</u>
(14)			District <u>Southern</u> By <u>Bob Haysma</u> Date <u>6-8-73</u> Title <u>Dred Engineer</u>

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia.)
) ss
STATE OF IDAHO)

Keith Higginson being first

duly sworn, deposes and says that he is the

Keith Higginson of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for 2
consecutive weeks, commencing with the issue

dated *May* 22, 1973 and ending

with the issue dated *May* 29, 1973.

Keith Higginson

Subscribed and sworn to before me

this *30th* day of *May*

1973.

Keith Higginson Notary Public

Cost of Publication *11.52*

Notary Fee

Total Cost

My commission expires October 23, 1975

73-160

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Glen R. Kunau 1941 Miller Avenue, Burley, ID has on May 10, 1973 submitted Application No. 45-7134 for a permit to appropriate 2.2 cubic feet per second of water from a groundwater source by means of well, pump, pipeline and sprinkler within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, T. 10S, R. 24E, B.M., Cassia County to be used from April 1 to Oct. 1 for the irrigation of 140 acres within the NE $\frac{1}{4}$, Sec. 13, T. 10S, R. 24E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 8, 1973.

R. KEITH HIGGINSON
Director

Published in the South Idaho Press, Burley, ID on May 22 and May 29, 1973.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 7, 1981

Glen R. Kunau
1941 Miller Ave.
Burley, Idaho 83318

Dear Mr. Kunau,

RE: License No. 45-7134

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MILKORT LIMITED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 16, 1980

Glen R. Kunau
1941 Miller Ave.
Burley, Idaho 83318

Dear Mr. Kunau,

A representative of this Department has made an examination of the works covered by your Permit No. 45-7134, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.9 cfs Source: groundwater

The maximum quantity diverted shall not exceed 512 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 24E, B.M.

Beneficial use: Irrigation of 128 acres within the NE $\frac{1}{4}$, Sec. 13, Twp. 10S,
Rge. 24E.

Priority date established: June 11, 1973

Conditions (if any): A measuring device of a type approved by this Department shall
be maintained as a part of the diverting works.

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN JENOVSON
Water Rights Supervisor

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1. Name of permit holder Glen R. Kunau
Post office address 1941 Miller Avenue, Berkeley Phone _____
Person to contact _____ Phone _____
2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 2.2 c.f.s. for Irrigation
 _____ AF/Annum (nature of use)

Period of Use: from April 1 to Oct 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 2.2 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 10S N/S, Range 24E E/W, B.M., Section 13, Subdivision NW 1/4 NW 1/4, Cassia
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Other Points of Diversions: _____

Description of diverting works: 8' x 70" turbine, powered by 75 Hp, electric motor 16" x 11.5', 8" mainline to pivot

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE 128

MICROFILM




Diagram of System

DATE OF EXAM May 23, 1979

ACREAGE

Found /122// 128 ✓
Recommended /122/ 128

Irrigation Requirement 4.0 Ac Ft/Ac

USE

Irrigation Q= 1.90 ✓ c.f.s. V= 512.0 ✓ AF/Ann. from Apr 1 to Oct 1
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1.90 cfs ✓ Method of measurement 8" Annubar Meter

Total Q recommended 1.90 cfs Meter No. 191139 Type - Condition New

Total V recommended 512.0 AF/Annum ✓

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

128 AC X .02 cfs = 2.56 RA 10/16/80

MEASUREMENT CALCULATION:

Flow: 12.1" pressure = 1.90 cfs ✓

Volume: 128 ac X 4.0 AF/Ac/Ann = 512.0 AF/Annum ✓

1.90 X 182 X 1.9835 = 685.9

SYSTEM DESCRIPTION:

Well, GE 75 hp motor Model 5K6258XH1A, 8" mainline to one 1/2-mile pivot sprinkler.

REMARKS:

Mr. Kunau was present during field exam. Meter reading was taken in buried section of mainline about 10-12 feet from pump.

Examiner's Signature

JE Stanton

Date 5-29-78

Checked by

Terry G. Brown

Date 7-10-79

Approved by

Robyn

Date 10/16/80
12/26/80



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 25, 1978

Glen R. Kunau
1941 Miller Avenue
Burley, ID 83318

Re: Permit No. 45-7134

Dear Mr. Kunau:

Enclosed is a copy of the Order reinstating your permit and advancing your priority date to June 11, 1973.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Twin Falls.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

Identification No. _____

Permit No. 45-7134

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUL 3 1978

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder Glen R. Kunau
- b) Post Office Address 1941 Miller Avenue
2. Permit Number 45-7134
3. Date of Priority that you are prepared to establish May 10, 1973
4. a) Source from which water was appropriated Well
- b) Location of the point of diversion: NW ¼ NW ¼, Section 13
Township 10 South, Range 24 East Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 2.2 c.f.s. for Irrigation purposes from April 1st to October 1st incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
- b) Total amount appropriated 2.2 cfs and/or acre-feet per annum
- c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Standard measure

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 - a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 - b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 8" x 70' turbine pump powered by 75 H.P. Electric motor. Well is 16" x 115' deep with 16" casing. Pumps into 8 inch mainline to center of Gifford Hill pivot for irrigation of 128 acres.

- b) Describe the type and size of measuring device which you have installed at your point of diversion: A McCrometer Flow Sensor Irrigation Meter Model No. MC 01666

- c) Give well driller's name and address and the date the well was completed: R. O. Denton & Son
No. 83, Paul, Idaho Well completed May 29, 1973

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 8/25/78 By lf

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

Twp 10 S, Rge 24 EBM Sec 13: ~~NW 1/4~~ NE 1/4 NE 1/4 31 Acres, NW 1/4 NE 1/4 35 Acres,
SW 1/4 NE 1/4 31 Acres, SE 1/4 NE 1/4 31 Acres.

T S.	R E.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10	24	13	31	35	31	31													128

Total number of acres irrigated 128

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

June 1, 1978

(Date)

Elin R Kuman
(Signature)

State of Idaho)

) ss.

County of Cassia)

On this ~~June 1~~ 30th day of June, 1978, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

June Carey
Notary Public residing at Burley, Idaho

My commission expires

June 1, 1978

Boise, Idaho

June 30, 1978

RECEIVED

JUL 3 1978

State of Idaho
Department of Water Resources
Statehouse, Boise, Idaho 83720

Attention: Norman C. Young, Administrator,

Department of Water Resources

Dear Mr. Young:

I am inclosing two requests for final proof covering water well permits Nos. 45-7134 and 45-7140. The delay has been caused by my inability to get measuring devices installed that would be acceptable to the State. This has now been accomplished.

Very truly yours,

Glen R. Kuman

Inclosures

Proof of Application of Water to Beneficial Use
(2)

NOT
FILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 9, 1978

Re: Permit No. 45-7134

Glen R. Kunau
1941 Miller Avenue
Burley, ID 83318

Dear Mr. Kunau:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 45-7134 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.


C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 31, 1978

CERTIFIED MAIL

128613

Re: Permit No. 45-7134

Glen R. Kunau
1941 Miller Ave.
Burley, Idaho 83318

Dear MR. Kunau:

One of the conditions of approval of your water Permit No. 45-7134 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

Norman C. Young
NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name GLEN KUNAU

Address 1941 Miller Ave. - Burley, Id.

Owner's Permit No. 45-7134

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 115 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>12.50</u> inches	<u>16</u> inches	<u>0+20</u> feet	<u>20</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 20 feet

Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

45

N

W

E

S

13

10

24

7134

County CASSIA

NW 1/4 NE 1/4 Sec. 13, T. 10 N/S, R. 24 E/M

7. WATER LEVEL

45

Static water level 45 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>1480</u>	<u>8</u>	<u>1</u>
<u>1670</u>	<u>9</u>	<u>1/2 hr.</u>
<u>1480</u>	<u>8</u>	<u>1 1/2</u>

Tested 7-10-73

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>20</u>	<u>0</u>	<u>3</u>	<u>TOP SOIL</u>		☒
<u>20</u>	<u>3</u>	<u>20</u>	<u>GRAY LAVA</u>		☒
<u>16</u>	<u>20</u>	<u>55</u>	<u>GRAY LAVA</u>		☒
<u>16</u>	<u>55</u>	<u>58</u>	<u>GRAY LAVA + CINDERS</u>	☒	
<u>16</u>	<u>58</u>	<u>65</u>	<u>GRAY LAVA (HARD)</u>		☒
<u>16</u>	<u>65</u>	<u>83</u>	<u>GRAY LAVA + CINDERS</u>	☒	
<u>16</u>	<u>83</u>	<u>87</u>	<u>GRAY LAVA + CINDERS -</u>		
			<u>BROWN CLAY</u>	☒	
<u>88</u>	<u>87</u>	<u>95</u>	<u>BROWN CLAY, GRAY CINDERS</u>		☒
<u>16</u>	<u>95</u>	<u>104</u>	<u>BROWN SDY. CLAY</u>	☒	
<u>16</u>	<u>104</u>	<u>110</u>	<u>SAND + BROWN SDY. CLAY</u>		☒
<u>16</u>	<u>110</u>	<u>115</u>	<u>RED CLAY</u>		☒

10.

Work started 5-21-73 finished 5-29-73

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

RO. DENTON & SON

Driller's or Firm's Name

PAUL, IDAHO

Address

Robert E. Denton

Signed By

83

Number

7-28-73

Date

June 20, 1973

Re: Permit No. 45-7134

Mr. Glen R. Kunau
1941 Miller Avenue
Burley, ID 83318

Dear Mr. Kunau:

Enclosed is a copy of your approved Application for Permit No. 45-7134. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

45 7134

May 11, 1973

RE: Application Nos. 45-7134 - Glen R. Kunau
45-7135 - Ira C. Parke

South Idaho Press
Box 190
Burley, ID 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

45 7134

Bob Haynes
District Engineer
Southern District

BH:alw

Enc: Legal Notices (2)

Bill submitted 5-31-73 by jman

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Glen R. Kunau
1941 Miller Avenue, Burley, ID

has on May 10, 1973 submitted Application No. 45-7134
for a permit to appropriate 2.2 cubic feet per second XXXX XXXX XXX XXXXX
of water from a groundwater source
by means of well, pump, pipeline and sprinkler
within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, T. 10S, R. 24E, B.M., Cassia County

to be used from April 1 to Oct. 1 for the irrigation of 140 acres
for XXX

within the NE $\frac{1}{4}$, Sec. 13, T. 10S, R. 24E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301
on or before June 8, 1973.

R. KEITH HIGGINSON

Director

45 7134

Published in the South Idaho Press, Burley, ID
on May 22 and May 29, 1973

73-160 *OK also 5-16-73*

NOTICE OF APPLICATION FOR
WATER PERMIT

Notice is hereby given that Glen R. Kunau 1941 Miller Avenue, Burley, ID has on May 10, 1973 submitted Application No. 45-7134 for a permit to appropriate 2.2 cubic feet per second of water from a groundwater source by means of well, pump, pipeline and sprinkler within the NW¹ & NE¹ 4, Sec. 13, T. 10S, R. 24E, B.M., Cassia County to be used from April 1 to Oct. 1 for the irrigation of 140 acres within the NE¹ 4, Sec. 13, T. 10S, R. 24E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 8, 1973.

R. KEITH HIGGINSON
Director

Published in the South Idaho Press, Burley, ID on May 22 and May 29, 1973.

45
7134

May 10, 1973

RE: Application No. 45-7134 - Glen R. Kunau

Mr. Glen R. Kunau
1941 Miller Avenue
Burley, ID 83318

Dear Mr. Kunau:

Attached is your Receipt No. 10875 for \$45.00 for the above referenced Application for Permit which was received in our office under the above date.

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:alw

Enc.

45 7134

45-7134

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
SOUTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

1041 Blue Lakes Boulevard North
Twin Falls, Idaho 83301
(208) 734-3578

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

May 7, 1973

Mr. Glen R. Kunau
1941 Miller Avenue
Burley, ID 83318

Dear Mr. Kunau:

Your Application for Permit appears to be in order, however, you have failed to send the required fee with your application. We are returning your check No. 92-38 for \$25.00 and your Application for Permit. The filing fee for 2.2 c.f.s. of water is \$45.00.

Please return this fee with your application to this office at 1041 Blue Lakes Boulevard North, Twin Falls, ID 83301 for processing.

If you have any further questions, please feel free to contact us.

Very truly yours,

Ken Flowerdew
Resource Examiner
Southern District

KF:alw

Enc.

45 7134