

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 45-7062 Priority May 15, 1970 Amount 6.24 cfs
(Late Proof)

THIS IS TO CERTIFY, that Norman Thompson
of Anchorage, Alaska, has complied with the terms and conditions of Permit
No. 45-7062 issued pursuant to Application for Permit dated May 8, 1970,
and has submitted proof to the Department of Water Resources on May 12, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 11.19 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>6.24</u> cfs and <u>1248.0</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 6.24 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1248.0 acre feet per year, said waters to be diverted within the Gov. Lot 4 (SW $\frac{1}{4}$ SW $\frac{1}{4}$);
SW $\frac{1}{4}$ SE $\frac{1}{4}$; Section 19, Twp 12S, Rge 21E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
12S	21E	19					40	40	40	40	40	40	39	33					312

Total number of acres irrigated 312

The maximum rate of diversion under this license and License 45-7063 shall
not exceed 11.19 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of
MARCH, 19 84.

Acting for the Director

Norman C. Young

RECEIVED
FEB 24 1984

STATE OF IDAHO

Ident. No. _____

RECEIVED
MAR 12 1984

Department of Water Resources

APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now Norman Thompson Phone _____

of (address) 1200 Columbine St. Anchorage, AK 99504, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 45-7062, and requests that the permit and permit map be changed as follows:

(Gov. Lot 4)

1. Point of diversion: SW ¼ SW ¼, Section 19, Township 12S, Range 21E, B.M.,

County of Cassia. Other points of diversion: SW ¼ SE ¼, Sec. 19,

Twp 12S, Rge 21E

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

No change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

No change

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Norman Thompson

b. Who owns the land to be irrigated or the place of use? Norman Thompson


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

RECEIVED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Not necessary



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Anchorage ak, this 8 day of March, 19 84.

Norman Thompson
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00✓

Received by sp Date 2-24-84 #33772

Publication prepared by N/A Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 45-7062.

Witness my hand this 26th day of MARCH, 19 84.

Norman Thompson
Acting for the Director

ms

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Twin Falls)

Permit No. 45-7062

Norman Thompson of C-201 Norman Manner, Burley, Idaho 83318
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 45-7062.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before July 1, 19 75.

That he has heretofore performed the following work described under said permit:
Has drilled 1465 feet well which is presently being pumped.

Costing \$65,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Well does not produce enough water for irrigation
of entire tract.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to July 1,, 19 77.

Norman Thompson
(signature) *

Subscribed and sworn before me this 8 day of July, 19 75.

seal

Robert S. Haynes
Notary Public residing at

11-20-78 Twin Falls

My commission expires 11-20-78

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use under Permit No. 45-7062 be
extended to July 1, 1980;

IT IS FURTHER ORDERED that the permit be reinstated and the priority advanced to
May 15, 1970, pursuant to Section 42-218a of the Idaho Code.

Witness my hand this 21st day of July, 19 75

A. Kenneth Dunn
A. KENNETH DUNN, Administrator
Operations Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

MICROFILMED

Receipt # 4707
47-75

RECEIVED

JAN 6 1975

APPLICATION FOR AMENDMENT

Department of Water Resources
Southern District Office

Permit No. 45-7062

Comes now Norman Thompson of (address) 1000 1st St. N. W. Wash. D. C.

C-201 Norman Manner, and represents to the Director of
the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 45-7062, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19 Twp. 12S
Rge. 21E, B.M., County of Cassia. Other points of diversion:
SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, T 12S, R 21E.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 6.4 cfs for Irrigation purposes from Apr. 1 to Sept. 30 (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

3. Place of use or land to be irrigated:

[illegible]

Total number of acres to be irrigated 320

UNCLASSIFIED

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Winn Falls, this 7 day of Jan, 19 75.
Norman Thompson
(signature)

Administrator, Operations Division
ACTION OF THE ~~DIRECTOR~~, DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, Admin., Operations Division
Director of the Department of Water Resources
hereby approve the above application for amendment for Permit No. 45-7062.

Witness my hand this 13th day of January, 19 75.

A. Kenneth Dunn
~~Director~~
ADMINISTRATOR - Operations Division

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
ASSIGNMENT OF PERMIT

RECEIVED

JUL 22 1974

Department of Water Resources

I, Dona W. Williams, hereby assign to Norman Thompson,
Name
of Burley, Idaho (c-201 Norman Manor Apts. Burley, Idaho 83318)
Address

CHECK ONE

☒ All my right, title, and interest, in and to Permit No. 457062
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State
of Idaho. (Give that portion of the permit being assigned by describing
the land list and the point of diversion - describe by acreage within each
40-acre subdivision.)

Made this 18th day of July, 19 74.

Dona W. Williams

Permit Holder

Carol Williams

- Wife of Permit Holder
Husband

State of Idaho)
County of Cassia) ss.

On this 18th day of July, 19 74, personally ap-
peared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ (she) (they) executed the same.

George Ivanata Jr.

Notary Public residing at

BURLEY, IDAHO

My commission expires 9-4-77

45-7062

RECEIVED

STATE OF IDAHO

MAR 8 1971

DEPARTMENT OF RECLAMATION

Department of Water Administration

ASSIGNMENT OF PERMIT

I, Guadalupe C. Johnson, hereby assign to Rona A. Williams
of Expert, Idaho Name
Address

CHECK ONE

☒ All my right, title, and interest, in and to Permit No. 45-7062
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the State
of Idaho. (Give that portion of the permit being assigned by describing
the land list and the point of diversion - describe by acreage within
each 40-acre subdivision.)

This permit pertains to the west half
of Section 19, Township 12S, R 21 E. B.M.

Made this 9th day of March, 19 71.

Guadalupe C. Johnson
Permit Holder

J. Fay Johnson
Wife of Permit Holder
Husband

State of Idaho)
County of CANYON) ss.

On this 8th day of March, 19 71, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Alvin J. Moses
Notary Public residing at
Middleton, Idaho.

My commission expires March 21, 1973

RECEIVED

Identification No. 45-7062

Application No. I-1941

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

Assigned to Don W. Williams

Rupert Idaho
3/8/71

7/22/74
ASSIGNED TO: NORMAN THOMPSON

C-201 Norman Manor Apts
Burley, ID 83318

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Geraldine C. Johnson
post office address Box 79 Middleton, Idaho 83644
2. Source of water supply Deep Well which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 19 Township 12 12S
Range 21 E.B.M. Cassia County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 6.4 for Irrigation purpose from April 1 to Sept 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 6.4 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Deep well and ditches, or pipe lines and sprinklers according to
the production of the well
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 20 inches; proposed depth of well is 650 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ \$17,000.00 plus pump equipment
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

45-7062

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12 S.	21 E.	19					40	40	40	40	40	40	40	40					320

Total number of acres to be irrigated 320

c. Describe any other water rights used for the same purposes _____

9. a. Who owns the property at the point of diversion USA


b. Who owns the land to be irrigated or place of use USA

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Desert Land Entry

10. Remarks _____

~~The water from the well on this property can be run on to the~~
~~SW¼ SE¼ of same section or on SW¼ of Section 20 after being once~~
~~used. A very efficient layout.~~

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Geraldine C. Johnson
(Applicant)

Received by af Date 5-8-70 Time 8:00 am
Preliminary check by DAC Fee \$ 5.00
Receipted by af Date 5-11-70
Publication prepared by af Date 5-13-70
Published in South Idaho News
Publication dates 5-21 + 28-70
Publication approved af Date 6-1-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DAC New 1st

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7062, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 75.
- c. Other: The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 2nd day of July, 19 70.

P. Keith Higgins
State Reclamation Engineer

DEPARTMENT OF RECLAMATION
STAFF ANALYSIS

Application No.	45-7062	Name	Geraldine C. Johnson
Source	groundwater		
Point of Diversion	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 19, T. 12S, R. 21E, B.M., Cassia		
Quantity	6.4	Use	irrigation
		Period	April 1 - Sept. 30
Quantity		Use	
		Period	
Quantity		Use	
		Period	
Well Size	20	Diameter	Proposed Depth
			650
Use	320 acres		Feet
Date Forwarded	5-15-70	Date Returned	6-5-70
		Received by	Nellie

RECOMMENDATIONS: WATER LEVEL DECLINES OF 4 TO 18 FEET WERE REPORTED IN OBSERVATION WELLS LOCATED 3 TO 6 MILES FROM POINT OF DIVERSION IN 1969. (W.B. #11). BOTH THE IDAVADA VOLCANICS AND AN ALLUVIAL Limestone aquifer could be encountered. AQUIFER SHOULD BE ENCOUNTERED (W.B. #8). Amount of well development in local area is moderate but many new APPLICATIONS pending. Depth to water is 100 to 200 ft. ALLOWED Qty. 6.4 Use IRRIGATION Period 4-1 to 9-30 AF 1280 AFA 4.0 DRAWDOWNS MODERATE TO HIGH. MAXIMUM Qty. 6.4 Use IRRIGATION Period 3-15 to 11-15 AF 1280 AFA 4.0

Qty. _____ Use _____ Period _____ AF _____ AFA _____


ACTION: Approved X Denied _____

Conditions of approval or reason for denial: ADVISE APPLICANT OF CRITICAL GROUNDWATER AREA AND REASONABLE PUMPING LIFT STATUTES. PROBLEMS ARE PROBABLE. RECOMMEND MINIMUM WELL SPACING OF 1000 FT. REQUIRE FLOW MEASURING DEVICES.

INVESTIGATION By Norman C. Young Title WRI II
Date May 19, 1970

45-7062

TWP. 12S RANGE 21E COUNTY Cassia SCALE: 1" = 1 MILE



SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Ruth Chambers, being first

duly sworn, deposes and says that^s he is the

Bookkeeper of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for 2 consecutive weeks, commencing with the issue dated May 21 1970, and ending with the issue dated May 28 1970.

Ruth Chambers

Subscribed and sworn to before me this 28th day of May 1970.

Edith Raudstall Notary Public

Cost of Publication 9.00

Notary Fee

Total Cost

My commission expires October 23, 1971

70-138 NOTICE OF APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Geraldine C. Johnson, Box 79, Middleton, Idaho, has on May 8, 1970, submitted Application No. 45,7062 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 6.4 cubic feet per second of water to be diverted by well, ditches or pipeline within the SW 1/4 SW 1/4 of Sec. 19, T. 12S, R. 21E, B.M., Cassia County, and is to be used within the W 1/2 of Sec. 19, T. 12S, R. 21E, B.M. from April 1 to Sept. 30 for the irrigation of 320 acres.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before June 8, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the South Idaho Press, Burley, Idaho, on May 21 and May 28, 1970.

45-7062

RE: Permit No. 45-7062

Dear Mr. Thompson:

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

WJ:sc
Enclosures

PS Form 3811, Nov 1973

RETURN RECEIPT REGISTERED INSURED AND CERTIFIED MAIL

② SENDER: Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
- ☐ Show to whom, date, & address of delivery.. 35¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

Norman Thompson

3. ARTICLE DESCRIPTION:

REGISTERED NO. | CERTIFIED NO. | INSURED NO.

260745

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

Wicki Rasmussen

4.

DATE OF DELIVERY

POSTMARK

5-2-75

EPH

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

February 29, 1984

RE: Permit No. 45-7062

Norman Thompson
1200 Columbine St.
Anchorage, AK 99504

Dear Mr. Thompson:

Thank you for returning the licensing amendment for the above referenced permit. We won't, however, be able to complete processing until the amendment form is signed.

Please sign the form on the back and return it by March 15, 1984, so that we can issue you a water right license.

If you have any questions, please feel free to contact our office.


Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosure


RECEIVED
FEB 29 1984
ANCHORAGE, AK





SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: St 4 (SW 1/4 SW 1/4), SW 1/4 SE 1/4 Sec. 19 T. 125 R. 21E

Place(s) of Use Same per amendment - less acreage

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
125	21E	19					40	40	40	40	40	40	39	33					312 ✓
							L.1	L.2				L.3	L.4						

Recommended Amendments:

- ☒ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature

Checked by

Approved by

J.F. Stanton

Allen J. Smith

Kay Walker

Date

Date

Date

7-2-1982

7/6/82

1-25-84

2-8-84

Overlap Review 45-7062

as per micro-fische 1/25/84 - kw

p/d - ~~45-7060 gw~~ pending exam - no overlap
45-7063 gw pending license ✓
~~45-7182 gw~~ pending exam - no overlap

p/u - none

45-7063 - permit issued for 6.4
cfs - examiner found
same well as p/d - see
copy of exam.

Capacity of wells- 45-7062
is 11.19 - examiner recommends
6.24 for 45-7062 ok
4.95

well #1 (SW 1/4 SW 1/4) capacity - 3.36 ok
well #2 (SW 1/4 SE 1/4) capacity - 7.82 ok
11.18

5021 gpm = 11.19 cfs ok

capacity measured 45-7063
same ~~as~~ p/d 3511 gpm = 7.82 cfs
as well #2 above

see exam
45-7063 total well capacity measured - 5511 gpm
or 12.28 cfs -

total capacity 12.28 - 45-7062 7.82
 - 45-7063 7.82
 exceeds capacity 15.64 no ok

amt. needed for 1" per acre
 45-7062 = 6.24 cfs
~~before overlap~~
~~amt. needed~~ 45-7063 = 6.26 cfs
 review

45-7062 - permit allows 6.4^c
 45-7063 - " 6.4
 does ~~not~~ exceed 12.8
 capacity of mutual well.

~~12.28 capacity of mutual well~~
~~3.36 capacity well #1~~
~~8.92~~

License 45-7062 @ 6.24 - ^{6.24}3.36 well #1
 need from 2.88 well #2


12.28
 - 2.88 45-7062
 9.40 left for 45-7063 ok

Capacity Condition not regained ✓

Jeri
 1/29/84


RECEIVED

Measurement at point A has consistently been much lower than the total of B+E measurements, apparently due to system design.



SCHMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 1/4 SE 1/4 Sec. 19 T. 12S R. 21E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12S	21E	19													40	40	33	40	153
		20									40	40	40	40					160

313

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature

Checked by

Approved by


Date

Date

Date

7-2-1982

7/6/82





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 8, 1984

RE: Permitt No. 45-7062

Norman Thompson
1200 Columbine St.
Anchorage, AK 99504

Dear Mr. Thompson:

A representative of this Department made an examination of the works covered by your Permit No. **45-7062** and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: **6.24 cfs** Source: **groundwater**

The maximum quantity diverted shall not exceed **1248.0** acre feet per year.

Point of diversion: **Gov. Lot 4 (SW $\frac{1}{4}$ SW $\frac{1}{4}$), SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19, Twp 12S, Rge 21E**

Beneficial use: **Irrigation of 312 acres within NW $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 19, Twp 12S, Rge 21E**

Priority date established: **May 15, 1970 (Late Proof)**

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

June 17, 1980

Norman Thompson
1200 Columbine Street
Anchorage, Alaska 99504

Re: Application No. 45-7062

Dear Mr. Thompson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

RECEIVED
JUN 21 1980
TWIN FALLS, IDAHO

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 45-7062

Name(s) of Permit Holder:

Norman Thompson

Post Office Address:

1200 Columbine street

anchorage alaska 99504 Tel. No. 9072740785

Source of Water:

Well

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

320

(acres)

☐ Other

Measuring Device:

Required?

☒ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-9-80

Date

Norman Thompson

Signature of Permit Holder

RECEIVED



MAY 12 1980

WATER RESOURCES



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Norman Thompson
1200 Columbus St.
Anchorage, AK. 99504



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

THOMPSON, NORMAN
~~6201 NORMAN MANOR~~
~~BURLEY, ID 83318~~

New ADDRESS
1200 COLUMBINE ST.
ANCHORAGE, ALASKA 99504
138034

DEAR PERMIT HOLDER:

APRIL 30, 1980

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 45-7062 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

Mr. Thompson called & stated he will now send in his bfu card. 5/9/80

RECORDED

August 9, 1976

Re: Permit No. 45-7062 (Norman Thompson)

Utah Mortgage
Attn: Lyle Smith
6431 Fairview
Boise, Idaho 83704

Dear Mr. Smith:

Enclosed is a copy of the extension of time issued on the above referenced permit. Also enclosed is a copy of the approved application for amendment issued on this permit which might be of interest to you.

Sincerely,

JANICE RENK
Secretary, Water Rights

jr

Enclosures

RECEIVED

July 21, 1975

Re: Permit No. 45-7062

Norman Thompson
C-201 Norman Manner
Burley, Idaho 83318

Dear Mr. Thompson:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to July 1, 1980 and the priority has been advanced to May 15, 1970.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

cc: Alfred Barrus, Atty

RECEIVED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATE HOUSE BOISE, IDAHO 83720


July 3, 1975

Norman Thompson
C 201, Norman Manor Apts.
Burley, Idaho 83318

Dear Mr. Thompson:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 45-7062 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

cc: Mr. Alfred E. Barrus
Attorney at Law
Box 487
Burley, ID 83318

RECORDED

May 9, 1975

Re: Permit No.'s 45-7062 & 45-7063

Alfred E. Barrus
Attorney At Law
1416 Overland Ave.
Burley, ID 83318

Dear Mr. Barrus:

Pursuant to your letter of May 7, 1975, enclosed are two extension application forms for your use in connection with the above referenced permits.

If you have any questions, please contact us.

Sincerely,

Jan Grover
Secretary

J:jg
Enclosures

MICROFILMED

BOX 487

ALFRED E. BARRUS
ATTORNEY AT LAW

1416 OVERLAND AVENUE
BURLEY, IDAHO 83318

May 7, 1975

RECEIVED

MAY 8, 1975

Department of Water Resources

Keith Higginson
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Permit Nos. 45-7062 and 45-7063

Dear Mr. Higginson:

I am in receipt of two letters dated May 1, 1975. One to Mr. Norman Thompson and the other to Mrs. Sue Thompson Hull, both of whom I represent.

The letters contained a form for proof of application of water to beneficial use. I would appreciate it very much if you would send me two forms for extension of time as provided in Section 42-204 of the Idaho Code.

If there is anything else I need to do, would you please let me know.

Very truly yours,


ALFRED E. BARRUS

AEB:sg

MICROFILMED



IN REPLY REFER TO:

United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Idaho State Office
Boise, Idaho

NOTICE OF ALLOWANCE

Kernan M. Thompson
6-201 Bureau House
Burley, Idaho 83318

1-8765 (343)
RECEIVED
MAY 6 1955
Department of Water Resources

Serial No. 1-8765 314.00 Acres

T. 12 E., R. 21 N., Boise Meridian, Idaho
Section 19, Lots 1, 2, 3, 4, Ely.

Your desert land application for the above-described land has this day been approved and allowed, subject to any valid existing rights and your further compliance with laws and regulations applicable thereto. The acceptability of final proof is contingent upon substantial compliance with the requirements of the Desert Land Act and appropriate rules and regulations in addition to development and reclamation of the land basically in accordance with your plan of development which is on file in the Idaho State Office. Further, your final proof must show that you have in good faith, substantially reclaimed, irrigated and cultivated all of the land in your entry. Any substantial change in source of water or deviation in the construction of the irrigation facilities must have the prior approval of the Bureau of Land Management. The irrigable acreage of this entry has been determined to be approximately 314.00 acres. In correspondence relating to this entry, always refer to the serial number shown above.

Subject to the Act of July 17, 1914, which will require the reservation of all oil and gas deposits to the United States.

Also subject to the following rights-of-way:

- I-011331 to Golden Valley Land & Cattle Co. for irrigation canal and well.
- I-012031 to Simon L. Baker for irrigation canal.
- H-020162 to Twin Falls Oakley Land & Water Co. for irrigation canal.

IN WITNESS WHEREOF, I have hereunto set
my hand and seal this 22 day of
May, 1955.

cc: ID Dept. of Water resources

ISO-2520-3
9/72

Clair M. Whitlock

Acting State Director

MICROFILMED

May 1, 1975

CERTIFIED MAIL

#20765

Re: Permit No. 45-7062

Norman Thompson
C-201, Norman Manor Apts.
Burley, ID 83318

Dear Mr. Thompson:

One of the conditions of approval of your water Permit No. 45-7062 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before July 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECORDED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 14, 1975

Re: Permit No. 45-7062

Mr. Norman Thompson
C-201, Norman Manner Apts.
Burley, Idaho 83318

Dear Mr. Thompson:

Enclosed is a copy of your approved application for amendment issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones
Member

George L. Yost
Vice-Chairman

M. Reed Hansen
Member

Donald R. Kramer
Secretary

Scott W. Reed
Member

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

July 24, 1974

Re: Permit No. 55-7062

Norman Thompson
C-201 Norman Manor Apts.
Burley, Idaho 83318

Dear Mr. Thompson:

We acknowledge receipt of the assignment conveying the above referenced permit to you. The assignment has been recorded and the Department's records changed.

If you have any questions concerning this permit, please contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

45-7062

Ray: 3-22-71

Contact Driller
and find out when
he will complete
well. If he is
planning on doing
it right away he
will have to seal
it.

45 7062

Kern 7/6/71

~~Write Memo on this to Kern~~

Hope you remember me telling you
this had been taken care of

He put 11 yds of clay & bentonite in it
45-7062

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

45-7062

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name GERALDINE JOHNSON
Address MIDDLETON, IDAHO
Owner's Permit No. 45-7062

7. WATER LEVEL

Static water level 65 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 142 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness Diameter From To
0.50 inches 20 inches +4 feet 138 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☐ Yes ☒ No To what depth _____ feet
Material used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



45 7062

County CASSIA
SW 1/4 SE 1/4 Sec. 9, T. 13 N/S, R. 21 E/W

10.

Work started 5 Feb 1971 finished 11 Feb 1971

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

Chesley Drilling Co.
Driller's or Firm's Name _____ Number _____
B. D. Chesley
Address _____
Signed By _____ Date _____

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

LINEAR

1. WELL OWNER		7. WATER LEVEL																																					
Name <u>GERALDINE JOHNSON</u>		Static water level <u>65</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																					
Address <u>Middleton, Idaho</u>																																							
Owner's Permit No. <u>45-7062</u>																																							
2. NATURE OF WORK		8. WELL TEST DATA <u>NONE</u>																																					
☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		☐ Pump ☐ Bailor ☐ Other																																					
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Draw Down</th> <th style="width: 33%;">Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		Discharge G.P.M.	Draw Down	Hours Pumped																																	
Discharge G.P.M.	Draw Down	Hours Pumped																																					
3. PROPOSED USE		9. LITHOLOGIC LOG																																					
☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 10%;">Hole Diam.</th> <th colspan="2" style="width: 20%;">Depth</th> <th rowspan="2" style="width: 50%;">Material</th> <th colspan="2" style="width: 10%;">Water</th> </tr> <tr> <th style="width: 10%;">From</th> <th style="width: 10%;">To</th> <th style="width: 5%;">Yes</th> <th style="width: 5%;">No</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>0</td> <td>3</td> <td>TOP SOIL</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>3</td> <td>14</td> <td>COARSE GRAVEL & DIRT</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>14</td> <td>142</td> <td>Pack-GRAVEL + dirt</td> <td> </td> <td> </td> </tr> <tr> <td colspan="6" style="height: 100px; vertical-align: top; padding: 5px;"> Seepage water at 65 ft not enough to drill with. wouldn't make a house well. this well will be finished some time later. the pipe is hanging loose in the hole sitting on two railroad ties. a lid is welded on top. this type of drilling is done headfirst by keeping casing free and backfilling and sealing after pipe is down on the rock. </td> </tr> </tbody> </table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	20	0	3	TOP SOIL				3	14	COARSE GRAVEL & DIRT				14	142	Pack-GRAVEL + dirt			Seepage water at 65 ft not enough to drill with. wouldn't make a house well. this well will be finished some time later. the pipe is hanging loose in the hole sitting on two railroad ties. a lid is welded on top. this type of drilling is done headfirst by keeping casing free and backfilling and sealing after pipe is down on the rock.							
Hole Diam.	Depth		Material		Water																																		
	From	To		Yes	No																																		
20	0	3	TOP SOIL																																				
	3	14	COARSE GRAVEL & DIRT																																				
	14	142	Pack-GRAVEL + dirt																																				
Seepage water at 65 ft not enough to drill with. wouldn't make a house well. this well will be finished some time later. the pipe is hanging loose in the hole sitting on two railroad ties. a lid is welded on top. this type of drilling is done headfirst by keeping casing free and backfilling and sealing after pipe is down on the rock.																																							
4. METHOD DRILLED																																							
☒ Cable ☐ Rotary ☐ Dug ☐ Other																																							
5. WELL CONSTRUCTION																																							
Diameter of hole <u>20</u> inches Total depth <u>142</u> feet Casing schedule: ☒ Steel ☐ Concrete																																							
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Thickness</th> <th style="width: 15%;">Diameter</th> <th style="width: 15%;">From</th> <th style="width: 15%;">To</th> <th style="width: 15%;">feet</th> <th style="width: 15%;">feet</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>20</u> inches</td> <td><u>+2</u> feet</td> <td><u>138</u> feet</td> <td> </td> <td> </td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		Thickness	Diameter	From	To	feet	feet	<u>.250</u> inches	<u>20</u> inches	<u>+2</u> feet	<u>138</u> feet																												
Thickness	Diameter	From	To	feet	feet																																		
<u>.250</u> inches	<u>20</u> inches	<u>+2</u> feet	<u>138</u> feet																																				
Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches																																							
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">Number</th> <th style="width: 20%;">From</th> <th style="width: 20%;">To</th> <th style="width: 20%;">feet</th> <th style="width: 20%;">feet</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		Number	From	To	feet	feet																																	
Number	From	To	feet	feet																																			
Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet																																							
Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet																																							
Surface seal? ☐ Yes ☒ No To what depth _____ feet Material used in seal ☐ Cement grout ☐ Puddling clay																																							
6. LOCATION OF WELL		10.																																					
Sketch map location must agree with written location. <u>45-7062</u> County <u>CASSIA</u> <u>SW 1/4 SW 1/4 Sec. 19, T. 12 S. R. 21 E.</u>		Work started <u>5 Feb. 1971</u> finished <u>11 Feb. 1971</u>																																					
		11. DRILLER'S CERTIFICATION																																					
		This well was drilled under my supervision and this report is true to the best of my knowledge. <u>Chesley Drilling Co. 3</u> Driller's or Firm's Name Number <u>BURLEY, Idaho</u> Address <u>Uel R. Chesley 12 March 1971</u> Signed By Date																																					

March 31, 1971

Mr. Verl Chesley
Chesley Well Drilling
Route 2, Box 146
Burley, Idaho 83318

Re: Well drilled for Geraldine Johnson
Permit No. 45-7062

Dear Mr. Chesley:

We realize that by hanging the casing in the manner you described makes it easier to continue further drilling operation. However, it is your responsibility to see that the first string of pipe is installed and sealed to the proper depth in accordance to the Idaho Minimum Well Construction Standards, or that provisions have been made to leave the well in a certain state before your drill rig is removed from the site. (See Idaho Minimum Well Construction Standards, Completion of a Well).

Our records show that the people with whom you contracted to drill the well no longer have an interest in the well, and the new owners are considering another driller to complete the well. This department must insist that the well be sealed in compliance to the Idaho Minimum Well Construction Standards. To protect the ground waters of our state, we cannot allow wells to remain open and not sealed. You, as the driller, are responsible for seeing that the seal is placed before removing your rig from the site. We, therefore, require that you take immediate steps to have this well properly sealed on or before April 12, 1971. Please advise me if the seal is placed prior to this date.

Thank you.

Sincerely,

A. KENNETH DUNN
Assistant Director

AKD:mjl

45 7062

Route 2 Box 146

25 March 1971

Burley, Idaho

RECEIVED

Dept. of Water Administration,

Dear Sirs;

Department of Water Administration

In answer to your letter concerning well - Permit # 45-7062 It is my understanding that this permit has been assigned to Donna Williams of Rupert.

as to when drilling will be continued I can't say. you would have to contact the Williams about that. I understand that they are trying to make some deal with Commons Drilling of Rupert.

If this hole is sealed to meet standards at this time it means that when drilling was started again they would have to reduce size and put in smaller casing. Sealing at the present time is not at all necessary. the well sits ^{on} ~~and~~ ground with considerable slope and the casing has dirt bank around

outside of hole to prevent surface runoff
water from entering around casing.

The only water that can get into space
around pipe is what little rain or snow might
fall into it. So, for the present I don't
intend to do any sealing around the pipe
itself. Any kind of sealing around pipe at
this time would make finishing of the well
much more difficult. I will go back up
and make sure a good dam is in
place around the well site.

Vest Chesley

45 7062

March 24, 1971

C 45-7062

Mr. Verl Chesley
Chesley Well Drilling
Route 2, Box 146
Burley, Idaho 83318

Dear Verl,

We are in receipt of a Well Driller's Report you filed for Geraldine Johnson, Middleton, Idaho. The report shows a 20" diameter by 142' deep hole with 142 feet of casing with a cap welded on top and is being supported by two railroad ties. You state the drilling has stopped now, but you plan to return at a later date.

Referring to Permit 45-7062 in our file, we find this permit was assigned to Donna W. Williams, Rupert, Idaho. I believe her husband's name is C. John Williams II, March 8, 1971.

The Department is concerned about the casing not being sealed down to 18' to prevent the entrance of surface water to the bottom of the bore hole.

Please advise us when you will return to the drilling operations and what you will do about the surface seal in the meantime.

Very truly yours,

Loy H. Johnson
Well Construction Supervisor

LHJ:mjl

45 7062

March 9, 1971

Re: Application No. 45-7062

Dona W. Williams
Rupert,
Idaho 83350

Dear Ms. Williams:

We have received the assignment convening permit no. 45-7062 to you. We are enclosing a copy of the permit. Please direct your attentions to the limitations and conditions on page four.

If we may be of any assistance to you, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/bb

Enc: permit
assignment

45 7062

DEPARTMENT OF WATER ADMINISTRATION

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON

Director

STATE OF IDAHO

STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

July 9, 1970

Re: Permit Nos. 31-7035 - Joan L. Johnson - D.E. I-712
45-7062 - Geraldine C. Johnson - D.E. I-1941
45-7063 - J. Kay Johnson - D.E. I-1942
45-7064 - Michael Wayne Cranney - D.E. I-1824
51-7053 - Clarence A. Miller, Jr. - D.E. I-2429
51-7054 - Clarence A. Miller, Jr. - D.E. I-2429

Mr. Curtis Taylor, Acting Manager
Bureau of Land Management
Room 334, Federal Building
Boise, Idaho 83702

Dear Curt:

Enclosed are copies of the above referenced permits which have
been approved by this office.

Very truly yours,

C. Stephen Allred
Deputy Director

CSA:kh
Enclosures

45-7062

Director

July 9, 1970

Re: Permit Nos. 45-7062 & 45-7063

C
O
P
Y

J. Kay & Geraldine C. Johnson
Box 79
Middleton, Idaho 83644

Dear Mr. & Mrs. Johnson:

Enclosed are copies of your approved Applications for Permit Nos. 45-7062 and 45-7063. We direct your attention to the conditions of approval on the fourth page under approval of the State Reclamation Engineer.

Be sure to note that a special condition requiring you to install and maintain measuring devices at your points of diversion has been placed upon your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

Our investigation section advised us that water level declines of 4 to 18 feet were reported in observation wells located 3 to 6 miles from your point of diversion in 1969. The depth to water in this area is from 180 to 200 feet.

Very truly yours,

C. STEPHEN ALLRED
Deputy Director

CSA:kh

Enclosures: Copies of permits
Receipt No. 4610 for \$51
Receipt No. 4609 for \$51
2 informational letters

45-7062

70-138

**NOTICE OF APPLICATION
FOR PERMIT TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF IDAHO**

Notice is hereby given that Geraldine C. Johnson, Box 79, Middleton, Idaho, has on May 8, 1970, submitted Application No. 45-7062 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 6.4 cubic feet per second of water to be diverted by well, ditches or pipeline within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 19, T. 12S, R. 21E, B.M., Cassia County, and is to be used within the W $\frac{1}{2}$ of Sec. 19, T. 12S, R. 21E, B.M. from April 1 to Sept. 30 for the irrigation of 320 acres.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before June 8, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the South Idaho
Press, Burley, Idaho, on May 21 and
May 28, 1970.

45-7062

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

May 15, 1970

Re: Applications filed in connection with desert entries

Mr. Curtis Taylor, Ass't. Mgr.
Idaho Land Office
BUREAU OF LAND MANAGEMENT
Room 334, Federal Bldg.
550 West Fort St.
Boise, Idaho 83702

Dear Mr. Taylor:

Please be advised that the following applications have been received in connection with desert land entries:

I-1819	45-7055	Willard Cranney
I-1821	45-7056	Gary Cranney
I-1823	45-7057	Kathy Cranney
I-1818	45-7058	Etta J. Cranney
I-1822	45-7059	Lucy Cranney
I-1817	45-7060	Rae Cranney
I-1825	45-7061	Robyn Cranney
I-1941	<u>45-7062</u>	Geraldine C. Johnson
I-1942	45-7063	J. Kay Johnson

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

45-7062

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

May 13, 1970

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

Re: Claim to a Water Right No. 43-4021 - Raft River Cattle Company
Application for Permit No. 45-7055 - Willard Cranney
" " " " 45-7056 - Gary Cranney
" " " " 45-7057 - Kathy Cranney
" " " " 45-7058 - Etta J. Cranney
" " " " 45-7059 - Lucy Cranney
" " " " 45-7060 - Rae Cranney
" " " " 45-7061 - Robyn Cranney
" " " " 45-6062 - Geraldine C. Johnson
" " " " 45-7063 - J. Kay Johnson

South Idaho Press
Box 190
Burley, Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

Enc: Legal notices (10)

*Bill submitted
6-1-70
dw*

45-7062

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Geraldine C. Johnson, Box 79, Middleton,
Idaho, has on May 8, 1970,

submitted Application No. 45-7062 to appropriate the public waters of
a groundwater source

~~The proposed uses are~~

The application proposes a maximum diversion and appropriation of 6.4
cubic feet per second ~~acre~~ feet of water to be diverted by well, ditches or
pipeline within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 19,
T. 12S, R. 21E, B.M., Cassia County,

and is to be used within the W $\frac{1}{2}$ of Sec. 19, T. 12S, R. 21E, B.M. from April 1
to Sept. 30 for the irrigation of 320 acres

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before June 8, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the South ~~Idaho~~ Idaho Press, Burley, Idaho,
on May 21 and May 28, 1970

KN.

45-7062