

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 45-7003 Priority Sept. 6, 1967 Amount 5.32 cfs

THIS IS TO CERTIFY, that ROBERT JAROLIMEK
of Burley, Idaho, has complied with the terms and conditions of Permit
No. 45-7003 issued pursuant to Application for Permit dated September 6, 1967,
and has submitted proof to the Department of Water Administration on November 6, 1969,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 5.60 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 5.32 for irrigation from April 1 to Oct. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 5.32 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 6, Twp. 11 S, Rge. 22 E, B.M.

in the county of Cassia; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1064 acre feet per year or _____
4.0 acre feet per acre.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
11S	22E	6					39	37	39	39	40	35	37						266

Total number of acres irrigated 266

A measuring device of a type approved by the Department shall be maintained
as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 16 day of
November, 19 71.


Director

45 7003

RECEIVED
SEP 6 1967

Department of Reclamation

Identification No.

45-7003

Application No.

42019

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant ROBERT JARDLIMEK
post office address ROUTE, #2, BURLEY, IDAHO 83318
2. Source of water supply WELL which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 6 Township 11S
Range 22E B.M. CASSIA County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 5.6 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
IRRIGATION purpose from APRIL 1 to OCTOBER 31 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP, PIPES, OPEN DITCHES.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 20 inches; proposed depth of well is 600 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 25,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

45 7003

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
11S	22E	6						40	40	40	40	40	40	40					280

Total number of acres to be irrigated 280

c. Describe any other water rights used for the same purposes NONE


9. a. Who owns the property at the point of diversion OWNED BY APPLICANT

b. Who owns the land to be irrigated or place of use OWNED BY APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing NA.

10. Remarks

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert Garolimek
(Applicant)

Received by KS Date 9-6-67 Time 8:11
Preliminary check by Duke Fee \$ 45.00
Receipted by Y Date _____
Publication prepared by KS Date 9-14-67
Published in World of Idaho
Publication dates Sept. 21, 28
Publication approved KS Date 9-23-67
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JAB Duke HR

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7003, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 69.
- Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 6th day of November 19 67.

R. Keith Higgins
State Reclamation Engineer

LICENSE ISSUED FOR 5.32 SEC. FT.
LICENSE PAGE NO. _____

Identification No. 45-7003

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

NOV 6 1969 ✓

Department of Reclamation

1. a) Name of Permit Holder Robert Jarolinek
b) Post Office Address Route #2 Burley, Idaho 83318 ✓
2. Permit Number 45-7003
3. Date of Priority that you are prepared to establish September 6, 1967
4. a) Source from which water was appropriated well
b) Location of the point of diversion: SE 1/4 of NW 1/4, Section 6
Township 11S, Range 22E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 5.6 CFS for Irrigation purposes from April 1 to Oct. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 5.6 ✓ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Well test meter Layne & Bowler
Pump Company, Twin Falls, Idaho
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 400 hp. Layne & Bowler
625 feet 12 inch column pipe 16 inch bowls
b) Describe the type and size of measuring device which you have installed at your point of diversion: Metraflex Flow Meter #33
c) Give well drillers name and address and date the well was completed Ray L. Commons
P.O. Box 126 Rupert, Idaho April 25, 1968

EXAM TYPED

11-2-69

gms

45 7003

w.o. gms

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11 S	22 E	6						40	40	40	40	40	40	40					280

Total number of acres irrigated 280 ✓

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

November 5, 1969
(Date)

Robert Jarolimek ✓
(Signature)

State of Idaho)
County of Minidoka ss.)

On this 5th day of November, 1969, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Charles H. Brown ✓

Notary Public residing at _____

My commission expires 1-16-72 ✓

THE WORLD OF IDAHO
~~The Burley Herald-Bulletin~~

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss:
STATE OF IDAHO)

Gary L. Fernau....., being first

duly sworn, deposes and says that he is the

General Manager of Burley Herald-Bulletin, a weekly newspaper published at Burley, Idaho, in the county aforesaid, and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular weekly editions of Burley Herald-Bulletin for

two (2) consecutive weeks, commencing

with the issue dated September 25, 1967

ending with the issue dated October 29, 1967

[Signature]
Subscribed and sworn to before me this


3 day of October, 19 67

[Signature]
Notary Public

Cost of Publication My Commission Expires Feb. 18, 1969

Notary fee

Total Cost



me

45 7003

THE WORLD OF IDAHO
~~The Burley Herald-Bulletin~~

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)

) ss:

STATE OF IDAHO)

Gary L. Fernau

, being first

duly sworn, deposes and says that he is the

General Manager of Burley Herald-Bulletin, a weekly newspaper published at Burley, Idaho, in the county aforesaid, and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular weekly editions of Burley Herald-Bulletin for

two (2) consecutive weeks, commencing

with the issue dated September 25, 1967

ending with the issue dated October 2, 1967

Subscribed and sworn to before me this

3 day of October, 19 67

Notary Public

Cost of Publication My Commission Expires Feb. 19, 1969

Notary fee

Total Cost

67-257

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Robert Jachimek has on September 6, 1967 applied for permit to divert 500 cubic feet per second of water from a subterranean source under application No. 45-7003. Water will be diverted by pumps, pipes, and ditches within the SE 1/4 NW 1/4, Sec. 6, T. 11 S., R. 22 E., B.M., Cassia County and is to be used from April 1 to December 31 for irrigation in NW 1/4 NW 1/4, SE 1/4 NW 1/4, Sec. 6, T. 11 S., R. 22 E., B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the World of Idaho,
Burley, Idaho, on September 25
and October 2, 1967.

The World

P.O. Box 190

Phone 678-2201

BURLEY, IDAHO 83318 September, 1967

State of Idaho
Department of Reclamation
107 State House
Boise, Idaho


Legal
Advertising

67-257 26 lines 2 times

6.50

I hereby certify that the above account is correct and just, that the services were actually rendered as charged, and that we have not received payment therefor.

The World of Idaho



Gary L. Fernau
General Manager

15-2003

45 7003

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

November 16, 1971

Re: Permit No. 45-7003

Mr. Robert Jarolimek
Route # 2
Burley, Idaho 83318

Dear Mr. Jarolimek:

Enclosed herewith is your Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: License
cc: Charles H. Creason

cc: 7003

November 5, 1971

Mr. Robert Jarolimek

Route # 2
Burley, Idaho 83318

Dear Mr. Jarolimek:

A representative of this department has made an examination of the works covered by your Permit No. 45-7003 and has found the following:

Quantity of water diverted: 5.60 c.f.s.

Amount of water that can be recognized as beneficially used under Idaho law: 5.32 c.f.s.

The maximum quantity diverted shall not exceed 1064 acre feet per season.

Beneficial Use: Irrigation of 286 acres within the NWNW (39), SWNW (37), SENW (39), NESW (39), NWSW (40), SWSW (35), SESW (37),
Sec. 6, Twp. 11 S, Rge. 22 E, B.M.

The priority date established is : September 6, 1967

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
cc: Charles H. Creason

45 7003

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 45-7003

This proof is for 5.6 cfs In Water District No.

1. Name of applicant Robert Jarolimek, Rt. #2, Burley, Idaho 83318

2. Source of water supply: ground-water

3. Location of point of diversion: Is in the SE 1/4 of Section 6
T. 11 S R. 22 E County of Cassia

4. Describe works as they exist, giving dimensions and capacities of same:

PERMIT - pump, pipes, open ditches.

US motor ser no. 31018448

PROOF - 400 HP Layne & Bowler, 625', 12" column pipe, 16" bowls

METRAFLEX FLOW METER #33 Pump ser no. D20138 2500 GPM

@ 540 FT @ 1770 RPM Pump model 16EHM. Water 5 FT to Round
sump. water goes through buried pipe under road 30' to open
ditch.

5. Water is used for: irrigation (4-1 to 10-31)

6. State whether or not water has been turned into works of diversion: Yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

11 S - 22 E, Sec. 6 W 1/4, SE 1/4, SW 1/4 280 acres

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Robert Jarolimek accompanied exam.
Meter is not permanently installed because
Mr. Jarolimek fears it would become a target for
intermittent shooters.

2500 GPM with Metraflex meter

Booster pump to put water to top of hill. GF 40 HP

SER NO. 2X11220318 LAYNE - BOWLER pump 8" discharge SER NO. D20539

1350 GPM @ 90 FT and 1770 RPM. Model 12 KHAM in sump beside

well discharge.

The meter was 10 FT on well I left.

This examination was made on the 31 day of July, 1970

(Signed)

William Schumacher

Examiner.

Contract in June

Permit No. 45-7003

Examination for b/u - Robert Jarolimek

County Cassia

Quantity: 5.6 cfs Sec. 6 T. 11S R. 22E

Source: ground-water

P.D.: SE $\frac{1}{4}$ NW $\frac{1}{4}$

Use: irrigation

Extension:

~~Protest:~~

~~Completion of Work:~~

~~Other Rights:~~


Filed: 9-6-67 Made: 11-6-69
Due: 12-1-69 Priority: 9-6-67

Disc

encl. 35

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.



45 7003

SWAKE RIVER

R. E

500
500
500

AD



39
70
79
72
268

Q measured 51.6 CFS
 Q recommended 5.32 CFS
 Volume _____
 Acreage -
 Found 266
 recommended 266
 Supply _____
 Amendments
☒ None
☐ P.D.
☐ Place of use
☐ _____

$Vol = 2 \times 51.6 \times 245 = 2744 \text{ acft}$
 $Vol = 4 \times 266 = 1064 \text{ acft}$
 Attn

Form 23
2M-4-65

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 45-7003

REPORT ON PROOF OF Robert Jarolimek

45 7003

Y'ERMT # 45 7003

10.6

31

A3/2⁶

C

B

A

34.9

20.2

F

77.5

30.4 G

7.5

J 25.5

39.4

I

K 28.5

L

201.5

6
7

10.6

31

A312⁶

A

20.2

34.9

F 71.5

30.4 G

7.5

J 25.5

39.4

I

K 28.5

L

201.5

E 90

6

6
7

55 7003

November 2, 1971

Re: Permit No. 45-7003 - Robert Jarolimek

Creason & Creason
Attorneys at Law
Box 335
Rupert, Idaho 83350

Gentlemen:

The required field examination for the above referenced permit has been completed and is in the process of being reviewed for licensing. The license should be issued in a short time.

If you should have any questions, do not hesitate to contact us.

Very truly yours,

Fred Eisenbarth
Appropriation Examiner


FE/bb

45 7003

CREASON & CREASON
ATTORNEYS AT LAW
RUPERT, IDAHO 83350

H. V. CREASON
C. H. CREASON

November 1, 1971



State of Idaho
Department of Reclamation
Statehouse - Annex 2
Boise, Idaho 83707

Re: Robert Jarolimek
Rt. 2
Burley, Idaho

Permit No. 45-7003

Gentlemen:

We are writing you at the request of Mr. Jarolimek regarding the above Permit.

He advises me that the well was tested and inspected last summer but that they have not as yet received the Water Certificate.

I note from my files that on November 5, 1969 we submitted to you on behalf of Mr. Jarolimek, the proof of application of water to beneficial use, together with Well Test Report of Layne and Bowler Pump Company.

Any advise you may give us on this matter will be appreciated.

Yours very truly

Creason & Creason

A handwritten signature in cursive script that reads "Charles H. Creason".

Charles H. Creason

c

CHC:hc

45 7003

November 7, 1969

Re: Permit No. 45-7003

Mr. Robert Jarolimek
Route 2
Burley, Idaho 83318

Dear Mr. Jarolimek:

We acknowledge receipt of your affidavit submitted as proof of beneficial use ~~of the system~~ for permit 45-7003.

Before a license can be issued a field examination must be made by a representative from this department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

45 7003

Form 8

CREASON & CREASON
ATTORNEYS AT LAW
RUPERT, IDAHO 83350

H. V. CREASON
C. H. CREASON

BOX 335
436-4131

RECEIVED
NOV 8 1969
Department of Reclamation

CERTIFIED MAIL

November 5, 1969

Mr. Keith Higginson
State Reclamation Engineer
Department of Reclamation
Statehouse Annex 2
Boise, Idaho 83707


Dear Mr. Higginson:

We are enclosing herewith a proof of application of water to beneficial use for Robert Jarolimek. We are also enclosing a copy of the Well Test Report by Layne and Bowler Pump Company.

We trust these matters are in order. Will you kindly advise.

Yours very truly,

CREASON & CREASON



Charles H. Creason

CC/kr
Enclosures
cc

LAYNE AND BOWLER PUMP COMPANY
WELL TEST REPORT

NAME Robert H. Jarolimek DATE October 31, 1969
LOCATION N.E. 1/4 of S.W. 1/4 SEC. 6 RANGE 22 E. T. 11 S.
WELL DEPTH 625 ft. WELL SIZE 20" - 18" Cassia County
CASING
PUMP DEPTH 570 ft. 12" w/ 6 stg. 16" bowls ORIFICE SIZE
STATIC WATER LEVEL 530 ft. STARTING TIME
TIME PUMPING LEVEL ORIFICE READING G.P.M. MINERS INCHES

540

2520

280

REMARKS:

Layne & Bowler Pump Co.

G.J. Staley

Asst. Mgr.

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE \$300



INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article RETURN RECEIPT REQUESTED.

← RETURN
TO

NAME OF SENDER

Department of Reclamation
Annex # 2 Statehouse

STREET AND NO. OR P.O. BOX

POST OFFICE, STATE, AND ZIP CODE Boise, Idaho 83707

PS Form 3811 Apr. 1967

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and address where delivered ☐ Deliver ONLY to addressee
(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.	SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)
CERTIFIED NO.	SIGNATURE OF ADDRESSEE'S AGENT, IF ANY
INSURED NO.	
DATE DELIVERED	SHOW WHERE DELIVERED (only if registered)

OCT 2 - 1969

45-7003

02-15-7140-10 000

Re: Permit No. 45-7003

CERTIFIED MAIL

October 1, 1969

Mr. Robert Jarolimek
Route 2
Burley, Idaho 83318

Dear Mr. Jarolimek:

One of the conditions of the approval of your permit
45-7003 was that proof of application of the water to
beneficial use be submitted to this office on or before _____
December 1, 19 69.

Enclosed is an affidavit form which must be used to submit
this proof. You may request an extension of time provided the
delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received
by this department on or before the above mentioned date, otherwise
the permit will lapse and be of no further force or effect.

State Reclamation Engineer

Enclosure: Proof form
dr

Form 5

45 7003

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name JOHN WARREN

Address BURLEY IDAHO

Owner's Permit No. 45-7003

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☐
20" Diam. from 0 ft. to 462' 6" ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.

Thickness of casing: 250 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☒ Type of
perforator used:

Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐


Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☐ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☒ No ☐ To what depth?
46 ft. Material used in seal:

puddling clay
Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No ☐
cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Blaine
NE 1/4 NW 1/4 Sec. 2 T. 11 N/S R. 11 E/W

Size of drilled hole: 20" Total
depth of well: 490 Standing water
level below ground: 428 Temp.
Fahr. ° Test delivery: gpm
or cfs Pump? ☐ Bail ☒
Size of pump and motor used to make test:

Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	43	topsoil and clay	
43	72	gray lava solid	
72	94	brown lava broken (solid)	
94	129	brown lava solid	
129	140	brown lava hard	
140	147	brown lava loose	
147	160	brown lava solid	
160	163	brown lava loose	
163	172	brown lava hard	
172	176	broken lava loose	
176	189	brown lava solid	
189	226	gray lava solid	
226	237	gray and brown broken law	
237	268	brown lava solid	
268	272	clay and boulders	
272	287	gray lava hard	
287	293	brown lava loose	
293	355	gray lava hard	
355	358	brown lava loose	
358	395	brown and gray lava hard	
395	406	brown lava solid	
406	408	brown clay	
408	423	brown lava solid	
423	430	brown lava loose	
430	440	brown lava solid	
440	442	clay and talc	
442	445	brown lava solid	
445	468	brown lava firm	
468	490	brown lava cinders	

Work started: dec. 23, 1968

Work finished: feb 3, 1969

Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.

Name: SHERMAN COUCH

Address: 412 Wagon Wheel Rd. Burley Idaho

Signed by: Sherman Couch

License No. 161 Date: 4-5-69

Use other side for additional remarks

45 7003

REPORT OF WELL DRILLER State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Robert Jarolimek
Address 225 S - 600 W
Burley, Idaho
Owner's Permit No. 555
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)

CASING SCHEDULE: Threaded ☐ Welded ☒
24 "Diam. from +1 ft. to 35 ft.
18 "Diam. from 506 ft. to 555 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: 250 wall Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☒ No ☐ Type of
perforator used: milled by machine

Size of perforations: 1/8 " by 4 "
perforations from 538 ft. to 553 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.


WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No. ☒ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☒ No ☐ To what depth?
35 ft. Material used in seal: Mud & drill cuttings

Did any strata contain unusable water? Yes ☐
No. ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No. ☐
Cemented in place? Yes ☐ No ☒

Locate well in section



LOCATION OF WELL: County Cassia
NE 1/4 SW 1/4 Sec. 6 T. 11 N. S. R. 22 E.

Use other side for additional remarks

Size of drilled hole: 21" + 18" Total
depth of well: 622 Standing water
level below ground: 529 Temp. 55.5
Fahr. Test delivery: gpm
or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH FROM	TO	MATERIAL	WATER YES OR NO
FEET	FEET		
0	34	Topsoil + clay	
34	55	Gray lava - firm	
55	73	Brown lava - cinders	
73	95	Brown lava - big cinders	
95	130	Brownish gray lava - solid	
130	152	Gray lava - solid	
152	180	Brown lava - solid	
180	222	Gray lava - hard	
222	235	Red lava - solid	
235	253	Red + brown lava - loose	
253	265	r + r - solid	
265	286	Brown + gray lava - very hard	
286	295	Brown lava - loose	
295	311	r - solid	
311	318	r + large boulders	
318	350	r - solid	
350	378	Reddish brown lava - solid	
378	383	r - loose	
383	418	Brown lava - solid	
418	431	Brown + gray lava - hard	
431	435	r + r - loose	
435	468	Brown lava - solid	
468	507	Light brown lava - very hard	
507	533	Gray lava - hard	
533	534	Gray sand + boulders	Yes
534	538	Gray lava - solid	Yes
538	553	Sandy gravel	Yes
553	558	Brown + gray lava - solid	Yes
558	572	r + r - firm	Yes
572	575	Orange clay - lava ash	No
575	592	Gray lava - solid	Yes
592	592	Gray lava - broken	Yes
592	614	Gray + brown broken lava + cinders	Yes
614	622	Gray lava - solid	Yes

Work started: February 12 - 1968
Work finished: April 25 - 1968
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Ray L. Commons (Commons Drilling Co.)
Address: P.O. Box 126 - Rupert, Idaho
Signed by: Ray L. Commons
License No. 546 Date: May 24 - 1968
Drilled by - Sherman Couch

March 20, 1969

Re: Permit No. 45-7003

Mr. Robert Jarolimek
Route #2
Burley, Idaho 83318

Dear Mr. Jarolimek:

Thank you for your letter of March 19, 1969. Please be advised that under the new procedures as set forth in the Idaho Code, and authorized under Section 42-237a. c. of the Idaho Code, as amended, permits issued after May 31, 1967 for irrigation purposes and some other uses are required to install a measuring device.

As you may be aware, before we can issue a license we are required by law to conduct an inspection to determine the amount of beneficial use that has been made under the permit. To accomplish this we would require the use of the measuring device set forth under the terms of the permit. In the event that we were to make the inspection, and the measuring device was not installed, our probable course would be to deny the proof of application of the water to beneficial use and the permit would lapse.

We are enclosing Bulletin No. 170 for your use in determining a measuring device. If we may be of further assistance, please feel free to contact us.

Very truly yours,

Dean R. Reynolds
Field Examiner

DRR:ks

45 7003

45 7003

Burley, Idaho.

Mar. 19, 1969.

RECEIVED

Dept. of Reclamation

MAR 21 1969

Dear sir,

Department of Reclamation

I am ready to get my well permit approved and have been informed that I must install some form of measuring the water at my pump. Is this needed to get my well permit checked?

If so, please send me information on the different kinds of Wiers, a Rectangular, b. Cipolletti & c. V-Notch. Also on flumes - a. Parshall flume & b. Trapezoidal flume.

We have had our other wells approved but were not told to do this on them. Is this just new now?

Sincerely,
Robert Jarolimek
At. #2

Burley, Idaho. 83318.

45 7003

February 12, 1969

Re: Application No. 45-7003
Robert Jarolinek

Mr. Charles W. Creason
Creason and Creason
Attorneys at Law
Rupert, Idaho 83350

Dear Mr. Creason.

Thank you for your letter of February 11, 1969. Enclosed is a letter which the department usually tries to send out with the approved copy of the application.

Any of the measuring devices on this letter are acceptable to the department, however, if someoother device is used, please contact the department for further instructions.

Very truly yours.

Donald W. McEldowney
Appropriation Examiner

DWM:KS

enclosure: Measuring device letter

45 7003

RECEIVED

CREASON & CREASON
ATTORNEYS AT LAW
RUPERT, IDAHO 83350

H. V. CREASON
C. H. CREASON

February 11, 1969

Department of Reclamation
BOX 335
436-4131

Delis

Mr. R. Keith Higgins
State Reclamation Engineer
State House
Boise, Idaho 83702

Re: Robert Jarolimek
Permit Number Idaho 45-7003

Dear Sir:

We wrote you on the Jarolimek permit and you wrote back requiring that the applicant permanently install a measuring device of a type approved by the department as part of the diverting works.

Would you kindly inform us of what types of measuring devices are approved, so that he might comply with it at the time of making final proof?

Very truly yours,

CREASON & CREASON

By

William V. Creason
(S)

CHC:sm

45 7003

February 7, 1969

C
O
P
Y

Re: Permit No. 45-700

C. H. Creason
Creason and Creason
Attorneys at Law
Rupert, Idaho

Dear Mr. Creason:

Please find enclosed the Department's form for making proof
of the application of water to beneficial use.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TG

Enc: proof forms

45 7003

CREASON & CREASON

ATTORNEYS AT LAW
RUPERT, IDAHO 83350

H. V. CREASON
C. H. CREASON

February 3, 1969

BOX 335
436-4131

Mr. R. Keith Higgins
State Reclamation Engineer
State House
Boise, Idaho 83702

Re: Robert Jarolimek
Permit Number Idaho 45-7003


Dear Sir:

Mr. Robert Jarolimek is desirous to make proof of
completion works in the above permit.

Would you kindly forward to us the necessary papers, so
that we might proceed in this matter.

Very truly yours,

CREASON & CREASON

By 

CHC:sm

45 7003

November 6, 1967

Re: Permit 45-7003

**Robert Jarolimek
Route #2
Burley, Idaho 83318**

Dear Mr. Jarolimek:

We enclose a copy of your approved application for permit 45-7003 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

**Donald W. McEldowney
Water Rights Clerk**

DWM:nw

**Enclosure: Copy of application
Receipt No. 33924 for \$45.00**

45 7003

Form 4

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701
October 6, 1967

Re: Applications 45-7005, 45-7006, 45-7010, 45-7012, 45-7013, 45-7007,
45-7009, 45-7004, 45-7003, 45-7008 and Claim 43-4001

The World of Idaho
P. O. Box 190
Burley, Idaho 83318

Gentlemen:

Returned herewith are the bills of publication for the above referenced applications and claim. Please be advised that a State Warrant may not be issued until we have a certified bill to submit. Please certify the bills as per our attached instruction letter and return as soon as possible.

Very truly yours,

Donald W. McElDowney
Water Rights Clerk

DWM;KS

Enclosure: bills of publication
instruction letter

45 7003

**NOTICE OF APPLICATION
FOR WATER**

67-257

Notice is hereby given that Robert Jarosimek has on September 2, 1967, applied for permit to divert 50 cubic feet per second of water from a subterranean source under application No. 47-7003. Water will be diverted by pumps, pipes, and ditches within the SE 1/4 NW 1/4, Sec. 6, T. 47 S., R. 22 E., B.M., Cassia County and is to be used from April 1 to December 31 for irrigation in NW 1/4 NW 1/4, Sec. 6, T. 47 S., R. 22 E., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the World of Idaho,
Burley, Idaho, on September 25
and October 2, 1967.

RECEIVED

SEP 22 1967

Department of Reclamation

48-7003

September 14, 1967

Re: Application No. 45-7003

The World of Idaho
Burley,
Idaho 83316

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for proofing before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

The expense of this publication is to be paid by the Department of Reclamation to whom you must furnish an affidavit of publication with the bill as soon as the publication is completed.

Very truly yours,

Donald W. McElowney
Water Rights Clerk

DWM:ks

Enclosures: legal notice

P.S. Please send a certified bill.

Form 3

45 7003

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Robert Jarolim⁰
has on September 6, 1967 applied for permit to (divert) ////
5.6 (cubic feet per second) //////// of water from a sub-
terranean source under application No. 45-7003. Water will be
diverted by pumps, pipes, and / ditches within the SE 1/4, Sec. 6, T. 11 S,
R. 22 E, B.M., Cassia County and is to be used from April 1
December 31 for irrigation
to for
in NE 1/4 NW 1/4, S 1/2 NW 1/4, S 1/2 NW 1/4
Sec. 6, T. 11 S, R. 22 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON

State Reclamation Engineer

World of Idaho

Burley

Published in the September 21 September 28,
Idaho, on _____ and _____.

45 7003