

State of Idaho

License and Certificate of Water Right

Water License No. 20897

Amount 1.8 second feet

Water District No.

Priority January 12, 1949

THIS IS TO CERTIFY that CHARLES H. COINER and HENRY G. COINER
of Twin Falls, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated January 12, 1949; that Permit No. 20897
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
two second feet, was issued thereunder on August 1, 1949, showing that said works
were completed on the 23rd day of July, 1949; and that on the 31st
day of January, 1950,

CHARLES H. COINER and HENRY G. COINER
of Twin Falls, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of a well
underground (subterranean flow), for the purpose of irrigation and domestic
use, under Use Permit No. 20897 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
8 of Licenses at page 4793, on the 21st day of July, 1951;

The right hereby confirmed dates from January 12, 1949;

The Point of Diversion is located

in the SW 1/4 SE 1/4, Sec. 34, Tp. 11 S., R. 12 E., B.M. Twin Falls County.

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 1.8 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
11 S.	12 E.	34	NW 1/4 NE 1/4	40	40
			SW 1/4 NE 1/4	40	40
			NW 1/4 SE 1/4	30	30
			SW 1/4 SE 1/4	20	20
Number of Acres Actually Irrigated				-	130

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

21st day of July, 1951.

MARK P. KULP

State Reclamation Engineer

(SEAL)

45 2290

No 20897
45-2290

APPLICATION FOR PERMIT
To Appropriate the Public Waters of the State of Idaho

APPLICATION No. 28544
PERMIT No. 20897
DISTRICT No.

1. Name of Applicant: CHARLES H. COINER and HENRY G. COINER

Postoffice address: 1315 11th Ave. E., Twin Falls

County: Twin Falls

State: Idaho

I. If applicant is a corporation, give:

- (a) Date and place of incorporation:
- (b) Amount of capital stock:
- (c) Amount paid in:
- (d) Names and addresses of directors:

II. The financial resources of the applicant are:

- (b) Treasury stock:
- (d) Other resources:

(a) Cash on hand:

(c) Bonds to be issued:

2. Quantity of water claimed: Two (2)

cubic feet per second.

3. Source of water supply: Subterranean water from well

which is a tributary of

4. Location of point of diversion: 10 ft. East and 10 ft. North feet distant from the Southwest corner of SW $\frac{1}{4}$ SE $\frac{1}{4}$

of Section 36, T. 11 S., R. 19 E., B.M., and is in the SW $\frac{1}{4}$ SE $\frac{1}{4}$

of Section 36, T. 11 S., R. 19 E., B.M., County of Twin Falls

5. Water is to be used for Domestic and irrigation purposes

6. If for mining, milling, power or manufacturing purposes, give:

(a) Point of use of water:

feet distant from

corner of Section

T., R., B.M., in the

of Section

, T., R., B.M.

(b) Amount of power generated:

H.P., under

feet head.

(c) Water is to be returned to

at a point

feet

distant from the

corner of Section

, T.

, R.

, B.M., in the

of Section

, T.

, R.

, B.M.

7. Estimated cost of works: \$ 6,000.00

8. Kind of works: Well, electric pump and ditches

Water is diverted directly on the land irrigated through service ditches.

9. Height of dam

feet; length of dam at top

feet; length of dam at bottom

feet; material used in dam:

10. Size of headgate: Width

feet; height

feet.

11. Ditch: Width at bottom

feet; width at water line

feet; depth of water

feet;

dimensions of flume:

Diameter of pipe

inches; length of conduit

miles.

Average grade per mile

feet.

12. The time required for the completion of such work is Six months

years.

13. The time required for the complete application of the water to the proposed use is Nine months

additional years.

14. The land to be irrigated is described in the following tabulation: See remarks.

15. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: Waters from Dry Creek appurtenant to above and other lands.

16. (a) Is reservoir to be used? No If so, fill in (b) and (c) below:
 (b) Name of Reservoir and number of Storage Permit:
 (c) Date of filing of Application for Storage Permit and Name of Applicant:

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.

CHARLES H. COINER and HENRY G. COINER

Applicant.

By

Henry G. Coiner

Agent.

Date of first receipt at Department of Reclamation: 9:00 A. M. January 12, 1949

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is **20897**

Recorded in Book **75** Page **20897** Approved **January 28, 1949**

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed on or before _____

Work to begin on or before **March 26, 1949** and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which permit holder has no control.

One-fifth of the work above specified to be completed on or before **April 26, 1949**

The whole of said work to be completed on or before **July 26, 1949**

Beneficial use of water appropriated in accordance herewith, to be made on or before April 26, 1950

WITNESS My hand this 26th day of January, 1949

MARK R. KULP

State Reclamation Engineer.

IN TESTIMONY WHEREOF, WE..... C. A. ROBINS

Governor of the State of Idaho.

and J. D. "CY" PRICE

_____, Secretary of State of the State of Idaho, have caused this instrument to

be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 26th

day of January 1949

STATE OF IDAHO

Countersigned:

(SEAL)

By **J. D. "CY" PRICE**

By C. A. ROEDERS


Governor,

Secretary of State.

14.

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11 S.	19 E.	36		40	40										30	20		130	
The above property is also described as follows: Lots 1,2,3,4,5,6,7,8,9,10,11, 13 and 15 of Suburban Tract No. 4, Artesian Townsite, Twin Falls County, Idaho Permit No. 20897. CERTIFICATE OF COMPLETION OF WORKS. TO ALL WHOM IT MAY CONCERN: This is to certify that CHARLES C. COINER and HENRY G. COINER of Twin Falls, County of Twin Falls, State of Idaho, the holders of Permit No. 20897, issued upon Application No. 28544 bearing date of priority of January 12, 1949, authorizing the diversion of Two (2) second feet of the waters of subterranean flow from a well in the County of Twin Falls, State of Idaho, for domestic and irrigation purposes, have fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use Two (2) second feet of the waters of said well; that the point of diversion of said waters is in the SW¼ SE¼ S. 36, Township 11 South, Range 19 East, B.M. and that the lands proposed to be irrigated by the use of said waters are described as follows, to-wit: W½ NE¼, NW¼ SE¼ and W½ SW¼ SE¼ Section 36, Township 11 South, Range 19 East, also described as Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, and 15 of Suburban Tract No. 4, Artesian Townsite, Twin Falls County, Idaho. Witness my hand this 1st day of August, A. D. 1949. MARK R. KULP State Reclamation Engineer Proof of Completion of Works made July 23, 1949. Certificate of Completion of Works issued August 1, 1949. LICENSE ISSUED FOR 1.2 SEC. FT. Page 4796																			

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>COINER Brothers</u> Address <u>LIA NSEN, IDAHO</u> Owner's Permit No. <u>45-84-5-041-200</u>		7. WATER LEVEL Static water level <u>324</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>67</u> °F. Quality <u>good</u> Describe artesian or temperature zones below.																																																																																			
2. NATURE OF WORK <u>W.R. 45-02290</u> New well ☐ Deepened ☒ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>1860</u></td><td><u>352</u></td><td><u>8</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1860</u>	<u>352</u>	<u>8</u>																																																																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																			
<u>1860</u>	<u>352</u>	<u>8</u>																																																																																			
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>24"</td><td>0</td><td>180</td><td>Gravel brown clay (218' x)</td><td></td></tr><tr><td></td><td>180</td><td>207</td><td>Grey basalt</td><td>x</td></tr><tr><td></td><td>207</td><td>234</td><td>Brown basalt</td><td>x</td></tr><tr><td></td><td>234</td><td>242</td><td>Brown clay</td><td>x</td></tr><tr><td></td><td>242</td><td>319</td><td>Decomposed brown rhyolite</td><td>x</td></tr><tr><td></td><td>319</td><td>345</td><td>Grey rhyolite</td><td>x</td></tr><tr><td></td><td>345</td><td>393</td><td>Clay + talc</td><td>x</td></tr><tr><td></td><td>393</td><td>397</td><td>Brown rhyolite</td><td>x</td></tr><tr><td></td><td>397</td><td>458</td><td>light clay + talc</td><td>x</td></tr><tr><td></td><td>458</td><td>463</td><td>Brown clay + talc</td><td>x</td></tr><tr><td></td><td>463</td><td>483</td><td>light clay + talc</td><td>x</td></tr><tr><td></td><td>483</td><td>523</td><td>light brown rhyolite</td><td>x</td></tr><tr><td></td><td>523</td><td>605</td><td>Black rhyolite + dark grey streaky clay in 132' formation</td><td>x</td></tr><tr><td></td><td>605</td><td>612</td><td>Brown clay</td><td>x</td></tr><tr><td></td><td>612</td><td>773</td><td>Brown rhyolite Clay</td><td>x</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	24"	0	180	Gravel brown clay (218' x)			180	207	Grey basalt	x		207	234	Brown basalt	x		234	242	Brown clay	x		242	319	Decomposed brown rhyolite	x		319	345	Grey rhyolite	x		345	393	Clay + talc	x		393	397	Brown rhyolite	x		397	458	light clay + talc	x		458	463	Brown clay + talc	x		463	483	light clay + talc	x		483	523	light brown rhyolite	x		523	605	Black rhyolite + dark grey streaky clay in 132' formation	x		605	612	Brown clay	x		612	773	Brown rhyolite Clay	x
Bore Diam.	Depth		Material		Water Yes No																																																																																
	From	To																																																																																			
24"	0	180	Gravel brown clay (218' x)																																																																																		
	180	207	Grey basalt	x																																																																																	
	207	234	Brown basalt	x																																																																																	
	234	242	Brown clay	x																																																																																	
	242	319	Decomposed brown rhyolite	x																																																																																	
	319	345	Grey rhyolite	x																																																																																	
	345	393	Clay + talc	x																																																																																	
	393	397	Brown rhyolite	x																																																																																	
	397	458	light clay + talc	x																																																																																	
	458	463	Brown clay + talc	x																																																																																	
	463	483	light clay + talc	x																																																																																	
	483	523	light brown rhyolite	x																																																																																	
	523	605	Black rhyolite + dark grey streaky clay in 132' formation	x																																																																																	
	605	612	Brown clay	x																																																																																	
	612	773	Brown rhyolite Clay	x																																																																																	
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____																																																																																					
5. WELL CONSTRUCTION <u>Slotted liner has 18" shoe on top then 20' 375 16" pipe. 40' 188" necks down to 14" bottom 375</u> Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>.250 inches</td><td>24 inches</td><td>1 foot</td><td>187 feet</td></tr><tr><td>.250 inches</td><td>20 inches</td><td>1 foot</td><td>482 feet</td></tr><tr><td>.188 inches</td><td>14 inches</td><td>445 feet</td><td>630 feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation <u>3/8</u> inches by <u>5</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>336</td><td>465 feet</td><td>610 feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing <u>Drilled 30" 0-20"</u> ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>1/4" steel pipe w/ pressure regulators</u>		Thickness	Diameter	From	To	.250 inches	24 inches	1 foot	187 feet	.250 inches	20 inches	1 foot	482 feet	.188 inches	14 inches	445 feet	630 feet	Number	From	To	336	465 feet	610 feet																																																														
Thickness	Diameter	From	To																																																																																		
.250 inches	24 inches	1 foot	187 feet																																																																																		
.250 inches	20 inches	1 foot	482 feet																																																																																		
.188 inches	14 inches	445 feet	630 feet																																																																																		
Number	From	To																																																																																			
336	465 feet	610 feet																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Twin Falls</u> <u>SW 1/4 Sec. 36 T. 11 S. R. 19 E.</u>		10. Work started <u>15 Feb</u> finished <u>20 May 1990</u>																																																																																			
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Boley & Henry</u> Firm No. <u>86</u> Address <u>23551 Hwy 30W</u> Date <u>14 June 1990</u> Munich - 26 Signed by (Firm Official) <u>Blaine Boley</u> and (Operator) <u>Blaine Boley</u>																																																																																					

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name COINER Brothers

Address Hansen, Idaho

Owner's Permit No. 45-89-5-041 OK

2. NATURE OF WORK

☐ New well

☐ Deepened

☒ Replacement

☐ Well diameter increase

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Test

☐ Municipal

☐ Industrial

☐ Stock

☐ Waste Disposal or Injection

☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary

☐ Air

☐ Hydraulic

☐ Reverse rotary

☒ Cable

☐ Dug

☐ Other _____

5. WELL CONSTRUCTION

Slotted liner has 18" shoe on top thru 20' 375 1/4" then 14" - bottom 375 1/4"

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	24 inches	1 feet	187 feet
.250 inches	20 inches	1 feet	482 feet
.188 inches	16 + 14 inches	445 feet	630 feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun

Size of perforation 3/8" inches by 5" inches

Number	From	To
336 perforations	465 feet	610 feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☒ Cement grout

☐ Bentonite ☐ Puddling clay

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

Drilled 30" 0-20" ☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port 1 1/2" Steel pipe as per regulations

7. WATER LEVEL

Static water level 324 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature 67 °F. Quality good

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump

☐ Bailor

☐ Air

☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>1860</u>	<u>352</u>	<u>8</u>
_____	_____	_____
_____	_____	_____

Drilled 30" 0-20"

9. LITHOLOGIC LOG

Bore Diam.	Depth From	To	Material	Water Yes	No
24"	0	180	Gravel + brown clay	(218' X)	
	180	207	Grey basalt		X
	207	234	Brown basalt		X
	234	240	Brown clay		X
	240	319	Decomposed brown rhyolite		X
	319	345	Grey rhyolite		X
	345	393	Clay + talc		X
	393	397	Brown rhyolite		X
	397	458	Light clay + talc		X
	458	463	Brown clay + talc		X
20"	463	483	Light clay + talc		X
	483	593	Light Brown rhyolite	X	X
	593	605	Black rhyolite + dark grey sticky clay in 1/2' laminations		X
	605	612	Brown clay		X
	612	773	Brown rhyolite	X	
	773		Clay		

6. LOCATION OF WELL

Sketch map location must agree with written location

N

W

E

S

X

Subdivision Name _____

Lot No. _____ Block No. _____

County Twin Falls

SW 1/4 SE 1/4 Sec. 36, T. 11, S. 19

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Boley & Henry Firm No. 86

Address 23551 Hwy 30W Date 14 June 1990

Muntagha - J.C.

Signed by (Firm Official) Blaine Boley

and

(Operator) Blaine Boley

RECEIVED

JUN 25 1990

Department of Water Resources
Southern Region Office

RECORDED
APR 02 1992

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

✓
July 25, 1951

Re: Permit No. 20897

Benoit and Benoit
Bank and Trust Building
Twin Falls, Idaho

Attention Harry Benoit

Dear Mr. Benoit:

We enclose License and Certificate of Water Right issued under Permit No. 20897 confirming the right of Messrs. Charles H. Coiner and Henry G. Coiner to the use of 1.8 second foot of water from a well in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Township 11 South, Range 19 East, B.M., with priority of January 12, 1949, for irrigation and domestic use on the W $\frac{1}{2}$ NE $\frac{1}{4}$ and W $\frac{1}{2}$ SE $\frac{1}{4}$ said Section 36.

We also enclose Departmental Receipt No. 23598 for the \$8.00 fee paid in connection with Beneficial Use Proof.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:SG
Enc.

20897

LAW OFFICES
BENOIT & BENOIT
TWIN FALLS BANK & TRUST BLDG.
TWIN FALLS, IDAHO

HARRY BENOIT
EDWARD L. BENOIT

July 19, 1951

Mr. Mark R. Kulp
State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Re: Permit No. 20897-COINER

Dear Sir:

Referring to your letter of July 17, 1951, I am enclosing herewith my check for \$8.00, being the statutory fee for the issuance of a license covering the above permit.

Very truly yours,

BENOIT & BENOIT

by

Harry Benoit

HB-v

RECEIVED
JUL 20 1951
Department of Reclamation

20897

✓
July 17, 1951

Re: Permits Nos. 20897, 20898 and 20899

Messrs. Benoit & Benoit
Bank & Trust Bldg.
Twin Falls, Idaho

ATT: Mr. Harry Benoit

Dear Mr. Benoit:

Reference is made to your letter of July 16, 1951, in regard to the above numbered Permits in the name of Charles and Henry G. Coiner.

Our records show that Proofs of Beneficial Use on all three of these Permits were received by us from you on January 25, 1950.

Licenses have been issued on Permits Nos. 20898 and 20899 as you state, in accordance with the letter written Mr. Charles H. Coiner, January 24, 1951, informing him of the report of our Field Engineer and the amount of the fee in connection with these proofs.

The report of our Field Engineer on examination for Beneficial Use under Permit No. 20897 was not filed until recently as it required a recheck, and we wrote Messrs. Coiner on July 2, 1951, that a License would be issued under this Permit for 90 inches of water from a well in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Township 11 South, Range 19 East, S.M., upon receipt of the statutory fee of \$8.00; the water to be used to irrigate 130 acres in the W $\frac{1}{2}$ NE $\frac{1}{4}$ and W $\frac{1}{2}$ SE $\frac{1}{4}$ of said Section 36.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bh
Enc.

20897

LAW OFFICES
BENOIT & BENOIT
TWIN FALLS BANK & TRUST BLDG.
TWIN FALLS, IDAHO

HARRY BENOIT
EDWARD L. BENOIT

RECEIVED
JUL 17 1951
Department of Reclamation

July 16, 1951

Mr. Mark R. Kulp
State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Re: Permits Nos. 20897, 20898, & 20899
- COINER

Dear Sir:

Under date of August 3, 1949, you wrote stating that you were enclosing certificates of Completion of Works covering all of the above three named permits; however, I do not have Certificate of Completion of Works for Permit No. 20899, but a License and Certificate of Water Right has been issued thereon under date of February 1, 1951. I do not know whether the Certificate of Completion of Works should be attached thereto.

Under date of February 3, 1951, you wrote me a letter enclosing License and Certificate of Water Right issued under Permit No. 20898 and Permit No. 20899; however, you made no mention of No. 20897, and thus far have received no License and Certificate of Water Right under that permit.

Under date of January 21, 1950, I mailed to you depositions of Proof for Beneficial Use covering all three permits.

In other words, I would like information concerning the Certificate of Completion of Works for Permit No. 20899, and License and Certificate of Water Right for Permit No. 20897.

Very truly yours,

BENOIT & BENOIT

by

Harry Benoit

hb-v

20897

✓
July 2, 1951

Re: Permit No. 20897

Messrs. Charles H. & Henry G. Coiner
1315 11th. Avenue East
Twin Falls, Idaho

Gentlemen:

The report of our Field Engineer on reexamination for beneficial use under Permit No. 20897 shows that your well in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Township 11 South, Range 19 East, B.M. will deliver 90 inches of water, which has been used to irrigate 130 acres in the W $\frac{1}{2}$ NE $\frac{1}{4}$ and W $\frac{1}{2}$ SE $\frac{1}{4}$ of said Section.

Therefore, upon receipt of the statutory fee of \$8.00, a License will be issued for 90 inches or 1.8 second feet of water from said well.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bh

20897

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. 20897This proof is for Beneficial use In Water District No. _____

1. Name of applicant Charles H. Coiner & Henry G. Coiner, 1315 11th Avenue East, Twin Falls, Idaho
2. Source of water supply: Subterranean flow from a well
3. Location of point of diversion: Is in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 36
T. 11 S. R. 19 E. County of Twin Falls
4. Describe works as they exist, giving dimensions and capacities of same: _____
Wood shed type pump house on 6' x 10' concrete base. Pump supported on blocks 8"
above concrete. Discharges into open ditch through 10' 8" x 8" o.d. pipe or 7 $\frac{1}{2}$ " i.d.
A.B. switches. U. S. Motor, 75 hp., 3 ph. 60 cycle, 180 amps., 440 v., Serial #851893.
Pamona Pump, 200' down, 10" column, Serial # 1773. Meter - K-1.2, #28161503, 240 V.,
60-cy., 2.5-amps., 3 wire, 3 ph., 9 rpm., of disc. T1303X.
5. Water is used for: Irrigation and domestic purposes.
6. State whether or not water has been turned into works of diversion: Yes.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

W $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Township 11 South, Range 19 East, B. M.
(Also described as Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13 and 15 of Suburban Tract
No. 4, Artesian Townsite.)

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? _____

Remarks: _____

Log of Well755' deep, water h - 12'., drawdown 200'. 16" x 220' cased with 14" pipe.14" to 675' (rock 220' - 470'). 470 - 675, talc. 675 - 755 - rock.Temperature - 75.25°F.

A recheck on this well on June 26, 1951 showed a steady delivery of 90 inches of
water, measured over an 18" cipolletti weir. Temp. - 74°F.

This examination was made on the 11 day of July, 1950(Signed) E. Mc. Humphrey Examiner.

20897

Charles H. & Henry G. Colner
1315 11th Ave., East, Twin Falls, Idaho

Permit No. 20897

Examination for Beneficial Use

County Twin Falls

36

11-19-50

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

RECEIVED
DEC 16 1950
Department of Reclamation

60 55.51

55' = road

10' - 11' - 12' - 13' - 14' - 15' - 16' - 17' - 18' - 19' - 20' - 21' - 22' - 23' - 24' - 25' - 26' - 27' - 28' - 29' - 30' - 31' - 32' - 33' - 34' - 35' - 36' - 37' - 38' - 39' - 40' - 41' - 42' - 43' - 44' - 45' - 46' - 47' - 48' - 49' - 50' - 51' - 52' - 53' - 54' - 55' - 56' - 57' - 58' - 59' - 60' - 61' - 62' - 63' - 64' - 65' - 66' - 67' - 68' - 69' - 70' - 71' - 72' - 73' - 74' - 75' - 76' - 77' - 78' - 79' - 80' - 81' - 82' - 83' - 84' - 85' - 86' - 87' - 88' - 89' - 90' - 91' - 92' - 93' - 94' - 95' - 96' - 97' - 98' - 99' - 100'

Diversion along

T = 74°

Diversion towards

Pumped

55' = road

α = 2.079400 - 103"

after 30 min. 20 min.

pumped down

within seven minutes

or pump beyond capacity

dropped to 57' 18.5' - 19.5'

92 1/2' - 93'

diversion along 90"

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

Charles H. & Henry G. Coiner 67
1315 11th Ave., East, Twin Falls, Idaho

Permit No. 20897

Examination for Beneficial Use

County Twin Falls

36

115-19E

RECEIVED
DEC 16 1950
Department of Reclamation

fe 26-51

G = 90" over 1 1/2' lip was - 150' = read

H. Coiner along.

T = 74°F

lowered bowls

Pumped

155' = read

Q = 2.07 cfs on 103"

after approx. 20 min.

pumped air.

either screen plugged
or pump beyond capacity.

dropped to 57' of 1.85 cfs
92' = read on

Coiner says allow 90"

755' deep - 16" x 220' cased with 14" pipe

14" to 675' (rock 220-475)

8" to 755'

plugged at 485' now (with talc)

water h = 12' - draw down = 200'

470 to 685 = talc

675 to 723 = rock

U.S. Motor 75 h.p. 3 ph. 60 cycle

180 amps
V = 440 V

Serial # = 851893

Pump = Pomona

200' down 10" column

1773 = Serial No.

pump supported on blocks
8" above concrete

wood shed type pump house on 6' x 10' concrete base

Switch box = Q.B.


flashers into open ditch thru 10' 8" x 8" o.d. pipe - 7 1/2" i.d.

Temp = 24 1/4 C

Q = 76 3/4"

= 4.5'

18" section



Cassia Co.

Square method:

12" x 18" x 7 1/2" i.d. lacks 2" of being
full pipe.

9 (840 gpm)

75" actual = 76 3/4"

meter = K₂ = 1.2

28161503

2240

60 cycle
3 ph.

9 v. p. m. of disc -

T 1303 X

Wants to recheck this in 1951

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF ENGINEER

PERMIT NO. 20897

REPORT ON PROOF OF Beneficial use

*18 cfs
max*

app. 2015

130 acres -

4-40's -

✓
January 25, 1950

Re: Permits Nos. 20897, 20898, & 20899

Mr. Harry Benoit
Bank & Trust Co. Bldg.
Twin Falls, Idaho

Dear Mr. Benoit:

We acknowledge receipt of your letter of January 21, 1950, enclosing depositions of Charles H. Coiner and Henry G. Coiner and two witnesses; also Affidavits of Publication in the Twin Falls Times News, all in Proof of Beneficial Use under the above numbered Permits.

Before final action is taken in the matter, the law requires that a field examination be made by an Engineer from this Department.

We are unable to say just when this examination will be made as this Department has but one Field Engineer who makes examinations all over the State.

However, the Field Engineer for this Department will try and contact Messrs. Coiner at the time he makes the examination in order that they may arrange to show him over the grounds.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bh

20897

Two Falls, State of Idaho, before Harry Bennett, a notary public, proof will be submitted to the application to beneficial use of 1 cubic foot per second of the waters of subsurface water below and in accordance with the terms and conditions of Permit No. 10887 heretofore issued by the State Engineering Engineer of the State of Idaho.

The name and postoffice address of the person or corporation holding said permit are: Othman E. Cohen, Hansen, Idaho; Harry S. Bennett, Twin Falls, Idaho.

The use to which said water has been applied is domestic and irrigation purposes.

The amount applied to beneficial use is 1 cubic foot per second.

The place where said water is used is the W. 1/4 of the NE 1/4, the NW 1/4 of the NE 1/4, and the W. 1/4 of the SW 1/4 of the SE 1/4 in Section 34, Township 11 South, Range 10 E., 3 N., also described as Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 and 14 of Amberson Tract No. 4, Artesian Township, all in Twin Falls County, State of Idaho.

The name of the canal or ditch or other works by which said water is conducted to such place of use is well, electric pump and ditch.

The right to take water from such works is based upon Permit No. 10887.

The source of supply from which such water is diverted is Subterranean water below and in accordance with Section 20.

SS.

No.

3150

I, Sean Maloney

oath depose and say that I am Principal Clerk

4 consecutive *Friday*

dated December 23, 1944, and ending with the issue dated

January 13, 1950

And I do further certify that said newspaper is a consolidation, effective Feb. 18, 1942, the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily paper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 50-60-108, Idaho Code, Thursday of each week has been designated as the day on which legal notice required by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me this

January

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho.

20897

Affidavit of Publication

Nº 3150

NOTICE FOR PUBLICATION NOTICE OF PROOF APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that on A. M. on the 21st day of January, 1949, at the office of Harry Benoit, Bank & Trust Building, in the City of Twin Falls, County of Twin Falls, State of Idaho, before Harry Benoit, a notary public, proof will be submitted of the application to beneficial use of 2 cubic feet per second of the waters of subterranean water from well in accordance with the terms and conditions of Permit No. 20897 heretofore issued by the State Reclamation Engineer of the State of Idaho.

The name and postoffice address of the person or corporation holding said permit are Charles H. Coiner, Hansen, Idaho. Henry G. Coiner, Twin Falls, Idaho.

The use to which said water has been applied is domestic and irrigation purposes.

The amount applied to beneficial use is 2 cubic feet per second.

The place where said water is used the W $\frac{1}{2}$ of the NE $\frac{1}{4}$; the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$; and the W $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$; all in Section 36, Township 11 South, Range 19 E., B. M., also described as Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13 and 15 of Suburban Tract No. 4, Artesian Townsite, all in Twin Falls County, State of Idaho.

The name of the canal or ditch or other works by which said water is conducted to such place of use is well, electric pump and ditches.

The right to take water from such works is based upon Permit No. 20897.

The source of supply from which such waters is diverted is Subterranean water from well in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Twp. 11 S., Rge. 19 E., B. M.

The date of priority which said user is prepared to establish is January 12, 1949.

30897
MARK R KULP,
State Reclamation Engineer.
Publish: Dec. 23, 90, 1949; Jan. 6, 13, 1950

STATE OF IDAHO,
COUNTY OF TWIN FALLS

SS.

I, John H. Benoit, being first duly sworn upon

oath depose and say that I am Editor of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice or advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for

1 consecutive days, commencing with the issue dated January 21, 1949, and ending with the issue dated

19

And I do further certify that said newspaper is a consolidation, effective Feb. 16, 1942, the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily paper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 58-108 I. C. A., 1932, as added thereto by Chapter 154, Idaho 1933 Session Laws, Thursday of each week has been designated as the day on which legal notice required by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

John H. Benoit
Subscribed and sworn to before me this 21 day of

19

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho.

30897

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No. 20897-----

Proof of Application of Water to Beneficial Use

Deposition of Holder

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. Charles H. Coiner and Henry G. Coiner, farmers, 1315 11th Avenue East, Twin Falls, Idaho.

Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf.

Ans. _____

Ques. 3. State number and date of permit, and date of priority you propose to establish under the permit.

Ans. #20897, dated January 12, 1949. Priority dated January 12, 1949.

Ques. 4. State source of water supply and give exact location of point of diversion.

Ans. Subterranean water from well - 10 ft. east and 10 ft. north from the southwest corner of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 36, Twp. 11 S., Range 19, E.B.M.

Ques. 5. Describe your works of diversion, and state amount of water they are capable of conveying from point of diversion to place of use, and give name of canal or ditch or other works by which water is conducted to such place of use.

Ans. Well, electric pump and ditches. 2 cu. ft. per second through ditches without name.

Ques. 6. State for what purpose water is used and describe place of use. (If for irrigation, name each subdivision in which used, and number of acres in each subdivision that have actually been irrigated with said water.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Domestic and irrigation purposes. 40 acres in the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$, 40 acres in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$, 30 acres in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and 20 acres in the W $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$, Sec. 36, Twp. 11 S., Range 19, E.B.M. This land has been cultivated and crops grown thereon by the use of said water.

Ques. 7. If for other than irrigation purposes; state how applied, amount of horse power generated, etc.

Ans. _____

20897

Ques. 8. What is the minimum amount of water required for the purpose specified above?
Ans. 2 cu. ft. per second.

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder.
Ans. _____

Ques. 10. State when, how, in what amount and to what extent the water diverted under above mentioned permit has been used.
Ans. During the season of 1949, 2 cu. ft. per second of water was
diverted from said well and used to irrigate the above-described real
property and upon which crops were grown and harvested during said year.

Ques. 11. State when, how, in what amount and to what extent waters other than those diverted under the above mentioned permit have been diverted and applied to beneficial use upon the lands herein described. Give full particulars regarding such other appropriations and rights claimed thereunder.

Ans. Waters from Dry Creek were used in the spring of the year and
have been used for many years when available for the purpose of
irrigating the above lands.

Charles H. Conner
By Harry S. Conner
(Sign) Harry S. Conner

I hereby certify that the foregoing testimony was read to the above subscribed before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in Twin Falls, County of Twin Falls, State of Idaho, on this 21st day of January, A. D. 19 50.

Harry Benoit
Notary Public, Twin Falls, Idaho.

My commission expires June 22, 1951.

20847

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

PERMIT NO. 20897

Proof of Application of Water to Beneficial Use

Deposition of Witness

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. Jess Sutmiller, farmer, Murtaugh, Idaho.

36 years of age

Ques. 2. Are you acquainted with Charles H. Coiner and Henry G. Coiner, the holders of Permit No. 20897? How long have you known him and where does he reside?

Ans. Yes. I have known them 20 years. Charles H. Coiner, Hansen, Idaho. Henry G. Coiner, 1315 11th Avenue East, Twin Falls, Idaho.

Ques. 3. Have you read or heard read said Permit No. 20897, and are you familiar with its provisions and conditions?

Ans. Yes

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Subterranean water from well - 10 ft. east and 10 ft. north from the southwest corner of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 36, Twp. 11 S., Range 19, E.B.M. Electric pump at well. Ditches used from point of diversion to convey water to place of use.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. 2 cu. ft. per second. Have seen that much so conveyed.

Ques. 6. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Water used to irrigate 40 acres in the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$, 40 acres in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$, 30 acres in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ and 20 acres in the W $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$, Sec. 36, Twp. 11 S., Range 19, E.B.M., Twin Falls County. This land has been cultivated, and crops have been grown and harvested on it as a result of the use of said water.

20897

Ques. 7. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. _____

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans. The above land is cultivated and reclaimed by the use of said water. The amount of water required for such cultivation is 2 cu. ft. per second.

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. No

Ques. 10. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I have seen 2 cu. ft. per second of water coming from said well and conveyed to the above-described land through ditches and used for the purpose of irrigating the same.

(Signed) John S. Smith

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Twin Falls,
County of Twin Falls, State of Idaho, on this 21st day of January,
A. D. 19 50.

My commission expires June 22, 1951

Harry Benoit
Notary Public.
Twin Falls, Idaho.

20897

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

PERMIT NO. 20897

Proof of Application of Water to Beneficial Use

Deposition of Witness

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. Wesley Snow, farmer, Murtaugh, Idaho.

31 years of age

Ques. 2. Are you acquainted with Charles H. Coiner and Henry G. Coiner, the holders of Permit No. 20897? How long have you known him and where does he reside?

Ans. Yes. I have known them two years. Charles H. Coiner, Hansen, Idaho, Henry G. Coiner, 1315 11th Avenue East, Twin Falls, Idaho.

Ques. 3. Have you read or heard read said Permit No. 20897, and are you familiar with its provisions and conditions?

Ans. Yes

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Subterranean water from well - 10 ft. east and 10 ft. north from the southwest corner of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 36, Twp. 11 S., Range 19, E.B.M. Electric pump at well. Ditches used from point of diversion to convey water to place of use.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. 2 cu. ft. per second. Have seen that much so conveyed.

Ques. 6. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Water used to irrigate 40 acres in the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$, 40 acres in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$, 30 acres in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$, and 20 acres in the W $\frac{1}{2}$ of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$, Sec. 36, Twp. 11 S., Range 19, E.B.M., Twin Falls County. The above is cultivated land, and crops have been grown and harvested on the above land as a result of the use of said water.

20897

Ques. 7. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. _____

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans. The above land is cultivated and reclaimed by the use of said water. The amount of water required for such cultivation is 2 cu. ft. per second.

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. No

Ques. 10. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I have seen 2 cu. ft. per second of water coming from said well and conveyed to the above-described land through ditches and used for the purpose of irrigating the same.

(Signed) Wesley Snow

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Twin Falls, County of Twin Falls, State of Idaho, on this 21st day of January, A. D. 19 50.

Harry Benoit
Notary Public.

My commission expires June 22, 1951

Twin Falls, Idaho

20897

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO

January 21, 1950

RECEIVED
JAN 23 1950

Department of Reclamation

Mr. Mark R. Kulp
State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Re: Permits Nos. 20897, 20898, and 20899

Dear Mr. Kulp:

Enclosed herewith you will find three depositions duly signed before me as a Notary Public for each of the above permits. Also herewith are three affidavits of publication of notice of hearing.

Very truly yours,

Harry Benoit

HARRY BENOIT

HB:kp
Encls.

20897

✓
January 18, 1950

Re: Permits Nos. 20897, 20898, and 20899

Mr. Harry Benoit
Bank & Trust Co. Bldg.
Twin Falls, Idaho

Dear Mr. Benoit:

We are in receipt of your letter of January 15, 1950, requesting three sets of depositions to be used in making Proof of Beneficial Use on the above numbered Permits.

Our records show that you were furnished with these forms under date of December 21, 1949, but we are glad to send you others, which are being sent under separate cover by this same mail.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bh

20897

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO

January 16, 1950

RECEIVED
JAN 18 1950
Department of Reclamation

Mr. Mark R. Kulp
State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Re: Permit Nos. 20897, 20898, and 20899

Dear Mr. Kulp:

Please send me three sets of depositions to be
used at the hearing on January 21 in the above-entitled
applications.

Very truly yours,

Harry Benoit

HB:kp

HARRY BENOIT

20897

December 22, 1949

Re: Permits No. 20897, 20898, and
20899

Dear Sirs:

We have received the three notices for publication once
a ~~week~~ for 4 consecutive weeks in the Henry G. Coiner
Notice of Proof of Water.

The publication dates are as follows: December 23, 30, 1949
and January 6, 13.

Very truly yours,

Times-News

By

J. Selway
20897

RECEIVED
DEC 22 1949
Department of Reclamation



THIS SIDE OF CARD IS FOR ADDRESS

State of Idaho
Department of Reclamation
Mark R. Kulp, State Reclam. Eng.
Boise, Idaho

20897

✓
December 21, 1949

Re: Permits Nos. 20897, 20898, and 20899

Mr. Harry Benoit
Twin Falls Bank & Trust Co. Bldg.
Twin Falls, Idaho

Dear Mr. Benoit:

We acknowledge receipt of your letter of December 19, 1949, enclosing Notices of Beneficial Use Proof to be made under the above numbered Permits in the name of Charles H. Coiner and Henry G. Coiner.

Copies of these notices have been sent to the Twin Falls Times-News with instructions to publish them once a week for four consecutive weeks prior to January 21, 1950, the date set for proof, and to send the Affidavit of Publication, together with statement of costs to Mr. Henry G. Coiner.

We enclose the necessary forms of deposition to be used in making these proofs consisting of one for the Permit Holder and one for each of two witnesses for each Permit.

At the time set for proof, the applicants should appear before you with two disinterested witnesses who are familiar with the terms of the Permits and the work done thereunder for the purpose of executing the depositions.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bh
Enc.

20897

December 21, 1949

Re: Permits No. 20897, 20898, and 20899

Twin Falls Times-News
Twin Falls, Idaho

Gentlemen:

We enclose three notices for publication once a week for four consecutive weeks, beginning with your next issue.

When publication is completed, please send Affidavits of Publication, together with statement of costs to Mr. Henry G. Coiner, 1315 11th Avenue East, Twin Falls, Idaho.

Please acknowledge receipt of these notices and furnish this Department with a copy of your first issue containing same.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bh
Enc.

20897

NOTICE FOR PUBLICATION
**NOTICE OF PROOF APPLICATION OF WATER
 TO BENEFICIAL USE**

Notice is hereby given that at ten A. M. on the 21st day of January, 1950.,
 at the office of Harry Benoit, Bank & Trust Building, in the City of Twin
~~xx~~ Twin Falls, County of Twin Falls, State of Idaho, before Falls,

Harry Benoit, a notary public, proof will be submitted of the
 application to beneficial use of 2 cubic feet per second of the waters of subterranean
water from well in accordance with the terms and conditions of Permit No. 20897
 heretofore issued by the State Reclamation Engineer of the State of Idaho.

The name and postoffice address of the person or corporation holding said permit are.....
Charles H. Coiner, Hansen, Idaho.
Henry G. Coiner, Twin Falls, Idaho.

The use to which said water has been applied is Domestic and irrigation purposes.

The amount applied to beneficial use is 2 cu. ft. per second.

The place where said water is used (if for irrigation, give full and accurate description of the
~~lands irrigated~~) The W $\frac{1}{2}$ of the NE $\frac{1}{4}$; the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$; and the W $\frac{1}{2}$

of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$; all in Section 36, Township 11

South, Range 19, E.B.M., also described as Lots 1, 2, 3,

4, 5, 6, 7, 8, 9, 10, 11, 13 and 15 of Suburban Tract #4,

Artesian Townsite, all in Twin Falls County, State of Idaho.

The name of the canal or ditch or other works by which said water is conducted to such place of
 use is Well, electric pump and ditches.

The right to take water from such works is based upon Permit No. 20897

The source of supply from which such water is diverted is Subterranean water

from well, in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Twp. 11 S., Rge. 19 E., B.M.

The date of priority which said user is prepared to establish is January 12, 1949.

MARK R. KUIP
 State Reclamation Engineer.

20897

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) December 19, 1949

(P. O.) Box 536, Twin Falls, Idaho

TO THE STATE RECLAMATION ENGINEER:

Boise, Idaho.

Dear Sir:

You are hereby authorized to have the attached notice published at my expense in the
Times-News of Twin Falls, Idaho published in
the county in which the works are situated.

Henry Lowe

(In case of canals or other works designed to divert and carry more than 50 cubic feet of water per second, the following certificate must be signed by a well-known and competent engineer.)


I hereby certify that the facts set forth in the attached notice are true.

Engineer.

20897

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO

December 19, 1949



Mr. Mark R. Kulp
State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Re: Permit Nos. 20897, 20898, and 20899

Dear Mr. Kulp:

Enclosed herewith you will find three Notices of Proof, Form No. 10, in duplicate and three signed Form No. 11.

You will observe that I have set January 21 as the day for hearing, which I believe will give ample time to publish the notice in the Times-News four weeks.

Very truly yours,

HARRY BENOIT

HB:kp
Encl:6

1318 Main Ave E

20897

✓
August 3, 1949

Re: Permits Nos. 20897, 20898, and 20899.

Mr. Harry Benoit
Bank & Trust Company Building
Twin Falls, Idaho

Dear Mr. Benoit:

We enclose Certificate of Completion of Works issued under Permit No. 20897, in the name of Charles C. Coiner and Henry G. Coiner for the diversion of two (2) second feet of water from a well in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Township 11 South, Range 19 East, B.M., for irrigation and domestic use on the W $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, and W $\frac{1}{2}$ SW $\frac{1}{4}$ of said Section.

Also, Certificate of Completion of Works issued under Permit No. 20898 for the diversion of 1.5 second feet of water from a well in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 36, Township 11 South, Range 19 East, B.M. for irrigation and domestic use on the SW $\frac{1}{4}$ NE $\frac{1}{4}$ and NE $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section.

Also, Certificate of Completion of Works issued under Permit No. 20899 for the diversion of two (2) second feet of water from a well in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 31, Township 11 South, Range 20 East, B.M. for irrigation and domestic use on the W $\frac{1}{2}$ NE $\frac{1}{4}$ and NW $\frac{1}{4}$ SW $\frac{1}{4}$ of said Section.

We also enclose Departmental Receipt No. 21706 for the \$15.00 fees paid in connection with these three proofs.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By


Chief Clerk

A:bh
Enc.

20897

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO

July 28, 1949



Mr. Mark R. Kulp
State Reclamation Engineer
State House
Boise, Idaho

Re: Permits Nos. 20897, 20898,
and 20899 - Coiner

Dear Sir:

This will acknowledge receipt of your letter of
July 27.

Enclosed herewith you will find my check for
\$15 in payment of Certificates of Completion of Works.

Very truly yours,

HARRY BENOIT

HB:kp
Encl.

20897

✓
July 27, 1949

Re: Permits Nos. 20897, 20898, and 20899.

Mr. Harry Benoit
Bank & Trust Company Building
Twin Falls, Idaho

Dear Mr. Benoit:

We acknowledge receipt of your letter of July 23, 1949, enclosing affidavits of Charles H. Coiner in proof of completion of works under the above numbered permits.

Certificates of Completion of Works will be issued upon receipt of the statutory fees of \$5.00 each.

We enclose the necessary forms of notice in connection with beneficial use proof under these permits. Form 10 should be filled out in duplicate for each permit and both copies returned to this Department with Form 11 which is Mr. Coiner's authorization for us to have the notice published at his expense in the designated newspaper. These proofs may be made at any time convenient to yourself and Mr. Coiner, but of course, the date should be set sufficiently far ahead to allow for the four weeks publication.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bh
Enc.

20897

Permit No. 20897

STATE OF IDAHO
Department of Reclamation

Proof of Completion of Works

AFFIDAVIT OF HOLDER

STATE OF IDAHO

County of Twin Falls

ss.

Charles H. COINER

being first duly sworn, upon his oath deposes and says:

First: That he is ^{one of} the holders and owners of Permit to appropriate the Public Waters of the State of Idaho, No 20897, and that his postoffice address is 1315 11th Ave. E., Twin Falls, Idaho.

Second: That the name of the stream which said water is to be ^{FROM} ~~directed~~ ^{DIVERTED} is Subterranean water from well

Third: That the point of diversion of said water is 10 ft. east and 10 ft. north from SW corner of SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 36, T. 11 S., R. 19, E.B.M., Twin Falls Cty.

Fourth: That under the terms and conditions of said permit, construction thereunder was required to be completed by July 26th, 1949.

Fifth: That the use for which said water is intended is domestic and irrigation

Sixth: That on the date above mentioned, the works constructed under said permit were (or were not) fully completed and consisted of the following:

I. Kind of works: well, electric pump and ditches
(Reservoir, dam, ditch, flume, pipe or otherwise)

II. Dimensions of work:

(a) Height of dam feet, length of dam at top feet, length of dam at bottom feet. Material used in construction

(State whether wood, earth, stone or concrete)

(b) Capacity of reservoir acre feet.

(c) Size of headgate: Width feet, height feet.

(d) Conduit width at bottom feet, width at water line
(State whether ditch, flume or pipe)

feet, depth of water feet; diameter of pipe inches, average grade per mile is feet. Length of conduit is miles.

Seventh: That said works are capable of conducting to the place of intended use 2 second feet of water.

Eighth: That water appropriated under said permit is available for 130 acres of land described as follows: W $\frac{1}{2}$ of NE $\frac{1}{4}$; NW $\frac{1}{4}$ SE $\frac{1}{4}$; W $\frac{1}{2}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$; Sec. 36, T. 11 S., R. 19, E., Twin Falls County, Idaho, also described as Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13 and 15 of Suburban Tract #4, Artesian Townsite, Twin Falls County, Idaho.

Ninth: Remarks: That The holders and owners of said permit are Charles H. Coiner and Henry G. Coiner.

Charles H. Coiner
(Sign Here)

Subscribed and sworn to before me this 23rd day of July, 1949.


My commission expires June 22, 1951

Harry Benoit
Notary Public,
Twin Falls, Idaho.

20897

12/11/49

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO



July 23, 1949

Mr. Mark R. Kulp
State Reclamation Engineer
Boise, Idaho.

Dear Sir: Re: Permit Nos. 20897, 20898 and 20899 - Coiner

Enclosed herewith you will find three executed copies
of Form 6, proof of completion of works.

Please send me the necessary forms for publication
of notice. I will publish three separate notices; also
advise when this has to be done.

Very truly yours,

Harry Benoit
Harry Benoit

20897

✓
June 23, 1949

Re: Permit Nos. 20897, 20898, and 20899

Mr. Harry Benoit
Bank and Trust Company Building
Twin Falls, Idaho

Dear Mr. Benoit:

In reply to your letter of June 21, we
enclose three copies of Form 6 on which to make
Proof of Completion of Works under the above named
Permits in the name of Charles H. Colner and Henry
C. Colner.

These proofs are due on or before July 26,
1949.

Very truly yours,

DARR R. KULP
State Reclamation Engineer
By

Chief Clerk

A:bn
Enc.

20897

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO

June 21, 1949


Mr. Mark R. Kulp
State Reclamation Engineer
Boise, Idaho

Re: Permits Nos. 20897, 20898 & 20899
Charles H. Coiner and Henry G. Coiner

Dear Mr. Kulp:

The applicants are now prepared to prove completion of works. I do not recall whether it is necessary to make application therefor or not. If so, will you please be good enough to send me the proper blanks.


Very truly yours,



HARRY BENOIT

HB:JB

due 7-26
out 5-2



20897

State of Idaho
DEPARTMENT OF RECLAMATION
BOISE

INSTRUCTIONS

PROOF OF COMPLETION OF WORKS

Charles E. & Henry G. Coiner
1315 11th Avenue East
Twin Falls, Idaho

Boise, Idaho May 2, 1949

Dear Sirs:

Under the terms of your permit No. ~~20897~~-----you are required to complete your diversion works on or before July 26, 1949----- I enclose herewith blank affidavit to be filled out, sworn to by you before a Notary Public or a Justice of the Peace, and returned to this office on or before the above date, or within ten days thereafter, for the purpose of making proof of completion under the permit. Upon receipt of this affidavit in this office, provided the same satisfactorily shows the completion of the works substantially in accordance with the terms of the permit, together with a fee of \$5.00, a Certificate of Completion will be issued to you.

The certificate to be issued under this proof will not give a perpetual right to the use of water for which application was made, as it only confirms the completion of works of a capacity to divert and convey to the place of intended use a certain amount of water. The law requires that another proof be submitted when the water has been fully applied to a beneficial use, at which time license is issued for the amount of water actually in use. Information in regard to this last proof will be furnished on request.

Yours truly,

MARK H. KULP

State Reclamation Engineer

20897

January 31, 1949

Re: Permits Nos. 20897, 20898 & 20899

Mr. Harry Benoit
Bank and Trust Co. Bldg.
Twin Falls, Idaho

Dear Mr. Benoit:

We enclose Permits Nos. 20897, 20898 and 20899
in the name of Charles H. Coiner and Henry G. Coiner.

Since these applications only request 6 months
time within which to complete works, you will note that
completion of works proof will be due on or before July 26,
1949.

Very truly yours,


MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A/gt
Encls.

20897

Township 11, South Range 19, E.B.M.,
Twin Falls County, Idaho.



o indicates well
x indicates lands to be irrigated

The above property is also described as follows:
Lots 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13 and
15 of Suburban Tract #4, Artesian Townsite, Twin
Falls County, Idaho.

No. 20897
Approved
[Signature]
[Signature]

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO

January 13, 1949

RECEIVED

Mr. Mark R. Kulp
State Reclamation Engineer
State House
Boise, Idaho

Dear Sir:

I have your letter of January 10th relative to the applications of Charles H. Coiner and Henry G. Coiner, and pursuant to your request, I am enclosing herewith my check for 75 cents and returning herewith my check for \$15.00 in full payment of your fee.

Very truly yours,

Harry Benoit

HARRY BENOIT

HB:JB
Encl.

20897

January 12, 1949

Mr. Harry Benoit
Bank and Trust Company Bldg.
Twin Falls, Idaho

Dear Mr. Benoit:

We acknowledge receipt of your letter of January 10 enclosing three applications of Charles H. Coiner and Henry G. Coiner, accompanied by your check for \$15.00 to apply on the filing fees.

Since two of these applications are for two (2) second feet and the other for 1.5 second feet, the filing fee on each is \$5.25, being at the rate of \$5.00 for the first second foot and 25 cents for each additional foot or fraction thereof. The total fees, therefore, amount to \$15.75 and we return your check for \$15.00 and request that you substitute one in the larger amount.

In reference to your inquiry, one application can cover the two wells located in the same subdivision, and we enclose another form for your use.

The priority established under any of these filings is the date the applications are received in this Department, but where the wells have been used for a longer time this might be mentioned under "Remarks" and thus made a matter of record in this Department, which might be helpful in the event it was found necessary later on to establish an earlier priority through continued use.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

A/gt
Enc.

20897

HARRY BENOIT
LAWYER
TWIN FALLS BANK & TRUST CO. BLDG.
TWIN FALLS, IDAHO

January 10, 1949

Mr. Mark R. Kulp
State Reclamation Engineer
State House
Boise, Idaho

Re: Applications for Permits
of Charles H. Coiner and
Henry G. Coiner.

Dear Sir:

I am enclosing herewith three applications for permits, as above set forth. These cover three wells located in different subdivisions. These same parties have two other wells that are located close together in the same subdivision. I am asking to ascertain whether or not one application for permit would not be sufficient for these two wells. Please advise me by return mail.

Enclosed herewith is my check for \$15 to cover the filing fees.

While there will have to be new pumps installed in these wells, some of them have been used for a long time, and I am wondering about the date of priority. Will you please advise me about this.

Very truly yours,

Harry Benoit
HARRY BENOIT

HB:kp
Encls.

