





U.S. Department of Agriculture
and University of Idaho
Research Center

MICROFILMED
JAN 23 1987

47-08404





3560 E. 4000 N.
 PHOTO LOOKING N'LY



W. SIDE OF HOME
 @ 3560 E. 4000 N.

one of the
 several ditches
 for surface water.

PHOTO LOOKING
 E'LY

GPS A0007841

2/

21 Jan 1999
 by miner: Jittered.
 0900 hrs.
 FEB 17 2000
 STFAU, BARBARA
 47-08404

12/199



3562 E. 4000 N.
PHOTO LOOKING N'LY

MICROFILMED
FEB 17 2000

WESTFALL, BARBARA

47-08404

2/2

NOTICE OF
APPLICATION FOR
WATER PERMIT

The following application
has been filed to appropriate
the public waters of the
State of Idaho:

BARBARA WESTFALL
&/OR

DAVID NIELSEN &/OR

CAROLYN NIELSEN

PO BOX 1655

TWIN FALLS ID 83303

Application for Permit No.
47-08404

Source: groundwater

Diversion Pt:

SW1/4SE1/4, S4, T10S,

R18E; Twin Falls County.

Use: domestic (0.06 cfs)

1/1-12/31

irrigation (0.02 cfs)

4/1-10/31

Total Diversion: 0.08 cfs

In: Two (2) homes and 0.2

acres within SW1/4SE1/4,

S4, T10S, R18E.

Date Filed: 10/16/96

The permit will be subject
to all prior water rights.

Any protest must be filed

with the Director, Dept. of

Water Resources, Southern

Region, 222 Shoshone

Street East, Twin Falls, ID

83301 together with a

protest fee of \$25.00 on or

before November 25, 1996.

The protestant must also

send a copy of the protest

to the applicant.

Karl J. Dreher, Director

Published in the Times

News on 11/7 & 11/14/96.

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS } SS.

No 28778

I, Emily McKnight being first duly sworn upon oath, depose
and say that I am principle clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in any
supplement thereof, for two consecutive issues,
commencing with the issue dated November 7, 19 96,
and ending with the issue dated November 14, 19 96.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except
Monday, both of which newspapers prior to consolidation had been published under said names in said city and county
continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since
such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said
newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be
published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each
issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO

COUNTY OF TWIN FALLS

JAN 23 1997

On this 15 day of Nov in the year of 1996, before me,
a Notary Public, personally appeared Emily McKnight,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly
sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

resources

in

OK MB
11/19/96

Heva R. Feltman
Notary Public for Idaho

Residing at Twin Falls, Idaho.

My commission expires: 5/19/2000

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 47-08404

Priority: October 16, 1996

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.8 AF

This is to certify, that BARBARA WESTFALL
DAVID NIELSEN
CAROLYN NIELSEN

C/O CAROLYN NIELSEN

PO BOX 1655

TWIN FALLS ID 83303-1655

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 16, 1996; and has submitted Proof of Beneficial Use on December 1, 1997. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 4, Township 10S, Range 18E
TWIN FALLS County

PLACE OF USE: DOMESTIC

TWN RGE SEC

10S 18E 4

SWSE

CONDITIONS OF APPROVAL AND REMARKS

1. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
2. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
3. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 28th day of

JANUARY, 2000.


Acting for KARL J. DREHER, Director

MICROFILMED

FEB 17 2000

RECEIVED

DEC 01 1997

Department of Water Resources

Form No. 217
7/94

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00Receipt No. 000000Receipt By: [Signature]Date Received: 11-27-97STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08404 Telephone No. (208) 423-59472. Name(s) of Permit Holder(s): BARBARA WESTFALL3. Mailing Address: 3560 E. 4000 N., KIMBERLY IDAHO 833414. Source of Water: WELL If GROUNDWATER (well), Date Drilled: mo. 6 / yr. 92a. Well Driller: EATON DRILLING & PUMP SERVICE Drilling Permit Number: 47-92-5-81b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 2 Stockwater (No. and type of stock): _____Irrigation (No. of acres): 1/2 acre/home Other: _____6. Total rate of diversion and/or volume for which proof is submitted: .08 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
 Has the measuring device been installed? Yes _____ or No _____
 Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
 Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: BARBARA WESTFALL Telephone Number: (208) 423-5947Address: 3560 E. 4000 N., KIMBERLY, IDAHO 83341

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Barbara Westfall Date: 11/30/97
(include your title, if on behalf of company or organization)

MICROFILMED

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 47-08404

Proposed Priority: October 16, 1996

Maximum Diversion Rate:

0.08 CFS

This is to certify, that **BARBARA WESTFALL**
DAVID NIELSEN
CAROLYN NIELSEN
C/O CAROLYN NIELSEN
PO BOX 1655
TWIN FALLS ID 83303-1655

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.08 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 4, Township 10S, Range 18E
TWIN FALLS County

PLACE OF USE: DOMESTIC

TWN RGE SEC


10S 18E 4 SWSE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1997.
2. Subject to all prior water rights.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. Domestic use is for 2 homes.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre per home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of December, 1996.


for Karl J. Dreher, Director

MICROFILMED
JAN 23 1997

RECEIVED

NOV 29 1996

RECEIVED

FORM 202

2/96

OCT 16 1996

Department of Water Resources

Ident. No. 47-08404

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of Applicant Barbara Westfall &/or David &/or Carolyn Nielsen Phone 423-5²²⁷
Mailing address C/O Carolyn Nielsen, PO Box 1655, Twin Falls, ID 83303
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is Township 10S Range 18E Sec. 4, in the _____ 1/4,
SW 1/4, SE 1/4, Govt. Lot _____, B.M., Twin Falls County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:

Amount <u>0.06 cfs</u> for <u>Domestic</u>	purposes from <u>1-1</u> to <u>12-31</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount <u>0.02 cfs</u> for <u>Irrigation</u>	purposes from <u>4-15</u> to <u>10-31</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____	purposes from _____ to _____	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____	purposes from _____ to _____	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____	purposes from _____ to _____	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____	purposes from _____ to _____	(both dates inclusive)
(cfs or acre-feet per annum)		
5. Total quantity to be appropriated is (a) 0.08 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source Existing well & pump
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? 1992; Drilling firm Elsing Drilling Co.
Well was drilled for (well owner) Applicants; Drilling Permit No. 47-92-5-0081-000
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. Two
 - e. Other; describe fully. _____

MICROFILMED

JAN 29 1997

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	18E	4															D		
																	0.2		0.2

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Bernard Westfall

b. Who owns the land to be irrigated or place of use? Applicants - one home owned by each applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: The irrigation is for the Nielsen property.


13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


MICROFILMED
JAN 23 1967

Carolyn Nielsen
Signature of Applicant (and title, if applicable)

Received by J. F. Stanton Date 10-16-96 Time 3:40 pm Preliminary check by GLS (80ct96)
 Fee \$ 50.00 Receipted by [Signature] # 5019613 Date 10-16-96
 Publication prepared by [Signature] Date 11/1/96 Published in [Signature]
 Publication approved [Signature] Date 11/14/96



2.3.00 - WR 2 updated
to Barbara Westfall
address as shown
on B/L4 + B/L4 face of report.
Mack, Ke.
revert.



PHOTOFILMED

FEB 17 2000

IDAHO DEPARTMENT OF WATER RESOURCES
1301 North Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

TO

L47-09404
CAROLYN NIELSEN
PO BOX 1455
TWIN FALLS

ID 83303-1655



RETURNED
TO SENDER

BOX CLOSED
FORWARD
ORDER ON FILE

RECEIVED

FEB - 2 2000

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 31, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

BARBARA WESTFALL
DAVID NIELSEN
CAROLYN NIELSEN
C/O CAROLYN NIELSEN
PO BOX 1655
TWIN FALLS ID 83303-1655

RE: WATER RIGHT NO. 47-08404

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
FEB 17 2000

CERTIFICATE OF MAILING

I hereby certify that on the 31st day of **January, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 47-08404

BARBARA WESTFALL
DAVID NIELSEN
CAROLYN NIELSEN
C/O CAROLYN NIELSEN
PO BOX 1655
TWIN FALLS ID 83303-1655


Kari Lynn Townsend
Secretary

MICRO
FEB 17 2001

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
FEB 17 2000

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
FEB 17 2000

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 1/27/00

Permit No. 47-08404

BU Fee Pd \$ 50⁰⁰

Name/Address: ☒ OK ☐ CHANGE

Govt Lots ☐ n/a ☐ plat copy attached

AREA OF CONCERN: No/Yes ISPA Moratorium ☐ GWMA ☐ TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr only use) - 065-104
Supp irr (+/other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M (if on permit)

LOCATION:

Trust - R55(consumptive uses) N/A
Non-Trust - 048-049 (consumptive uses
or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

USES:

STORAGE - 18A-R02-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 081
FISH PROP - 029(70'S only)-042-081
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

Use Change/Add - P46

ADVANCE PRIORITY? ☐ Yes ☒ No

MISC CONDITIONS/REMARKS:

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - C/tire shop
Non-consumptive - 027
Water Quality - 081-R07
Mitigation - 121 (if on permit)
PPU acre limit - W27

CHECK NEW IRR SEASON MAP N/A

SURFACE WATER: (✓Flow Chart)

In/Above MSF - WB9
WD - R04 (WD#)
≤ 0.20 cfs/others - R02- 01P or No MD
> 0.20 cfs - R43

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
(02,03) - WB9 if above Weiser
Payette R (65) - 047(Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027

MUNICIPAL

Restricted area - 022,075
Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
~~Irr use listed separate~~ - WB5
Lawn/garden included - W01 (2)

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
PU overlap rights - WB7-W31(<1 ac)
GW replaced SW - 050

Permit Rate 08 cfs Fee Limit 20 cfs
Measured 02 cfs Theoretical 02 cfs

Use	Rate	Volume
<u>Dom</u>	<u>02</u> cfs	<u>1.8</u> af
<u> </u>	<u> </u> cfs	<u> </u> af
<u> </u>	<u> </u> cfs	<u> </u> af
TOTALS	<u> </u> cfs	<u> </u> af

OTHER CONDITIONS/REMARKS/COMMENTS app specifically stated irr. was a lone home only

SRBA Claim Filed ☐ Yes ☒ No

If no, is a claim required: ☐ Yes ☒ No

AMENDMENTS REQUIRED ☐ Yes ☒ No

Adjustment Memo Needed ☐ Yes ☒ No

If yes, paragraph codes:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 10 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 17-08404

1. Owner: WESTFALL, BARBARA Phone No. 423-5947

Current Address: 3560 E. 4000 N., KIMBERLY, ID. 83341

2. Accompanied by: SAME AS ABOVE EXAM DATE: 21 JAN. 1999

Address: _____ Phone No. _____

Relationship to Permit Holder: Same as above

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: Westfall's Canal Shares used on property
2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	4	10S	18E	Twin Falls	Field Exam. & GPS 10007841


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	18E	4.															D		

MICROFILMED
FEB 17 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GDS A0007841		1.0		GOULDS SUBMERSIBLE	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
BUCKET/STOPWATCH						
THEORETICAL						

2. Measurements:

→ PLEASE SEE F"

MICROFILM

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 03 February 1999
RE: 47-08404

I met with Barbara Westfall on 21 January 1999. The permit is for domestic use from a well for two homes. The well is located on the Westfall property. The first home Ms. Westfall lives in and the second home is leased and Westfall is paid by them for the use of the well.

The well is in a pasture, west side of the home and 75 feet north of the road running east-west. The well is located in the SWSE $\frac{1}{4}$ of Section 4, T10S, R18E. There is a GPS tag around casing with the number A0007841. The rate was determined by measurement with a bucket and stopwatch, in addition to a theoretical calculation.

Recommend domestic use for 2 homes, however, the Westfall home uses canal shares to water yard. The $\frac{1}{2}$ acre irrigation is for the second home only.

Please see back of Beneficial Use Field Report for recommendations.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 17 2000

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Bucket/Stopwatch 1 gal/6 sec = 10 gpm = 0.02 cfs

$$\frac{(8.8) 1.0 \text{ HP } (0.70) \text{ eff.}}{160 + 50(2.31)} = \frac{6.2}{276} = 0.02 \text{ cfs}$$

Info. per Eaton Drilling Jan 1999

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{0.5}{4.0} = 2.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{0.02(19835)}{215} = 8.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.8$$

2. Volume Calculations for Other Uses:

In House Only 0.6
In House & Lawn 1.2
1.8 afa

Exam Fee Limit 0.20 cfs
Permit Rate 0.08 cfs
Measured/Recommended 0.02 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic 2 homes	From 1/1	To 12/31	0.02 cfs	1.8 afa
Totals:			0.02 cfs	1.8 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name

Perija Satterlee Date 03 Feb 1999

Reviewer

Date

SEAL
MICROFILMED
FEB 17 2000





3560 E. 1000 N.
 PHOTO LOOKING N'LY

W. SIDE OF HOME
 @ 3560 E. 1000 N.

one of the
 several ditches
 for surface water.



PHOTO LOOKING
 E'LY

GPS A0007841

21

21 Jan 1999
 Examiner: J. H. H. H.
 0900 hrs.
 STEAL, BARBARA
 47-08404



3562 E. 1000 N.
PHOTO LOOKING N'LY

MICROFILM

SEP 12 2000

WESTFALL, BARBARA

47-08404

2/2

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 47-0 8404 Reviewed by JY Date 2-5-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

____ Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 47-92-S-0081-000
35- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
/ Installed?
____ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 3560 E 4000 N Proof Made 12-1-97
Kimberly ID 83341



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 5, 1998

Barbara Westfall
David Nielsen
Carolyn Nielsen
3560 E 4000 N
Kimberely ID 83341

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08404

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
FEB 11 1998

September 30, 1997

DAVID NIELSEN
CAROLYN NIELSEN
BARBARA WESTFALL
C/O CAROLYN NIELSEN
PO BOX 1655
TWIN FALLS ID 833031655

PROOF DUE NOTICE

RE: PERMIT NO. 47-08404

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

FEB 11 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

December 9, 1996

PHILIP E. BATT
GOVERNOR

DAVID AND CAROLYN NIELSEN
BARBARA WESTFALL
PO BOX 1655
TWIN FALLS ID 83303-1655

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08404

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

MICROFILMED

JAN 23 1997

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman**

11/96

No.: 47-8404 Name: Westfall/Nielsen Date: 12/5/96 Ad OK? ✓ ✓ Gvmt Lts: _____

AREA OF CONCERN?

- No/Yes: ESRP Mor / Twin Falls GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement)

SYSTEM COMPLETED:

Yes/proof filed

- NA

1 year/no proof

- P16

+1 year

- 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs

- 01M

=/- 0.2 cfs

- No MD

=/+ 5 a.

- 01M, 065 (if GW use SW 1st)

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87)

Included w/permit

- Permit No. 47-92-S-0081-000, P99

No WD permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that *doesn't sink* is regulated):

Water District (*dem*)

- 005 (*req*) WD # _____ <SEE MAP & LISTING>

+ 0.2 cfs

- 01J (meas dev)-P08

=/- 0.2 cfs

- 01H (lock dev)-P01 or No MD

In-WD + 0.2 cfs

- 01M or No MD (in-stream)

- 0.2 cfs

- No MD

=/+ 5 a. irr.

- 01M

RIVER BASINS (*Surface water):

Snake R (01)

- 11A-P04, NA

(02/03-irr)

- 007-P07 (w/ remark *WB9- Weiser), NA

Boise River (63)

- 05A (if WD), 11E (not 42-111 use), NA

Payette River (65)

- 064 (regulated uses), 047-P04 (Payette Lake), NA

USE:

Domestic (*surface*)

- *WB5 (Boise River above Star Bridge); 27A (Payette River); NA

Fish Propagation

- 07A-042 (*req*)-010/06A/09E (WQ)-P10; 044 (North of 1000 Springs)

In-PDU -/- 5 a

- ~~057~~ (0.03 cfs/acre)

+ 5 a

- 03A (0.02 cfs/acre)

Mining

- 054 (*req*) & 06A/010/09E-P10

Power

- 08A-17K-025-027-028-01F(P19)-09E(P10);

+25 cfs-P18; 17G (FERC) or 17M (FERG); 18B-P09

Storage (✓3 compo.)

- 18A (multiple MD within district), 18B-P09 (+10' dam), *W07

LOCATION:

42-248 area

- In 20/30/40/50/60/70/80 (87) basin? P84

Boise Front LoGeo

- 058 (-85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Irr Dist/Canal Co.

- 023 (Twin Falls area)

Swan Falls Flag

- C <SEE CODE CHART>

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust <1>

- 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-owner

- 004 (PD/PU) _____

OTHER CONDITIONS:

- ~~011~~ 010 _____

STANDARD REMARKS:

- Dw 01/2 _____

BENEFICIAL USE DUE:

- 12-1-1997 _____

COMMENTS:

- not in subdivision per TF County Assessor _____

RECEIVED

NOV 29 1996

IFM NO. 202A
REVISED 6-6-91

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SATTERLEE, GEORGIA DATE 28 October, 1996
APPLICATION NO. 47-08404

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (see USGS quad for names of water sources)
☒ Point of diversion (10 Acres for spring, lot & block description, subdivisions, local name, flow &/or volume.)
☒ County
☒ Quantity (flow &/or volume) 4 ft
☒ Period of use 10/31/96
☒ Nature of proposed use (include description of use) yes (GLS)
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. 0.2 acres
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

---PROPOSED PRIORITY DATE
16 October 1996

ADDITIONAL INFORMATION

- ☒ Overlapping place of use(Describe source & relationship to pres application on the back.)
☒ Overlapping point of diversion.
☐ Yes ☒ No Field check required N/A=groundwater
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical Ground water area
☒ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send Dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit.
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary(If yes, attach trustwa supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If y attach large diversion supplementary analysis sheet)

See reverse side for additional information.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Date Requested _____, 19____

PROCESSING ☒ Yes ☐ No In form for Advertising
☒ Yes ☒ No ☒ Statewide Advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on app.

SEND COPIES TO: ☐ Idaho Dept of Health & Welfare ☐ USDI BLM
☐ Idaho Dept of Fish & Game ☐ USFS
☐ Idaho Dept of Lands ☐ Water Dist.
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received.
☒ Yes ☐ No Application published correctly. If not, record action taken. _____

☒ Yes ☐ No Publication dates and paper, recorded on App.
☐ Yes ☒ No Protests received
Final date for Protest _____
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on app.
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

021, 041
See below for additional information
Date of priority recommended 10/16, 19 96
By AO Date 11/27, 19 96

STATE OFFICE REVIEW _____

See below for additional information
By AO Date 11/27, 19 96

ADDITIONAL INFORMATION: SEE MEMO DATED '28 October 1996'

NOTICE OF
APPLICATION FOR
WATER PERMIT

The following application
has been filed to appropriate
the public waters of the
State of Idaho:

BARBARA WESTFALL
AND

DAVID NIELSEN &/OR

CAROLYN NIELSEN

PO BOX 1655

TWIN FALLS ID 83303

Application for Permit No.

47-0834

Source: groundwater

Diversion Pt:

SW1/4SE1/4, S4, T10S,

R18E, Twin Falls County.

Use: domestic (0.06 cfs)

1/1-12/31

Irrigation (0.02 cfs)

4/1-10/31

Total Diversion: 0.08 cfs

for: Two (2) homes and 0.2

acres within SW1/4SE1/4,

S4, T10S, R18E.

Date Filed: 10/16/96

The permit will be subject
to all prior water rights.

Any protest must be filed

with the Director, Dept. of

Water Resources, Southern

Region, 222 Shoshone

Street East, Twin Falls, ID

83303 together with a

protest fee of \$25.00 on or

before November 25, 1996.

The protestant must also

send a copy of the protest

to the applicant.

Karl J. Drueger, Director

Published in the Times

News on 11/7 & 11/14/96.

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS } SS.

No 28778

I, Emily McKnight being first duly sworn upon oath, depose

and say that I am principle clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in any
supplement thereof, for two consecutive issues,

commencing with the issue dated November 7, 19 96,

and ending with the issue dated November 14, 19 96.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except
Monday, both of which newspapers prior to consolidation had been published under said names in said city and county
continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since
such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said
newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be
published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each
issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

JAN 23 1997

On this 15 day of Nov in the year of 1996, before me,

a Notary Public, personally appeared Emily McKnight,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly
sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Heva R. Feldman
Notary Public for Idaho

Residing at Twin Falls, Idaho.

My commission expires: 5/19/2000

EID

Resources

OK
MB
11/19/96

**NOTICE OF
APPLICATION FOR
WATER PERMIT**

The following application
has been filed to appropriate
the public waters of the
State of Idaho:

**BARBARA WESTFALL
&/OR**

**DAVID NIELSEN &/OR
CAROLYN NIELSEN**

PO BOX 1655

TWIN FALLS ID 83303

Application for Permit No.
47-08404

Source: groundwater

D i v e r s i o n P t :
SW1/4SE1/4, S4, T10S,
R18E; Twin Falls County.

Use:domestic (0.06 cfs)

1/1-12/31

irrigation (0.02 cfs)

4/1-10/31

Total Diversion: 0.08 cfs

In: Two (2) homes and 0.2
acres within SW1/4SE1/4,
S4, T10S, R18E.

Date Filed: 10/16/96

The permit will be subject
to all prior water rights.

Any protest must be filed
with the Director, Dept. of
Water Resources, Southern
Region, 222 Shoshone
Street East, Twin Falls, ID
83301 together with a
protest fee of \$25.00 on or
before November 25, 1996.

The protestant must also
send a copy of the protest
to the applicant.

Karl J. Dreher, Director

Published in the Times
News on 11/7 & 11/14/96.

MICROFILMED

JAN 23 1997



IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION
222 S F HONE ST E
TWIN FALLS ID 83301
(208) 736-3033 Fax 736-3037

PHILIP E BATT
GOVERNOR

KARL J DREHER
DIRECTOR

November 1, 1996

TIMES NEWS
PO BOX 548
TWIN FALLS ID 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published in your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Sr. Secretary

Enclosure

NOT RECORDED
JAN 23 1997

NOTICE OF APPLICATION FOR WATER PERMIT

The following application has been filed to appropriate the public waters of the State of Idaho:

BARBARA WESTFALL &/OR
DAVID NIELSEN &/OR
CAROLYN NIELSEN
PO BOX 1655
TWIN FALLS ID 83303

Application for Permit No. 47-08404

Source: groundwater

Diversion Pt: SW1/4SE1/4, S4, T10S, R18E; Twin Falls County.

Use: domestic	(0.06 cfs)	1/1-12/31
irrigation	(0.02 cfs)	4/1-10/31

Total Diversion: 0.08 cfs

In: Two (2) homes and 0.2 acres within SW1/4SE1/4, S4, T10S, R18E.

Date Filed: 10/16/96

The permit will be subject to all prior water rights. Any protest must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before November 25, 1996. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the Times News on 11/7 & 11/14/96.

RECEIVED
NOV 23 1996



IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION
222 SHOSHONE ST E
TWIN FALLS ID 83301
(208) 736-3033 Fax 736-3037

PHILIP E BATT
GOVERNOR

KARL J DREHER
DIRECTOR

October 31, 1996

CAROLYN NIELSEN
PO BOX 1655
TWIN FALLS ID 83303

Re: Application for Permit No. 47-08404 (Westfall/Nielsen)

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office has scheduled advertising the application in the Times News for 11/7 & 11/14/96. A period of ten days following the second publication will be allowed for the submittal of protests.

If an application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If an application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

A handwritten signature in cursive script that reads "Georgia Satterlee".

Georgia Satterlee L.S.I.T.
Water Resource Agent

GS:mb

10/31/96
10/31/96

M E M O

TO: File Westfall and/or Nielsen
FROM: Georgia Satterlee
DATE: 28 October 1996
RE: Application for Water Right Permit #47-08404

Per conversation with Jim Stanton, he said one of the applicants (The Nielsen's) is selling their portion of the common lot. The lending institution handling the transaction required some type of verification of a claim for a water right. This is the reason the application for permit is being filed.

The two homes are using one well for the domestic and the irrigation. However, according to Jim Stanton, the applicants said they were using canal shares for the majority of the irrigation.

This application is directed at #8, under the Snake River Basin Moratorium guidelines, which states, "...community wells permitted provided each lot upon which a dwelling is constructed includes no more than 1/2 acre of irrigation..."

No overlaps for either place of use or point of diversion were found.

10/30/96

10/30/96

#47-08404

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTTYPEWRITER OR
ALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.**1. WELL OWNER**Name David + Carolyn Nielson
Address 3452 E 4000 N Kimberly
Drilling Permit No. 3562-47-92-S-81 OK
Water Right Permit No. _____**2. NATURE OF WORK**

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
25 inches 6 inches + 1 feet 19 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 19' Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port San. Tary Well Cap**6. LOCATION OF WELL**

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Twin Falls
SW 1/4 SE 1/4 Sec. 4, T. 10 S. R. 18 E.**7. WATER LEVEL**

Static water level 160 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 85°F Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
2	0	4	Top Soil		X
2	4	9	Gray Lava		
2	9	10	Red Sand		
2	10	19	Gray Lava		
6	19	51	Gr. Lava		
	51	62	Red Lava		
	62	76	Gr. Lava		
	76	127	Gray Lava		
	127	161	Gr. Lava		
	161	166	Broken Gray Lava		
	166	174	Gray Lava		
	174	177	Broken Gray Lava + Sand		
	177	190	Gray Lava		
	190	204	Broken Gray Lava	X	
	204	211	Gray Lava		
	211	221	Soft br. Lava + Tan Talc	X	
	221	223	Br. Lava		
	223	230	Soft Brk Br. Lava	X	

10.Work started 6-30-92 finished 6-1-92**11. DRILLER'S CERTIFICATION**I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Eaton Drilling Firm No. 26Address Wendell Date 6-1-92Signed by Drilling Supervisor [Signature]and [Signature](Operator) Dave Cook
(If different than the Drilling Supervisor)SW/SE
T10S R18E S4