

ace of use, section number,



Amir E. Vardiche
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Ernest + Val Hendricks Permit No. 47-08262
Phone No. 733-1376
Current Address: 2563 Poleline Road East, Twin Falls, ID 83301
2. Accompanied by: Mrs. Hendricks EXAM. DATE: 9-30-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
DEC 19 1994

TERIOR
Y







47-8262



Backyard



Irrig. Well.

RECEIVED
DEC 19 1994

47-8262



Home



Home & Yard

RECEIVED
DEC 19 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08262

Priority: January 22, 1991

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that ERNEST E HENDRICKS JR
VAL C HENDRICKS

2563 POLE LINE RD EAST
TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 22, 1991; and has submitted Proof of Beneficial Use on September 20, 1991. An examination indicates that the works have a diversion capacity of .090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	3.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.05 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 17(SESW), Sec. 35, Township 09S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	35	Lot 17(SESW)	0.9		0.9

Total number of acres irrigated: 0.9

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08262

CONDITIONS/REMARKS:

6. The place of use is located within Lot 1, Park Ridge Subdivision.
7. Two points of diversion are located within Lot 17 (SESW), S35, T09S, R17E.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
9. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of NOVEMBER, 1974.

Acting for


R. Keith Higginson, Director

RECEIVED

SEP 20 1991

Department of Water Resources
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only ²⁰
Amt. of Fee \$ 50
Date 9-20-91
Receipt No. 5013727
Received by TLA

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08262 Telephone No. 733-1376
2. Name(s) of Permit Holder(s): Ernest E. Hendricks, Jr., Val C. Hendricks
3. Post Office Address: 2563 Pipeline Road East Twin Falls ID 83301
4. Source of Water: groundwater
- a. If ground water, well driller's name: Smith Date drilled: Finished Jan. 1991
- b. Pump horsepower: 1 1/2 H.P. Pressure (psi): 50 psi Dynamic pumping level (ft.): 25'
both 150'
5. Extent of Use:
- | | |
|---|------------------------------------|
| Domestic <u>1</u> (No. of households) | Irrigation <u>1</u> (No. of acres) |
| Stockwater <u>—</u> (No. and type of stock) | Other <u>—</u> |

2 wells

6. Total rate and/or volume for which proof is submitted 0.07 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☒

8. Fee Enclosed: \$ 50⁰⁰ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Ernest Hendricks

Name

733-1376 home

543-6404 wk.

Telephone No.

(Above)

Address

- * Note that the irrig. well is going to be turned off Oct. 11.
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

9/20/91

Ernest E. Hendricks
Signature (and title if on behalf of a company or organization)

DEC 11 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08262

Proposed Priority: January 22, 1991 Maximum Diversion Rate: 0.07 CFS
This is to certify, that **ERNEST E. HENDRICKS, JR.**

VAL C. HENDRICKS
2563 POLE LINE RD. E.
TWIN FALLS, ID 83301

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 17(SESESW), Sec. 35, Township 09S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	35	LOT 17(SESW)	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 3, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. The points of diversion are located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.
6. Domestic use is for 1 home.
7. The place of use is located within Lot 1, Park Ridge Subdivision.
8. Two points of diversion are located within SESESW, S35, T09S, R17E.

RECEIVED

AUG 05 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08262

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30 th day of July, 1991.

for 
R. Keith Higginson, Director

AUG 05 1991

RECEIVED
Form 202
6/85

JAN 22 1991

Department of Water Resources
Southern Region Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 47-08262

To appropriate the public waters of the State of Idaho

1. Name of applicant Ernest E. &/or Val C. Hendricks Jr. Phone 733-1376
Post office address 2563 Pole Line Road East, Twin Falls, ID 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is 2 points SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 17

Sec. 35 Township 9S Range 17E B.M. Twin Falls County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.03 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.07 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two existing wells & pumps, buried sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 6" inches; ~~proposed~~ depth of well is 280 feet.
8" 50

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is One years (minimum 1 year).

AUG 05 1991

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in KW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; show name of municipality. _____
 - Domestic; show number of households. one
 - Other; describe fully. _____
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	17E	35												1D					1
														6419					

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____
11. a. Who owns the property at the point of diversion? Applicants
- b. Who owns the land to be irrigated or place of use? _____
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____
12. Remarks: Land is Lot 1 of Park Ridge Subdiv.
- System was developed under Lapsed Permit 47-8155.
- Shallow well is contaminated, so was recently replaced for domestic use
- with a separate deep well.

AUG 05 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ernest E. Vandenberg
(Applicant)

Received by J. F. Thornton Date 1-22-91 Time 11:45 am Preliminary check by DRS
Fee \$ 30.00 Receipted by JP # 5012963 Date 1-22-91
Publication prepared by M. Baldwin Date 2-11-91 Published in Times News
Publication approved M. Baldwin Date 3-26-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
AUG 05 1991

CLASSIFIED ADVERTISING INVOICE

TWIN FALLS TIMES NEWS

132 3RD ST W.

P. O. BOX 548

TWIN FALLS

ID 83303

Forwarding & address correction requested

INVOICE NO.		CLASS	BILLING DATE	
22065		343	02/23/91	
INDEXING TERM				
#02-07441 → AL ^{OK} _{MB} 3-26-91				
START DATE		TELEPHONE NO.		
2/21/91		734-3575		
LINES/WORDS	TIMES	RATE	NET AMOUNT	GROSS AMOUNT
124	2		39.25	39.25
AFFIDAVI			3.00	3.00
PAY THIS AMOUNT			92.28	92.28

GROSS AMT DUE AFTER 03/15

RECEIVED

MAR - 1 1991

Department of Water Resources
Southern Region Office

RETURN THIS PORTION WITH YOUR REMITTANCE

22065 9223
 36-8570
 47-8260
 47-8261 THIS SPACE FOR ADDRESS ONLY
 47-8263
 IDAHO WATER RESOURCES

222 SHOSHONE EAST
 TWIN FALLS ID
 83301

RECEIVED

AUG 05 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 10, 1994

ERNEST E HENDRICKS JR
VAL C HENDRICKS
2563 POLE LINE RD EAST
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08262

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

DEC 19 1994

WR0749NP
No. L47-08262

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/07/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ERNEST E HENDRICKS JR	01/22/1991	IRRIGATION	04-01 10-31	0.03 CFS	3.60 AFA
C	VAL C HENDRICKS		DOMESTIC	01-01 12-31	0.02 CFS	0.60 AFA
	2563 POLE LINE RD EAST					
	TWIN FALLS ID 83301					
	(208) 733-1376					
				TOTAL DIVERSION:	0.05 CFS	4.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.09 CFS

Point(s) of Diversion: T09S R17E S35 Lot 17(SESW)

TWIN FALLS County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
09S	17E	35	:																	:	0.9
																				TOTAL ACRES	0.9

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: TWIN FALLS

Other Water Rights with Same Point(s) of Diversion and Source:
47-08156 47-08233

Other Water Rights Listing Overlapping Place(s) of use:
47-08262

Conditions of Approval:

- R51 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

Remarks: The place of use is located within Lot 1, Park Ridge Subdivision.
Two points of diversion are located within Lot 17 (SESW), S35, T09S, R17E.
Domestic use is for 1 home.

Dates:	App. Received:	01/22/1991	Priority Date:	01/22/1991
	Proof Due Date:	08/03/1992	Proof Made Date:	09/20/1991
	Exam Made Date:	09/30/1991	Exam Sent to S.O.:	09/21/1994
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Comments: Date: 11/22/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd

LICENS REVIEW CHECKLIST



PERMIT NO. 47-8262 DATE 10-7-94

NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐ ☒	Permit/fee limits: <u>.07 CFS</u> Meas Q = ☐ Theo Q = <u>.09 CFS</u> Recommend: <u>.05</u> <u>Dom OK @ .02</u> <u>IRR for 9 acre OK @ .03</u> Combined rates exceed capacity ☐
IRR WELL Q = .066 DOM WELL Q = .025 TOTAL = .091		
ANNUAL VOLUME	☐ ☒	Season of use: <u>4/4 (4-1 to 10-31)</u> <u>(new)</u> Calculations: <u>Dom/interior @ .6</u> <u>IRR @ .9 x 4 = 3.6</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	<u>W32 (2)</u> ☒	Multiple p/d(s) in 1/4 1/4? <u>(LOT 17) SE SW / S35 / 95 / 17E</u> Other ☐
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ <u>R51</u> ☐ Irrigation Overlap ☐ ☐ ☒ Water Quality ☐ ☐ ☒ Other ☐ Heat/Cool/ Fish verified ☐
COMMENTS:	<u>Reduce rate</u>	

RECOMMENDED	CFS	VOL	SRBA Claim Filed	Adjustment Memo Needed
<u>Irrigation</u>	<u>.03</u>	<u>3.6</u>		<u>NO</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	LICENSE ☒	
<u>Total</u>	<u>.05</u>	<u>4.2</u>	1ST AMENDMENT LETTER ☐	
			FINAL AMENDMENT LETTER ☐	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1994
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 47-08262
Phone No. 733-1376
1. Owner: Ernest + Val Hendricks
Current Address: 2563 Poleline Road East, Twin Falls, ID 83301
2. Accompanied by: Mrs. Hendricks EXAM. DATE: 9-30-91
Address: Same Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

DEC 19 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

old well (50' deep) supplies water for about 60 pop-up sprinklers (runs up to 8 at a time). Separate, new well (280' deep) serves pressure tank for domestic use.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 1/2			
	Red Jacket	1 1/2			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

2 points

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	617	SE	SE	SW	35	95	17E	Twin Falls	

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
95	17E	35												D 17 17E					0.9

Do not use this space

DEC 19 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Old well (irrig. only) rated 26 gpm at 20' lift & 50 psi = 0.06 cfs

New well (dom. only) rated 10 gpm at 110' lift & 40 psi = 0.02 cfs

Data from well logs & owners.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Allow .03 cfs/ac x 0.7 ac. = 0.021 cfs. Allow 0.03 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .9 \times 4 = 3.6$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

Domestic - 1 home (lawn is covered under irrig. volume) at 0.6 AFA/home

REC-19 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Property is about 1 acre. About 80% is irrigated.
~~Land appears to be in lot 6 rather than in lot 17 as shown on permit. Physical location~~
~~is the same as shown on permit, however, so no amendment should be required.~~
P/D, P/U in lot 17 verified by county assessor, Land is Tax Lot #1713.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.02	0.6
Irrigation	3-15	11-15	0.03	3.6
Totals:			0.05	4.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date _____
Field Report Preparation Date 10-8-91

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 19 1994

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 47-8262
DATE: 3/14/94
BY: Jones

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$Q = \frac{(8.8) \times (1.5) \times (0.70)}{[(25) + (50 \times 2.31)]}$

LIFT FROM:
measurement ()
owner ☒
area estimate ()
well logs ()
Booster (Y) (N)

PSI FROM:
measurement ()
owner ☒
estimate ()
owner gage ()

NOTES ON PUMP:
Motor Make, Serial or ID
Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = _____

REQUIRED Acre Feet/Acre/Annum = _____
(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

DEC 19 1994

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

E: 47-8262

DATE: 3/14/94

BY: J. Jones

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) (1) (0.70)}{[(150) + (40 \times 2.31)]} = 0.025$$

LIFT FROM:

measurement ()

owner ()

area estimate ()

well logs ()

Booster (Y) (N)

PSI FROM:

measurement ()

owner ()

estimate ()

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)
3/15 - 11/15	246
4/1 - 11/1	215
4/15 - 10/15	184
3/1 - 12/1	276

POTENTIAL = $(\dots) \times (1.98) \times (\dots)$

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum =

(AF/Ann/Ac irrigation requirement from chart for area)


NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY


IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY

DEC 18 1994






DEC 18 1964



47-8262




Backyard



Irrig. Well.

DEC 18 1954

47-8262



Home



Home & Yard

47-8262



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-8262

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

139420

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

DEC 19 1994

DEC 19 1994

November 22, 1991

VAL C. HENDRICKS
ERNEST E. HENDRICKS, JR.
2563 POLE LINE RD. E.
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08262

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

DEC 11 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

for Ernest & Val Hendricks

Gene

previous owner

1. Applicant (please print) VAMAGATA - Gene & Alpine Realty

2. Mailing Address 1925 Addison Ave East 3373

C/O Alpine Realty Telephone 734-3373

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 SW 1/4, or Gov't Lot No. _____

Sec. 35, Twp. 9S, Rge. 17 EBM, County Twin Falls

Street Address of Well Site 2563 East Pole Line Rd.

Lot, block and subdivision _____

4. Proposed use of well:

- ☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen ☒ Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 130'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date 10 Dec 1990

7. Anticipated Well Driller Smith Drilling & Pump Co Inc.
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature G. D. Smith Date 10 Dec, 1990

Title Firm Rep. (Owner, Firm Representative, Other)

MICROFILMED
DEC 11 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 12/10/90

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Loren O. Hahn
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION

Title

Receipt No. 5012884 5012883 Received by JS Fee \$35.00 Date 12-10-90


RECEIVED
DEC 11 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Gene Yamagata</u> Address <u>Twin Falls, Idaho</u> Owner's Permit No. <u>47-90-S-097</u> <i>DIF</i>		7. WATER LEVEL Static water level <u>111</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below:</i>																																																																																																																																																																																																											
2. NATURE OF USE ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increased <i>Describe any abandonment procedures such as grouting or cementing, etc. in following space.</i>		8. WELL TEST DATA None ☐ Pump ☐ Baller ☐ Air ☐ Other _____																																																																																																																																																																																																											
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection ☐ Other _____ (Specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																							
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																											
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>5</td><td>Top Soil</td><td></td><td>X</td></tr><tr><td></td><td>5</td><td>16</td><td>Porous Gray Basalt</td><td></td><td>X</td></tr><tr><td></td><td>16</td><td>20</td><td>Pink Basalt - Broken</td><td></td><td>X</td></tr><tr><td></td><td>20</td><td>42</td><td>Broken Pink Basalt w/clay</td><td></td><td>X</td></tr><tr><td></td><td>42</td><td>49</td><td>Broken Gray Basalt</td><td></td><td>X</td></tr><tr><td></td><td>49</td><td>58</td><td>Gray Basalt</td><td></td><td>X</td></tr><tr><td></td><td>58</td><td>68</td><td>Gray Basalt w/sm. & lg breaks</td><td></td><td>X</td></tr><tr><td></td><td>68</td><td>86</td><td>Med Hard w/sm. breaks</td><td></td><td></td></tr><tr><td></td><td>86</td><td>91</td><td>Med Hard</td><td></td><td></td></tr><tr><td></td><td>91</td><td>93</td><td>Med Hard w/breaks</td><td></td><td></td></tr><tr><td>8/6</td><td>93</td><td>105</td><td>Med Hard</td><td></td><td></td></tr><tr><td>6</td><td>105</td><td>107</td><td>Gray Basalt</td><td></td><td>X</td></tr><tr><td></td><td>107</td><td>110</td><td>Red Cinder ash</td><td></td><td>trace</td></tr><tr><td></td><td>110</td><td>123</td><td>Med Hard Gray Basalt</td><td></td><td>X</td></tr><tr><td></td><td>123</td><td>125</td><td>Brown Basalt w/sm. breaks</td><td></td><td>trace</td></tr><tr><td></td><td>125</td><td>133</td><td>Med Hard Gray Basalt</td><td></td><td>X</td></tr><tr><td></td><td>133</td><td>136</td><td>Brown Clay</td><td></td><td></td></tr><tr><td></td><td>136</td><td>142</td><td>Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>142</td><td>157</td><td>Gray Basalt w/small breaks-clay</td><td></td><td></td></tr><tr><td></td><td>157</td><td>161</td><td>Med Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>161</td><td>165</td><td>Pink Basalt</td><td></td><td>X</td></tr><tr><td></td><td>165</td><td>168</td><td>Pink Basalt w/small breaks</td><td></td><td>trace</td></tr><tr><td></td><td>168</td><td>187</td><td>Gray Basalt</td><td></td><td>X</td></tr><tr><td></td><td>187</td><td>196</td><td>Gray Basalt w/sm. breaks-br. clay</td><td></td><td></td></tr><tr><td></td><td>196</td><td>209</td><td>Gray Basalt w/sm. breaks</td><td></td><td>trace</td></tr><tr><td></td><td>209</td><td>220</td><td>Red-Brown Basalt w/sm. breaks</td><td></td><td>X</td></tr><tr><td></td><td>220</td><td>233</td><td>Gray Basalt w/sm. breaks</td><td></td><td></td></tr><tr><td></td><td>233</td><td>239</td><td>Red-Brown Basalt-broken</td><td></td><td>trace</td></tr><tr><td></td><td>239</td><td>248</td><td>Sm. broken Br. basalt</td><td></td><td></td></tr><tr><td></td><td>248</td><td>262</td><td>Med Hard Gray Basalt</td><td></td><td></td></tr><tr><td></td><td>262</td><td>271</td><td>Red-Brown Basalt Broken Talc</td><td></td><td>X</td></tr><tr><td></td><td>271</td><td>279</td><td>Gray Basalt w/sm. breaks</td><td></td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	5	Top Soil		X		5	16	Porous Gray Basalt		X		16	20	Pink Basalt - Broken		X		20	42	Broken Pink Basalt w/clay		X		42	49	Broken Gray Basalt		X		49	58	Gray Basalt		X		58	68	Gray Basalt w/sm. & lg breaks		X		68	86	Med Hard w/sm. breaks				86	91	Med Hard				91	93	Med Hard w/breaks			8/6	93	105	Med Hard			6	105	107	Gray Basalt		X		107	110	Red Cinder ash		trace		110	123	Med Hard Gray Basalt		X		123	125	Brown Basalt w/sm. breaks		trace		125	133	Med Hard Gray Basalt		X		133	136	Brown Clay				136	142	Gray Basalt				142	157	Gray Basalt w/small breaks-clay				157	161	Med Hard Gray Basalt				161	165	Pink Basalt		X		165	168	Pink Basalt w/small breaks		trace		168	187	Gray Basalt		X		187	196	Gray Basalt w/sm. breaks-br. clay				196	209	Gray Basalt w/sm. breaks		trace		209	220	Red-Brown Basalt w/sm. breaks		X		220	233	Gray Basalt w/sm. breaks				233	239	Red-Brown Basalt-broken		trace		239	248	Sm. broken Br. basalt				248	262	Med Hard Gray Basalt				262	271	Red-Brown Basalt Broken Talc		X		271	279	Gray Basalt w/sm. breaks		X
Bore Diam.	Depth		Material		Water																																																																																																																																																																																																								
	From	To		Yes	No																																																																																																																																																																																																								
8	0	5	Top Soil		X																																																																																																																																																																																																								
	5	16	Porous Gray Basalt		X																																																																																																																																																																																																								
	16	20	Pink Basalt - Broken		X																																																																																																																																																																																																								
	20	42	Broken Pink Basalt w/clay		X																																																																																																																																																																																																								
	42	49	Broken Gray Basalt		X																																																																																																																																																																																																								
	49	58	Gray Basalt		X																																																																																																																																																																																																								
	58	68	Gray Basalt w/sm. & lg breaks		X																																																																																																																																																																																																								
	68	86	Med Hard w/sm. breaks																																																																																																																																																																																																										
	86	91	Med Hard																																																																																																																																																																																																										
	91	93	Med Hard w/breaks																																																																																																																																																																																																										
8/6	93	105	Med Hard																																																																																																																																																																																																										
6	105	107	Gray Basalt		X																																																																																																																																																																																																								
	107	110	Red Cinder ash		trace																																																																																																																																																																																																								
	110	123	Med Hard Gray Basalt		X																																																																																																																																																																																																								
	123	125	Brown Basalt w/sm. breaks		trace																																																																																																																																																																																																								
	125	133	Med Hard Gray Basalt		X																																																																																																																																																																																																								
	133	136	Brown Clay																																																																																																																																																																																																										
	136	142	Gray Basalt																																																																																																																																																																																																										
	142	157	Gray Basalt w/small breaks-clay																																																																																																																																																																																																										
	157	161	Med Hard Gray Basalt																																																																																																																																																																																																										
	161	165	Pink Basalt		X																																																																																																																																																																																																								
	165	168	Pink Basalt w/small breaks		trace																																																																																																																																																																																																								
	168	187	Gray Basalt		X																																																																																																																																																																																																								
	187	196	Gray Basalt w/sm. breaks-br. clay																																																																																																																																																																																																										
	196	209	Gray Basalt w/sm. breaks		trace																																																																																																																																																																																																								
	209	220	Red-Brown Basalt w/sm. breaks		X																																																																																																																																																																																																								
	220	233	Gray Basalt w/sm. breaks																																																																																																																																																																																																										
	233	239	Red-Brown Basalt-broken		trace																																																																																																																																																																																																								
	239	248	Sm. broken Br. basalt																																																																																																																																																																																																										
	248	262	Med Hard Gray Basalt																																																																																																																																																																																																										
	262	271	Red-Brown Basalt Broken Talc		X																																																																																																																																																																																																								
	271	279	Gray Basalt w/sm. breaks		X																																																																																																																																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ <u>250</u> inches <u>6 5/8</u> inches <u>11</u> feet <u>99</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used: ☐ Cement grout ☒ Bentonite ☐ Mudfilling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overhaul to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld _____ ☐ Cemented between casing Describe access port _____																																																																																																																																																																																																													
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Twin Falls</u> SE <u>X</u> SW <u>X</u> Sec. <u>35</u> T. <u>9S</u> R. <u>17E</u>		11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were observed/checked with at the time the rig was removed. Firm Name <u>SMITH DRILLING & PUMP CO. INC.</u> Address <u>Jerome</u> Date <u>1/17/1991</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Melton H. Rollins</u>																																																																																																																																																																																																											

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 1, 1991

VAL C. HENDRICKS
ERNEST E. HENDRICKS, JR.
2563 POLE LINE RD. E.
TWIN FALLS, ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08262

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

MAILED
AUG 05 1991

14-Feb-1991

ERNEST &/OR VAL HENDRICKS, JR.
2563 POLE LINE RD EAST
TWIN FALLS ID 83301

Re: Application for Permit No. 47-08262

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 2/21 & 2/28/91. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineering Specialist

DJ:MB

MICROFILMED

AUG 05 1991

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following
application(s) have been
filed to appropriate the
public waters of the State
of Idaho:

02-07441 ✓
LB. INDUSTRIES INC.
P.O. BOX 2797
BOISE, ID 83701
Source: SNAKE RIVER
Tributary: COLUMBIA
RIVER
Diversion Pt: NENE Sec
10 T 09S R 14E
Use: POWER (3000.000
CFS)

Total Diversion:
(3000.000 CFS)
Date Filed: 12/5/1990
In: T09S R14E S10
NWNE

36-08570 ✓
PLATEAU TRUST
C/O ROBERT
BRAILSFORD
P.O. BOX 1291
TWIN FALLS, ID 83303

Source: BICKEL
SPRINGS
Tributary: SNAKE RIVER
Use: WILDLIFE (10.500
CFS)

FISH PROPAGATION
(10.500 CFS)
POWER (10.500 CFS)
RECREATION (10.5000
CFS)

Total Diversion (10.500
CFS)
Date Filed: 12/12/1990
In: T08S R13E S01 Lot
(SESE)

R14E S06 Lot 11 (SWSW)
Lot 10 (SESW) Lot 10
(SWSE)
S07 Lot 2 (NWNE) NENW
Lot 3 (NWNW)

47-08260 ✓
U.S. DEPT. OF INTERIOR
BUREAU OF LAND
MANAGEMENT
RT. 3 BOX 1
BURLEY, ID 83318

Source: HORSE CREEK
Tributary: SHOSHONE
CREEK
Diversion Pt: SESWSE
Sec 29 T 16S R 17E

Use: STOCKWATER
STORAGE (700 CFS)
WILDLIFE STORAGE
(100 CFS)

Total Diversion: (.80 AF)
Date Filed: 1/4/1991
In: T16S R17E S29 SWSE

47-08262 ✓
HENDRICKS, ERNEST E.
HENDRICKS, JR., VAL C.
2563 POLE LINE RD. E.
TWIN FALLS, ID 83301

Source: GROUNDWATER
Diversion Pt: LOT 17
(SESESW) Sec 35 T 09S
R 17E

Use: IRRIGATION (.030
CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070
CFS)

Date Filed: 1/22/1991
In: T09S R17E S35 Lot 17
(SESW)
1.0 ACRES TOTAL

47-08263 ✓
U.S. DEPT. OF INTERIOR
BUREAU OF LAND
MANAGEMENT
RT. 3 BOX 1
BURLEY, ID 83318

Source: WATER GAP
SPRING
Tributary: SINKS
Diversion Pt: NESWSE
Sec 3 T 16S R 17E

Use: STOCKWATER
(.020 CFS)
WILDLIFE (.010 CFS)
Total Diversion: (.020
CFS)

Date Filed: 12/24/1990
In: T16S R17E S03
NWSE

The permit(s) will be sub-
ject to all prior water
rights. Protests may be
submitted based on the
criteria of Sec. 42-203A,
Idaho Code and/or the
new public interest criteria
of Sec. 42-203C, Idaho
Code. Protests must be
filed with the Director,
Dept. of Water Resources,
222 Shoshone St. East,
Twin Falls, Idaho 83301
on or before MARCH 11,
1991.

R. Keith Higginson,
Director
PUBLISH: Thursday,
February 21 and 28, 1991.

Affirmation of Publication

STATE OF IDAHO
COUNTY OF TWIN FALLS } ss.

MAR 1991

No 22065

I, Sandra Capps McSwine Department of Water Resources
being first duly sworn upon oath, depose
and say that I am Deputy Clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for Two consecutive weeks
commencing with the issue dated February 21, 1991
and ending with the issue dated February 28, 1991.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

On this 28 day of February in the year of 1991, before me,

a Notary Public, personally appeared Sandra Capps McSwine
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Shirley R. Feltman
Notary Public for Idaho

Residing at Twin Falls County

My commission expires: 5/19/94

AUG 05 1991

47-08262

HENDRICKS, ERNEST E.
HENDRICKS, JR., VAL C.
2563 POLE LINE RD. E.
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: LOT 17 (SESESW) Sec 35 T 09S R 17E

Use: IRRIGATION	(.030 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(.070 CFS)

Date Filed: 1/22/ 1991

In: T09S R17E S35 Lot 17 (SESW)

1.0 ACRES TOTAL

FILED
AUG 05 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 222 Shoshone St. East, Twin Falls, Idaho 83301 on or before MARCH 11, 1991.

R. Keith Higginson, Director

Published 2/21/1991 & 2/28/1991

RECEIVED
AUG 05 1991

- S T A T E O F I D A H O
PARTMENT OF WATER RESOU
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

FEBRUARY 11, 1991

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 11, 1991.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

AUG 05 1991