



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




47-08253

Length of Ditch = 205'

APR 29 1996






APR 29 1996

$$\frac{7 \frac{5}{8}}{1061.04} =$$

$$\frac{1061.04}{7 \frac{5}{8}} = \frac{x \text{ ft}}{1 \text{ in}}$$

$$145.1x(\text{in}) = -\text{ft}$$



Lot area = 63,662.4 ft² = 1.5 ac.

$$2 \frac{31}{32}$$

1.6 ac



47-09253

SUNRIDGE SUBDIVISION

*A portion of the 31st and 32nd
Sections, T. 43 N., R. 12 E., S. 10 E.*

SAFECO TITLE
311 SECOND STREET NORTH
P.O. BOX 1963
TWIN FALLS, IDAHO 83301


While this map is a photographic reproduction of that on
file in either the recorder's or surveyor's office, the
company assumes no liability for variation, if any, with
another or re-survey.




APR 29 1996

PERMIT 47-08253 INIT

T. R. S. Q/Q

P/D 10S 17E 2 SESWSCALE PHOTO ID. BB 73



47-08253
T105-R17E-S2
Twin Falls

APR 29 1996

47-08253



#3
P/u



#4
P/u

RECORDED
FEB 29 1996

47-08253



#1

P/O

Backup well



#2

P/O

Domestic

← P/O
for main
well is
located
in these
trees.

MISSOURI

APR 29 1996

NOTICE OF
APPLICATION FOR
WATER RIGHT

The Following
application(s) have been
filed to appropriate the
public waters of the State
of Idaho:

47-08253
HEGGIE, GLEN D.
2580 SUNRIDGE CIRCLE
TWIN FALLS, ID 83301
Source: GROUNDWATER
Diversion Pt: NESESW
Sec 2 T 10S R 17E
Use: IRRIGATION

(.050 CFS)
DOMESTIC(.040 CFS)
Total Diversion:
(.090 CFS)

Date Filed: 9/20/1990
In: T10S R17E S02 SESW
1.8 ACRES TOTAL

The permit(s) will be sub-
ject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
Southern Region, 222
Shoshone Street East,
Twin Falls, Idaho 83301
on or before NOVEMBER
19, 1990.

R. KEITH HIGGINSON,
Director
PUBLISH: Thursday, No-
vember 1 and 8, 1990.

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF TWIN FALLS } ss.

RECEIVED

DEC -4 1990

No 21743

I, Linda Capps McSwain, being first duly sworn upon oath, depose
and say that I am Prime Clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for Two consecutive Weeks,
commencing with the issue dated November 1, 1990,
and ending with the issue dated November 8, 1990.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

On this 28 day of November in the year of 1990, before me,
a Notary Public, personally appeared Linda Capps McSwain,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Sheva R. Feltman
Notary Public for Idaho
Residing at Twin Falls County
My commission expires: 5/19/94

OK
NB
12-18-90

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08253

Priority: November 19, 1990

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

6.2 AF

This is to certify, that GLEN D HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 20, 1990; and
has submitted Proof of Beneficial Use on May 4, 1992. An examination indicates
that the works have a diversion capacity of 0.100 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.04 CFS	5.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.06 CFS	6.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 2, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	2	SESW	1.4		1.4

Total number of acres irrigated: 1.4

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.

APP 2 9 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 47-08253

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.
8. Two points of diversion are located within SESW, S02, T10S, R17E.
9. Domestic use is for 1 home.
10. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
11. Place of use is located within Lots 10 and 11, Sunridge Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of April, 1996.

Acting for


KARL J. DREHER, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 47-08253)
IN THE NAME OF GLEN D. HEGGIE) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before March 2, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on May 4, 1992;


IT IS, THEREFORE, HEREBY ORDERED that Permit No. 47-08253 be REINSTATED with an advance in priority to November 19, 1990.

Dated this 26th day of May, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

JUN 11 1992



For Office Use Only
Amt. of Fee \$ 50.00
Date 5-4-92
Receipt No. C024027
Received by [Signature]

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08253 Telephone No. 734-8272
2. Name(s) of Permit Holder(s): Glen D. Heggie
3. Post Office Address: 2580 Sunridge Circle, Twin Falls, Id 83301
4. Source of Water: Groundwater
- a. If ground water, well driller's name: Walker Water Systems Date drilled: 4-1-91
- b. Pump horsepower: 1 Pressure (psi): 40/60 Dynamic pumping level (ft.): 9 ft

5. Extent of Use:

Domestic 1 (No. of households) Irrigation ~~8.5~~ 1.8 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.09 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Glen D. Heggie 734-8272
Name Telephone No.
2580 Sunridge Circle Twin Falls, Id 83301
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-1-92
Date

Glen D. Heggie
Signature (and title if on behalf of a company or organization)

RECEIVED
JUN 1 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 47-08253

Proposed Priority: September 20, 1990 Maximum Diversion Rate: 0.09 CFS

This is to certify, that **GLEN D. HEGGIE**
2580 SUNRIDGE CIRCLE
TWIN FALLS, ID 83301

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.05 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION: NESESW Sec. 2, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	2	SESW	1.8		1.8

Total number of acres irrigated: 1.8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 2, 1992**.
2. Subject to all prior water rights.
3. Irrigation use under this permit is authorized only in connection with a domestic use.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for 1 home.
6. The point of diversion is located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of March, 1991.

RECEIVED

MAR 16 1991

[Signature]
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Glen D. Haggie Phone 734-8272
Post office address 2580 Sunridge Circle, Twin Falls, ID 83301
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 2 Township 10S Range 17E B.M. Twin Falls County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .05 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .09 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 1 Existing well & 1 backup
well to be drilled
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 150 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. One
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
105	17E	2											1.8						1.8

Total number of acres to be irrigated 1.8

10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Received by SR Date 9-20-90 Time 10:10 AM Preliminary check by NBP
Fee \$ 30 Receipted by DEI # 5012683 Date 9/20/90
Publication prepared by M. Baldwin Date 10/24/90 Published in Times News
Publication approved M. Baldwin Date 12-18-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

[Faint, illegible stamp or signature]

CLASSIFIED ADVERTISING INVOICE

TWIN FALLS TIMES NEWS
152 3RD ST W.
P. O. BOX 543
TWIN FALLS

ID 14301

Forwarding & address correction requested

RECEIVED

DEC - 4 1990

Department of Water Resources
Southern Region Office

RETURN THIS PORTION WITH YOUR REMITTANCE

31743

2964

THIS SPACE FOR ADDRESS ONLY

DEPT. OF WATER RESOURCES

152 3RD ST. EAST
TWIN FALLS

ID

14301

INVOICE NO.		CLASS	BILLING DATE	
2174		343	11/22/90	
INDEXING TERM				
47-08253		OK 12-18-90 MB		
START DATE		TELEPHONE NO.		
11/21/90		734-3573		
LINES/WORDS	TIMES	RATE	NET AMOUNT	GROSS AMOUNT
37	2		26.64	26.64
AFFIDAVE			3.00	3.00
PAY THIS AMOUNT			29.64	29.64

GROSS AMT DUE AFTER 12/14

MICROFILMED

MAR 19 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 25, 1996

GLEN D HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08253

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MICROFILMED

APR 29 1996

MEMORANDUM

TO: File 47-08253 / Glen D. Heggie
FROM: Brenda Chapman
DATE: ~~February 28~~^{APRIL 22}, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 47-08253 are based on the information below:

Per telephone conversation of 4/17/96 with Robert Maloney, this permit will not be recommended as a supplemental groundwater right. Mr. Maloney, the new property owner, stated that surface water may have been used on that land years ago but is no longer accessible.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 11-31	.04	5.6
Domestic	1-01 to 12-31	.02	.6

The irrigation and domestic rates have been reduced.

$$1.4 \text{ acre} \times .03 \text{ cfs} = .042 \text{ cfs or } .04 \text{ cfs}$$

With the current guidelines of including domestic lawns, gardens, etc. in the irrigated acre total, the domestic recommendation is reduced to an internal use rate of .02 cfs.

Examiner: Alan Hansten

Exam date: 6/16/94

RECEIVED

APR 29 1996

MEMORANDUM

DATE: April 17, 1996

TO: File 47-08253

FROM: Shelley W. Keen *SWK*

RE: Phone call from Bob Maloney

Bob Maloney called this morning from 734-9969 to discuss the licensing of 47-08253. He said he is the new owner of the property, but he will not pursue an assignment because the permit holders of record have left Idaho.

Mr. Maloney also told me that he thinks his lot was irrigated pasture years ago. He says that he now has no access to surface water.

RECORDED

APR 29 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 8, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ROBERT MALONEY
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

RE: PERMIT NO. 47-08253
In the name of Glen D. Heggie

Dear Mr. Maloney:

I am currently in the process of reviewing Permit 47-08253 for licensing, the final stage in the water appropriation process. According to the Twin Falls County Assessor's Office, you are the current owner of the property covered by this water right. When the right is in permit stage, it is classified as personal property. If a change of ownership occurs, it must be assigned to the new owner.

However, in Idaho, when a permit is licensed, it is then considered real property and proof of owning the land is proof of owning the water right (unless it was specifically excluded in the sale).

For your convenience, if you are still in contact with Mr. Heggie and wish to have him assign the permit to you, I will enclose an assignment form for you to have him complete. If this is not an option, the permit will be licensed in the permit owner of record's name. The assignment filing fee is \$25.00.

Before a license can be issued, I do need some additional information above what the Department's field examiner collected during his June, 1994 exam. According to our records, the Twin Falls Canal Company provides surface irrigation water to 30 of the 40 acres in the $\frac{1}{4}$ you are located in. I need to know if you used any surface water shares last summer in conjunction with the well water on your lawn.

Also, and I realize you have not lived there long and may not have the information, but would you happen to know if this was farm land prior to being developed into the ~~residential~~ Subdivision?

APR 29 1996

I will enclose a copy of the permit for your reference. I will hold any further processing for thirty (30) days. Thank you for your assistance and if you have any questions, do not hesitate to me. My telephone number is (208) 327-5452.

Sincerely,

Brenda L. Chapman

Brenda L. Chapman
Water Resource Agent

Enclosures

APR 29 1996


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706

APR 29 1996

RECEIVED

RETURNED
TO
SENDER
FORWARDING ORDER
EXPIRED

POSTED
LAST CLASS



B-DI

HEGG560 833012020 IN 03/02/96
NO RETURN TO SENDER
FORWARD ORDER ON FILE
UNABLE TO FORWARD
RETURN TO SENDER

XX833012020





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 29, 1996

RECEIVED

MAR 07 1996

GLEN D HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

Department of Water Resources

RE: PERMIT NO. 47-08253

Dear Mr. Heggie:

I am currently in the process of reviewing Permit 47-08253 for licensing, the final stage in the water appropriation process. However, before a license can be issued, I need some additional information above what the Department's field examiner collected during his June, 1994 exam.

According to our records, the Twin Falls Canal Company provides surface irrigation water to 30 of the 40 acres in the $\frac{1}{4}$ you are located in. I need to know if you are currently using any surface water shares in conjunction with the well water on your lawn. If you have in the past, but are no longer using it, when did the well water become the sole source of water for your irrigation needs?

I will enclose a copy of the permit for your reference. I will hold any further processing for fifteen (15) days. Thank you for your assistance and if you have any questions, do not hesitate to me. My telephone number is (208) 327-5452.

Sincerely,

Brenda L. Chapman

Brenda L. Chapman
Water Resource Agent

Enclosure

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08253

Proposed Priority: September 20, 1990 Maximum Diversion Rate: 0.09 CFS

This is to certify, that **GLEN D. HEGGIE**
2580 SUNRIDGE CIRCLE
TWIN FALLS, ID 83301

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.05 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION: NESESW Sec. 2, Township 10S, Range 17E
TWIN FALLS County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>			
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S 17E 2	SESW 1.8			1.8

Total number of acres irrigated: 1.8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 2, 1992.
2. Subject to all prior water rights.
3. Irrigation use under this permit is authorized only in connection with a domestic use.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for 1 home.
6. The point of diversion is located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of March, 1991.

MICROFILMED

MAR 19 1991

[Signature]
for R. Keith Higginson, Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 29, 1996

GLEN D HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

RE: PERMIT NO. 47-08253

Dear Mr. Heggie:

I am currently in the process of reviewing Permit 47-08253 for licensing, the final stage in the water appropriation process. However, before a license can be issued, I need some additional information above what the Department's field examiner collected during his June, 1994 exam.

According to our records, the Twin Falls Canal Company provides surface irrigation water to 30 of the 40 acres in the $\frac{1}{4}$ you are located in. I need to know if you are currently using any surface water shares in conjunction with the well water on your lawn. If you have in the past, but are no longer using it, when did the well water become the sole source of water for your irrigation needs?

I will enclose a copy of the permit for your reference. I will hold any further processing for fifteen (15) days. Thank you for your assistance and if you have any questions, do not hesitate to me. My telephone number is (208) 327-5452.

Sincerely,

Brenda L. Chapman

Brenda L. Chapman
Water Resource Agent

Enclosure

MAILED

APR 29 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 47-08253 DATE 2/28/96



NAME Change OK ☒ Assignment Needed _____

PRIORITY DATE ☒ Advance? YES Advanced to: 11-19-90
 Order to reinstate needed? Done already
 Incorrect fee for rate recommended? no

SOURCE ☒ Changes or just clarification of originally intended source? _____
 Notice of Intent to Void necessary? _____

POINT OF DIV ☒ Amendment needed? _____
☒ Overlaps? _____

PLACE OF USE ☒ Amendment needed? _____
☒ Overlaps? _____

DIV RATE ☒ Permit/fee limits: .09 CFS IRR-1.8 acres - .05
DOM - 1 - .04
 Meas Q = _____ Theo Q .10 Recommend: .06
1.4 ac. x .03 = .04
DOM/INTERNAL = .02
 Combined rates exceed capacity _____

ANNUAL VOLUME ☒ Volume Limit: NEW Season: 4-1 to 10-31
 Calculations: 1.4 x 4 = 5.6
INT/DOM = .6
 Flow limit: _____ cfs x _____ x 1.9835 = _____
 Combined volumes exceed capacity/allowable _____

USES ☒ Change in Nature of Use or additional uses? _____
 Amendment necessary? _____

NEW CONDITIONS ☒ Irrigation Overlap Replaces Surface Water .050
 Supplemental GW .065
 Water Quality/Dam Safety/Heat-Cool/Fish _____
 WM Control- District _____ Meas/Lock Devices _____
☒ Other Plu in lots 10 + 11, SUNRIDGE SUBDIVISION

NEW REMARKS ☒ Supplemental GW [in Snake River Plain] WB8/WB7
☒ Irr/Dom Combination WB5 PPU Recommendation _____
☒ Boise River/Wood River Source Aes/Rec Uses W38
☒ Multiple p/d(s) in 1/4 1/4? SESU SEC 2 10S 17E
☒ Fire Protection WB6
☒ Other _____

COMMENTS: ① Reduce acreage & rate ② Surface water letter required

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Irrigation</u>	<u>.04</u>	<u>5.6</u>	Adjustment Memo Needed	<u>YES</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	LICENSE	☒
			1ST AMEND LETTER	
			2ND AMEND LETTER	
<u>TOTAL</u>	<u>.06</u>	<u>6.2</u>		

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 06 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-68253
Phone No. 734-8272
1. Owner: Glen D. Heggie
Current Address: 2580 Sanridge Circle, Twin Falls ID 83301
2. Accompanied by: Mrs. Heggie EXAM. DATE: 6-16-94
Address: Same Phone No. Same
Relationship to Permit Holder: Wife
3. Source: Ground water tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

See Plat Map

Scale: 1" = _____

APR 29 1996

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

There are no overlaps for the place of use or the point of diversion. Lots 10 and 11 of Sunridge Subdivision are owned by the permit holder. Lot 11 has the home on it and also the main well. Lot 10 has the stream running through it and also has the backup well and control panel located on it. The lots are irrigated with a buried pipe irrigation system and sprinklers. The wells are tied together in the event that one quits

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Main Well in home	Sta-Rite	1 1/2	LP4F02	Sta-Rite	
Backup well	Franklin	1	2801084910	Goulds	25 RL 10

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	SW	2	10S	17E	Twin Falls	Ortho Photo Quad

6. Place(s) of Use:

Indicate Method of Determination Pacing

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	17E	2												1.4					1.4
														D					

Do not use this space

APR 29 1996

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

A theoretical calculation was used to determine the amount of flow.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Main well: $Q = \frac{1.5 \times 8.8 \times .7}{9 + 60 \times 2.3} = .06 \text{ cfs}$

2. Alternate Method for Checking Purposes:

Backup well: $Q = \frac{1 \times 8.8 \times .7}{9 + 60 \times 2.3} = .04 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{i.r.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.4(4) = 5.6 \text{ afa}$

$V_{d.r.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = [1.4 \times .03][215][1.9835] = 17.9 \text{ afa}$

$V = \text{Smaller of } V_{i.r.} \text{ and } V_{d.r.} = 5.6 \text{ afa}$

2. Volume Calculations for Other Uses:

RECORDED

APR 29 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

the other will be able to supply water to the home and irrigation system.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1-1</i>	<i>12-31</i>	<i>.04</i>	<i>.6</i>
<i>Irrigation</i>	<i>4-1</i>	<i>10-31</i>	<i>.04</i>	<i>5.6</i>
Totals:			<i>.08</i>	<i>6.2</i>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Alan Hunsten

Signature

Alan Hunsten 6-27-94

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


** See adjustment memo. RE*

APR 29 1996

Heggie calculations:

Lot area: $\frac{430.8 \times 163}{43,560} = 1.6 \text{ acres}$

Subtractions: Ditch = $(82.25)(5.3) = 3075 \text{ ft}^2$



$(30 \cdot 33) + (28 + 33)(35) + 35(69) = 5505 \text{ ft}^2$

8580

1.4 acres irrigated

$Q = \frac{6.8 (2.5) .70}{9 + 60(2.01)} = \frac{1.19}{120.9} = .01 \text{ cfs}$


APPROVED
SEP 29 1996


47-08253

Length of Ditch = 205'

RECORDED

APR 29 1995






APR 29 1996

$$\frac{7 \frac{5}{16}}{1061.04} =$$

$$\frac{1061.04}{7 \frac{5}{16}} = \frac{x \text{ ft}}{y \text{ in}}$$

$$145.1x(\text{in}) = -ft$$



$$\text{Lot area} = 63,662.4 \text{ ft}^2 = 1.5 \text{ ac.}$$

$$2 \frac{31}{32}$$

1.6 ac


47-09253

SUNRIDGE SUBDIVISION

A portion of the City of Twin Falls, Idaho

SAFECO TITLE
311 SECOND STREET NORTH
P.O. BOX 1963
TWIN FALLS, IDAHO 83301


While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.



APR 29 1996


Litch = $82p \times 2.5$
 $5p \times 3$ - wide

22



PERMIT 47-08253 INIT
T. R. S. Q/Q
P/D 10S 17E 2 SE5W
SCALE
PHOTO ID. BB73





47-08253
T105-R17E-S2
Twin Falls




47-120



1

1

2. *Leptocarpus* *Leptocarpus*



Trial	Control (n=10)	MCI (n=10)	AD (n=10)
1	85	75	65
2	80	70	60
3	75	65	55
4	70	60	50
5	75	65	55

10

— 22 —

← P.C.
7000000
2000000
1000000
in these
cases.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992 13947L

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

May 29, 1992

GLEN D. HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08253

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 22, 1992

Glen D. Heggie
2580 Sunridge Circle
Twin Falls, ID 83301

Re: Permit No. 47-08253

Dear Mr. Heggie:

My apologies concerning the miscalculation of the date your proof of beneficial use was received. As Mr. Saxton stated on the phone, it was received with the 60 day time frame, and is, therefore, acceptable.

I will proceed with the review of the proof of beneficial use and notify you as soon as it is complete.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,


A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: Glen D. Haggie Address: 2580 Sunridge Circle Twin Falls, ID 83301 Owner's Permit No.: 47-90-S-079		7. WATER LEVEL Static water level: 3'6" feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature 56 °F. Quality _____ Describe artesian or temperature zones below																																																																																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>± 25</td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	± 25																																																																																																						
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																											
± 25																																																																																																													
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>5</td><td>Soil</td><td></td><td></td></tr><tr><td></td><td>5</td><td>11 1/4</td><td>Grey basalt</td><td></td><td></td></tr><tr><td></td><td>11 1/4</td><td></td><td>Crevice</td><td></td><td>T</td></tr><tr><td></td><td>11 1/4</td><td>15</td><td>Grey basalt</td><td></td><td></td></tr><tr><td></td><td>15</td><td>19</td><td>Broken cinders</td><td></td><td>X</td></tr><tr><td></td><td>19</td><td>25</td><td>Grey basalt</td><td></td><td></td></tr><tr><td></td><td>25</td><td>27</td><td>Black broken basalt</td><td></td><td>X</td></tr><tr><td></td><td>27</td><td>32</td><td>Grey basalt</td><td></td><td></td></tr><tr><td>6</td><td>32</td><td>41</td><td>Black, brown basalt</td><td></td><td></td></tr><tr><td></td><td>41</td><td>44</td><td>Black basalt</td><td></td><td>X</td></tr><tr><td></td><td>44</td><td>60</td><td>Black basalt</td><td></td><td></td></tr><tr><td></td><td>60</td><td>62</td><td>Reddish clay</td><td></td><td></td></tr><tr><td></td><td>62</td><td>78</td><td>Brown & black basalt</td><td></td><td>X</td></tr><tr><td></td><td>78</td><td>90</td><td>Grey basalt</td><td></td><td></td></tr><tr><td></td><td>90</td><td>92</td><td>Black basalt</td><td></td><td>?</td></tr><tr><td></td><td>92</td><td>100</td><td>Grey basalt</td><td></td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	5	Soil				5	11 1/4	Grey basalt				11 1/4		Crevice		T		11 1/4	15	Grey basalt				15	19	Broken cinders		X		19	25	Grey basalt				25	27	Black broken basalt		X		27	32	Grey basalt			6	32	41	Black, brown basalt				41	44	Black basalt		X		44	60	Black basalt				60	62	Reddish clay				62	78	Brown & black basalt		X		78	90	Grey basalt				90	92	Black basalt		?		92	100	Grey basalt		X
Bore Diam.	Depth		Material		Water																																																																																																								
	From	To		Yes	No																																																																																																								
8	0	5	Soil																																																																																																										
	5	11 1/4	Grey basalt																																																																																																										
	11 1/4		Crevice		T																																																																																																								
	11 1/4	15	Grey basalt																																																																																																										
	15	19	Broken cinders		X																																																																																																								
	19	25	Grey basalt																																																																																																										
	25	27	Black broken basalt		X																																																																																																								
	27	32	Grey basalt																																																																																																										
6	32	41	Black, brown basalt																																																																																																										
	41	44	Black basalt		X																																																																																																								
	44	60	Black basalt																																																																																																										
	60	62	Reddish clay																																																																																																										
	62	78	Brown & black basalt		X																																																																																																								
	78	90	Grey basalt																																																																																																										
	90	92	Black basalt		?																																																																																																								
	92	100	Grey basalt		X																																																																																																								
4. METHOD DRILLED ☐ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		 MAY 3 1990 Department of Water Resources																																																																																																											
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>6 5/8 inches</td><td>1 feet</td><td>31'9" feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth 31'9" Material used in seal: ☒ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Pressure grouted ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____ well cap				Thickness	Diameter	From	To	250 inches	6 5/8 inches	1 feet	31'9" feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																										
Thickness	Diameter			From	To																																																																																																								
250 inches	6 5/8 inches			1 feet	31'9" feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																										
Number	From	To																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																																											
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S X County _____ Twin Falls Subdivision Name _____ Lot No. _____ Block No. _____ SE 1/4 SW 1/4 Sec. 2 T. 10 S. R. 17 E. X																																																																																																													
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name Walker Water Systems, Inc. Firm No. 15 Address 624 Pierce Street Twin Falls, Idaho 83301 Date 10/30/90 Signed by (Firm Official) <u>Paul Walker</u> and (Operator) <u>Paul Walker</u>																																																																																																													



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 6, 1992

Glen D. Heggie
2580 Sunridge Circle
Twin Falls, ID 83301

RE: Permit No. 47-08253

Dear Permit Holder:

The Department received your proof of beneficial use statement for the above referenced permit on May 4, 1992. The permit lapsed on March 2, 1992, so the 60-day late period during which the permit can be readily reinstated has passed.

Because you failed to file the proof of beneficial use in a timely manner, and pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can be reinstated only if you submit the following:

- a) Evidence to show that beneficial use of the water did commence and to show the extent of the use of water during the authorized permit period from the time the permit was issued until the proof due date, and
- b) Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use statement along with any information which may have been submitted with it, will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

You should also be aware, that since the proof was filed late, your priority date has been penalized. Provided you supply the requested information, your priority date of September 20, 1990 will be advanced to May 4, 1992.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

March 5, 1992

GLEN D. HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

LAPSE NOTICE

RE: PERMIT NO. 47-08253

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated December 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

138402

December 31, 1991

GLEN D. HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08253

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 13, 1991

GLEN D. HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS, ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08253

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

Affidavit of Publication

STATE OF IDAHO
COUNTY OF TWIN FALLS } ss.

RECEIVED

DEC - 4 1990

No 21743

I, Linda Capps McBeure, being first duly sworn upon oath, depose and say that I am Print Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated November 1, 1990, and ending with the issue dated November 8, 1990.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

NOV 13 1991

On this 28 day of November in the year of 1990, before me, a Notary Public, personally appeared Linda Capps McBeure, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

DE
MB
12-18-90

Sheva R. Feltman
Notary Public for Idaho
Residing at Twin Falls County
My commission expires: 3/19/94

47-08253

HEGGIE, GLEN D.
2580 SUNRIDGE CIRCLE
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: NESESW Sec 2 T 10S R 17E

Use: IRRIGATION (.050 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.090 CFS)

Date Filed: 9/20/ 1990

In: T10S R17E S02 SESW

1.8 ACRES TOTAL


ALL INFORMATION
FILMED

MAR 19 1991

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before NOVEMBER 19, 1990.

R. KEITH HIGGINSON, Director

Published 11/ 1/1990 & 11/ 8/1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

OCTOBER 24, 1990

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 26, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

MAR 13 1991

24-Oct-1990

GLEN D HEGGIE
2580 SUNRIDGE CIRCLE
TWIN FALLS ID 83301

Re: Application for Permit No. 47-08253

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 11/1 & 11/8/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Norman Brown
Water Resource Agent

NB:MB

RECEIVED
OCT 24 1990

MAN 1

200

App Rec'd
9/20

Drilling Permit No. 47-90-5-079
Water Right Perm No. 47-08253
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED

SEP 20 1990

Department of Water Resources
Southern Region Office

1. Applicant (please print) Glen D. Haggis

2. Mailing Address 2580 Sunridge Circle Twin Falls, ID 83301

Telephone _____

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SE 1/4 SW 1/4, or Gov't Lot No. _____

Sec. 2, Twp. 10S, Rge. 17E, County Twin Falls

Street Address of Well Site 2580 Sunridge Circle

Lot, block and subdivision _____

4. Proposed use of well:

- () Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 150

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date within 60 days MAR 19 1991

7. Anticipated Well Driller Walker Water Systems
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Glen D. Haggis Date 9-18-90

Title _____
(Owner, Firm Representative, Other)

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 9/20/90

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Larry O. Anderson
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION
Title

Receipt No. 5012683 Received by DIR Fee 200 Date 9/20/90

FILED

MAR 19 1991

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling permit No. 47-90-5-079

Water right No. 47-08253

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Glen D. Heggie, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

A driller is expected to be available
during the next two months prior to
issuance of a water right permit.

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

RECEIVED

MAR 19 1991

Date 9-18-90

Signature Glen D. Heggie

Applicant