





21-10-16
with Don
Henry

See R1016

3



NOTICE OF APPLICIA-
TION FOR WATER
RIGHT

The following
application(s) have been
filed to appropriate the
public waters of the State
of Idaho:

47-08248

HENRY, DON

HENRY, DOROTHY

ROUTE 1 BOX 333-A

FILER, ID 83328

Source: WASTE WATER

Diversion Pt: SWSENE

Sec 21 T 10S R 16E

Use: IRRIGATION (.040

CFS)

Total Diversion: (.040

CFS)

Date Filed: 6/28/1990

In: T10S R16E S21 SENE

2.0 ACRES TOTAL

47-08249

CRANDALL, MONTE

CRANDALL, ANN

944 BITTERROOT

PLACE

TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: NWSW Sec

1 T 10S R 17E

Use: DOMESTIC (.040

CFS)

IRRIGATION (.030

CFS)

Total Diversion: (.070

CFS)

Date Filed: 8/6/1990

In: T10S R17E S01

NWSW

1.0 ACRES TOTAL

The permit(s) will be sub-

ject to all prior water

rights. Protests must be

filed with the Director,

Dept. of Water Resources,

Southern Region, 222

Shoshone street East,

Twin Falls, Idaho 83301

on or before OCTOBER 8,

1990.

R. KEITH HIGGINSON,

Director

PUBLISH: Thursday,

September 20 & 27, 1990.

Affida of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS

SS.

I, Linda Capps McBuire being first duly sworn upon oath, depose
and say that I am Buire Clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for Two consecutive Weeks,
commencing with the issue dated September 20, 1990,
and ending with the issue dated September 27, 1990.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO

COUNTY OF TWIN FALLS

On this 28 day of September in the year of 1990, before me,

a Notary Public, personally appeared Linda Capps McBuire,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Sheva R. Zeltman
Notary Public for Idaho

Residing at Twin Falls County

My commission expires: 5/19/94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 06 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-08248

1. Owner: Don & Dorothy Henry Phone No. 734-5059

Current Address: 3750 N. 2374 E. Filer, Idaho 83328

2. Accompanied by: Owner EXAM. DATE: 7-5-94

Address: Same Phone No. Same

Relationship to Permit Holder: owner

3. Source: Wastewater tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: 47-08239


☒ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



93

PERMIT 47-8248 INIT

T. R. S. Q/Q

P/D 105 16E 21 SENE

SCALE


PHOTO ID. B072

P/a

BM 3974

10 1996

down



-08248



#1

P/O

Into gated pipe



#2

P/O

7 5 '94

OCT 10 1996

47-08248

#3

System



MICROFILM

OCT 10 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08248

Priority: June 28, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

5.6 AF

This is to certify, that DOROTHY HENRY
DON HENRY

3750 N 2374 E
FILER ID 83328

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 28, 1990; and has submitted Proof of Beneficial Use on November 5, 1991. An examination indicates that the works have a diversion capacity of 0.350 cfs of water from:

WASTE WATER

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.04 CFS	5.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 21, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	21	SENE	1.4		1.4

Total number of acres irrigated: 1.4

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

BCT 1 01996


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 47-08248

CONDITIONS OF APPROVAL AND REMARKS

6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. Place of use is located within Lots 13-14, Palomino Acres Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of SEPTEMBER, 1996.


Acting for KARL J. DREHER, Director

RECEIVED
NOV 05 1991

NOV
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08248 Telephone No. 326 5602 7363986

2. Name(s) of Permit Holder(s): DOROTHY & DON HENRY

3. Post Office Address: 3750N 2374E Filer ID, 83328

4. Source of Water: WASTE WATER

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)*

9. Person to contact to accompany the Department representative during the field examination:

DON HENRY 736 3986
Name Telephone No.

3750N 2374E Filer IDAHO 83328
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11-3-91
Date

Don Henry
Signature (and title if on behalf of a company or organization)

FILED
DEC 11 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 47-08248

Proposed Priority: June 28, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **DOROTHY HENRY**

DON HENRY
RT. 1 BOX 333-A
FILER, ID 83328

has applied for a permit to appropriate water from:

WASTE WATER tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.04 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSENE Sec. 21, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	21	SENE	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1992**.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

1992

JAN 1 1992


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08248

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of January, 1991.


for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 47-08248

To appropriate the public waters of the State of Idaho

1. Name of applicant Don & Dorothy Henry Phone 326-5602
Post office address Rt. 1 Box 333-A, FILER, ID, 83328
2. Source of water supply WASTE WATER which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 21 Township 10S. Range 16E. B.M. TWIN FALLS County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.004 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.004 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WASTE WATER FLOWS NEXT TO
THE PLACE OF USE IN AN EXISTING DITCH. GRAVITY FLOW
TO IRRIGATE 2 ACRES
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr. years (minimum 1 year).

RECORDED

JAN 28 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S.	16E.	21				2													2.0

Total number of acres to be irrigated 2.0


10. Describe any other water rights used for the same purposes as described above. _____

Application 47-08239 for Groundwater for 1 or 2 acres

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: PDU is within the TFCC SERVICE AREA
AND WASTEWATER IS ACTUALLY TRIBUTARY TO R'coulee.


RECEIVED



21-10-16
 with Don
 the way

Soer / R10T16


3



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by SCC Date 6-28-90 Time 11 AM Preliminary check by MA
Fee \$ 30.00 Received by DRJ # 5012448 Date 6/28/90
Publication prepared by M. Baldwin Date 8/30/90 Published in Times News
Publication approved M. Baldwin Date 10/10/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JAN 28 1991

Affidavit of Publication

No 21587

STATE OF IDAHO
COUNTY OF TWIN FALLS } ss.

I, Linda Cope McQuire being first duly sworn upon oath, depose and say that I am Quire Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive weeks, commencing with the issue dated September 20, 1990, and ending with the issue dated September 27, 1990.

OK
MB
10/10/90
And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

On this 28 day of September in the year of 1990, before me, a Notary Public, personally appeared Linda Cope McQuire, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Leva R. Zettman
Notary Public for Idaho
Residing at Twin Falls County
My commission expires: 5/19/94

CLASSIFIED ADVERTISING INVOICE
TWIN FALLS TIMES NEWS
132 3RD ST W.
P. O. BOX 548
TWIN FALLS ID 83303

RECEIVED

OCT - 1 1990

Forwarding & address correction requested

Department of Water Resources
Southern Region Office

RETURN THIS PORTION WITH YOUR REMITTANCE

INVOICE NO.		CLASS		BILLING DATE	
21537		343		09/23/90	
INDEXING TERM					
47-08248 47-8249					
START DATE			TELEPHONE NO.		
9/20/90			733-3573		
LINES/WORDS	TIMES	RATE	NET AMOUNT	GROSS AMOUNT	
56	2		40.32	40.32	
AFFIDAVI			3.00	3.00	
PAY THIS AMOUNT			43.32	43.32	
GROSS AMT DUE AFTER 10/13					

21537

4332

THIS SPACE FOR ADDRESS ONLY

IDAHO WATER RESOURCES

222 SHOSHONE ST EAST
TWIN FALLS ID
83301

OK
MB
10/10/90



The Times-News

P.O. Box 548, Twin Falls, Idaho 83303-0548

(208) 733-0931

September 28, 1990

Idaho Water Resources
222 Shoshone St East
Twin Falls ID 83301

RECEIVED

OCT - 1 1990

Department of Water Resources
Southern Region Office

Claim #47-08248, 47-8249

Two Times

Sept. 20, 1990, 56 lines @ .40- - \$22.40
Sept. 27, 1990, 56 lines @ .32- - \$17.92
Affidavit \$ 3.00

TOTAL DUE \$43.32

OK
MB
10/10/90

MAILED

JAN 28 1991

INVOICE
21587

AGE PYS.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 30, 1996

DOROTHY HENRY
DON HENRY
3750 N 2374 E
FILER ID 83328

RE: WATER RIGHT NO. 47-08248

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECORDED

OCT 1 0 1996

B/U FIELD EXAM REVIEW
Cindy Zimmerman

01/96

Permit #: 47-8248 Name: Henry Date: 9/16/96 6/18/96 ✓ Lots ✓
Chng Same

NAME ✓ Or Address Change? 734-5059

SOURCE ✓ Clarify source
 Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? NO SENE P39
Overlap(s) none

P/U ✓ Amendment Needed? reduce to 1.4 acres P41
Overlap(s) 47-8239 on 0.2 acres (supplemental)
(Gov't special 1's) *P/D & P/U Amend? P37

RATE ✓ Permit/fee limits: 0.04 / 0.04
 Measured Q = 0.35 cfs/Theoretical Q = cfs
Cipolletti Weir = 0.35 cfs / 1.4 ac x 0.02 cfs/ac = 0.03 cfs
(HP) 8.8 x 0.70 x
 + (2.31 x
)
 ✓ Recommended capacity 0.35 cfs
 ✓ Recommended rate 0.03 cfs

VOLUME ✓ Season: (C / 4.0) 4/1-10/31 = 214 days
Calculations: 1.4 ac x 4.0 AF/ac = 5.6 AF

 ✓ Flow limit: 0.03 x 214 x 1.9835 = 12.7 AF
Recommended volume 5.6 AF

USES ✓ Same Nature of Use? P46
 Amendment Needed?

REMARKS Multiple p/d's in 1/4? W32
 ✓ OP4/LT13-14, Palomares Acres Sub.

CONDITIONS Measuring (R01)/Locking (R02) Devices
 Watermaster Control (R04) - WD #
RS1-R04 Irrigation rate/volume overlap
 GW irrigation replaces surface water (050)
 GW irrigation supplements surface water (065)
 ✓ Water Quality/Other YES, R56, D53

PRIORITY App Rcd 6/25/90 Due 11/1/92 Rc'd 11/5/91
Receipt# NONE Fee OK? (Yes)/No
Order to Reinstate Needed? Yes/No Done?
If Yes, Advanced? Yes/No to:
Priority 6/28/90 Examined 7/5/94

COMMENTS:

USE	CFS	DIV VOL	SRBA Overlap
<u>irr</u>	<u>0.03</u>	<u>5.6</u>	<u>none</u>
<u> </u>	<u> </u>	<u> </u>	<u>Adjustment Memo</u>
<u> </u>	<u> </u>	<u> </u>	<u>LICENSE LTR: P49</u>
<u> </u>	<u> </u>	<u> </u>	<u>#1 AMEND LTR: /P38</u>
<u>TOTAL</u>	<u>0.03</u>	<u>5.6</u>	<u>#2 AMEND LTR: P42/P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 18 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-08248

1. Owner: Don & Dorothy Henry

Phone No. 234-5059

Current Address: 3750 N. 2374 E. Filer, Idaho 83328

2. Accompanied by: Owner

EXAM. DATE: 7-5-94

Address: Same

Phone No. Same

Relationship to Permit Holder: Owner

3. Source: Wastewater tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: 47-08239

☒ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
OCT 10 1996

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See Narrative Attachment

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	21	10S	16E	Twin Falls	Ortho Photo Quad Map

6. Place(s) of Use:

Indicate Method of Determination *Plat Map*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	16E	21				1.4													1.4

Do not use this space

OCT 10 1996

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Cipolletti weir	18"					

2. Measurements:

The weir was installed in the transfer ditch near the inlet of the gated pipe. The depth of water flowing over the weir was .17 feet.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.353 cfs as per table 4 from Bulletin #552
"Water Measurement" Dorrell C. Larsen

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.4(4) = 5.6 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03(215)(1.9835) = 12.8 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 5.6 \text{ afa}$

2. Volume Calculations for Other Uses:

RECEIVED
OCT 10 1996

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	.03 cfs	5.6 afa
		Totals:	.03 cfs	5.6 afa

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Alan Hansen
Signature Alan Hansen 7-13-94
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 10 1996

Permit 47-08239

Domestic

irrigation: .15 ac on west
 .04 ac on East
 .19 ac total
 .2 ac

Remove Irrig and put Domestic $4\frac{1}{2}$ acre of
irrigation overlap w/ wastewater on west
pasture

$$Q = \frac{8.8(1.5) \cdot 70}{240 + 40(2.31)} = \frac{104}{280} \text{ cfs}$$

150'

47-08248 1.2 ac

+ .2

1.4 ac

$$\text{Max flow} = .02(1.4) = .028 \text{ cfs}$$

able to get .35 cfs

RECORDED
OCT 10 1996

47-08248

contracted weirs.

Table 4. Flow over Cipolletti weirs in cubic feet per second.*

H (ft.)	Crest length (L)		Head in ft. "H"	Head in inches, approx.	Flow in cubic feet per second					For each additional foot of crest in excess of 4 ft. (approx.)
	3.0 feet	4.0 feet			1.0 foot	1.5 feet	2.0 feet	3.0 feet	4.0 feet	
per second										
10.90	14.64	3.74	0.10	1-3/16	0.107	0.160	0.214	0.321	0.429	0.108
11.04	14.83	3.79	0.11	1-5/16	0.123	0.185	0.246	0.370	0.494	0.124
11.19	15.03	3.84	0.12	1-7/16	0.140	0.210	0.280	0.421	0.562	0.141
11.34	15.22	3.88	0.13	1-9/16	0.158	0.237	0.316	0.474	0.632	0.159
11.48	15.42	3.94	0.14	1-11/16	0.177	0.264	0.352	0.528	0.706	0.177
11.64	15.62	3.98	0.15	1-13/16	0.195	0.293	0.390	0.586	0.782	0.196
11.79	15.82	4.03	0.16	1-15/16	0.216	0.322	0.430	0.644	0.860	0.216
11.94	16.02	4.08	0.17	2-1/16	0.237	0.353	0.470	0.705	0.941	0.236
12.09	16.23	4.14	0.18	2-3/16	0.258	0.384	0.512	0.768	1.024	0.257
12.24	16.43	4.19	0.19	2-1/4	0.280	0.417	0.555	0.832	1.110	0.278
12.39	16.63	4.24	0.20	2-3/8	0.302	0.450	0.599	0.898	1.20	0.302
12.54	16.83	4.29	0.21	2-1/2	0.324	0.484	0.644	0.966	1.29	0.324
12.69	17.03	4.34	0.22	2-5/8	0.349	0.519	0.691	1.04	1.38	0.35
12.85	17.25	4.40	0.23	2-3/4	0.374	0.555	0.739	1.11	1.47	0.37
12.99	17.45	4.46	0.24	2-7/8	0.397	0.591	0.786	1.18	1.57	0.39
13.14	17.65	4.51	0.25	3	0.423	0.628	0.836	1.25	1.67	0.42
13.30	17.87	4.57	0.26	3-1/8	0.449	0.667	0.886	1.33	1.77	0.44
13.45	18.07	4.62	0.27	3-1/4	0.475	0.705	0.937	1.40	1.87	0.47
13.61	18.28	4.67	0.28	3-3/8	0.502	0.745	0.990	1.48	1.97	0.49
13.77	18.50	4.73	0.29	3-1/2	0.529	0.785	1.04	1.56	2.08	0.52
13.93	18.71	4.78	0.30	3-5/8	0.557	0.827	1.10	1.64	2.19	0.55
14.09	18.92	4.82	0.31	3-3/4	0.586	0.869	1.15	1.73	2.30	0.57
14.24	19.12	4.88	0.32	3-13/16	0.615	0.911	1.21	1.81	2.41	0.60
14.40	19.34	4.94	0.33	3-15/16	0.644	0.954	1.27	1.89	2.52	0.62
14.56	19.55	4.99	0.34	4-1/16	0.675	1.00	1.32	1.98	2.64	0.66
14.72	19.77	5.05	0.35	4-3/16	0.705	1.04	1.38	2.07	2.75	0.69
14.88	19.98	5.10	0.36	4-5/16	0.735	1.09	1.44	2.16	2.87	0.71
15.04	20.20	5.16	0.37	4-7/16	0.767	1.13	1.50	2.25	2.99	0.74
15.20	20.42	5.22	0.38	4-9/16	0.799	1.18	1.57	2.34	3.11	0.78
15.36	20.64	5.28	0.39	4-11/16	0.832	1.23	1.63	2.43	3.24	0.81
15.53	20.86	5.33	0.40	4-13/16	0.866	1.28	1.69	2.53	3.36	0.84
15.69	21.08	5.39	0.41	4-15/16	0.899	1.32	1.76	2.62	3.49	0.87
15.85	21.29	5.44	0.42	5-1/16	0.932	1.37	1.82	2.72	3.61	0.89
16.02	21.52	5.50	0.43	5-3/16	0.967	1.42	1.89	2.81	3.74	0.93
16.19	21.74	5.55	0.44	5-1/4	1.00	1.47	1.95	2.91	3.87	0.97
16.34	21.96	5.62	0.45	5-3/8	1.04	1.53	2.02	3.01	4.01	1.00
16.51	22.18	5.67	0.46	5-1/2	1.07	1.58	2.09	3.11	4.14	1.02
16.68	22.41	5.73	0.47	5-5/8	1.11	1.63	2.16	3.21	4.28	1.06
16.85	22.64	5.79	0.48	5-3/4	1.15	1.68	2.23	3.32	4.41	1.10
17.01	22.85	5.84	0.49	5-7/8	1.18	1.74	2.30	3.42	4.55	1.13
17.17	23.08	5.91	0.50	6	1.22	1.79	2.37	3.53	4.69	1.16
			0.51	6-1/8	1.26	1.85	2.44	3.64	4.83	1.20
			0.52	6-1/4	1.30	1.90	2.51	3.74	4.97	1.24
			0.53	6-3/8	1.34	1.96	2.59	3.85	5.12	1.26
			0.54	6-1/2	1.38	2.02	2.66	3.96	5.26	1.30
			0.55	6-5/8	1.42	2.07	2.74	4.07	5.41	1.33
			0.56	6-3/4	1.46	2.13	2.81	4.18	5.56	1.38
			0.57	6-13/16	1.50	2.19	2.89	4.30	5.71	1.41
			0.58	6-15/16	1.54	2.25	2.97	4.41	5.86	1.44
			0.59	7-1/16	1.58	2.31	3.05	4.53	6.01	1.49

*Computed from Cote's formula: $Q = 3.247 LH^{3/2} + \frac{0.566L^2}{12L^{1/2}} H^{5/2} + 0.609 H^{3/2}$

93

PERMIT 47-8248 INIT

T. R. S. Q/Q


P/D 100 10E 21 SEAE

SCALE

PHOTO ID. B872

P/a

1996



-08248



#1

P/O

Into gated pipe




#2

P/O

001 91996

47-08248



#3

System



OCT 1 0 1995

47-08248

Narrative Attachment

There are no water right overlaps for the point of diversion. Water right 47-08239 overlaps this right on .2 acres of land, west of the home. When wastewater is unavailable the domestic groundwater is used to sprinkle this small pasture. The water is diverted out of the waste ditch on the west side of the property to irrigate the .2 acre.

The rest of this permit is used to irrigate 1.2 acres of land which lies east of the home. Water is diverted from the waste ditch into a transfer ditch. The transfer ditch takes the water east towards the entrance into the gated pipe. 8" gated pipe is used at the start of the system and part way through 6" is used to finish out the system.

A Cipolletti weir with an 18" crest was installed in the transfer ditch to measure the flow rate through the gated pipe.

OCT 10 1996

November 22, 1991

DOROTHY HENRY
DON HENRY
3750 N 2374 E
FILER ID 83328

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08248

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MINNESOTA
DEC 11 1991

136186
October 31, 1991

DOROTHY HENRY
DON HENRY
RT. 1 BOX 333-A
FILER ID 83328

PROOF DUE NOTICE

RE: PERMIT NO. 47-08248

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

DEC 11 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 15, 1991

DOROTHY HENRY
DON HENRY
RT. 1 BOX 333-A
FILER, ID 83328

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08248

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JAN 16 1991

MEMORANDUM

TO: FILE/APPLICATION #47-8248

FROM: PAM SKAGGS

RE: TRUST WATER APPROVAL

DATE: 7-JAN-1991

=====

On this date, I reviewed the Trust Water Conditions on this application with Tim Luke. It was decided that this application should be approved out of sequence for the following reasons: the application has reached the State Office for review in its present form, the source is wastewater, and it is for less than 3 acres. It should be counted as a Trust Water Filing.

RECEIVED

JAN 28 1991



TWIN FALLS CANAL COMPANY

POST OFFICE BOX 326
TWIN FALLS, IDAHO, 83303-0326



September 7, 1990

RECEIVED

State of Idaho
Department of Water Resources
222 Shoshone St. East
Twin Falls, Idaho 83301

SEP 10 1990

Department of Water Resources
Southern Region Office

Attn: Gary Funderburg


Subject: Permit Application No. 47-08-248
Don Henry
File No. 2020.05

Dear Mr. Funderburg:

After receiving your letter of August 30, 1990 with a copy of the subject application, the area in question was observed in the field. The location of the waste ditch was not apparent, but presumably runs from the field on the west side of the property to R Coulee.

If our understanding is correct, the Twin Falls Canal Company has no objection to the use of waste water under these circumstances. In no way is the water within R Coulee to be considered waste water.

Very Truly Yours,


Jack H. Eakin
General Manager

JHE:cs
OOEG

RECEIVED

JAN 28 1991

47-08-248

47-08248

HENRY, DON
HENRY, DOROTHY
ROUTE 1 BOX 333-A
FILER, ID 83328

Source: WASTE WATER

Diversion Pt: SWSENE Sec 21 T 10S R 16E

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 6/28/ 1990

In: T10S R16E S21 SENE

2.0 ACRES TOTAL

MICROFILMED

JAN 28 1991

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before OCTOBER 8, 1990.

R. KEITH HIGGINSON, Director

Published 9/20/1990 & 9/27/1990

NOT FILMED

JAN 20 1991

-S T A T E O F I D A H O-
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

AUGUST 30, 1990

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 8, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure



30-Aug-1990

TWIN FALLS CANAL COMPANY
ATTN JACK EAKIN
PO BOX 326
TWIN FALLS ID 83301

Re: Application(s) for Permit

Dear Mr. Eakin:

Please find enclosed copy(ies) of an Application(s) for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

Enclosure(s)

RECEIVED

JAN 25 1991

30-Aug-1990

DON &/OR DOROTHY HENRY
ROUTE 1 BOX 333-A
FILER ID 83328

Re: Application for Permit No. 47-08248

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 9/20 & 9/27/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

2000-10-10

2000-10-10