



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James B. Mott
(Applicant)



Twin Falls 7.5' Quad BB73
1964-Revised 1992

1/1



Photo looking E'ly
back of house



Photo looking S'ly



Area irrigated from waste
water

Standing @ the most W'ly ptn of property
Photo looking E'ly

P/D Wastewater Here

Mott, James 1030 hrs.
17 November 1997
Examiner: Satterlee

AUG 06 1998

47-08240

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 47-08240

Priority: August 14, 1990

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

6.9 AF

This is to certify, that JAMES B MOTT

3398 E 4000 N

KIMBERLY ID 83341

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1990; and has submitted Proof of Beneficial Use on February 15, 1994. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

GROUNDWATER

WASTE WATER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	5.6 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.05 CFS	6.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 6, Township 10S, Range 18E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	18E	6	SESE	1.4		1.4

Total number of acres irrigated: 1.4

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED

1998

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 47-08240

CONDITIONS OF APPROVAL AND REMARKS

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
7. Domestic use is for 1 home.
8. Two points of diversion are located within SESE, S6, T10S, R18E.
9. The well is located within the Twin Falls Ground Water Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of July, 1998.

Acting for

KARL J. DREHER, Director

RECORDED

INDEXED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 47-08240)
)
IN THE NAME OF JAMES B. MOTT) **ORDER OF**
) **REINSTATEMENT**
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1994; and,

WHEREAS, the Department notified the permit holder on October 31, 1993, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder on January 6, 1994, that the permit had lapsed for failure to submit an acceptable proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on February 15, 1994;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 47-08240 be REINSTATED with an advance in priority to August 14, 1990.

Dated this 24th day of February, 1994.



L. GLEN SAXTON
Chief, Water Allocation Bureau


APR 13 1994

RECEIVED

FEB 15 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 3/16/94
Receipt No. C029628
Receipt by DW

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08240 Telephone No. 208 734-6033
2. Name(s) of Permit Holder(s): James B Mott
3. Mailing Address: 148 Addison Ave Twin Falls, Idaho 83301
4. Source of Water: Waste Water, groundwater

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .15 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes 1 No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes 2 No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

James Mott 208-734-6033
Name Telephone No.

148 Addison Ave Twin Falls, Id 83301
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-10-94
Date

James B Mott
Signature (and title, if on behalf of a company or organization)

APR 13 1994

RECEIVED

FEB 23 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 Fee Received by Jan
Date 2-23-93
Receipt No. C026870

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 47-08240Name(s) of Permit Holder: James B MottMailing Address: 148 Addison Ave. Twin Falls, ID 83301Date Proof is Due 1-1-93 Telephone No. 208 734 6033

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

A well has been drilled, a home (house) is just finishing completion. I've yet to install necessary facilities to exercise the water right on the pasture. Costing \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

I've been pursuing the completion of the house, then the yard and pasture will be seeded and sprinkled. The project should be finished by June or July 93

Permit holder(s) request an extension to July 30th, 19 93.

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1994.

IT IS FURTHER ORDERED that this permit is REINSTATED and the priority dated advanced to June 30, 1990, pursuant to Section 42-218a, Idaho Code.

Signed this 24 day February, 19 93

Chief, Water Allocation Bureau

APR 13 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08240

Proposed Priority: May 8, 1990 Maximum Diversion Rate: 0.15 CFS
This is to certify, that **JAMES B. MOTT**
148 ADDISON AVE.
TWIN FALLS, ID 83301
has applied for a permit to appropriate water from:

GROUNDWATER
WASTE WATER

tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS
STOCKWATER	04/01 to 10/01	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.15 CFS

LOCATION OF POINT(S) OF DIVERSION: SESESE Sec. 6, Township 10S, Range 18E
TWIN FALLS County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S 18E 6	SESE	3			3

Total number of acres irrigated: 3

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Irrigation use under this permit is authorized only in connection with a domestic use.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 47-08240

CONDITIONS/REMARKS:

6. Domestic use is for 1 home.
7. Stockwater use is for 3 cattle.
8. Two points of diversion are located within SESESE, Section 06, Township 10S, Range 18E.
9. The point of diversion is located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

18th day of January, 1991.

for

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant James B. Mott Phone 734-6033

Post office address 148 Addison Ave., Twin Falls, ID 83301

2. Source of water supply Groundwater
Waste Water which is a tributary of Snake River
2 points

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt Lot _____

Sec 6 Township 10S Range ~~18E~~ 18E B.M Twin Falls County; additional

points of diversion if any: _____

4 Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.09 for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stockwater purposes from Apr 1 to Oct 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5 Total quantity to be appropriated is (a) 0.15 and/or (b) _____
cubic feet per second acre feet per annum

6 Proposed diverting works:

a Description of ditches, flumes, pumps, headgates, etc. Well & pump. Pump in waste ditch.
Stock trough and sprinklers.

b Height of storage dam _____ feet, active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage.
_____ to _____ inclusive

c Proposed well diameter is 6 inches; proposed depth of well is 175 feet

d. Is ground water with a temperature of greater than 90°F being sought? No

7 Time required for the completion of the works and application of the water to the proposed beneficial use is

Two years (minimum 1 year).

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock 3 calves
- c Municipal, show name of municipality _____
- d Domestic, show number of households one
- e Other, describe fully _____

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example. *D* for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	18E	6																3 D.S	3


Total number of acres to be irrigated 3

10 Describe any other water rights used for the same purposes as described above _____
None

- 11 a. Who owns the property at the point of diversion? Applicant
- b Who owns the land to be irrigated or place of use? "
- c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks Waste water will be used to irrigate about 2 acres of pasture & for stock-
water. Well will serve home and lawn, and will supplement waste water on the
pasture as needed.

13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

James B. Mott
(Applicant)

Received by J. E. Stanton Date 5-8-90 Time 5:05 pm Preliminary check by DRJ
Fee \$ 30.00 Receipted by JS # 5012274 Date 5-8-90
Publication prepared by M. B. Date 6/11/90 Published in Times News
Publication approved Ann Larnier Date 7-30-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions


a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other



NOTICE OF
APPLICATION
FOR WATER RIGHT
The Following
applications(s) have been
filed to appropriate the
public waters of the State
of Idaho:

47-08239
HENRY, DON
HENRY, DOROTHY
RT 1 BOX 333A
FILER, ID 83328
Source: GROUNDWATER
Diversion Pt: SWSENE
Sec 21 T 10S R 16E
Use: IRRIGATION (.030
CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.070
CFS)
Date Filed 5/14/1990
In: T10S R16E S21 SESE
1 0 ACRES TOTAL

47-08240
MOTT, JAMES B
148 ADDISON AVENUE
TWIN FALLS, ID 83301
Source: GROUNDWATER
WASTE WATER
Tributary: SNAKE RIVER
Diversion Pt: SESESE
Sec 6 T 10S R 18E
Use: IRRIGATION (.090
CFS)
STOCKWATER (.020
CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.150
CFS)

Date Filed: 5/8/1990
In: T10S R18E S06 SESE
3 0 ACRES TOTAL
The permit(s) will be sub-
ject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
Southern Region, 222
Shoshone Street East,
Twin Falls, Idaho 83301
on or before JULY 9,
1990.

R. KEITH HIGGINSON,
Director
PUBLISH: Thursday,
June 21 and 28, 1990

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS } SS.

I, Linda Capps McSwain being first duly sworn upon oath, depose
and say that I am Bruce Clark of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for Two consecutive Weeks,
commencing with the issue dated June 21, 1990,
and ending with the issue dated June 28, 1990.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

On this 19 day of July in the year of 1990, before me,
a Notary Public, personally appeared Linda Capps McSwain,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Bruce Clark
Notary Public for Idaho

Residing at

My commission expires: 9-6-94

CLASSIFIED ADVERTISING INVOICE

TWIN FALLS: TIMES NEWS
132 3RD ST W.
P. O. BOX 548
TWIN FALLS ID 83303

Forwarding & address correction requested

RECEIVED

JUL 27 1990

Department of Water Resources

RETURN THIS PORTION WITH YOUR REMITTANCE

INVOICE NO		CLASS		BILLING DATE	
21425		343		07/19/90	
INDEXING TERM					
47-08239, 47-08240					
START DATE			TELEPHONE NO		
6/21/90			734-3578		
LINES/WORDS	TIMES	RATE	NET AMOUNT	GROSS AMOUNT	
53	2		41.76	41.76	
AFFIDAVI			3.00	3.00	
PAY THIS AMOUNT			44.76	44.76	
GROSS AMT DUE AFTER 08/03					

21425

4476

THIS SPACE FOR ADDRESS ONLY

IDAHO WATER RESOURCES

222 SHOSHONE ST EAST
TWIN FALLS ID
83301

ok
A.B.
7-30-90



The Times-News

P.O. Box 548 • Twin Falls, Id. 83303-0548

July 25, 1990

Idaho Water Resources
222 Shoshone St East
Twin Falls ID 83301

RECEIVED

JUL 27 1990

Department of Water Resources
Southern Region Office

RIGHT 47-08239, 47-08240

Two Times

June 21, 1990, 58 lines @ .40- - \$23.20
June 28, 1990, 58 lines @ .32- - \$18.56
Affidavit \$ 3.00

TOTAL DUE

\$44.76

ok
A.B.
7-30-90

INVOICE
21425



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 6, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JAMES B MOTT
3398 E 4000 N
KIMBERLY ID 83341

RE: WATER RIGHT NO. 47-08240

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

AUG 3 6 1958

The appeal must be led within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICRO FILMED

AUG 06 1998

CERTIFICATE OF MAILING

I hereby certify that on the **6th** day of **July, 1998**, I mailed
a true and correct copy, postage prepaid, of the foregoing
PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 47-08240

JAMES B MOTT
3398 E 4000 N
KIMBERLY ID 83341


Kari Lynn Townsend
Secretary

MICRO - LME -

AUG 06 1998

MEMORANDUM

TO: File 47-08240

FROM: Sharla

DATE: July 2, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No 47-08240 are as follows

H RECOMMENDATIONS

Irrigation	4/1 - 10/31	0 03 cfs	5 6 afa
Stockwater	1/1 - 12/31	0 01 cfs	0 1 cfs
Domestic	1/1 - 12/31	0 04 cfs	1 2 afa
	TOTALS	0 05 cfs	6 9 afa

The standard irrigation season for this area is 4/1 - 10/31 The stockwater use is allowed year-round

Exam Date November 17, 1997
Examiner Georgia Satterlee

MICROFILMED

AUG 06 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 47-08240 DATE 6/29/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .15 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured OK cfs
 Theoretical .05 cfs
 Recommended Total Div Rate .05 cfs

examiner states wastewater diverted by pump, but gives no info about pump or the

4/1 - 10/31
 WATER USES OK Change (P46) (R68)
Irr. .03 cfs 5.6 af Irrig - overlap (R58-R61, R62-R65, R66-R69)
Block. 01 cfs .1 af supp gw (WB7/065/079)
Dom. .04 cfs 1.2 af overlap spec combined rts (W35)
 _____ cfs _____ af <1acre (W31)
 _____ cfs _____ af Domestic (W01/WB5/070/071/075)
 _____ cfs _____ af Power (W42 or W43/025/027/R22 or R23)
 TOTALS .05 cfs 6.9 af Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .03 cfs X 214 days X 1.98 = 12.7 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device

OK Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no

SRBA Claim N/A

Adjust Memo up season
 Amend letters stock season

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 10 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-08240

1. Owner: JAMES MOTT Phone No. 734-6033

Current Address: 3398 E. 4000 N., KIMBERLY, ID. 83341

2. Accompanied by: SAME EXAM DATE: 17 Nov 97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER/WASTEWATER tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: "

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		SE	SE	SE	6	10S	18E	TWIN FALLS	FIELD EXAM (WELL) GPS A0004621
#2		"	"	"	"	"	"	"	" " " " P/D WASTEWATER

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	18E	6																D	
"	"	"																S	
"	"	"																1.4	1.4

MICROFILMED

DEC 06 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)



Aerial Photo Attached (required for irrigation of 10+ acres)



Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GPS A0004621		2	SUBMERSIBLE PUMP		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

THEORETICAL ATTACHED

MICROFILMED

AUG 06 1998

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 24 November 1997
RE: 47-08240

On 17 November 1997 at 1000 hrs., I met with James Mott to perform a field examination on the above permit. The permit is for domestic, stockwater, and irrigation from groundwater and wastewater.

The well is located in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 6, T10S, R18E. The well serves one home and less than 0.5 acre of lawn, plus stockwater for a maximum of 3 cattle.

The diversion point for the wastewater is approximately 400 feet due west of the well (SE $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 6, T10S, R18E). The wastewater is diverted into a ditch. The ditch runs parallel with 4000 North Road. The wastewater is diverted by pump to irrigate the westerly area of the lot. Applicant states he uses both gravity and sprinkler irrigation.

The recommendation for the well will be domestic/in-house with lawn and stockwater.

The recommendation for wastewater will be 0.03 cfs for 1.4 acre. The well will only supplement wastewater when necessary. At this time, the applicant says he has not had to co-mingle the water.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 06 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

THEORETICAL ATTACHED

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.4 (4) = 5.6$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 (246) 1.9835 = 14.6$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 5.6 \text{ afa}$$

2. Volume Calculations for Other Uses:

PERMIT RATE 0.15 cfs
EXAM FEE LIMIT 0.20 cfs
RECOMMENDED RATE 0.05 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC w/ LAWN	7/1	12/31	0.04	1.2
STOCK WATER	4/1	10/01	0.01	0.3
WASTEWATER ONLY				
IRRIGATION	3/15	11/15	0.03	5.6
Totals:			0.05	1.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Georgia Sutterlee

Date

24 Nov 97


Reviewer

Date

SEAL


MICROFILMED

AUG 06 1998



Twin Falls 7.5' Quad BB73
1964-Revised 1992

—Z—



MICRO LEVEL

AUG 06 1998

MITT, JAMES
17 NOV 97

EXAMINER: G. SATTERLEE

47-08240

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 47-08246
DATE: 17NOV97
BY: SATTERLEE

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (2.4 \text{ HP}) \times (0.70)}{[(168) + (40 \times 2.31)]} = \frac{12.3}{260.4} = 0.05 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	
area estimate ()	estimate (X)	Pump Make, Serial or ID, rating
well logs (X)	owner gage ()	UNAVAILABLE INFO.
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	POTENTIAL =
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = 9.72 f2


REQUIRED Acre Feet/Acre/Annum =
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY (✓)

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

466 0 6 1998

1/1



GPS A0004621

Well

Photo looking SE'ly

Lawn around home sprinkled from well

Photo looking E'ly
back of house

Photo looking S'ly



Rainbird
pop-ups

P/D Wastewater Here



Area irrigated from waste
water

Standing @ the most W'ly ptn of property
Photo looking E'ly

Mott, James 1030 hrs.
17 November 1997
Examiner: Satterlee

February 24, 1994

JAMES B MOTT
148 ADDISON AVE
TWIN FALLS ID 83301

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 47-08240

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order reinstating your permit since the Proof of Beneficial Use form was submitted after the proof due date. Please note that your priority has been advanced to August 14, 1990. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls, at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

APR 13 1994

9/83

Drilling Permit No. 47-90-S-030

App. for Water Right Permit

47-8240

Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED
JUN 13 1990

Department of Water Resources

1. Applicant (Please Print) James B. Mott2. Mailing Address 148 Addison Ave., Twin Falls, ID 83301

Telephone _____

☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,Sec. 6, Twp. 10S, Rge. 18E, County Twin Falls,

Street Address of Well Site _____,

Lot, block and subdivision _____

4. Proposed use of well:

☒ Single family or stockwater use (less than 13,000 gallons per day)☒ Irrigation (more than 1/2 acre)☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____☐ Other (describe fully) _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.B. Proposed surface diameter 6" Maximum depth 175'

C. Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)☐ 85°F to 212°F (Low temp. geothermal well)☐ 212°F or more (Geothermal well)6. Construction Start Date within 30 days7. Anticipated Well Driller Walker Water Systems

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature James B. Mott Date 5-8-90

Title _____

(Owner, Firm Representative, Other)

JUN 13 1990

This Permit is ApprovedDate 5/9/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Loren O. Hansen
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION
Title

Receipt No. 5012274 Received by JP Fee \$100. Date 5-8-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

APR 13 1994

Permit No. 47-08240 Reviewed by [Signature] Date 2-22-94

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
 If not, complete calcul

Correct Uses? yes

SOURCE OF WATER

~~X~~ Surface water source
~~X~~ Ground water source

YES Drilling permit required?
NO YES Copy in the file? Drilling Permit No. 47-90-S-0030
100.00 Amount paid for permit YES Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

_____	Required?
_____	Installed?
_____	Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>2-15-94</u>	<u>46</u>
Date proof due	<u>1-1-94</u>	- <u>1</u>
No. of days late	<u> </u>	= <u>45</u>
Priority Date	<u>6-30-90</u>	+ <u>181</u>
New Priority Date	<u>8-14-90</u>	<u>226</u>

DEFICIENCIES OR ACTION ITEMS

DEFICIENCIES OR ACTION ITEMS
Reinstated + advance priority to 8-14-90
Proof acceptable

DATA ENTRY

New Address

Proof Made 2-15-94

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 6, 1994

JAMES B. MOTT
148 ADDISON AVE.
TWIN FALLS ID 83301

LAPSE NOTICE

RE: PERMIT NO. 47-08240

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

APR 13 1994

CERTIFICATION OF MAILING

I hereby certify that on 1-6-94
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

October 31, 1993

JAMES B. MOTT
148 ADDISON AVE.
TWIN FALLS ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08240

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

APR 13 1994

CERTIFIED MAIL

NO. 140874



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 24, 1993

James B Mott
148 Addison Avenue
Twin Falls, ID 83301

Re: Permit No. 47-08240

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to January 1, 1994. However, since the extension was received after the proof of beneficial use date, it was necessary for the department to reinstate your permit and advance your priority date to June 30, 1990.

Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department will not be able to grant additional requests based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Regional Office

APR 13 1993

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 47-08240 Reviewed by Klg Date 2/23/93

BASIC INFORMATION

2/23/93 Date stamp received
no Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Recommend approval Based on due diligence
Extend to 11/1/94*

PRIORITY CALCULATION

Date extension received	<u>2/23/93</u>	=	<u>54</u>
Proof due date	<u>1/1/93</u>	=	<u>1</u>
Number of days late		=	<u>53</u>
Priority date	<u>5/8/90</u>	=	<u>128</u>
New Priority Date	<u>6/30/90</u>	=	<u>181</u>

DATA ENTRY

New Address _____
Change Proof Due Date 2/24/93 Klg
Change Priority Date 2/24/93 Klg

January 5, 1993

JAMES B. MOTT
148 ADDISON AVE.
TWIN FALLS ID 83301

LAPSE NOTICE

RE: PERMIT NO. 47-08240

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 1/5/93
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg

NOT RECORDED

APR 13 1993

October 31, 1992

JAMES B. MOTT
148 ADDISON AVE.
TWIN FALLS ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08240

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



APR 13 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-8240

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992 139416

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

3 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 22, 1991

JAMES B. MOTT
148 ADDISON AVE.
TWIN FALLS, ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08240

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

1991 JAN 23 10 00 AM
1991

APPLICATION FOR PERMIT REVIEW

Application #: 47-8240
Date: 1-11-91

Reviewer: Pam Skaggs *PS*

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included *already approved* 046-P23 (All GW, even existing wells)

Location:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01 (LT.7 w/pump)
005-01J-P08 (GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - C (1 or Blank)
Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 11D-P72
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - (less than 25cfs P18), 01F-P19, 08A(Req.),
17K, 17G-17M(Choose One), 025
Mining - 06A, 006, 09E-P10, 010, 54
Storage - 18A-P09(In W.D.), 18B-P09(Size)
Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date: - 01-01-1993

Other Conditions Recommended P/D Located within T.F. GWMA

* The point of diversion is located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DR DATE 6/1 APPLICATION NUMBER 47-08240

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 5/8/90

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

SWAN FALLS HOLD? No

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested NOV 15 1990

Department of Water Resources

RECEIVED

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

☐ City	☐ Idaho Fish & Game	☐ Irrigation District
☐ County	☐ Idaho Health & Welfare	☐ Canal Company
☐ Reservations	☐ Division of Environment	☐ Other _____

Project impacts/implications report

COMMENTS



TWIN FALLS CANAL COMPANY

POST OFFICE BOX 326
TWIN FALLS, IDAHO, 83303-0326
June 15, 1990



RECEIVED

State of Idaho
Department of Water Resources
222 Shoshone Street East
Twin Falls, Idaho 83301

JUN 18 1990

Department of Water Resources
Southern Region Office


Attn: Douglas Jones

Subject: Application for Permit 08240
James B. Mott
File No. 2020.05

Dear Doug:

We have reviewed the subject application submitted with your letter of June 11, 1990. The point of diversion is beyond the end of the Canal Company delivery system and is waste water. We have no objections to the issuance of this permit.

Very Truly Yours,


Jack H. Eakin
General Manager

JHE:cs
OOBD

RECEIVED

JAN 28 1991

47-08240

MOTT, JAMES B.
148 ADDISON AVENUE
TWIN FALLS, ID 83301

Source: GROUNDWATER
WASTE WATER

Tributary: SNAKE RIVER


Diversion Pt: SESESE Sec 6 T 10S R 18E

Use: IRRIGATION (.090 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.150 CFS)

Date Filed: 5/ 8/ 1990

In: T10S R18E S06 SESE

3.0 ACRES TOTAL



The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before JULY 9, 1990.

R. KEITH HIGGINSON, Director

Published 6/21/1990 & 6/28/1990

RECEIVED

JAN 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

JUNE 11, 1990

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 9, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

11-Jun-1990

TWIN FALLS CANAL COMPANY
ATTN JACK EAKIN
PO BOX 326
TWIN FALLS ID 83301

Re: Application(s) for Permit

Dear Mr. Eakin:

Please find enclosed copy(ies) of an Application(s) for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

Enclosure(s)

11-Jun-1990

JAMES B MOTT
148 ADDISON AVENUE
TWIN FALLS ID 83301

Re: Application for Permit No. 47-08240

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 6/21 & 6/28/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

9/89

Drilling Permit No. 47-90-S-030App. for Water Right Permit No. 47-8240

Injection Permit No. _____

State of Idaho
Department of Water Resources

D R I L L I N G P E R M I T

1. Applicant (Please Print) James B. Mott
2. Mailing Address 148 Addison Ave., Twin Falls, ID 83301
Telephone _____
- (X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 6, Twp. 10S, Rge. 18E, County Twin Falls,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
(X) Single family or stockwater use (less than 13,000 gallons per day)
(X) Irrigation (more than 1/2 acre)
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
() Other (describe fully) _____
5. Well construction information:
A. (X) New well () Deepen () Replace - See Condition 9.
B. Proposed surface diameter 6" Maximum depth 175'
C. Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Construction Start Date within 30 days
7. Anticipated Well Driller Walker Water Systems
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature James B. Mott Date 5-8-90
Title _____
(Owner, Firm Representative, Other)

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED.Date 5/9/90.

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

RECEIVED

JAN 26 1991

MANAGER, SOUTHERN REGION

Loren O. Hansen
Signature of Authorized Department Representative

Title

Receipt No. 50/2274 Received by gs Fee \$100 Date 5-8-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling permit No. 47-90-5-030

Water right No. App. for Permit 47-8240

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

James B. Mott, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Driller is available to drill the well in conjunction with home construction

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date

5-8-90

Signature

Applicant

James B. Mott