


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following
application(s) have been
filed to appropriate the
public waters of the State
of Idaho:

47-08233

BOSH, HOWARD WAYNE
BOSH, PAMELA DEL
BOX 9120 POLELINE RD.
EAST
TWIN FALLS, ID 83301

Source: Groundwater
Diversion Pt: LOT 6
(SESW) Sec 35 T 09S R
17E

Use:
IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
RECREATION (.070 CFS)
Total Diversion: (.070
CFS)

Date Filed: 2/09/1990
In: T09S R17E S35 LOT 6
(SESW)

1.0 ACRES TOTAL
The permit(s) will be sub-
ject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
Southern Region, 2148
4th Avenue East, Twin
Falls, Idaho 83301 on or
before MARCH 19, 1990.
R. KEITH HIGGINSON,
Director
PUBLISH: Thursday,
March 1, and 8, 1990.

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF TWIN FALLS } SS.

No 20920

I, Linda Copp McQuire being first duly sworn upon oath, depose
and say that I am Quire Clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for Two consecutive weeks,
commencing with the issue dated March 1, 1990,
and ending with the issue dated March 8, 1990.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.


STATE OF IDAHO
COUNTY OF TWIN FALLS

On this 14 day of March in the year of 1990, before me,
a Notary Public, personally appeared Linda Copp McQuire,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Sheva R. Feltman
Notary Public for Idaho

Residing at Twin Falls County

My commission expires: 5/19/94



SHOSHONE (U.S. 26) 21 MI.
1.2 MI. TO INTERSTATE 84
3169
(FALLS CITY)

7.5 M
MOUNTAIN
2.7 MI.

MICROFILMED
FEB 25 1998

Twin Falls 7.5' Quad BB 73
1964-Revised 1992 47-08233

1/2



photo looking W'ly

Well #1 GPS A0004617

P/D's Sec 35, T09S, R17E SESW $\frac{1}{4}$



#1 Well

50+₋' SE'ly of #2 Well

photo looking S'ly

Well #2 GPS A0004618

MICROFILMED
FEB 25 1998

Bosh, Howard Wayne & Pam
5 Nov 1997 1000 hrs.
Examiner: Satterlee

47-08233



photo looking W'ly



P/U Sec 35, T09S, R17E SESW 1/4



photo looking N'ly

Circular Spa holds 300 gallons
Square " 450 " "

MICROFILMED
FEB 25 1998

Bosh, Wayne & Pam
5 Nov 1997 1000 hrs.
Examiner: Satterlee
47-08233

2/2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08233

Priority: February 9, 1990

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

5.2 AF

This is to certify, that HOWARD WAYNE BOSH
PAMELA DEL BOSH

2497 POLELINE RD E

TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 9, 1990; and has submitted Proof of Beneficial Use on May 24, 1994. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.05 CFS	5.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SESW), Sec. 35, Township 09S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	35	Lot 6(SESW)	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 47-08233

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
7. 2 points of diversion located in Lot 6 (SESW), S35, T9S, R17E.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of JANUARY, 1998.


Acting for KARL J. DREHER, Director

RECEIVED

STATE OF IDAHO
Department of Water Resources

For Office Use Only
Amt of Fee \$ 50.00
Date 5-25-95
Receipt No C030367
Received by _____

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1 Permit No 47-08233 Telephone No. 208-733-3151
- 2 Name(s) of Permit Holder(s) HOWARD WAYNE BOSH - PAMELA DEL BOSH
- 3 Post Office Address none - 2497 Poleline Rd East
TWIN FALLS, ID. 83301
- 4 Source of Water: GROUND
 - a If ground water, well driller's name: AUSTIN DRILLING Date drilled 1988
 - b Pump horsepower: 1 1/2 ^{Operating} Pressure (psi): 40-60 ^{Static} Dynamic pumping level (ft): approx 50 ft.
- 5 Extent of Use:

Domestic <u>1</u> (No. of households)	Irrigation <u>1</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other <u>RECREATION - PROB</u>
- 6 Total rate and/or volume for which proof is submitted _____ cfs 0-20 acre/feet
- 7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> ☒ No	Installed? <u>Yes</u> ☐ No
	OR	
Flow Measurement Port	Required? <u>Yes</u> ☒ No	Installed? <u>Yes</u> ☐ No
- 8 Fee Enclosed \$ 50.00 (See License Examination Fee Schedule)
- 9 Person to contact to accompany the Department representative during the field examination:

<u>WAYNE BOSH</u>	<u>208-733-3151</u>
Name	Telephone No.
<u>2497 POLELINE RD EAST TWIN FALLS ID 83301</u>	
Address	
- 10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

5/23/94
Date

Pamela Del Bosh
Signature (and title if on behalf of a company or organization)

RECEIVED
JUL 26 1994

RECEIVED

RECEIVED

JUN 03 1993

Department of Water Resources

For Office Use Only

\$15 Fee Received by MTSDate 6-1-93Receipt No. 5015830

JUN 01 1993

STATE OF IDAHO

Department of Water Resources

Southern Region Office

DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME**TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 47-08233Name(s) of Permit Holder: Howard Wayne and Pamela Del Bosh.Mailing Address: 2497 Poleline Rd E., Twin Falls, ID 83301.Date Proof Is Due 6-1-93 Telephone No. 733-3151.

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Well and delivery system have been constructed and the domestic and irrigation components completed. The Recreation component has not been started yet.

Costing \$ 30,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons.

Economical - applicants hope to complete the swimming pool in the next year.

Permit holder(s) request an extension to June 1, 1994.

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use
is extended to June 1, 1994.

Signed this 7th day June, 1993

Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 47-08233

Proposed Priority: February 9, 1990 Maximum Diversion Rate: 0.07 CFS

This is to certify, that **HOWARD WAYNE BOSH**
PAMELA DEL BOSH
BOX 9120 POLELINE RD. E.
TWIN FALLS, ID 83301

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
RECREATION	04/01 to 11/01	0.07 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 6(SESW), Sec. 35, Township 09S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	17E	35	LOT 6(SESW)	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: RECREATION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1993**.
2. Subject to all prior water rights.
3. Irrigation use under this permit is authorized only in connection with a domestic use.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
7. 2 points of diversion located in Lot 6 (SESW), S35, T9S, R17E.
8. Domestic use is for 1 home.

RECORDED

MAY 31 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08233

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED
MAY 1 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant HOWARD WAYNE BOSH AND PAMELA DELBUSH Phone 736-0016
Post office address BOX 9120 POLKLINE RD. EAST TWIN FALLS 83301
- 2 Source of water supply THE GRADWATER which is a tributary of _____
- 3 Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot 6
Sec 35 Township 9S Range 17E B.M. Twin Falls County; additional
points of diversion if any. 2 wells
- 4 Water will be used for the following purposes:
Amount 0.03 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Recreation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.07 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc shallow well (1/2 hp, drilled 1966)
principally for irrigation, deep well (drilled 1988) for domestic &
to back up irr. (interconnected one way)
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive
c Proposed well diameter is shallow: 6" inches, proposed depth of well is shallow: 35'
deep: 6" deep: 133' feet
d. Is ground water with a temperature of greater than 90°F being sought? No
- 7 Time required for the completion of the works and application of the water to the proposed official use is
5 years (minimum 1 year).

RECORDED

MAY 31 1990

8 Description of proposed uses (if irrigation only, go to item 9)

a Hydropower, show total feet of head and proposed capacity in KW _____

b Stockwatering, list number and kind of livestock _____

c Municipal, show name of municipality _____

d Domestic, show number of households. 1 house

e Other, describe fully Recreation: pool planned for several years down the road - drain & fill 1 time per year.

9 Description of place of use

a If water is for irrigation, indicate acreage in each subdivision in the tabulation below

b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	17E	35												1 R D Lot 6					1

D is domestic, R is recreation

Total number of acres to be irrigated 1

10 Describe any other water rights used for the same purposes as described above None

11 a Who owns the property at the point of diversion? Applicant

b Who owns the land to be irrigated or place of use? Applicant


c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks deep well drilled under permit 47-88-S-035

FILED

MAY 31 1990

13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

(Applicant)

Received by DRJ Date 2/9/90 Time 10:30 Preliminary check by J. Patton
Fee \$ \$30.00 Receipted by DRJ # 5011151 Date 2/9/90
Publication prepared by M. Baldwin Date 2/13/90 Published in Times News
Publication approved T. Parker Date 4-16-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other

MICROFILMED

MAY 31 1990

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS

} SS.

No 20920

I, Linda Capps McShure being first duly sworn upon oath, depose and say that I am Bureau Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated March 1, 1990, and ending with the issue dated March 8, 1990.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published, and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO

COUNTY OF TWIN FALLS

On this 14 day of March in the year of 1990, before me, a Notary Public, personally appeared Linda Capps McShure known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Sheva R. Feltman
Notary Public for IdahoResiding at Twin Falls CountyMy commission expires: 5/19/94



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 26, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HOWARD WAYNE BOSH
PAMELA DEL BOSH
2497 POLELINE RD E
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08233

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of January, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 47-08233

HOWARD WAYNE BOSH
PAMELA DEL BOSH
2497 POLELINE RD E
TWIN FALLS ID 83301


Kari Lynn Townsend
Secretary

MEMORANDUM

TO: File 47-08233

FROM: Sharla

DATE: January 20, 1998

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 47-08233 are based on the following:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.03 cfs	4.0 afa
Domestic	1/1 - 12/31	0.04 cfs	1.2 afa
	TOTALS	0.05 cfs	5.2 afa

Irrigation of less than 5 acres is allowed at 0.03 cfs/acre. The system is capable of producing this rate and will be licensed accordingly. The total diversion rate between the two uses, however, remains 0.05 cfs.

Examiner: Georgia Satterlee
Exam Date: November 5, 1997

LICENSE REVIEW CHECKLIST

PERMIT NO 47-08233

DATE 1/20/98

REVIEWER SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate .07 cfs
Fee limit .20 cfs \$50⁰⁰
Measured — cfs
Theoretical .05 cfs

Recommended Total Div Rate .05 cfs

ANNUAL VOLUME/
NATURE OF USES —

<u>✓</u>	Use <u>Irr</u>	cfs <u>.03</u>	Volume Calc <u>4.0</u> af
	<u>Dom.</u>	<u>.04</u>	<u>1.2</u> af
	<u>—</u>	<u>—</u>	<u>—</u> af
	<u>—</u>	<u>—</u>	<u>—</u> af
	SUBTOTAL	<u>.05</u>	<u>5.2</u> af

Flow rate .03 cfs X 246 days X 198 = 14.6 af

Total volume recommended 4.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home.

CONDITIONS — Watermaster Control WD# —

Sub GW Measurement/Measuring Device

Sub Overlap 041

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
Adjustment Memo irr rate

1st Amend Letter NA
2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 10 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-08233

1. Owner: BOSH, HOWARD WAYNE & PAMELA DEL Phone No. 736-0016

Current Address: 2497 POLELINE RD. E., T.F., 83301

2. Accompanied by: PAMELA DEL BOSH EXAM DATE: 5 NOV 97

Address: _____ Phone No. _____

Relationship to Permit Holder: SELF

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use. N/A

2. Other water rights with the same point of diversion: "

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1	6	SE	SW	35	09S	17E	TWIN FALLS	FIELD EXAM / 7.5' QUAD
#2	6	"	"	"	"	"	"	" " " "


2. Place(s) of Use:

Indicate Method of Determination SAME

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09S	17E	35																	1.0
"	"	"																	D

FEB 25 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 GPSA0004617		1.5	INFO. UNAVAILABLE		
#2 " " A0004618			" "	" "	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No	Serial No.	Size	Calib. Date
THEORETICAL						

2. Measurements: _____

UNAPPLIED

REC'D 10/1/03

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee

DATE: 18 November 1997

RE: 47-08233

On 05 November 1997, I met with Mr. and Mrs. Bosh to perform field examination regarding the above permit number. The permit is groundwater (2 wells) for irrigation, domestic, and recreation.

The #1 well is located in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 35, T09S, R17E. The #2 well is located 50 feet northwesterly from the first well. The place of use is approximately 1.5 acre in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec 35, T09S, R17E. The house, garage, and driveway are excepted out, leaving 1 acre+ irrigated.

The wells are not tied together. The #1 well was drilled in 1988. It is used for all the uses under the permit. The #2 well, when used, is only for sprinkling. Per phone conversation on 5 November 1997 with Mr. Dave Austin, the well driller, he said the #2 well (drilled 1967) was found to be contaminated with coliform. This is why #1 well was drilled in 1988 (Henderson ex-owner).

DOMESTIC The irrigated area is more than an acre (1.1 acre), the recommendation will be Domestic in-house with lawn.

RECREATION The two spas use approximately 3,000 gallons per year. Because of the minimum water use, the recreation will not be recommended. The spas will be included with the domestic use.

IRRIGATION The recommendation for irrigation will be as permitted.

Have conditions of permit approval been met? ☒ yes ☐ no

47-08233-1
FEB 27 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.0(4) = 4$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02(246)1.9835 = 9.8$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4$$

2. Volume Calculations for Other Uses:

2 SPAS = CIRCULAR HOLDS 300 gal
SQUARE " " 450 "

750 "

drained/cleaned 4 times/year
3,000 gal/year

PERMIT RATE = 0.07 cfs
EXAM FEE LIMIT = 0.20 "
MEASUREMENT = 0.05 "

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC IN HOUSE W/ LAWN	1/1	12/31	0.04	1.2
IRRIGATION	3/15	11/15	0.01	4.0
Totals:			0.05	5.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name

Benjamin Satterlee Date 18 Nov 97

Reviewer

Date

SEAL




SHOSHONE (U.S. 26) 21 MI
12 MI TO INTERSTATE 84
3169 (FALLS CITY)

7.5' QUAD
MOUNTAIN
2.7 MI

25' 1000 FEET R 17 E R 18 E

Twin Falls 7.5' Quad BB 73
1964-Revised 1992 47-08233



#1 GPS A0004617 R110516A

#2 GPS A0004618 R110516B

/// IRRIGATED

Bosh, Wayne and Pam
05 November 1997
1000 hrs. Examiner: Satterlee
47-08233

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

F: 47-08233
DATE: 5 NOV 97
BY: SATTERLEE

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (1.5) (0.70)}{[(100) + (40 \times 2.31)]} = \frac{9.24}{192.4} = 0.05 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	UNAVAILABLE
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ()	owner gage ()	
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)
3/15 - 11/15	246
4/1 - 11/1	215
4/15 - 10/15	184
3/1 - 12/1	276

POTENTIAL = $(\dots) \times (1.98) \times (\dots)$
(.....)

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum =
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()


1/2



photo looking W'ly

Well #1 GPS A0004617

P/D's Sec 35, T09S, R17E SESW 1/4



#1 Well

50+ SE'ly of #2 Well

Well #2 GPS A0004618

photo looking S'ly

FEB 25 1998

Bosh, Howard Wayne & Pam
5 Nov 1997 1000 hrs.
Examiner: Satterlee



photo looking W'ly



P/U Sec 35, T09S, R17E SESW¼



photo looking N'ly

Circular Spa holds 300 gallons
Square Spa " 450 " "

2/2

Bosh, Wayne & Pam
5 Nov 1997 1000 hrs.
Examiner: Satterlee

47-08233

WELL DRILLER'S REPORT

State requires that this report be filed with the Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Lid Henderson</u> Address <u>RT 6 Twin Falls Id.</u> Owner's Permit No. <u>47-88-S-034</u>	7. WATER LEVEL Static water level <u>100</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below																																																																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☒ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td> </td><td>0</td><td>3</td><td>top soil</td><td> </td><td> </td></tr> <tr><td> </td><td>3</td><td>13</td><td>gray loam</td><td> </td><td> </td></tr> <tr><td> </td><td>13</td><td>15</td><td>brakes loam</td><td> </td><td> </td></tr> <tr><td> </td><td>15</td><td>21</td><td>brakes loam</td><td> </td><td> </td></tr> <tr><td> </td><td>21</td><td>27</td><td>gray loam</td><td> </td><td> </td></tr> <tr><td> </td><td>27</td><td>30</td><td>clay loam</td><td> </td><td> </td></tr> <tr><td> </td><td>30</td><td>46</td><td>gray loam</td><td> </td><td> </td></tr> <tr><td> </td><td>46</td><td>51</td><td>Red loam (clay)</td><td> </td><td> </td></tr> <tr><td> </td><td>51</td><td>62</td><td>gray loam</td><td> </td><td> </td></tr> <tr><td> </td><td>62</td><td>64</td><td>clay loam</td><td> </td><td> </td></tr> <tr><td> </td><td>64</td><td>67</td><td>brakes loam</td><td> </td><td> </td></tr> <tr><td> </td><td>67</td><td>70</td><td>clay loam</td><td> </td><td> </td></tr> <tr><td> </td><td>70</td><td>80</td><td>brakes loam</td><td> </td><td> </td></tr> <tr><td> </td><td>80</td><td>101</td><td>gray loam</td><td> </td><td> </td></tr> <tr><td> </td><td>101</td><td>113</td><td>clay loam</td><td> </td><td> </td></tr> <tr><td> </td><td>113</td><td>116</td><td>gray loam</td><td> </td><td> </td></tr> <tr><td> </td><td>116</td><td>126</td><td>clay loam</td><td> </td><td> </td></tr> <tr><td> </td><td>126</td><td>133</td><td>no findings</td><td> </td><td> </td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No		0	3	top soil				3	13	gray loam				13	15	brakes loam				15	21	brakes loam				21	27	gray loam				27	30	clay loam				30	46	gray loam				46	51	Red loam (clay)				51	62	gray loam				62	64	clay loam				64	67	brakes loam				67	70	clay loam				70	80	brakes loam				80	101	gray loam				101	113	clay loam				113	116	gray loam				116	126	clay loam				126	133	no findings		
Bore Diam.	Depth		Material	Water																																																																																																																			
	From	To		Yes	No																																																																																																																		
	0	3	top soil																																																																																																																				
	3	13	gray loam																																																																																																																				
	13	15	brakes loam																																																																																																																				
	15	21	brakes loam																																																																																																																				
	21	27	gray loam																																																																																																																				
	27	30	clay loam																																																																																																																				
	30	46	gray loam																																																																																																																				
	46	51	Red loam (clay)																																																																																																																				
	51	62	gray loam																																																																																																																				
	62	64	clay loam																																																																																																																				
	64	67	brakes loam																																																																																																																				
	67	70	clay loam																																																																																																																				
	70	80	brakes loam																																																																																																																				
	80	101	gray loam																																																																																																																				
	101	113	clay loam																																																																																																																				
	113	116	gray loam																																																																																																																				
	116	126	clay loam																																																																																																																				
	126	133	no findings																																																																																																																				
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	10. Work started <u>8/13/88</u> finished <u>8/20/88</u>																																																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6 7/8</u> inches</td> <td><u>1</u> feet</td> <td><u>59</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>59</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used. ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing ☐ Threaded ☐ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>6 7/8</u> inches	<u>1</u> feet	<u>59</u> feet													Number	From	To										11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Dave Austin</u> Firm No. <u>196</u> Address <u>RT 2 Kimberly</u> Date <u>12/19/88</u> Signed by (Firm Official) _____ and _____ (Operator)																																																																																						
Thickness	Diameter	From	To																																																																																																																				
<u>250</u> inches	<u>6 7/8</u> inches	<u>1</u> feet	<u>59</u> feet																																																																																																																				
Number	From	To																																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No _____ Block No. _____ County <u>TWIN FALLS</u> <u>SE 1/4 SW 1/4 Sec 35 T 9 N S R 17 E W</u>	FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																																																						

RECEIVED

DEC 15 1988

Department of Water Resources
Southern Region Office

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 47-08233

Reviewed by [Signature]

Date 6-3-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

Dam, Irr. Rec.

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 47-88-S-0035

10.00 Amount paid for permit yes Correct?

no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

no Required?

50.00 Amount Submitted

 Installed?

yes Correct?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>		<u> </u>
Date proof due	<u> </u>	-	<u> </u>
No. of days late	<u> </u>	=	<u> </u>
Priority Date	<u> </u>	+	<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address

Proof Made 5-24-94

June 6, 1994

HOWARD WAYNE BOSH
PAMELA DEL BOSH
2497 POLELINE RD E
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08233

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

JUL 26 1994

March 31, 1994

HOWARD WAYNE BOSH
PAMELA DEL BOSH
2497 POLELINE RD E
TWIN FALLS ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08233

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

JUL 26 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1993

Howard Wayne and Pamela Del Bosh
2497 Poleline Rd E
Twin Falls, ID 83301

Re: Permit No. 47-08233

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1994. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

RECEIVED
JUN 30 1993

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 47-08233 Reviewed by Klg Date 6/3/93
BASIC INFORMATION

6/1/93 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
yes Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? Requested?
Is delay by a government agency?
Is supporting documentation needed to complete the file? Requested?
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend for approval Based on due diligence - Extend to 6/1/94

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address 2497 Poleline Rd Elg
Change Proof Due Date 6/7/93 Elg
Change Priority Date _____

March 31, 1993

HOWARD WAYNE BOSH
PAMELA DEL BOSH
BOX 9120 POLELINE RD. E.
TWIN FALLS ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08233

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
JUN 30 1993





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-8233

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

MEMORANDUM

DATE: JULY 31, 1992 139413

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

JUN 30 1993

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

HOWARD WAYNE BOSH
PAMELA DEL BOSH
BOX 9120 POLELINE RD. E.
TWIN FALLS, ID 83301

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P47-08233

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

RECORDED

MAY 31 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
MAY 31 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY J.E. Stanton DATE 2-12-90 APPLICATION NUMBER 47-8233REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 2-7-90

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

SWAN FALLS HOLD? No

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

MAY 07 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 3/19/90
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

46, 26A

See below for additional information

Date of priority recommended 2/9/90
By Loren O. Harkness Date 4/30/90

STATE OFFICE REVIEW

P23

P17

41 46 26

See below for additional information

By kw Date 5-21-90

ADDITIONAL INFORMATION

App. in TRUST area - DCM I
allow 3 yrs. for development

15-Feb-1990

Howard &/or Pamela Bosh
Box 9120 Poleline Rd. East
TWIN FALLS ID 83301

Re: Application for permit No. 47-08233

Dear Applicants:

The above referenced application will not appear this month in the Times News as our correspondence of 2/13/89 indicated due to the publishing deadline required by the Times News.

The legal should appear on 3/1 & 3/8/90. The last date for the submittal of timely protests will be 3/19/90.

We apologize for any inconvenience this delay may have caused you. If you have any questions or if this office can be of assistance, please feel free to contact us.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

MICROFILMED

MAY 31 1990

13-Feb-1990

Howard &/or Pamela Bosh
Box 9120 Poleline R. East
TWIN FALLS ID 83301

Re: Application for Permit No. 47-08233

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 2/15 & 2/22/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MicroFILMED

MAY 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

FEBRUARY 13, 1990

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 5, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECORDED

MAY 31 1990

47-08233

BOSH, HOWARD WAYNE
BOSH, PAMELA DEL
BOX 9120 POLELINE RD. EAST
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: LOT 6 (SESW) Sec 35 T 09S R 17E

Use: IRRIGATION	(.030 CFS)
DOMESTIC	(.040 CFS)
RECREATION	(.070 CFS)
Total Diversion:	(.070 CFS)

Date Filed: 2/09/1990

In: T09S R17E S35 Lot 6 (SESW)

1.0 ACRES TOTAL

RECEIVED

RECEIVED

The permit(s) will be subject to all prior water rights. Protests must be filled with _____ Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before ¹⁹~~MARCH 5~~, 1990.

R. KEITH HIGGINSON, Director

Published ^{3/1}~~2/15/1990~~ & ^{3/8}~~2/22/1990~~

