


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
Pres. (Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 15 1993

Department of Water Resources

A. GENERAL INFORMATION

J.R. Wright Enterprises.

Permit No. *47-08226*

1. Owner: *Randy Anderson & Jack Wright*

Phone No. *733-2717*

Current Address: *Rt. 3 Addison Ave. E. Twin Falls, ID 83301*

2. Accompanied by: _____ EXAM. DATE: *6-11-92*

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: *Wastewater - unnamed stream*
tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: *47-08268 (permit) TFCC shares*
B47-8268A ☐ Copies Attached

2. Other water rights with same point of diversion: *none*
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = *800'*


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JAN 12 1994



2509

NW

T-2595
2 F-1298
15.7 NW

47-8226

1 NW
16.0

3 NW
6.4

1 NW
18.2

4 NW
6.6

1 NW
4.5

5 NW
11.8

6 NW
13.2

3 NW
8.1

2 NW
18.6

7 NW
4.0

1 NW
15.2

T31521
3593

3 NW
7.9

18

11.9

34

2 NW
15.7

3 NW
6.7

T-2512
F-1483
HEL

2 NW
26.5

5 NW
6.8

6 NW
6.6

1 NW
10.1

T-2968
F-2775
HEL

1 NW
20.1

T-2969
F-2775
HEL

2 NW
12.0

1 NW
12.2

T-2967
F-2775
HEL

1 NW
7.6

29.7

T-2653
F-1328

2 NW
4.2

1 NW
4.4

T-2654
F-1329

1 NW
23.3

3 NW
8.8

4 NW
4.6

5 NW
4.7

3 NW
13.3

4 NW
13.8

T-2655
F-1329

3 NW
11.5

MISSOURI
JAN 12 1994

47-8226



P.U.
4

P.D.



P.U.
2

MIPROD 1177

JAN 12 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08226

Priority: August 11, 1989

Maximum Diversion Rate: 0.68 CFS

Maximum Diversion Volume: 208.0 AF

This is to certify, that J R WRIGHT ENTERPRISES

RT 3 ADDISON AVE E

TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 11, 1989; and has submitted Proof of Beneficial Use on June 8, 1992. An examination indicates that the works have a diversion capacity of .680 cfs of water from:

UNNAMED STREAM

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	02/15 to 12/01	0.68 CFS	208.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 21, Township 10S, Range 18E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	18E	21	NWSE 18	SWSE 34		52

Total number of acres irrigated: 52

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

JAN 12 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 47-08226

CONDITIONS/REMARKS:

7. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of DECEMBER, 1993.

Acting for  R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-8226 Telephone No. 733-2717
2. Name(s) of Permit Holder(s): Randy Anderson & Jack Wright
3. Mailing Address: Rt. 3 Addison Av. E. Twin Falls, 83301
4. Source of Water: UNPAVED Stream "Surface Water"

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 5hp Pressure (psi): 20 Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation X ⁵⁷ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .100 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Jack Wright Telephone No. 733-2717

Address Twin Falls ID Rt. #3

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date June 8, 92

Signature (and title, if on behalf of a company or organization)

FILED
JUN 25 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08226

Proposed Priority: August 11, 1989 Maximum Diversion Rate: 1.14 CFS

This is to certify, that J.R. WRIGHT ENTERPRISES

P.O. BOX DD

KIMBERLY, ID 83341

has applied for a permit to appropriate water from:

UNNAMED STREAM

tributary of SINKS

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

02/15 to 12/01

1.14 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSE Sec. 21, Township 10S, Range 18E
TWIN FALLS County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

10S 18E 21

NWSE 20

SWSE 37

57

Total number of acres irrigated:

57

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 3, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

JUN 19 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08226

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

2nd day of May, 19 91

R. Keith Higginson
for R. Keith Higginson, Director

1231

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant J. R. Wright Enterprises Phone 733-2717
Post office address P. O. Box DD, Kimberly, ID 83341
2. Source of water supply Unnamed Stream JRW which is a tributary of Sinks per USGS map
Lateral 17B
3. Location of point of diversion is JRW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt Lot JRW
Sec 27 Township 10S Range 18E B M Twin Falls County; additional
points of diversion if any NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 21 T. 10S R. 18E
4. Water will be used for the following purposes:
Amount 1.14 for Irrigation purposes from Feb 15 to Dec 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 7/34 1.14 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works
 - a. Description of ditches, flumes, pumps, headgates, etc. Check dam(s) & ditch(s) to pond(s).
Pump(s) in pond(s) to sprinklers. There will be either one or two such diversions
(depends on how much silt must be settled out of the stream).
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 90°F being sought? N/A
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
one 3 years (minimum 1 year).

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower; show total feet of head and proposed capacity in KW _____
- b. Stockwatering, list number and kind of livestock. _____
- c. Municipal, show name of municipality _____
- d. Domestic; show number of households _____
- e. Other; describe fully _____

9 Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	18E	21													20	37			57

Total number of acres to be irrigated 57

10. Describe any other water rights used for the same purposes as described above. _____

Twin Falls Canal Co. shares


11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Land is being shifted from pasture/row crop to a sod farm. Canal water is now shared with several other farms, so supply is intermittent. A constant water supply is needed. This filing will supplement or replace the canal shares used on this land. Water is also needed earlier and later in the season than canal water is available. Source is irrigation waste water and natural surface runoff. Company officers are Jack Wright (president) and Elaine Wright (Sec./Treas.).

13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Leck Stinson
Pres. (Applicant)

Received by JF Stanton Date 8-11-89 Time 3:00 pm Preliminary check by DRJ
Fee \$ 65.00 Receipted by JF Stanton # 5008833 Date 8-11-89
Publication prepared by BLM Date 3-12-91 Published in Times News
Publication approved TJL Date 4-15-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other:

03 1991

FROM Pam Skaggs

DATE 5-1-91

TO File 47-8226

SUBJECT Corp. Officers

Per Karen Anderson of Wright Enterprises.

Jack Wright - President

Randy Anderson - Vice President

Karen Anderson - Sec./Treas.

Pam Skaggs
SIGNATURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 22, 1993

J R WRIGHT ENTERPRISES
RT 3 ADDISON AVE E
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08226

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

1993 12 1594

LICENSE REVIEW CHECKLIST

Permit # 47-8226 Date 12-17-93 Brenda Chapman

NAME Yes No Or Address Change? Check

PRIORITY DATE ✓ Advance? Advanced to:
 ✓ Order to Reinstate Needed?
 ✓ Incorrect Fee for rate recommended?

SOURCE ✓ Changes? Clarification of **Originally Intended** source
 ✓ Notice of Intent to Void - Source change.

P/D ✓ Amendment Needed?
✓ ✓ Overlap(s)

P/U ✓ Amendment Needed?
✓ Overlap(s) 47-8226A (GW) TFCC SHARES

TOTAL CFS ✓ Measurement done? Polysonic = .68 CFS
 (305.259 pm)
 Theoretical 8.8 x .70 x 5HP
 + 2.31 x
 Allowable Amount: 52 acres x .02 = 1.04
 Capacity of System: .68

TOTAL VOLUME SPECIAL Season of Use: C/4.0 2-15 to 12-1
 ✓ Calculations:
 52 x 4 = 208 af
 Flow limit: .68 x 214 x 1.9835 = 288.16

USES ✓ Change(s) in Nature of Use?
 ✓ Amendment Needed?

REMARKS ✓ Multiple P/Ds in 1/4 1/4?
Customize ✓ Special Overlap TWIN FALLS CANAL CO SHARES
✓ Other TRUST and GW

CONDITIONS ✓ Measuring/Locking Devices
 ✓ W/Master Control ✓ Water Dist
RB/ ✓ Irrigation Overlap 8-11-89 App Rec'd
 ✓ Water Quality 6-11-92 Exam Made

COMMENTS: REDUCE ACRES & rate to capacity.
NOTE: THIS right also uses groundwater + canal co water.

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.68</u>	<u>208</u>	<u>✓</u>
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 15 1993

Department of Water Resources

A. GENERAL INFORMATION


J.R. Wright Enterprises. Permit No. 47-08226
1 Owner ~~Randy Anderson & Jack Wright~~ Phone No. 733-2717
Current Address Rt. 3 Addison Ave. E. Twin Falls, ID 83301
2 Accompanied by: _____ EXAM DATE: 6-11-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3 Source: Wastewater - unnamed stream tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 47-08268 (permit) TFCC shares
B47-8268A ☐ Copies Attached
2. Other water rights with same point of diversion: none
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 800'

2 ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

P.D. from ditch uses 5 hp. motor to pump water through 6" pipe to storage pond (see diagram). Water in pond is commingled with groundwater and canal sources. Water is then re-diverted with 30 hp. pump motor through a 6" mainline to solid sprinkler sets.

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Marathon Elec.	5	A19D87P-55		

*Code to correspond with No. on map and aerial photo

5 Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	21	10S	18E	Twin Falls	Inspection / air photo

6. Place(s) of Use:

Indicate Method of Determination aerial photos

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	18E	21														20	36		56
																18	34		52

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonics meter	Tyne Flyte		TF-P	N7H5506		

2. Measurements:

measurement taken at P.O. from ditch

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{52}{56} (4.0) = \frac{208}{224.0}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .68 (214) (1.98) = 288.1$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \frac{224.0}{208}$

2. Volume Calculations for Other Uses

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Actual P.U. was found to be ⁵²~~56~~ rather than
97 acres.

This permit when combined with all other rights on the same P.U. shall
not exceed .02 cfs and 4.0 ofa per acre.

#50 additional B.U. exam fee paid 1-26-93 to permit additional diversion
to measured amount of .68 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	4/1	10/31	0.68 cfs	~~228.0~~ 208 ofa
Totals:			0.68 cfs	~~228.0~~ 208 ofa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None


☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Brian W. Block
Signature Brian Block
Certification Date 3/31/93
Field Report Preparation Date 7-21-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources
employee on a computer printout attached hereto.

JAN 12 1994

47-8226

6/25/92
P.W.B.

MODE SELECT
INPUT

OUTER DIAMETER
6.31200 IN

PIPE MATERIAL
CS-55

WALL THICKNESS
.11500 IN

INNER LINING
NO LING.

KIND OF FLUID
WATER

SENSOR MOUNTING
"

TYPE OF SENSOR
SMALL

DATA CHANGE
NO

SPACING
4.112 IN "

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OFF

00-00 01:1100 +P
+303.533E 06PM

00-00 01:1100 +R
+303.269E 06PM

00-00 01:1200 +P
+305.432E 06PM


00-00 01:1200 +P
+307.760E 06PM

at 6 ft
at pond
diversion

RECEIVED

JAN 12 1994

$$\bar{Q} = 305.25 \text{ gpm} \\ = 0.68 \text{ cfs}$$



47-8226

U.S. Department of Agriculture
and University of Idaho
Research Center

Sully

Kimberly


Park

Hospital

Metering
Station

PIPELINE

JAN 12 1994



T-2593
2 F-1298
15.7 NW

47-8226

1 NW
16.0

1 NW
18.2

4 NW
6.6

5 NW
11.8

6 NW
13.2

T-2679
F-2679
HEL

T-2606
F-1297
3.8 NW
5.41

1 NW
11

2 NW
1.4 NW
8.9

4 NW
4.0

5 NW
6.8

3 NW
8.1

2 NW
18.6

1 NW
15.2

3 NW
7.9

T-31521
3593

AW

1 NW
10.1

T-2513
F-1483
HEL

2 NW
15.7

3 NW
6.7

2 NW
26.5

21

22

T-2967
F-2775
HEL

T-2965
F-2775
HEL

T-2969
F-2775
HEL

T-2653
F-1328
2 NW
4.2
4.4

29.7

2 NW
12.0

12.2 NW

JAN 12 1994

3 NW
13.3

4 NW
13.8

T-2655
F-1329

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: 3015210

Date: 1 26 1993
Time: 11:09:20

**Received
From:**

P. N. TURF

Type of Payment

Program Acct Class

Amount

BENEFICIAL USE EXAM FEE	47-8206		
	64104	229 21 1155	50.00

Total

CHECK 2118

\$50.00

Region: SOUTHERN

Signature: Schulte

JAN 12 1994

47-8226



P.U.
a



P.U.
a

RECEIVED

JAN 12 1994

June 12, 1992

J.R. WRIGHT ENTERPRISES
RT 3 ADDISON AVE E
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08226

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

JUN 25 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 117-08226

Reviewed by 10/9

Date 6/10/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 57
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50 Amount Submitted
yes Correct?

NA Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address Pl. 3 Addison Ave E
Twin Falls, 83301

Proof Made 6/8/92
6/12/92

May 9, 1991

J.R. WRIGHT ENTERPRISES
P.O. BOX DD
KIMBERLY, ID 83341

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08226

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED

JUN 03 1991

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

47-08176

HALL, JOHN
LEYTHAM, RICHARD
RT. 1 BOX 4237
TWIN FALLS, ID 83301
Source: GROUNDWATER
Diversión Pt: SENWSW
Sec 16 T 11S R 16E
Use: IRRIGATION
(100 CFS)
Total Diversión:
(100 CFS)
Date Filed 12/12/1988
In: T11S R16E S16
NESW NWSW SESW
5.0 ACRES TOTAL

47-08204

ROCK CREEK RANCH
CO.
2872 ROCK CREEK
ROAD
HANSEN, ID 83334
Source WASTE WATER
Tributary: ROCK CREEK
Diversión Pt SESE 24 T
11S R 18E
Use: IRRIGATION
(2,000 CFS)
Total Diversión:
(2,000 CFS)
Date Filed 4/7/1989
In: T11S R18E S24 SWSE
SESE
S25 NENE NWNE
160.0 ACRES TOTAL

47-08226

J.R. WRIGHT ENTER-
PRISES
P.O BOX DD
KIMBERLY, ID 83341
Source: UNNAMED
STREAM
Tributary: LATERAL 17B
Diversión Pt: NWSE Sec
21 T 10S R 18E
Use: IRRIGATION
(1140 CFS)
Total Diversión:
(1,140 CFS)
Date Filed 8/11/1989
In: T10S R18E S21
NWSE SWSE
57.0 ACRES TOTAL

Permits will be subject
to all prior water rights.
Protests may be submitted
based on the criteria of
Sec 42-203A, Idaho Code
and/or the public interest
criteria of Sec. 42-203C,
Idaho Code. Protests must
be filed with the Director,
Dept of Water Resources,
Statehouse Mail, Boise,
Idaho 83720 on or before
APRIL 8, 1991.

R. KEITH HIGGINSON,
Director
PUBLISH: Thursday,
March 21, and 28, 1991

Attest of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS

SS.

RECEIVED

No 22163

APR 15 1991

I, Linda Capps McQuinn being first duly sworn upon oath, depose
and say that I am Diana Cleary of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for two consecutive weeks,
commencing with the issue dated March 21, 1991,
and ending with the issue dated March 28, 1991.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

On this 9 day of April in the year of 1991, before me,
a Notary Public, personally appeared Linda Capps McQuinn,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Linda R. Feltman
Notary Public for Idaho
Residing at Twin Falls County
My commission expires: 5/19/94

OK TFL
4-15-91

APR 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

MARCH 11, 1991

Times News
P.O. Box 548
Twin Falls, ID 83301

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 8, 1991.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

OK
TJL
4-15-91

APR 13 1991

47-08226

J.R. WRIGHT ENTERPRISES
P.O. BOX DD
KIMBERLY, ID 83341

Source: UNNAMED STREAM

Tributary: LATERAL 17B

Diversion Pt: NWSE Sec 21 T 10S R 18E

Use: IRRIGATION (1.140 CFS)
Total Diversion: (1.140 CFS)

Date Filed: 8/11/ 1989

In: T10S R18E S21 NWSE SWSE

57.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before APRIL 8, 1991.

R. KEITH HIGGINSON, Director

Published 3/21/1991 & 3/28/1991

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 47-8226/Trust Water Processing

DATE: 3-7-91

The above application has come up for sequential trust water processing. Based on review of the returned questionnaire the source of water under the application has not yet been developed. Comments on the original application lead me to believe that the source under the application may be used to replace the canal shares which are used on the same land. If this is true, the source would be the primary source of supply for the land and the canal shares would likely be used on other lands. The acreage under the filing therefore should be counted as trust acreage.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED

MAR 06 1991

Department of

Application No. 47-8226

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes X No

b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes No X

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. 0


4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. 60

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

Twin Falls Coal Co. Shares

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant 

Date 2-28-91

Application # 47-8226

Jack Wright

J. R. Wright Enterprises
Box 20 Kimberly, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 26, 1991

RE: APPLICATION FOR PERMIT NO. _____

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, or if the application proposes diversion of more than 5.0 cfs, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

JUN 03 1991


Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Spec.

Enclosures

68-12-100-100

JUN 08 1981



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

16-Jan-1990

Jack H. Eakin, General Manager
Twin Falls Canal Company
P.O. Box 326
Twin Falls, ID 83303-0326

Re: Application for permit 47-08226, J. R. Wright Enterprises

Dear Jack:

I have advised the applicant of your concern about his application and sent him a copy of your letter.

Since the application is currently being held pending processing under the Swan Falls - trustwater agreement, no action to resolve the matter is planned by this office at this time.

If the matter remains unresolved when the application is processed, it will be treated as a protest and subject to hearing.

If you have any questions or if we can be of assistance in this matter, please let us know.

Very Truly yours,

A handwritten signature in cursive script, reading 'Loren O. Holmes'.

Loren O. Holmes, P. E.
Southern Region Manager

JUN 03 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

15-Jan-1990

J. R. Wright Enterprises
P.O. Box DD
Kimberly, ID 83341

Re: Application for permit 47-08226

Dear Mr. Wright:

Enclosed is a copy of a letter we received from the Twin Falls Canal Co. regarding your application.

Since your application is currently being held pending processing under the Swan Falls - trustwater agreement, no action to resolve the matter is planned by this office at this time.

This letter is simply to advise you of a concern with your application so you can contact the Canal Company and seek a possible resolution. If the matter remains unresolved when the application is processed, it will be treated as a protest and subject to hearing.

If you have any questions or if we can be of assistance in this matter, please let us know.

Very Truly yours,

A handwritten signature in cursive script that reads "Loren O. Holmes".

Loren O. Holmes, P. E.
Southern Region Manager

Encl



TWIN FALLS CANAL COMPANY

POST OFFICE BOX 326
TWIN FALLS, IDAHO, 83303-0326



September 29, 1989

State of Idaho
Department of Water Resources
2149 4th. Avenue East
Twin Falls, Idaho 83301


Attn: Loren Holmes

Subject: Application for Permit No. 47-08126
J.R. Wright Enterprises

Dear Loren:

The subject application is for a right to 1.14 cfs from an unnamed stream within our tract. We have investigated this area and find that the water there is either Canal Company laterals or waste water. We have no objection to this application if it is for waste water, but wish to protest the application if water is to come from one of the Canal Company laterals.

Ver, Truly Yours,


Jack H. Eakin
General Manager

JHE:cs

RECEIVED

OCT 2 1989

Department of Water Resources
Southern Region Office

18-Sep-1989

J. R. Wright Enterprises
c/o Jack Wright, President
P.O. Box DD
Kimberly, ID 83341

Re: Application for permit No. 47-08226

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

Because your application proposes to appropriate water which has been identified as "trust water" in the Swan Falls agreement, it will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your application.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB