




FOE

WLE 49-8223
Mail packet to
Winnere Ave. Address
on letter of 7.16.01 with
change of address form.
Kare Lynn
8.1.01

IDAHO DEPARTMENT OF WATER RESOURCES
1301 North Orchard St
PO Box 83720
Boise, ID 83720-0098
(208) 327-7900

TO

CHRISTIAN CHURCH OF SOUTH IDAHO
4900 N FIVEMILE RD
BOISE ID 83704



RECEIVED

AUG - 1 2001

Department of Water Resources

MICROFILMED
SEP 07 2001

Idaho Dept. of Water Resources
Place of Use Comparison Report

	SWSE	0
		0
		0
X		
		0

[illegible]

1/4



Suburban

Lodge



Looking NE'ly

Bath House

Christian Church of South Idaho


MICROFILMED A47-04128

FE: GLS AF

9 June 99

47-08223

SEP 07 2001



Looking NW'ly

Cabin

Cabin

Suburban

24



MICROFILMED
SEP 07 2001

Christian Church of South Idaho

FE: GLS AF
9 June 99

47-08223

3/4



MICROFILMED

SEP 07 2001

Christian Church of South Idaho


FE: GLS AF
9 June 99

A47-04128
47-08223

4/4



Spring
collection
cistern




MICROFILMED
SEP 07 2001

Christian Church of South Idaho

FE: GLS AF
9 June 99
1400 hrs.

A47-04128
47-08223

**POINTS OF DIVERSION PRESENTATION
1987/1988 NAPP PHOTOGRAPHY
DATA ENTRY BY AMANDA FOLSOM**




Pike Mountain, Idaho
1978
DD-24

SEP 07 2001

47-08223

47-8225Z

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1 cm = 50'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-RITE	3	F87E		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: No measurements were taken.

JAN 12 1994

PERMIT 47-8220 INIT B.P.B.
T. R. S. Q/Q
P/D 105 17E 1 WESW
SCALE _____
PHOTO ID. _____

JAN 12 1994



MI TO U.S. 93
ROME 27 MI.

House for Domestic use



photo taken looking north from front yard



pasture

JAN 12 1994

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 47-08223

Priority: July 12, 1989

Maximum Diversion Rate 0.02 CFS
Maximum Diversion Volume 2.4 AF

It is hereby certified that CHRISTIAN CHURCH OF SOUTH IDAHO
4900 N FIVEMILE RD
BOISE ID 83704 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated July 12, 1989, and has
submitted Proof of Beneficial Use on December 13, 1989. An examination indicates that the works have
a diversion capacity of 0.04 cfs of water from

SOURCE

GROUND WATER

and a water right has been established as follows

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 25, Twp 14S, Rge 18E, B M, TWIN FALLS County

PLACE OF USE: COMMERCIAL


Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	18E	25															X	X	

CONDITIONS OF APPROVAL

- 1 Commercial use is for Kum Ba Yah Campground.
- 2 Rights 47-04135 and 47-08223 when combined shall not exceed a total annual maximum diversion volume of 2.4 af

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25th day of July, 2001.


KARL J. DREHER
Director

RECEIVED

JUL 25 2001

Department of Water Resources

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 47-08223

Date of Priority: July 12, 1989

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 2.4 AF

Comes now CHRISTIAN CHURCH OF SOUTH IDAHO
4900 N FIVEMILE RD
BOISE ID 83704 and represents to the Director of the Idaho Department
of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No 47-08223, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 25, Twp 14S, Rge 18E, B.M., TWIN FALLS County

PLACE OF USE: COMMERCIAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
14S	18E	25												X	X				

Permit holder asserts that no one will be injured by such change and that such change will be made at
permit holder's own risk. Signed this 20 day of July, 2001

Ray C. Regional Minister
(Signature & Title)

MICROFILMED

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 47-08223

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50.00 Receipted by man # 055100 Date 7/25/01


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J Dreher, of the Department of Water Resources hereby approve the
----- above Application for Amendment for Permit No 47-08223 with the following: -----

CONDITIONS OF APPROVAL

- 1 Commercial use is for Kum Ba Yah Campground
- 2 Rights 47-04135 and 47-08223 when combined shall not exceed a total annual maximum diversion volume of 2.4 af.

Witness my hand this 25th day of July, 2001.

for 
KARL J DREHER
Director

08/89

RECEIVED

DEC 13 1989

IDaho Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

MS-3-2-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-08223 Telephone No. (208)322-0538

Name(s) of Permit Holder(s): CHRISTIAN CHURCH OF SOUTH IDAHO

Post Office Address: 4900 NO. FIVE MILE ROAD BOISE ID 83704

Source of Water: WELL

If ground water, well driller's name: DARRELL SMITH Date drilled: 7/14/89

Extent of Use:

Domestic _____ (No. of households)	Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock)	Other <u>Church Camp</u>

Total rate and/or volume for which proof is submitted .02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 7/29/89

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ -C- (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination

Larry Crist 322-0538
Name Telephone No

4900 No. Five Mile Road Boise ID 83704
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

MICROFILMED
MAR 22 1990

12/12/89
Date

Larry Crist REGIONAL PASTOR
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08223

Proposed Priority: July 12, 1989

Maximum Diversion Rate:

0.02 CFS

This is to certify, that **CHRISTIAN CHURCH OF SOUTH IDAHO**
C/O LARRY CRIST
4900 N. FIVEMILE RD.
BOISE, ID 83704

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESWSE

Sec. 25, Township 14S, Range 18E
TWIN FALLS County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

14S 18E 25

SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of November, 1989.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 2 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Christian Church (Disciples of Christ) of South Idaho

1. Name of applicant To Larry Crist Phone 322-0538

Post office address 4900 N. Fivemile Rd Boise ID 83704

2. Source of water supply Ground water which is a tributary of _____

3. Location of point of diversion is NE 1/4 of SW 1/4 of SE 1/4, Govt Lot _____

Sec. 25 Township 14S Range 18E B.M. Twin Falls County; additional points of diversion if any _____

4. Water will be used for the following purposes:

Amount 0.02 for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc. 8" well; line to 3
3000 gal tanks; lines to Kitchen & shower house.

b Height of storage dam _____ feet, active reservoir capacity _____ acre-feet, total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage _____ to _____ inclusive

c. Proposed well diameter is 8" inches; proposed depth of well is 150 feet

d Is ground water with a temperature of greater than 90°F being sought? No

7 Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

MICROFILMED

MAR 22 1990

8. Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal, show name of municipality _____
- d Domestic, show number of households _____
- e Other, describe fully Kum Ba Pah Campground: Kitchen, 6 Flush toilets
3 showers, 6 spigots for 100 people

9. Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example *D* for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
145	18E	25																C	


Total number of acres to be irrigated _____

- 10 Describe any other water rights used for the same purposes as described above Statutory
Claim 47-4128 on nearby Spring
- 11 a Who owns the property at the point of diversion? USDA-FS
- b Who owns the land to be irrigated or place of use? US DA - FS
- c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Long term permit between
Church and US Gov't
12. Remarks System, except for well, has been
in place since 1962, Will replace spring source
which has dried up.

MICROFILMED

MAR 22 1990

13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

[Signature]
Pastor (Applicant)

Received by DRJ Date 2/12/89 Time 2:30 Preliminary check by J. J. Johnston
Fee \$ 30 Receipted by DRJ # 5008533 Date 2/12/89
Publication prepared by M. Baldwin Date 8/18/89 Published in Times News
Publication approved M. Baldwin Date 9/23/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit
- e. Other

MICROFILMED

MAR 22 1990

NOTICE OF A JCA-
TION FOR WATER
RIGHT

The Following
application(s) have been
filed to appropriate the
public waters of the State
of Idaho:

47-08223
CHRISTIAN CHURCH OF
SOUTH IDAHO
DISCIPLES OF CHRIST
c/o LARRY CRIST
4900 N. FIVEMILE RD
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: NESWE
Sec 25 T 14S R 18E
Use: COMMERCIAL (020
CFS)

Date Filed: 7/12/1989
In: T14S R18E S25 SWSE

The permit(s) will be sub-
ject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
Southern Region, 2148
4th Avenue East, Twin
Falls, Idaho 83301 on or
before SEPTEMBER 25,
1989.

R. KEITH HIGGINSON,
Director
PUBLISH: Thursday,
September 7 and 14,
1989.

OK
MB
9/22/89

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF TWIN FALLS } SS

RECEIVED

No 20284

SEP 20 1989

I, Delores J. Cappi, being first duly sworn upon oath, depose
and say that I am Assistant Secretary of Water Resources
of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for two consecutive weeks,
commencing with the issue dated Sept 7, 1989,
and ending with the issue dated Sept 14, 1989.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law is to be published in the competent jurisdiction within the state of Idaho,
to be published weekly, will be published in said newspaper in the editorial column of said combined newspapers,
and in each issue thereof, Thursday is designated as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

MAR 22 1990

On this 14th day of Sept, in the year of 1989, before me,

a Notary Public, personally appeared Delores J. Cappi
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same

John R. Feltman
Notary Public for Idaho

Residing at

My commission expires:

Twin Falls County
5/19/94

IDAHO DEPARTMENT OF WATER RESOURCES
1301 North Orchard St
PO Box 83720
Boise, ID 83720-0098
(208) 327-7900

70

CHRISTIAN CHURCH OF SOUTH IDAHO
4900 N FIVEMILE RD
BOISE ID 83704

UNRECORDED

SEP 11 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 27, 2001

CHRISTIAN CHURCH OF SOUTH IDAHO
4900 N FIVEMILE RD
BOISE ID 83704

RE License No 47-8223 - Issuance of License

Dear Water Right Holder(s).

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK klt

Enclosure(s)

MICROFILMED


SEP 11 2001

CERTIFICATE OF MAILING

I hereby certify that on July 27, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below.

RE: WATER RIGHT NO. 47-8223

CHRISTIAN CHURCH OF SOUTH IDAHO
4900 N FIVEMILE RD
BOISE ID 83704

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

Kari Lynn Townsend
Secretary

MICROFILMED
SEP 11 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37 01.01302 and 37 01.01303 (Rules of Procedure 302 and 303)

MICHAEL

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 16, 2001

CHRISTIAN CHURCH OF SOUTH IDAHO
6465 SUNRISE AVE
NAMPA ID 83686

RE Water Right Permit 47-08223

Dear Permit Holder(s)

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions regarding this matter, please call me at 208-327-7944.

Sincerely,

A handwritten signature in black ink that reads "Kay Walker". The signature is fluid and cursive, with the first name "Kay" and last name "Walker" clearly distinguishable.

KAY WALKER
Sr. Water Resource Agent

KW klt

Enclosure

MICROFILMED

2001 7 17

10

[illegible]

Christian Church of
South Idaho Regional
Office -

6465 Sunrise Ave
Tampa 83686

Return Service Requested

100-20-1000

James H. Wilson, Jr. will be in

1940年12月

23A



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 14, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CHRISTIAN CHURCH OF SOUTH IDAHO
4900 N FIVEMILE RD
BOISE ID 83704

RE. Water Right Permit No 47-08223

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit.

 Point(s) of Diversion

 ✓ Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

176 177 178

5-25-01
Mr. Christ called -
just said our
letter. Need more
time to submit
amendment -
KW

LICENSE REVIEW CHECKLIST

Permit No 47-08223 Date 5-14-2001 Reviewer Kay Walker

*topo
DD24*

Change/OK

Name/Address OK

Source OK
Point of Diversion OK

Does change clarify original intended source? If no, void permit
Change (P39/P49) Add (P45/P44) Feds (P40)

Place of Use

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps Right(s) 47-04135 see attached
File reviewed ✓ Profile reports printed ✓

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion

Permitted rate 0.02 cfs
Fee Limit _____ cfs
Measured _____ cfs
Theoretical 0.04 cfs

Recommended Total Diversion Rate 0.02

Water Uses

OK Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
Com 0.02 cfs 2.4 af
_____ cfs _____ af
Total 0.02 cfs 2.4 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)
supp Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

*allow
season of
use
permitted*

Volume Determination

_____ cfs x 1 9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks

W35(47-04135)

Additional Conditions _____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt Dist? _____
Cnt. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes no If yes, explain why below

SRBA Claim? Not req'd

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

P44

S06

[illegible]

RECEIVED

JUL 19 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 19 1999

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
A. GENERAL INFORMATION

Permit No. 47-08223

1. Owner: Christian Church of South Idaho Phone No. 322-0538

Current Address: 4900N Five Mile Rd, Boise, ID 83704

2. Accompanied by: Leman Messley EXAM DATE: 9 June 99

Address: _____ Phone No. 436-1966

Relationship to Permit Holder: camp caretaker

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: (A) 47-04128 (Spring) E0006038

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	SE	25	14S	18E	Twin Falls	Quad Map & Field Exam
									E0006035 (Well)

2. Place(s) of Use:

Indicate Method of Determination Field Exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	18E	25																	

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
E00010035		3		Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

MICROFILMED

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: The pump is submersible with 3 hp. The PSI was estimated at 60.

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

TO: FILE 47-08223
FROM: AMANDA FOLSOM (GLS)
DATE: 09 July 1999

Kum Ba Yah Camp is located in the S $\frac{1}{2}$ of the SE $\frac{1}{4}$ of Section 25, T14S, R18E. The US Forest Service leases the camp to the church.

On 09 June 1999, Leman Messley who has been camp caretaker for 7 years, showed us the diversion works and explained the uses.

The camp consists of a lodge, a bath house, and ten bunk houses. The maximum occupancy is 100 people and the season of use starts on approximately June 1 and runs until October 31.

In addition to the well, the field examination gave us the ability to verify the spring associated with claim, (A)47-04128. Both points of diversion are labeled with "E" tags from Division Environmental Quality, who regularly test the water quality. We located the well and spring by using GPS and noted the existing tag numbers.

Both the spring (located in the NESESW $\frac{1}{4}$ of Section 25) and the well (located in the NESWSE $\frac{1}{4}$ of Section 25) divert to three ~~30,000~~ 3,000 gallon tanks. Mr. Messley said the spring is utilized until it dries up, which is normally mid-season. The well then is the primary source.

Mr. Messley is adamant about the use of the spring. The field exam shows both sources being beneficially used and will be recommended as such. However, on the application for permit, in the remarks, it is stated, "...well will replace spring source..." Also, Mr. Crist discussed the possibility of relinquishing the statutory claim. Obviously, both of these statements are contrary to the actual situation.

Two of the three tanks are used continually for the kitchen and shower facilities. The third tank is reserved strictly for fire protection.

Mr. Messley said the outflow at the spring is approximately 8 gallons per minute and the over flow at the storage tank has been recorded to be 20 gallons per minute. The diversion rate from the well was calculated by a theoretical, which Mr. Messley agreed with that rate also. The rates are consistent with the permitted and/or claimed amounts.

The lodge consists of a large kitchen with nine sinks plus one small bathroom that has one toilet and one sink. The bath house has six showers, six toilets, and six sinks. The bunkhouses do not have running water, however there are several spigots scattered around the camp near the bunk houses.

With the exception of corrected property descriptions and a shortened use period, all the other elements appear to be in order.

Recommendations:

47-08223 0.02 cfs 2.4 ac ft commercial/groundwater

A47-04128 0.02 cfs 2.4 ac ft domestic/spring

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Theoretical Rate

$$\frac{(8.8)(3hp)(0.7)}{[311 + (60)(2.31)]} = \frac{18.48}{449.6} = 0.04 \text{ cfs}$$

Permitted Rate $\rightarrow$ 0.02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{N/A}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{A}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

Volume for the Well and the Spring:

$$0.02 \text{ cfs or } 9 \text{ gpm (60 min)} = 540 \text{ gal/hr (*16 hr)} = 8640 \text{ gal/day}$$

$$8640 \text{ gal/day (153 days)} = 1,321,920/325,850 = 4.1 \text{ acre feet}$$

$$*16 \text{ hr "up time"} + 8 \text{ hr "down time"} = 24 \text{ hours}$$

OR

H. RECOMMENDATIONS

Per Page III-16 Table No. 7

Camps: 50 gallons per day per camper

$$\text{Max Occupancy } 100 \text{ people} \times (50 \text{ gal per dy/person}) = 5000 \text{ gal/day}$$

$$5000 \text{ gal/day (153 days)} = 765,000/325,580 = 2.4 \text{ acre feet}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Commercial	06/01	10/31	0.02	2.4 ac.ft.
Totals:			0.02	2.4 ac.ft.

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☒ Other Reason of Use

I. AUTHENTICATION

Field Examiner's Name

Penzie Satterlee 09 July 1999

Date

2 July 99

Reviewer

Date

MICROFILMED

SEP 07 2001



Suburban

Lodge

1/4




Looking NW 1/4

Cabin

Cabin

Suburban




Looking NE 1/4

Bath House

Christian Church of South Idaho


FE: GLS AF MICROFILMED A47-04128
9 June 99 47-08223



Christian Church of South Idaho

FE: GLS AF
9 June 99

47-08223



MICROFILMED

Christian Church of South Idaho


FE: GLS AF
9 June 99

A47-04128
47-08223

4/4



Spring
collection
cistern



MICROFILMED

SEP 11 2 007

Christian Church of South Idaho


FE: GLS AF

9 June 99

1400 hrs.


A47-04128

47-08223



Pike Mountain, Idaho
1978
DD-24

47-08223



LayOut of Kum Bahi Yah Camp

47-04128

47-08223

47-08223

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

47-8223
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
JUL 19 1999
Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 4-11-90 TG (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 4-11-90 TG (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☒ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo *see analysis*

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed JS/AF (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 9 July 99 (Initial and date)

Exam Reviewed by Manager of Regional Office AD 7/15/99 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

March 9, 1990

CHRISTIAN CHURCH OF SOUTH IDAHO
C/O LARRY CRIST
4900 N. FIVEMILE RD.
BOISE, ID 83704

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08223

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED
MAR 22 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 47-8223

Date: 3-2-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late		= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Christian ChurchAddress Boise, IdahoOwner's Permit No. 47-89-9040 *dy*

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☒ Other PVC

Thickness	Diameter	From	To
.250 inches	6 5/8 inches	+ 1 1/2 feet	- 128 feet
_____ inches	4 inches	- 101 feet	- 311 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☒ Yes ☐ NoHow perforated? ☒ Factory ☐ Knife ☐ TorchSize of perforation 1/4 inches by _____ inches

Number	From	To
_____ perforations	-281 feet	-311 feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

7. WATER LEVEL

Static water level 169 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped


9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	57	Tan Clay		X
	57	73	Reddish Brown Clay		
	73	95	Gray		
	95	97	Gray Sand		
	97	122	Sand & Tan clay		
8/6	122	130	Gray Basalt		
6	130	135	Gray Basalt broken tan clay		
	135	140	Gray Basalt		
	140	168	Gray Basalt -Green & Red Sm. Breaks		
	168	178	Gray Basalt Med Hard w/soft spots		
	178	198	Gray Basalt		
	198	202	Gray Basalt Tan Clay Broken		
	202	208	Gray Basalt & Brown		
	208	209	Gray Basalt		
	209	216	Gray-Brown Basalt w/soft spots		
	216	228	Gray Basalt		
	228	248	Gray Basalt small breaks		
	248	264	Gray Basalt		
	264	271	Tan Clay		X
	271	290	Gray Basalt Broken & Clay	X	
	290	310	Gray Basalt Broken		
	310	311	Gray Basalt broken Brown clay	X	

10.

Work started 7/20/89 finished 7/26/89

6. LOCATION OF WELL

Sketch map location must agree with written location.Subdivision Name MICROFILMED

MAR 22 1990

Lot No. _____ Block No. _____

County Twin FallsSW 1/4 SE 1/4 Sec. 25, T. 14S N/S, R. 18E W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name SMITH DRILLING & PUMPING Co. INC. 11Address Jerome Date 8/10/89Signed by (Firm Official) [Signature]

and

(Operator) Melton Rollins

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 27, 1989

CHRISTIAN CHURCH OF SOUTH IDAHO
C/O LARRY CRIST
4900 N. FIVEMILE RD.
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P47-08223

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

MAR 22 1990

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY J. P. Stanton DATE 8-5-89 APPLICATION NUMBER 47-08223

REQUIRED INFORMATION


- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested



PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☒ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No ~~Publication dates & paper, recorded on application~~
☐ Yes ☒ No Protests received
Final date for protest 9/25/89
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 7/12/89
By Loren O. Hulme Date 10/17/89

STATE OFFICE REVIEW P23 AL6 46 04
By KW See below for additional information
Date 11/17/89

ADDITIONAL INFORMATION

App. in TRUST area - DCM I

August 24, 1989


James E. Stanton
Sr. Water Resource Agent
2148 4th Ave. East
Twin Falls, ID 83301


Dear Mr. Stanton:

Following-up on our conversation this summer regarding the well that we drilled at our Kum Ba Yah Campground, I thought you would be interested in knowing it took more than two weeks to drill and we finally found water at 300 feet. The final cost of the well was \$13,000.

I sincerely appreciate the work and effort that your office staff provided in helping us acquire the necessary permits.

Sincerely,


Larry Crist
Regional Pastor



RECEIVED

AUG 25 1989

Department of Water Resources
Southern Region Office

RECEIVED

AUG 25 1989

- OFFICE: THE INTERCHURCH CENTER
4900 North Five Mile Road • Boise, Idaho 83704-1826
Phone (208) 322-0538
- DR. LARRY CRIST, REGIONAL MINISTER
Residence: 3116 South Illinois, Caldwell, Idaho 83605
Phone (208) 459-2292

21-Aug-1989

Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83303-1626

Re: Application for Permit No. 47-08223

Gentlemen:

Please find enclosed a copy of an Application for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

Enclosure

MICROFILMED

MAR 22 1990

21-Aug-1989

Christian Church of South Idaho
Disciples of Christ
c/o Larry Crist
4900 N. Fivemile Rd.
Boise, ID 83704

Re: Application for Permit No. 47-08223

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 9/7 & 9/14/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MICROFILMED

MAR 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

AUGUST 18, 1989

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 25, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

MAR 22 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

MAR 22 1990

47-08223

CHRISTIAN CHURCH OF SOUTH IDAHO
DISCIPLES OF CHRIST
C/O LARRY CRIST
4900 N. FIVEMILE RD.
BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: NESWSE Sec 25 T 14S R 18E

Use: COMMERCIAL (.020 CFS)

Date Filed: 7/12/1989

In: T14S R18E S25 SWSE

MICROFILMED

MAR 22 1990

The permit(s) will be subject to all prior water rights. Requests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before SEPTEMBER 25, 1989.

R. KEITH HIGGINSON, Director

Published 9/07/1989 & 9/14/1989

MICROFILMED

MAR 22 1990

3/89

Drilling Permit No. 47-89-5-040*Pending* Water Permit No. _____

Injection Permit No. _____

COPY

State of Idaho
Department of Water Resources

DRILLING PERMIT

Christian Church (Disciples of Christ) of South Idaho

1. Applicant *by:* LARRY CRIST for Kumbaya Campground2. Address 4900 N. Five Mile Rd.Boise, Idaho Telephone 208-322-0838☒ Well Owner () Well Operator () Other, specify _____3. Proposed well location SW 1/4 SE 1/4, or Gov't lot No. _____,Sec. 25, Twp. 14S, Rge. 18E, County Twin Falls,

Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

☒ Domestic Campground () Stockwater () Monitoring
No. of households _____ No. of livestock _____

() Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

5. Well construction information:

☒ New well () Deepen () ReplaceProposed surface diameter 6-8" Maximum depth 150-200 ft

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)6. Anticipated construction start date 7/14/897. Well Driller (if known) Darrell SmithAddress Jerome, Idaho MAR 22 19898. Applicant's signature L. Larry CristTitle Regional MinisterDate 7/12/89

47-89-5-040

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

By accepting this permit and commencing construction, Applicant acknowledges that he accepts all risk that the well may not ultimately be approved for use.

Dated this 12th day of July, 1989.

Signed [Signature] FOR LOREN HOLMES

Title SOUTHERN REGION MANAGER

Receipt No. 5008533 Receipted by [Signature] Fee 10 Date 7/12/89

MICROFILMED

EXTENSION OF DRILLING PERMIT

MAR 22 1990

Approval Date _____ Extension approved by _____

This extension is good for 60 days beyond the above extension approval date.

Drilling permit No. 47-89-S-040

Water right No. _____ *pending*

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Christian Church (Disciples of Christ) of South Idaho, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Emergency water supply, because current water source - (spring) has gone dry -

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date

7/12/89

Signature

[Signature]

Applicant