

47-8154

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 17E

PO, PU

T. 10S

17

MICROFILMED

Scale: 2 inches equal 1 mile.

NOV 13 1992


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne E. Tinsley
(Applicant)
Vice Chairman of the Board.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.

FIELD = 3.7 AC IRRIGATED (400' x 400')

LAWN =
1/2 ACRE
IRRIGATED



Scale: 1" = 110' (LOT = 660' x 660')

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN ELECTRIC	3	MODEL VIPH 02-02	- sub -	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT + PRESSURE GAUGE						

2. Measurements: THE 11-SPRINKLER LINE WAS MEASURED AT AN AVERAGE 32 PSI AT SIX NOZZLES. NOZZLES = 5/32". 11 x 4.13 GPM = 45.4 GPM = 0.10 CFS

FEB 22 1994

35

17

16

18

14

13

12

10

PERMIT 47-8154 INIT _____
T. R. S. Q/Q
P/D 105 17E 17 SWNW NW
SCALE _____
PHOTO ID. _____

Ratio Tow
(KEEP)

P/O
P/O



MUNICIPAL
GOLF COURSE

BM 37

SOUTH PARK

PACIFIC

UNION

20

State
Fish Hatchery

SEEPAGE

3600
Station

DRIVE

PIPELINE

STREET

FEB 22 1994

47-8154
COMMUNITY
CHRISTIAN
CHURCH



P/O



P/O
CHURCH +
FRONT LAWN
(P/O IN CENTER)

MICROFILMED

FEB 22 1994

47-8154

C.C.C.



P/U

IRRIGATION USE
IN BASEBALL
FIELD



P/U

RECORDED
FEB 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08154

Priority: November 21, 1988

Maximum Diversion Rate: 0.11 CFS

Maximum Diversion Volume: 18.2 AF

This is to certify, that COMMUNITY CHRISTIAN CHURCH

C/O GLENN CARSON

805 CARRIAGE LN

TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 21, 1988; and has submitted Proof of Beneficial Use on December 14, 1992. An examination indicates that the works have a diversion capacity of .110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.08 CFS	16.8 AF
DOMESTIC	01/01 to 12/31	0.03 CFS	1.4 AF
	Totals	0.11 CFS	18.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNWNW , Sec. 17, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	17	NWNW	4.2		4.2

Total number of acres irrigated: 4.2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.

FEB 22 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 47-08154

CONDITIONS/REMARKS:

6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
9. Domestic use is for a church building.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of JANUARY, 1994.

Acting for  R. Keith Higginson, Director

RECEIVED
FEB 2 1994

RECEIVED

DEC 14 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 12-15-92
Receipt No. 0826284
Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08154 Telephone No. 733-3543
2. Name(s) of Permit Holder(s): Community Christian Church
3. Mailing Address: 805 Carriage Lane Twin Falls, Id 83301
4. Source of Water: Well

If GROUNDWATER, Well Driller's Name: Edging Pump Services Date Drilled: 1976

OPTIONAL:

Pump horsepower: 3 Pressure (psi): 65 Dynamic pumping level (ft.): 84

5. Extent of Use (as authorized by the permit):

Domestic X (1) (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 6 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.16 cfs OR 0.00 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Dwaine Meyers 733-3543
Name Telephone No.

1861 Kimberly Road Twin Falls, Id
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11-6-92
Date

[Signature]
Signature (and title, if on behalf of a company or organization)

RECEIVED
JAN 28 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 47-08154

Proposed Priority: November 21, 1988 Maximum Diversion Rate: 0.16 CFS
This is to certify, that **COMMUNITY CHRISTIAN CHURCH**

C/O GLENN CARSON
805 CARRIAGE LN
TWIN FALLS ID 83301

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.12 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.16 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNNW , Sec. 17, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	17	NWNW	6		6

Total number of acres irrigated: 6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1993**.
2. Subject to all prior water rights.
3. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
4. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
5. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECEIVED

NOV 13 1992

State of Idaho
Department of Water Resources**Permit To Appropriate Water**


NO. 47-08154

CONDITIONS/REMARKS:

7. This right does not authorize the development and irrigation of new land not previously irrigated.
8. The point of diversion is located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
9. Domestic use is for a church building.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30th day of October, 1992

for 
R. Keith Higginson, Director

MICROFILMED
NOV 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Community Christian Church Phone 733-2886

Post office address Grandview Drive South, Twin Falls, ID 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is 2 points
SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____

Sec. 17 Township 10S Range 17E B.M. Twin Falls County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for Irrigation purposes from 4-1 10-31 BLM
Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 0.16 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump, sprinklers.

Additional well to be drilled to provide additional water for irrigation.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water proposed beneficial use is
5 years (minimum 1 year).

RECEIVED
NOV 13 1992

* Because acres reduced from 9 to 6.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. domestic use in church building, landscaping
- e. Other; describe fully. around church building

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	17E	17					D												8 1/2 BW

Total number of acres to be irrigated 8 1/2

10. Describe any other water rights used for the same purposes as described above.

None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: System was developed in 1978 without a water right. Irrigation is for a baseball field. Domestic use in building is also covered by Claim A47-10280. We own canal shares but can't get the water to our land at this time. It may be possible to open the ditch into the property. This application also covers 4 more acres we own but are not yet irrigating.

47-8154

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 17E

PO, PU

T. 10S

17

MICROFILMED

Scale: 2 inches equal 1 mile.

NOV 13 1992

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne E. Tinsley
(Applicant)
Vice Chairman of the Board.

Received by JF Date 11-21-88 Time 4:32 pm Preliminary check by FRJ
Fee \$ 30.00 Receipted by JF # 5063949 Date 11-21-88
Publication prepared by C3 Date 8/10/92 Published in Times News.
Publication approved TJL Date 9-22-92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

NOV 18 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 31, 1994

COMMUNITY CHRISTIAN CHURCH
C/O GLENN CARSON
805 CARRIAGE LN
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08154

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosure

RECORDED

FEB 22 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 10 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-8154

1. Owner: COMMUNITY CHRISTIAN CHURCH 90 GLEN CARSON Phone No. 733-3543

Current Address: 805 Carriage Lane, Twin Falls ID 83301

2. Accompanied by: DWAINE METERS EXAM DATE: 6-28-93

Address: 1861 KIMBERLY Rd, Twin Falls, ID 83301 Phone No. 733-3543

Relationship to Permit Holder: GROUNDS KEEPER

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: A47-10280

2. Other water rights with the same point of diversion: A47-10280

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	NW	17	10S	17E	Twin Falls	Photo Quad / NAPP

2. Place(s) of Use:


Indicate Method of Determination Photo Quad / NAPP

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10s	17E	17					4.2											4.2	

FEB 22 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

FIELD = 3.7 AC IRRIGATED (400' x 400')



Scale: 1" = 110' (LOT = 660' x 660')

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN ELECTRIC	3	MODEL VIPH 02-02	SUB	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT & PRESSURE GAUGE						

2. Measurements: THE 11-SPRINKLER LINE WAS MEASURED AT AN AVERAGE 32 PSI AT SIX NOZZLES. NOZZLES = 5/32". 11 x 4.13 GPM = 45.4 GPM = 0.10 CFS

E. NARRATIVE/REMARKS/COMMENTS

A 6 INCH CASED WELL WITH A 3 H.P. PUMP LIFTS WATER FROM 30 FEET TO TWO 50-GAL. PRESSURE TANKS AT 30-50 PSI. INTERNALLY, THE CHURCH USES WATER FOR ONE BAPTISTRY, ONE KITCHEN SINK, FIVE LAVATORIES, SIX TOILETS, AND TWO DRINKING FOUNTAINS. SUNDAY ATTENDANCE AVERAGES 80 PERSONS. THE BUILDING IS USED APPROXIMATELY 10 HRS A WEEK. EXTERNALLY, WATER IS USED TO IRRIGATE $\frac{1}{2}$ ACRE OF LAWN IMMEDIATELY SURROUNDING THE BUILDING AND TO IRRIGATE A BASEBALL FIELD OF APPROXIMATELY 3.7 ACRES. WATER IS DELIVERED TO THIS FIELD THROUGH BURIED MAINLINE TO SIX SETS OF SPRINKLERS NUMBERING FROM 3, 11, 8, 8, 8, AND 8 POP-UP SPRINKLERS PER SET. THE 11-SPRINKLER SET WAS MEASURED FOR MAXIMUM POSSIBLE FLOW. SPRINKLER NOZZLES MEASURED $\frac{5}{32}$ ", FIELD WATERED TWICE WEEKLY DURING EVENINGS.

Domestic component is claimed under A47-10280

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

FEB 22 1994

F. FLOW CALCULATIONS

X Additional Computation Sheets Attached

Measured Method: THEORETICAL (3 MP, 32 PSI, 30' LIFT) = 0.18 CFS

* DOMESTIC = 37-67 GPM = 0.08 - 0.15 CFS
 * INSTANTANEOUS DEMAND = 156 GPM = 0.03 CFS
 * AS PER FIELD HANDBOOK, EXHIBITS 13 + 14

1 BAPTISTRY = 4-8 GPM
 5 LAVATORY = 1-4 GPM
 1 KITCHEN SINK = 2-5 GPM
 6 TOILET = 4-5 GPM
 2 DRINKING FOUNTAINS = 1-2 GPM

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 16.8$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 42.6 \quad 34.1$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 16.8$

2. Volume Calculations for Other Uses:

DOMESTIC AT AVERAGE 0.03 CFS FOR 10 HRS/WEEK = 1.4 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.08	16.8
DOMESTIC	1/1	12/31	0.03	1.4
Totals:			0.11	18.2

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name MIKE HARSHBARGER Date 7-1-93


Reviewer _____ Date _____



FEB 22 1994

PERMIT 47-8154 INIT _____
T. R. S. Q/Q
P/D 105 17E 17 SUNNW NW
SCALE _____
PHOTO ID. _____

P/O
P/O



**USE TYPEWRITER OR
BALLPOINT PEN**

93.


USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

47-8154


COMMUNITY

CHRISTIAN

CHURCH



P/A



1.5

COMMUNITY

CHRISTIAN

CHURCH

RECEIVED

1994

FEB 22 1994

47-8154

C.C.C.



Y/10
JANUARY 1994
M. D. S. S. S.
P. S. S. S.



FEB 22 1994

December 18, 1992

COMMUNITY CHRISTIAN CHURCH
C/O GLENN CARSON
805 CARRIAGE LN
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08154

Dear Permit Holder:


The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region


JAN 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-8154

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

MEMORANDUM

DATE: JULY 31, 1992 139387

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

NOTED

JAN 28 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 3, 1992

COMMUNITY CHRISTIAN CHURCH
C/O GLENN CARSON
805 CARRIAGE LN
TWIN FALLS ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08154

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

NOV 13 1992

MEMORANDUM

TO: Application 47-08154
FROM: Brenda
DATE: October 27, 1992
RE: *PARTIAL MORATORIUM HOLD*

=====

Mr. Carson returned my telephone call today and I explained my 10/20 letter to him since it was returned to our office. He said it would be fine to approve the permit for 6 acres of irrigation and that they would like the other 3 acres to be put on hold until the moratorium is lifted.


Since he is in charge of the church land, he said it would be fine to send the permit and correspondence to his home address:

Glenn Carson
805 Carriage Lane
Twin Falls, ID 83301

RECEIVED
NOV 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

1 North Orchard Street
B Idaho 83706-2237



*No mail
rec'd
Rory*

RECEIVED
OCT 22 1992

Department of Water Resources

NOV 13 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 20, 1992

GLENN CARSON
COMMUNITY CHRISTIAN CHURCH
GRANDVIEW DR SOUTH
TWIN FALLS ID 83301

RE: Application for Permit No. 47-08154

Dear Mr. Carson:

We are in the process of reviewing the church's application for permit. At this time, the permit cannot be approved as proposed.

The application requests irrigation for 9 acres. The Trust Water Information Questionnaire you returned to us July 20th indicated that the church is presently irrigating 5.7 acres.

The Snake River Basin Moratorium (issued May 15, 1992) prohibits the approval of permits for the irrigation of new acres not previously irrigated with a surface water source that has ceased to exist. If you had irrigated the full 9 acres prior to November 1987 (the onset of the Snake River Basin Adjudication), we could have approved the permit as proposed.

We can issue a permit for 6 acres of irrigation plus the domestic use. If and when the Moratorium is lifted, you may request the additional three acres be approved.

I will hold your application for thirty days and will then proceed with processing unless I hear otherwise from you.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Miller".

BRENDA L. MILLER
Water Resource Agent



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 20, 1992

GLENN CARSON
COMMUNITY CHRISTIAN CHURCH
GRANDVIEW DR SOUTH
TWIN FALLS ID 83301

RE: Application for Permit No. 47-08154

Dear Mr. Carson:

We are in the process of reviewing the church's application for permit. At this time, the permit cannot be approved as proposed.

The application requests irrigation for 9 acres. The Trust Water Information Questionnaire you returned to us July 20th indicated that the church is presently irrigating 5.7 acres.

The Snake River Basin Moratorium (issued May 15, 1992) prohibits the approval of permits for the irrigation of new acres not previously irrigated with a surface water source that has ceased to exist. If you had irrigated the full 9 acres prior to November 1987 (the onset of the Snake River Basin Adjudication), we could have approved the permit as proposed.

We can issue a permit for 6 acres of irrigation plus the domestic use. If and when the Moratorium is lifted, you may request the additional three acres be approved.

I will hold your application for thirty days and will then proceed with processing unless I hear otherwise from you.

Sincerely,

Brenda L. Miller

BRENDA L. MILLER
Water Resource Agent

MICROFILMED
NOV 13 1992

NOTICE OF
APPLICATION FOR
TRUST WATER RIGHT

47-08154

COMMUNITY CHRISTIAN
CHURCH

GRANDVIEW DR. S.

TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: SWNWNW

Sec 17 T 10S R 17E in

TWIN FALLS County.

Use: IRRIGATION

(160CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.200

CFS)

Date Filed: 11/21/1988

In: TWIN FALLS County

T10S R17E S17 NWNW

9.0 ACRES TOTAL

The permit(s) will be sub-
ject to all prior water
rights. Protests may be
submitted based on the
criteria of Sec. 42-203A,
Idaho Code and/or the
new public interest criteria
of Sec. 42-203C, Idaho
Code. Protests must be
filed with the Director,
Dept. of Water Resources,
Statehouse Mall, Boise,
Idaho 83720 on or before
SEPTEMBER 11, 1992.

R. Keith Higginson

Director

PUBLISH: Thursday, Au-
gust 20, and 27, 1992.

SEP 21 1992

Department of Water Resources

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS

} SS.

I, Linda Capps McSwine being first duly sworn upon oath, depose
and say that I am Business Clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for Two consecutive Weeks,
commencing with the issue dated August 20, 1992,
and ending with the issue dated August 27, 1992.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO

COUNTY OF TWIN FALLS

On this 17 day of September in the year of 1992, before me,
a Notary Public, personally appeared Linda Capps McSwine,
known and identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Shirley R. Feltman
Notary Public for Idaho

Residing at Twin Falls

My commission expires: 5/19/94

OK
9-22-92

No 23974

NOV 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

AUGUST 10, 1992

Times News
P.O. Box 548
Twin Falls, ID 83301

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 11, 1992.

Yours truly,

CINDY ZIMMERMAN
Clerical Specialist

Encl.

MICROFILMED

NOV 13 1992

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

47-08154

COMMUNITY CHRISTIAN CHURCH
GRANDVIEW DR. S.
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: SWNWNW Sec 17 T 10S R 17E in TWIN FALLS County.

Use: IRRIGATION (.160 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)

Date Filed: 11/21/1988

In: TWIN FALLS County
T10S R17E S17 NWNW

9.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before SEPTEMBER 11, 1992.

R. Keith Higginson, Director

Published: 8/20/1992 & 8/27/1992

MICROFILMED
NOV 13 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 47-8154/Trust Water Processing

DATE: 7-21-92

The above application is a trust water filing which has been forwarded to the state office for final review and processing. This filing was not processed earlier and in sequence with other rights due to some confusion concerning whether the right was within a groundwater management area. While this filing is within the Twin Falls GWMA, it does not propose development of thermal water and can thus be processed.

Comments on the returned trust water questionnaire and the application indicate that the development represented by the filing was made prior to 1984. Due to the prior development, the application can be processed without consideration of the 1992 Snake River Moratorium.

The acreage under this filing need not be counted as trust acreage. Due to the priority of the filing, all trust conditions are applicable.

Advertising shall be completed by the state office.

Note: Questionnaire states 5.7 acres irrigated prior to 1984 & as of 1992. Should count 3 acres as trust acres. Moratorium should not apply since we have held this filing for so long.

TJL 9-22-92

Acreage reduced from 9 acres to 6 acres, therefore no acreage need be counted as trust acreage

6/22/93

MICROFILMED

NOV 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRUST WATER INFORMATION QUESTIONNAIRE

RECEIVED
JUL 20 1992

Application No. 47-8154

Department of Water Resources

INSTRUCTIONS: IF YOU ARE NOT INTERESTED IN HAVING THE APPLICATION PROCESSED, PLEASE COMPLETE AND RETURN THE ENCLOSED WITHDRAWAL FORM.

IF YOU WISH TO HAVE THE APPLICATION PROCESSED, PLEASE ANSWER THE FOLLOWING QUESTIONS AS THOROUGHLY AS POSSIBLE. FAILURE TO RETURN EITHER THE WITHDRAWAL FORM OR QUESTIONNAIRE IS CAUSE FOR THE DEPARTMENT TO VOID THE APPLICATION.

1a. Are you the current owner of the land or place of use described under this application? Yes ☒ No ☐

b. If you are not the property owner, please describe the arrangement enabling you to develop the proposed project.

2a. Has the source of water listed on this application been used to irrigate any of the land described under this same application prior to October 1, 1984? Yes ☒ No ☐

b. If yes, please describe the extent of development and number of acres irrigated. (Note: Uses developed after October, 1984 are considered trust water diversions and may be subject to certain conditions. You may be asked to verify uses established prior to October, 1984.)

CHURCH HAS 5.7 ACRES IRRIGATED. USED ALSO
FOR DOMESTIC PURPOSES IN THE CHURCH.

3. If you answered NO to ques #2a, please state the number of acres you have irrigated with this source after October 1, 1984. _____

4. If you have not irrigated lands under this application, please state the number of acres you plan to complete. _____

5. If the permit is a supplemental filing please identify other water rights which are used on the same land.

NONE

Use the reverse side of this form if you wish to add any comments. You may mark changes on the enclosed application to designate any proposed amendments. (Note: Proposed changes which result in an expansion of use will not be considered by the department.)

I hereby assert that the responses provided above are true to the best of my knowledge. I understand that any willful misrepresentations may result in voiding of the application.

Applicant Glenn A. Carson

Date 7-16-92

RECEIVED

NOV 13 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1992

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Community Christian Church
Grandview Dr. South
Twin Falls, ID 83301

RE: Application for Permit No. 47-8154

Dear Applicant(s):

NOTICE OF PENDING ORDER VOIDING APPLICATION

On November 21, 1988, you filed with the Department of Water Resources (Department) Application for Permit No. 47-8154 which proposed the diversion of 0.20 cubic feet per second of groundwater for domestic use and irrigation of 9 acres.

The Department mailed a letter and questionnaire to you on December 2, 1991. The letter requested that you return the Department's questionnaire concerning your present possessory interest in the place of use, any prior development under the application and/or your plans for pursuing completion of the proposed project. The letter notified you that failure to complete and return the questionnaire within thirty (30) days of the date of the letter was cause for the Department to void the application.

The purpose of this notice is to provide a second and final opportunity for you to submit the requested information. Pursuant to Section 42-204, Idaho Code, the Department may void applications for which requested information is not submitted. If you fail to respond to this inquiry within fifteen (15) days of the date of this letter, the Department will issue an order voiding the application pursuant to Section 42-204, Idaho Code.

If no development has been completed as authorized by the application, and you are no longer interested in pursuing the development, please complete and return the enclosed withdrawal form. Please note, if you are using water without an approved permit, the Department may issue an order requiring you to cease diverting the water.

RECEIVED

NOV 13 1992

Please feel free to contact me if you have questions concerning this matter.

Sincerely,

A handwritten signature in cursive script that reads "Tim Luke".

TIM LUKE
Sr. Water Resource Spec.

Enclosure
cc: Region

MICROFILMED
NOV 13 1992

December 2, 1991

RE: APPLICATION FOR PERMIT NO. 47-8154

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, or if the application proposes diversion of more than 5.0 cfs, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

RECEIVED

NOV 13 1992

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Spec.

Enclosures

MICROFILMED

NOV 13 1992

08-Mar-1989

Community Christian Church
Grandview Drive South
Twin Falls, ID 83301

Re: Application for permit No. 47-08154

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

Because your application proposes to appropriate water which has been identified as "trust water" in the Swan Falls agreement, it will be processed under rules and regulations for water appropriation that have been adopted as required by law.

Under the rules, applications will be processed at a rate which allows development of 20,000 acres per year. The oldest applications will be processed first, provided that applicants are willing and able to proceed.

For this reason, it is not possible to estimate at this time when action will be taken on your application.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

NOV 13 1992