




9S
10S

16E 17E

REPRODUCED
AUG 22 1989

2.2 MI. TO U.S. 93
T. 10

MS III 69W
3169 III SW
(TWIN FALLS)

4714

32'30"

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 06 1995
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Alfred C. Emery Permit No. 47-08153
Current Address: Rt. 6 Box 7348 Phone No. 734-3502
2. Accompanied by: Owner EXAM. DATE: 6-28-94
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

PERMIT 47-08153 INIT _____
T. R. S. Q/Q
P/D 105 12E 7 NW
SCALE _____
PHOTO ID. _____



47-08153



#4
P/a
Irrigation
North lawn



#5
P/a
Irrigation
North lawn



#6
P/a
Looking
South from
North entrance

MADE

JUN 27 1996

47-08153



#1
P/D



#2
P/u
Domestic

#3
P/u
Irrigation
lawn on
South side
of house.

JUN 27 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08153

Priority: December 7, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.6 AF

This is to certify, that ALFRED C EMERY
MARY F EMERY

727 SUNWAY N
TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 21, 1988; and has submitted Proof of Beneficial Use on July 17, 1990. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	4.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 12, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	12	NENE	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.

JUN 27 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08153

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for 1 home.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of MAY, 1996.

Acting for  Director
KARL J. DREHER

State of Idaho
Department of Water Resources

RECEIVED
MAY 20 1996

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 47-08153

Date of Priority: December 7, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.6 AF

Comes now

ALFRED C EMERY
MARY F EMERY

727 SUNWAY N
TWIN FALLS ID 83301

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 47-08153, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	4.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 12, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	12	NENE	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

RECEIVED

JUN 27 1996

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Twin Falls, ID, this 17 day of May, 1996.

Mary F. Emery
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 47-08153

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JW # C035574 Date 5-20-96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 47-08153 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for 1 home.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 24th day of MAY, 19 96.

Acting for

Karl J. Dreher
KARL J. DREHER, Director

JUN 27 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 47-8153 IN THE
NAME OF ALFRED C. &/OR MARY F. EMERY

)
) ORDER OF REINSTATEMENT
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1990; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on July 17, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 47-8153 be REINSTATED and the priority advanced to December 7, 1988.

Dated this 30th day of October, 1990.

MICROFILMED

NOV 26 1990


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED
JUL 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources.

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-08153 Telephone No. 734-3502

Name(s) of Permit Holder(s): Alfred C. Emery, Jr.

Post Office Address: Rt. 6 Box 7348

Source of Water: ground water

If ground water, well driller's name: ? Date drilled: ? } previous owner

Extent of Use:
Domestic X (No. of households) Irrigation 1.01 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .06 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: ~~July 01, 1990~~ May, 1982

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Mary F. Emery 734-3502
Name Telephone No.
Rt. 6 Box 7348 Twin Falls, Id. 83301
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-16-90
Date

Mary F. Emery
Signature (and title if on behalf of a company or organization)

RECORDED

NOV 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Emery, Alfred C. & Mary F. Phone 734-3502
Post office address Rt 4 Box 7348, T-F. 83301
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 07 Township 102 Range 17e B.M. Twin Falls County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Dam purposes from 1/1 to 12/31 (both dates inclusive)
(cfs _____)
Amount .02 for Irrig purposes from 3/1 to 10/1 (both dates inclusive)
(cfs _____)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .06 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump,
sprinklers
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? N
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
currently
used
1 year years (minimum 1 year).

MICROFILMED

AUG 22 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 household
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
122	16e	12	.6																.60
	17e	7	.					.41											.41

Total number of acres to be irrigated 1.01

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: applicant filed adjud. claim on domestic use.

REFILED

AUG 22 1989



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary F. Emery
(Applicant)

Proposed Priority 11/21/88

Received by RS Date 11-21-88 Time 9:30 Preliminary check by DRJ

Fee \$ 30.00 Receipted by RS # 5003951 Date 11-21-88

Publication prepared by M. Baldwin Date 3/7/89 Published in Times News

Publication approved Thyd R Page Date 3-30-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-8153, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 6th day of June, 1989.

J. Glen Saylor

MICROFILMED

AUG 22 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 28, 1996

ALFRED C EMERY
MARY F EMERY
727 SUNWAY N
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08153

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

JUN 27 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 20, 1996

MARY F EMERY
727 SUNWAY N
TWIN FALLS ID 83301

RE: Water Right No. 47-08153

Dear Mary:

Thank you for calling in response to my amendment request for your water right permit. As we discussed, I have enclosed photocopies of the approved Application for Permit you filed in 1988 and the Beneficial Use Field Report prepared in 1994. As you requested, I will hold your water right file and not expect a reply from you until the end of May.

If you have any questions, please write to me at the address above or call me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

SWK
Enclosures

JUN 27 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 18, 1996

ALFRED C EMERY
MARY F EMERY
727 SUNWAY N
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08153

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

JUN 27 1996

MEMORANDUM

TO: File 47-08153 / Alfred Emery
FROM: Brenda Chapman
DATE: March 12, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 47-08153 are based on the information below:

A representative from the Twin Falls County Assessor's Office also confirmed the property is entirely in Range 16E, Section 12.

Per telephone conversation today with Mrs. Emery, this permit will not be recommended as a supplemental groundwater right. She stated that they have lived there since 1981 and have never used any Twin Falls Canal Company water nor are they billed for any.

Also, an Adjudication Claim (A47-11924) was filed on the domestic use with an earlier priority date.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.02	4.0
Domestic	1-01 to 12-31	.02	.6

The domestic rate and volume have been adjusted. With the current guidelines of including domestic lawns, gardens, etc. in/or as the irrigated acre total, the domestic recommendation is reduced to an internal use rate of .02 cfs.

JUN 27 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Bill Rutledge Construction</u> Address <u>Jerome</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>43 feet below land surface</u> Flowing? ☐ Yes ☒ No <u>G.P.M. flow</u> Artesian closed-in pressure <u>p.s.i.</u> Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																																													
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA <u>NONE</u> ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																												
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yed No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>8</td><td>0</td><td>8</td><td>Top Soil broken Gray Basalt</td><td>X</td></tr> <tr><td>8</td><td>8</td><td>17</td><td>Med Hard Gray Basalt</td><td> </td></tr> <tr><td> </td><td>17</td><td>30</td><td>Med Soft Brown Basalt w/lg. breaks</td><td> </td></tr> <tr><td> </td><td>30</td><td>42</td><td>Med Soft Brown Basalt</td><td> </td></tr> <tr><td>8/6</td><td>42</td><td>65</td><td>Med Hard Brown Basalt w/sm. breaks - trace gray basalt</td><td> </td></tr> <tr><td>6</td><td>65</td><td>70</td><td>Med Hard Brown Basalt</td><td> </td></tr> <tr><td> </td><td>70</td><td>81</td><td>Med Gray Basalt w/lg. breaks trace water</td><td> </td></tr> <tr><td> </td><td>81</td><td>85</td><td>Med Brown Basalt w/sm. breaks</td><td>X</td></tr> <tr><td> </td><td>85</td><td>95</td><td>Med Hard Gray Basalt w/sm. breaks</td><td>X</td></tr> <tr><td> </td><td>95</td><td>99</td><td>Med Hard Brown Basalt</td><td>X</td></tr> <tr><td> </td><td>99</td><td>105</td><td>Hard Gray Basalt</td><td>X</td></tr> <tr><td> </td><td>105</td><td>113</td><td>Med Hard Brown Basalt w/lg. breaks</td><td>X</td></tr> <tr><td> </td><td>113</td><td>116</td><td>Hard Gray Basalt w/sm. breaks</td><td>X</td></tr> <tr><td> </td><td>116</td><td>125</td><td>Med Gray Basalt w/lg. breaks</td><td>X</td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yed No	From	To	8	0	8	Top Soil broken Gray Basalt	X	8	8	17	Med Hard Gray Basalt			17	30	Med Soft Brown Basalt w/lg. breaks			30	42	Med Soft Brown Basalt		8/6	42	65	Med Hard Brown Basalt w/sm. breaks - trace gray basalt		6	65	70	Med Hard Brown Basalt			70	81	Med Gray Basalt w/lg. breaks trace water			81	85	Med Brown Basalt w/sm. breaks	X		85	95	Med Hard Gray Basalt w/sm. breaks	X		95	99	Med Hard Brown Basalt	X		99	105	Hard Gray Basalt	X		105	113	Med Hard Brown Basalt w/lg. breaks	X		113	116	Hard Gray Basalt w/sm. breaks	X		116	125	Med Gray Basalt w/lg. breaks	X
Hole Diam.	Depth		Material	Water Yed No																																																																										
	From	To																																																																												
8	0	8	Top Soil broken Gray Basalt	X																																																																										
8	8	17	Med Hard Gray Basalt																																																																											
	17	30	Med Soft Brown Basalt w/lg. breaks																																																																											
	30	42	Med Soft Brown Basalt																																																																											
8/6	42	65	Med Hard Brown Basalt w/sm. breaks - trace gray basalt																																																																											
6	65	70	Med Hard Brown Basalt																																																																											
	70	81	Med Gray Basalt w/lg. breaks trace water																																																																											
	81	85	Med Brown Basalt w/sm. breaks	X																																																																										
	85	95	Med Hard Gray Basalt w/sm. breaks	X																																																																										
	95	99	Med Hard Brown Basalt	X																																																																										
	99	105	Hard Gray Basalt	X																																																																										
	105	113	Med Hard Brown Basalt w/lg. breaks	X																																																																										
	113	116	Hard Gray Basalt w/sm. breaks	X																																																																										
	116	125	Med Gray Basalt w/lg. breaks	X																																																																										
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>7/18/83</u> finished <u>7/18/83</u>																																																																													
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>6 5/8 inches</td> <td>1 feet</td> <td>45 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ 18 Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	250 inches	6 5/8 inches	1 feet	45 feet																	Number	From	To										11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>SMITH DRILLING & PUMP CO., INC.</u> 11 Address <u>Jerome</u> Date <u>7/19/83</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator)																																									
Thickness	Diameter	From	To																																																																											
250 inches	6 5/8 inches	1 feet	45 feet																																																																											
Number	From	To																																																																												
6. LOCATION OF WELL Sketch map location must agree with written location. N Subdivision Name _____ Lot No _____ Twin Falls NE 1/4 Sec 12 T 10S N 5 R 16E W.	10. Work started <u>7/18/83</u> finished <u>7/18/83</u>																																																																													

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

Example for 47-08153



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 28, 1996

ALFRED C EMERY
MARY F EMERY
727 SUNWAY NORTH
TWIN FALLS ID 83301

RE: PERMIT NO. 47-08153

Dear Mr. and Mrs. Emery:

I am currently in the process of reviewing Permit 47-08153 for licensing, the final stage in the water appropriation process. However, before a license can be issued, I need some additional information above what the Department's field examiner collected during his June, 1994 exam.

According to our records, the Twin Falls Canal Company provides surface irrigation water to 8 of the 40 acres in the $\frac{1}{4}$ you are located in. I need to know if you are currently using any surface water shares in conjunction with the well water on your lawn. If you have in the past, but are no longer using it, when did the well water become the sole source of water for your irrigation needs?

I will enclose a copy of the data base representation of the permit for your reference. I will hold any further processing for fifteen (15) days. Thank you for your assistance and if you have any questions, do not hesitate to me. My telephone number is (208) 327-5452.

Sincerely,

Brenda L. Chapman

Brenda L. Chapman
Water Resource Agent

Enclosure

JUN 27 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 15 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-08153

1. Owner: Alfred C. Emery Phone No. 734-3502

Current Address: Rt. 6 Box 7348

2. Accompanied by: Owner EXAM. DATE: 6-28-94

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUN 27 1996

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

No point of diversion or place of use water right overlaps were found on this permit. The permit is used to irrigate 1.3 acres of lawn. A 2 Hp Sta-Rite pump is used to supply water for the home and for the buried pipe irrigation system around the house. A second yard north of the home is irrigated using hoses and portable sprinklers. The examiner is recommending 1 acre of irrigation and placing the other .3 acre of irrigation under the domestic

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2	2823018110	Sta-Rite	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	12	10S	16E	Twin Falls	Ortho Photo Quad Map

6. Place(s) of Use:

Indicate Method of Determination *pacing*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	16E	12	1																1
			D																

RECEIVED
JUN 27 1996

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

No measurements were taken. A theoretical calculation is used to estimate the system flow rate.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(2)(.70)}{40 + 60(2.31)} = .07 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.0(4.0) = 4.0 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06(215)1.9835 = 25.6 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.0 \text{ afa}$$

2. Volume Calculations for Other Uses:

Domestic with lawn = 1.2 afa

JUN 27 1998

H. REMARKS AND OVERLAP REVIEW ANALYSIS

use with an annual volume of 1.2 afa.

the legal description needs to be changed since the point of diversion and place of use were found to be solely in Township 10S, Range 16E, Section 12, Northeast-Northeast quarter-quarter.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Domestic	1-1	12-31	.04 cfs	1.2 afa
Irrigation	4-1	10-31	.02 cfs	4.0 afa
Totals:			.06 cfs	5.2 afa

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Alan Hansten

Signature

Alan Hansten 7-19-94

Certification Date

Field Report Preparation Date


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


* SEE adjustment memo. BC

JUN 27 1996

PERMIT 47-08153 INIT _____
T. R. S. Q/Q
P/D 105 12E 7 NW
SCALE _____
PHOTO ID. _____



47-08153



#4 P/a
Irrigation
North lawn

#5
P/a
Irrigation
North lawn

#6
P/a
Looking
South from
North entrance

JUN 27 1996

47-08153



#1
P/D



#2
P/4
Domestic

#3
P/4
Irrigation
lawn on
South side
of house.

JUN 27 1966



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47.8153

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992 139386

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

November 2, 1990

ALFRED C. EMERY
MARY F. EMERY
RT. 4 BOX 7348
TWIN FALLS, ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08153

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

NOV 26 1990

July 11, 1990

ALFRED C. EMERY
MARY F. EMERY
RT. 4 BOX 7348
TWIN FALLS, ID 83301

LAPSE NOTICE

RE: PERMIT NO. 47-08153

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated April 30, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures


LGS:RF

MICROFILMED

NOV 26 1990

CERTIFICATION OF MAILING

I hereby certify that on 7-13-90
a ~~copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



138680
April 30, 1990

ALFRED C. EMERY
MARY F. EMERY
RT. 4 BOX 7348
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08153

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 26 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 7, 1989

ALFRED C. EMERY
MARY F. EMERY
RT. 4 BOX 7348
TWIN FALLS, ID 83301

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 47-08153

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MicroFILMED

AUG 22 1989

08-Mar-1989

Alfred &/or Mary Emery
Rt. 4 Box 7348
Twin Falls, ID 83301

Re: Application for Permit No. 47-08153

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 3/16 & 3/23/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

47-08151

DARLING-DELAWARE CO. INC.
P.O. Box 5485
Boise, ID 83705
Source: Groundwater
Diversion Pt: SWNNWN
Sec 23 T 10S R 17E
Use: Domestic (.020 cfs)
Commercial (.020 cfs)
Date Filed: 11/18/1988
In: T10S R17E S23 NWNW

47-08153

EMERY, ALFRED C.
EMERY MARY F.
Rt. 4 Box 7348
Twin Falls, ID 83301
Source: Groundwater
Diversion Pt: SWNNWN
Sec 7 T 10S R 17E
Use: Domestic (.040 cfs)
Irrigation (.020 cfs)
Date Filed: 11/21/1988
In: T10S R16E S12 NENE
R17E S07 NWNW
1.01 acres total

47-08155

YAMAGATA, GENE H.
2547 Park Ridge Rd.
Twin Falls, ID 83301
Source: Groundwater
Diversion Pt: SESW Sec
35 T 09S R 17E
Use: Domestic (.040 cfs)
Irrigation (.030 cfs)
Date Filed: 11/25/1988
In: T09S R17E S35 SESW
1.0 acres total

47-08156

YAMAGATA, GENE H.
2647 Park Ridge Rd.
Twin Falls, ID 83301
Source: Groundwater
Diversion Pt: SESW Sec
35 T 09S R 17E
Use: Domestic (.040 cfs)
Heating (.040 cfs)
Cooling (.040 cfs)
Irrigation (.060 cfs)
Date Filed: 11/25/1988
In: T09S R17E S35 SESW
2.0 acres total

47-08157

TALBOT, JEAN C.
Rt. 5 Box 5068
Buhl, ID 83316
Source: UNNAMED
STREAM
Tributary: MUD CREEK
Diversion Pt: SESENE
Sec 34 T 09S R 14E
Use: Fish Propagation
(1,000 cfs)
Date Filed: 11/30/1988
In: T09S R14E S34 SENE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301, on or before April 3, 1989.
R. Keith Higginson
Director
PUBLISH: Thursday, March 16 and 23, 1989.

Affidavit of Publication.

STATE OF IDAHO,
COUNTY OF TWIN FALLS

Nº 19619

I, Linda Capps McQuire being first duly sworn upon oath, depose and say that I am Quire Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated March 16, 1989, and ending with the issue dated March 23, 1989.

STATE OF IDAHO
COUNTY OF

On this 23 day of March in the year of 1989, before me, a Notary Public, personally appeared Linda Capps McQuire known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Heva L. Feltman
Notary Public for Idaho

Residing at Twin Falls County, Idaho

My commission expires: 5/19/94

n, effective February 16, at Sunday, and the Twin high newspapers prior to county continuously and months, and said TIMES- newspaper except Saturday, lication under said name

Thursday of each week der of any court of com- will be published; and and in each issue there- published.

Heva
23 day of

County of Twin Falls, n Falls, Idaho

ACE PRO.

INVOICE
19619

Department of Water Resources
Southern Region Office

MAR 27 1989

RECEIVED
\$53.76

TOTAL DUE

March 16, 1989, 84 lines @ .36- - \$30.24
March 23, 1989, 84 lines @ .28- - \$23.52


RIGHT #47-08151 Et Al
Two Times

Idaho Water Resources
2148 4th Ave East
Twin Falls ID 83301

March 24, 1989

P.O. Box 548 • Twin Falls, Id. 83303-0548

The Times-News



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES—
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

MARCH 7, 1989

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 3, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 24 1983

47-08153

EMERY, ALFRED C.
EMERY, MARY F.
RT. 4 BOX 7348
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: SWNWNW Sec 7 T 10S R 17E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.020 CFS)

Date Filed: 11/21/1988

In: T10S R16E S12 NENE
R17E S07 NWNW

1.00 ACRES TOTAL

MICROFILMED

AUG 22 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before APRIL 3, 1989.

R. Keith Higginson, Director

Published 3/16/1989 & 3/23/1989

MICROFILMED

AUG 22 1989