


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 22 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard L. Toole
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 30 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: RICHARD POOLER Permit No. 47-8150
Current Address: RT 3 BOX 6362 TWIN FALLS ID 83301 Phone No. 734-4786
2. Accompanied by: RICHARD POOLER EXAM. DATE: 7-1-93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: A47-11571 (DOMESTIC USE)
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 150'

RECORDED
FEB 22 1994

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

PERMIT 47-8150 INIT MH
T. R. S. Q/Q
P/D 10S 17E 1
SCALE _____
PHOTO ID. _____



SE/SE
S 1
10S
17E
47-8150

NORTH
FEB 22 1994

47-8150

POOLER

POD / POV - EAST



EAST well + FRONT LAWN



Welding / REPAIR SHOP

FEB 22 1991

47- 8150
POOLER

POD - WEST



WEST WELL BEHIND HOUSE



REAR GARDEN BEHIND HOUSE

RECEIVED
FEB 22 1994

47-8150

POOLER



HOUSE LAWN



GARDEN SO. OF HOUSE

APPROVED
FEB 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 47-08150

Priority: November 16, 1988 Maximum Diversion Rate: 0.10 CFS
Maximum Diversion Volume: 12.2 AF

This is to certify, that RICHARD L POOLER
MARCELLA POOLER

4059 N 3300 E

TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 16, 1988; and has submitted Proof of Beneficial Use on May 30, 1991. An examination indicates that the works have a diversion capacity of .150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.09 CFS	12.0 AF
COMMERCIAL	01/01 to 12/31	0.01 CFS	0.2 AF
	Totals	0.10 CFS	12.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESENE , Sec. 1, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	1	SENE	3		3

Total number of acres irrigated: 3

PLACE OF USE:

COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Irrigation use under this right is authorized only in connection with a domestic use.

FEB 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 47-08150

CONDITIONS/REMARKS:

7. Two points of diversion are located within SENE, S01, T10S, R17E.
8. Commercial use is for a welding and repair shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12th day of FEBRUARY, 1994.

Acting for


R. Keith Higginson, Director

RECEIVED
MAY 30 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08150 Telephone No. 208 734 4786
2. Name(s) of Permit Holder(s): RICHARD L POOLER MARCELLA POOLER
3. Post Office Address: RR3 Box 6362 - 4059 North 3300 EAST TWIN FALLS
4. Source of Water: 2 Well 1 EXISTING & 1 NEW
- a. If ground water, well driller's name: Dave Austin Date drilled: 1980
- b. Pump horsepower: 242 Pressure (psi): 50-65 Dynamic pumping level (ft.): 80-160

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 3 (No. of acres)
Stockwater _____ (No. and type of stock) Other SHOP

6. Total rate and/or volume for which proof is submitted .060 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No
OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

RICHARD POOLER 734 4786
Name Telephone No.
4059 North 3300 EAST TWIN FALLS IDA 83301
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-28-91
Date

Richard Pooler
Signature (and title if on behalf of a company or organization)

RECEIVED
JUL 21 1991

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

NOV 17 1988

To appropriate the public waters of the State of Idaho

APPROVED

Department of Water Resources
Southern Region Office

1. Name of applicant Richard L. Pooler #10v Marcella M. Pooler Phone 734-4786

Post office address Rt. 3 Box 6362, Twin Falls, Ida 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 1 Township 10S Range 17E B.M. Twin Falls County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.09 for Irrig purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.10 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.10 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. existing well & pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Existing ~~Proposed~~ well diameter is 8" inches; proposed depth of well is 135 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to ~~the~~ proposed ~~beneficial~~ use is

5 years (minimum 1 year).

MICROFILMED

AUG 22 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. C/ use in shop of contractor's business

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	17E	1				C/3													3

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Domestic use is claimed under the
Adjudication under A47-11571

Microfilm

AUG 26 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

IMPROVED

AUG 22 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard L. Cook

(Applicant)

Proposed Priority 11/16/88

Received by AD Date 11/16/88 Time 15:49 Preliminary check by DRJ

Fee \$ 30⁰⁰ Received by AD # 500 3848 Date 11/16/88

Publication prepared by SG Date 2/8/89 Published in Times News

Publication approved M. Baldwin Date 3/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-8150, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Irrigation use under this permit is authorized only in connection with a domestic use.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 30th day of May, 1989.

J. Glen Saylor

MICROFILMED

AUG 22 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 15, 1994

RICHARD L POOLER
MARCELLA POOLER
4059 N 3300 E
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08150

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the printed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

FEB 22 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 30 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 47-8150
Phone No. 734-4786
1. Owner: RICHARD POOLER
Current Address: RT 3 BOX 6362 TWIN FALLS ID 83301
2. Accompanied by: RICHARD POOLER EXAM. DATE: 7-1-93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: A47-11571 (DOMESTIC USE)
_____ ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 150'

FEB 22 1994

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM HAS TWO WELLS TIED TOGETHER. EAST WELL SUPPLIES WELDING/REPAIR SHOP AND PRIMARILY IRRIGATES THE FRONT LAWN (1 ACRE) VIA GARDEN HOSE AND 4 LAWN SPRINKLERS ($3 \times \frac{3}{16}$, $1 \times \frac{5}{32}$). WEST WELL SUPPLIES IRRIGATION WATER FOR GARDENS + HOUSE LAWN, AND DOMESTIC USES (UNDER A 47-11571). SOUTH GARDEN IRRIGATED BY CORRUGATED PIPE; HOUSE LAWN BY DRIP SYSTEM + LAWN SPRINKLER; AND WEST GARDEN BY 3 LAWN SPRINKLERS ($3 \times \frac{3}{16}$) AND GARDEN HOSE. SHOP HAS NO PLUMBING OF ITS OWN + IS SUPPLIED BY GARDEN HOSE. SHOP WATER FOR PRESSURE WASHER + FIRE PROTECTION DURING WELDING.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
EAST well	unknown	3		- SUB -	
WEST well	unknown	2		- SUB -	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
EAST		SE	SE	NE	1	10S	17E	Twins Falls	Photo Quad / NAPP
WEST		SE	SE	NE	1	10S	17E	Twins Falls	" "

6. Place(s) of Use:

Indicate Method of Determination Photo Quad / NAPP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	17E	1				2.9													2.9
						C													

FEB 22 1994

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT + PRESSURE GAUGE						

2. Measurements:

MEASURED 68 PSI AT ALL FOUR OPERATING SPRINKLERS w/NOZZLES = $3 \times \frac{3}{16} \times \frac{1}{2} \times \frac{5}{32}$
 AT EAST WELL. TOTAL 32 GPM = 0.07 CFS
 COMMERCIAL: PRESSURE WASHER operates at 3 GPM $\approx$ 0.01 CFS

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: Theoretical: EAST PUMP (3HP, 80' lift, 68psi) = 0.08 CFS
 WEST PUMP (2HP, 80' lift, 40psi) = 0.07 CFS

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{2.9}{0.11} \times \frac{4.0}{2.15} = 11.6$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{23.7}{46.9}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 11.6$

2. Volume Calculations for Other Uses:

COMMERCIAL: 3 GAL/MIN PRESSURE WASHER operates 2 HR/DAY @ 160 DAYS/YEAR $\approx$ 60,000 GAL/YEAR
 $\approx$ 0.2 AFA

FEB 02

H. REMARKS AND OVERLAP REVIEW ANALYSIS

A 47-11571 IS FOR EXTERNAL + INTERNAL DOMESTIC AT 0.06 CFS. IT HAS NOT BEEN ADJUDICATED + IS BEING IGNORED.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.09	11.6
COMMERCIAL	1/1	12/31	0.01	0.2
Totals:			0.10	11.8


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name MIKE HARSHBARGER
Signature Michael Harshbarger
Certification Date 3/31/93
Field Report Preparation Date 7-14-93



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 22 1994

PERMIT 47-6.50 INIT MH
T. R. S. Q/Q
P/D 105 17E 1
SCALE _____
PHOTO ID. _____

ravel
= PitX

SE/SE

29
Travel
Pit

Grav

11

750



—

—

—




3800

12

ROAD

1


1998



47-8150

POOLER

POD / POV - EAST



EAST well + FRONT LAWN



Welding / REPAIR SHOP


FEB 22 1957

47-8150
POOLER

POD - WEST



WEST WELL BEHIND HOUSE



REAR GARDEN BEHIND HOUSE


1984

47-8150

POOLER



HOUSE LAWN



GARDEN SO. OF HOUSE

DET 100236



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-8150

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992 139382
TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA
FROM: NORM YOUNG
RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

RECEIVED

FEB 22 1994

June 4, 1991

RICHARD L. POOLER
MARCELLA POOLER
4059 NORTH 3300 EAST
TWIN FALLS, ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08150

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 21 1991

138287
March 31, 1991

RICHARD L. POOLER
MARCELLA POOLER
RT. 3 BOX 6362
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08150

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JUL 21 1991

Richard W. Boler
RR3 Box 636
Twin Falls IDA



MILWAUKEE
JUL 21 1991



107113 1300

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 47-08150
Name(s) of Permit Holder(s): RICHARD & MARCELLA POOLER
Post Office Address: RR 3 BOX 636 2 TWIN FALLS
IDA. 83301 Tel. No. 734 4786

☒ I hereby certify that construction of diversion works on the above referenced permit began on APRIL 21, 1991 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

10-15-90
Date

Richard Pooler
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 30, 1989

RICHARD L. POOLER
MARCELLA POOLER
RT. 3 BOX 6362
TWIN FALLS, ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08150

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

AUG 22 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

ENCLOSURE

AUG 22 1980



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

24-Feb-1989

R. KEITH HIGGINSON
Director

Richard L. &/or Marcella Pooler
Rt. 3 Box 6362
Twin Falls, ID 83301

Re: Application for Permit No. 47-08150

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 3/2 & 3/9/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application (s) have been filed to appropriate the public waters of the State of Idaho:

47-08146

NEWLIN, MARIE
446 E. Spring Creek Dr.
Bountiful, UT 84010
Source: Waste Water
Tributary: Sinks
Diversion Pt: NESESW
Sec 12 T 10S R 14E
Use: Irrigation (.150 cfs)
Date Filed: 11/15/1988
In: T10S R14E S10SESW
5.0 acres total

47-08147

TRIPLE O FARMS
Rt. 2 Box 5128
Twin Falls, ID 83301
Source: Groundwater
Diversion Pt: NWNWSE
Sec 2 T 11S R 17E
Use: Commercial (.670 cfs)
Date Filed: 11/15/1988
In: T11S R17E S02
NWSE

47-08148

TWIN FALLS CONSTRUCTION INC.
P.O. Box 325
Twin Falls, ID 83303
Source: Groundwater
Diversion Pt: NENE Sec
22 T 10S R 17E
Use: Commercial (.310 cfs)
Date Filed: 11/16/1988
In: T10S R17E S22 NENE

47-08149

HULL, GREG
HULL, DOUG
HULL, GENE
Rt. 2
Filer, ID 83328
Source: Groundwater
Diversion Pt: SESESE
Sec 10 T 10S R 16E
Use: Commercial (.040 cfs)
Date Filed: 11/17/1988
In: T10S R16E S10 SESE

47-08150

POOLER, RICHARD L.
POOLER, MARCELLA
Rt. 3 Box 6362
Twin Falls, ID 83301
Source: Groundwater
Diversion Pt: SESENE
Sec 1 T 10S R 17E
Use: Irrigation (.090 cfs)
Commercial (.100 cfs)
Date Filed: 11/16/1988
In: T10S R17E S01 SENE

3.0 Acres Total
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before March 20, 1989.
R. Keith Higginson
Director
PUBLISH: Thursday, March 2, and 9, 1989.

Affidavit of Publication

STATE OF IDAHO.

COUNTY OF TWIN FALLS

ss.

No 19581

I, Linda Capps McQuire being first duly sworn upon oath, depose and say that I am Quire Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated March 2, 1989, and ending with the issue dated March 9, 1989.

STATE OF IDAHO

COUNTY OF

On this 9 day of March in the year of 1989, before me, a Notary Public, personally appeared Linda Capps McQuire known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

MAR 13 1989

Department of Water Resources
Southern Region Office

Shirley R. Jettman
Notary Public for Idaho

Residing at Twin Falls County

My commission expires: 5/19/94

effective February 16, 1989, and the Twin Falls newspapers prior to county continuously and months, and said TIMES-NEWS except Saturday, publication under said name

Thursday of each week order of any court of common law will be published; and in each issue thereof published.

9 day of

County of Twin Falls,
Idaho

OK
MB
3/14/89

REC-1111 MED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

FEBRUARY 24, 1989

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 20, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 22 1989

47-08150

POOLER, RICHARD L.
POOLER, MARCELLA
RT. 3 BOX 6362
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: SESENE Sec 1 T 10S R 17E

Use: IRRIGATION (.090 CFS)
COMMERCIAL (.100 CFS)

Date Filed: 11/16/1988

In: T10S R17E S01 SENE

3.0 ACRES TOTAL

WITHHELD

AUG 22 1989

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 20, 1989.

R. KEITH HIGGINSON, Director

Published 3/02/1989 & 3/09/1989

MICROFILMED

AUG 22 1989