


CANYON RIDGE ACRES SUBDIVISION

A RESUBDIVISION OF A PORTION OF LOT 1 AND 2 AND ALL OF LOT 6
SHOSHONE FALLS CATCHED SUBDIVISION LOCATED IN THE 6TH SECTION 1, T10S, R17E, B.M.
TWIN FALLS COUNTY, IDAHO

TITLEFACT, INC.
While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.



COUNTY COMMISSIONER'S ACCEPTANCE

The foregoing plat was duly accepted and approved by the Board of County Commissioners of the County of Twin Falls, Idaho on this 12 day of December, 1975.

ATTEST: CLERK

M. J. [Signature]
CHAIRMAN

AUG 22 1989

Engineer:
Twin Falls, Idaho

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don R. Keefer
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1990
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Don & Marian Keeler Permit No. 47-8140
Current Address: Rt. 3 Box 6455 Twin Falls, ID 83301 Phone No. _____
2. Accompanied by: Don EXAM. DATE: 7/26/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

NOV 26 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).





P/D

hunk,
piping



MICROFILMED
NOV 26 1990

P/U

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08140

Priority: November 8, 1988

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 2.6 AF

This is to certify, that DON R. KEEFER
MARIAN U. KEEFER

RT. 3 BOX 6455

TWIN FALLS, ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 8, 1988; and has submitted Proof of Beneficial Use on May 1, 1990. An examination indicates that the works have a diversion capacity of .050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	2.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 1, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S 17E 1	SWSE 0.5			0.5

Total number of acres irrigated: 0.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED


NOV 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08140

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of NOVEMBER, 19 90.


R. Keith Higginson, Director

MICROFILMED

NOV 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Don R. Keefer &/or Marian U. Keefer Phone 734-3837

Post office address Rt. 3 Box 6455, Twin Falls, ID 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 1 Township 10S Range 17E B.M. Twin Falls County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.03 for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.06 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
one years (minimum 1 year).

RECORDED

AUG 22 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. one
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	17E	1															1,D		1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicants

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: System was developed in 1979. Land is Lot 5 Block 2 of Canyon Ridge Acres Subdiv.

RECORDED

AUG 26 1989



CANYON RIDGE ACRES SUBDIVISION

A RESUBDIVISION OF A PORTION OF LOT 1 AND 2 AND ALL OF LOT 6
SHOSHONE FALLS ORCHARD SUBDIVISION LOCATED IN THE 6TH SECTION 1, T10S, R12E, B.M.
TWIN FALLS COUNTY, IDAHO

Engineers:
Hewlett and Schiele
Twin Falls, Idaho

TITLEFACT, INC.

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.



LEGEND

- 1/4" 12 bar set as property corner
- 1/4" 12 bar set as boundary corner
- Boundary Line
- Lot Line
- Utility Easement (dimension shown)
- ① Well Location
- ② Block Number

CURVE DATA

Curve	A	E	T	L	L.C.	L.C. Bearing
C-1	276.53	11.0	8.95	15.61	M.H.	349° 20' 30" N
C-2	90.00	10.37	10.00	15.75	M.H.	349° 20' 30" N
C-3	276.53	11.0	8.95	15.61	M.H.	349° 20' 30" N

COUNTY COMMISSIONER'S ACCEPTANCE

The foregoing plat was duly accepted and approved by the Board of County Commissioners of the County of Twin Falls, Idaho on this 12 day of November, 1975.

AUG 22 1989

ATTEST: Clerk

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don R. Keefe
(Applicant)

Proposed Priority 11/8/88

Received by JP Date 11-8-88 Time 11:38 am Preliminary check by DRJ
Fee \$ 3000 Receipted by JP # 5003648 Date 11-8-88
Publication prepared by SC Date 2/8/89 Published in Times News
Publication approved M. Baldwin Date 3/14/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-8140, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 30th day of May, 1989.

A. H. Saylor

MICROFILMED

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

47-08138
Astin, Marc T.
Astin, Cathryn C.
Rt. 3 Box 6619
Twin Falls, ID 83301
Source: Groundwater
Diversion Pt: SENWSE
Sec 2 T 10S R 17E
Use: Irrigation (.090 cfs)
Domestic (.040 cfs)
Date Filed: 11/07/1988
In: T10S R17E S02
NWSE
3.0 Acres Total

47-08139
Routt, Janice Marie
Rt. 1
Filer, ID 83328
Source: Unnamed Stream,
Tributary: Snake River
Diversion Pt: SENW 5 T
10S R 16E
Use: Irrigation (.140 cfs)
Date Filed: 11/08/1988
In: T10S R16E S05
SENW
7.0 Acres Total

47-08140
Keefer, Don R.
Keefer, Marian U.
Rt. 3 Box 6455
Twin Falls, ID 83301
Source: Groundwater
Diversion Pt: NWSWSE
Sec 1 T 10S R 17E
Use: Irrigation (.030 cfs)
Domestic (.040 cfs)
Date Filed: 11/08/1988
In: T10S R17E S01 SWSE
1.0 Acres Total

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148

4th Avenue East, Twin Falls, Idaho 83301 on or before March 20, 1989.
R. Keith Higginson
Director
PUBLISH: Thursday, March 02, and 09, 1989.

Affidavit of Publication

No 19582

STATE OF IDAHO,
COUNTY OF TWIN FALLS }

I, Linda Capps McQuire being first duly sworn upon oath, depose and say that I am Print Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated March 2, 1989, and ending with the issue dated March 9, 1989.

STATE OF IDAHO
COUNTY OF }

On this 9 day of March in the year of 1989, before me, a Notary Public, personally appeared Linda Capps McQuire known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Heva R. Feltman
Notary Public for Idaho

Residing at Twin Falls County
My commission expires: 5/19/94

effective February 16, at Sunday, and the Twin Falls newspapers prior to publication continuously and on Saturdays, and said TIMES-NEWS except Saturday, publication under said name

Thursday of each week order of any court of competent jurisdiction will be published; and in each issue thereof published.

Print Clerk
9 day of

County of Twin Falls,
Twin Falls, Idaho

November 20, 1990

DON R. KEEFER
MARIAN U. KEEFER
RT. 3 BOX 6455
TWIN FALLS, ID 83301

RE: WATER RIGHT NO. 47-08140

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED
NOV 26 1990

October 15, 1990

DON R. KEEFER
MARIAN U. KEEFER
RT. 3 BOX 6455
TWIN FALLS, ID 83301

RE: PERMIT NO. 47-08140

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
NOV 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 47-8140

A. GENERAL INFORMATION

1. Owner: Don & Marian Keeler

Phone No. _____

Current Address: Rt. 3 Box 6455 Twin Falls, ID 83301

2. Accompanied by: Don

EXAM. DATE: 7/24/90

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none

☐ Copies Attached


2. Other water rights with same point of diversion: none

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

NOV 26 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

*Submersible well - one household and 1/2 acre of lawn
2 residents
38 psi at tank 4 outside hydrants*

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>no info</i>			<i>→</i>	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			<i>SW</i>	<i>SE</i>	<i>1</i>	<i>10S</i>	<i>17E</i>	<i>Trim Falls</i>	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>10S</i>	<i>17E</i>	<i>1</i>															<i>.5</i>	<i>D</i>	<i>.5</i>

MICROFILMED

NOV 26 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

4 hydrants, 1.576 ft³ bucket (all hydrants on)
 ① 63 sec ② 39 sec
 ③ 36 sec ④ 72 sec

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = .576 \left(\frac{1}{63} + \frac{1}{36} + \frac{1}{39} + \frac{1}{72} \right) = .05 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5(4.0) = 2.0$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02(245)(1.9835) = 9.7$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.0 \text{ ac-in}$

2. Volume Calculations for Other Uses:

domestic w/o lawn $V = .6 \text{ ac-in}$

MICROFILMED

NOV 26 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Proof was for .04 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>.04</i>	<i>.6</i>
<i>Irrigation</i>	<i>3/15</i>	<i>11/15</i>	<i>.02</i>	<i>2.0</i>
Totals:			<i>.06, 04</i>	<i>2.6</i>

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name *Charles R. Beckman*
 Signature *[Signature]*
 Certification Date *4/16/90*
 Field Report Preparation Date *8/10/90*




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

50 10-4-90

MICROFILMED

NOV 26 1990



NAKE-

34

RIVER

JEROME CO
TWIN FALLS CO

SHOSHONE FALLS PARK

MICROFILMED


NOV 26 1990

TIO S
RITE



P/O

frank,
myring



P/U

MICROFILMED
NOV 26 1990

May 21, 1990

DON R. KEEFER
MARIAN U. KEEFER
RT. 3 BOX 6455
TWIN FALLS, ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08140

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAY 31 1990

Form 217
03/86

RECEIVED

MAY 1 1990

Department of Water Resources
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
MAY 02 1990

Department of Water Resources

For Office Use Only
Fee Received N/A
Date 5-1-90
Receipt #
Receipt by
Reviewed by
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-8140

Name(s) of Permit Holder: Don R Keefer

Post Office Address: Rt 3, Box 6455 Twin Falls, ID 83301

Telephone No. 734-3837

Source of Water: Groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater (number and type of stock)

Irrigation 1/2 acre (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.04 cfs acre-foot

Show the date water was first diverted and beneficially used under this permit: 6/1/90

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Same as above
(Name)

(Telephone Number)

Same as above
(Address)

The above information is my true statement of the extent to which the above permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/1/90
Date

Don R Keefer
Signature of Permit Holder (and title, if appropriate)

MAY 31 1990

138511
March 31, 1990

DON R. KEEFER
MARIAN U. KEEFER
RT. 3 BOX 6455
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08140

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MicroFILMED

MAY 31 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 2, 1989

DON R. KEEFER
MARIAN U. KEEFER
RT. 3 BOX 6455
TWIN FALLS, ID 83301

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 47-08140

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

AUG 22 1989

17-Feb-1989

Don R. &/or Marian U. Keefer
Rt. 3 Box 6455
Twin Falls, ID 83301

Re: Application for Permit No. 47-08140

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 3/2 & 3/9/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

AUG 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

FEBRUARY 17, 1989

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 20, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

Microfilm

AUG 22 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl ation(s) have been filed t appropriate the public waters of the State of Idaho:

MICROFILMED
AUG 4 1989

47-08140

KEEFER, DON R.
KEEFER, MARIAN U.
RT. 3 BOX 6455
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: NWSWSE Sec 1 T 10S R 17E

Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)

Date Filed: 11/08/1988

In: T10S R17E S01 SWSE

1.0 ACRES TOTAL

MICROFILMED

AUG 22 1989

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before MARCH 20, 1989.

R. KEITH HIGGINSON, Director

Published 3/02/1989 & 3/09/1989

MICROFILMED

AUG 22 1989