

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following applica-
tion(s) have been filed to
appropriate the public
waters of the State of
Idaho:

47-08126

NEWMAN, JULIAN P.
Rt. 3 Box 6709

TWIN FALLS, ID 83301

Source: Groundwater

Diversion PT: NWSWSW

Sec 12 T 10S R 17E

Use: Domestic (.040
CFS)

Irrigation (.030 CFS)

Dated Filed: 10/05/1988

In: T10S R17E S12 SWSW
0.8 Acres Total

The permit(s) will be
subject to all prior water
rights. Protests may be
submitted based on the
criteria of Sec. 42-203A,
Idaho Code and/or the
new public interest
criteria of Sec. 42-203C,
Idaho Code. Protests
must be filed with the
Director, Dept of Water
Resources, 2148 4th
Avenue East, Twin Falls,
Idaho 83301 on or before
FEBRUARY 6, 1989.
R. Keith Higginson,
Director
PUBLISH: Thursday,
January 19 and 26, 1989.

Affidavit of Publication

STATE OF IDAHO,

COUNTY OF TWIN FALLS }

ss.

I, Linda Capps McQuire being first duly sworn upon
oath, depose and say that I am Quire Clerk of the TIMES-NEWS,
published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of
the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for Two
consecutive Weeks, commencing with the issue dated

January 19, 1989, and ending with the issue dated
January 26, 1989.

STATE OF IDAHO }

COUNTY OF }

On this 26 day of January in the year of 1989, before me,
a Notary Public, personally appeared Linda Capps McQuire,
known or identified to me to be the person whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

JUN 13 1989

Deanna Bruce
Notary Public for Idaho

Residing at Twin Falls

My commission expires: 8-19-91

Nº 19425

effective February 16,
Sunday, and the Twin
ch newspapers prior to
unty continuously and
nths, and said TIMES-
paper except Saturday,
ation under said name

Thursday of each week
of any court of com-
will be published; and
and in each issue there-
published.

day of

Bruce
ounty of Twin Falls,
n Falls, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 06 1995

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Richard Boyd Permit No. 47-08126
Current Address: 250 Oak Creek Circle, Twin Falls, ID. 83301 Phone No. 733-8197
2. Accompanied by: Mrs. Boyd EXAM. DATE: 6-23-94
Address: Same Phone No. Same
Relationship to Permit Holder: Wife
3. Source: Ground water tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = No scale


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED

JUN 27 1996

47-8126






PERMIT	<u>47-8126</u>	INIT	_____
	T. <u>R.</u>	S. <u>Q/Q</u>	
P/D	<u>105</u>	<u>17E 12</u>	<u>SWSW</u>
SCALE	_____		
PHOTO ID.	<u>BB73</u>		

Handwritten red scribbles

JUN 27 1993

47-08/26

JAN 27 1996



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the pub
the State of Idaho as herein set forth.

Julian P. Hewitt
(Applicant)

47-08126



#1

P/D

Well in front
of Home



#2

P/u

Domestic

JUN 27 1996

47-08126

47-08126



#3

P/u

Domestic
and
irrigated lawn



#4

P/u

irrigated lawn

JUN 27 1996

47-08126

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	47-08126	Julian P Newman	0.07
Full Assignment	47-08126	Richard F Boyd	0.07

RECEIVED

8 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08126

Priority: January 24, 1989 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 3.0 AF

This is to certify, that RICHARD F BOYD
250 OAK CREEK CIR
TWIN FALLS ID 83301 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated October 5, 1988; and
has submitted Proof of Beneficial Use on September 20, 1990. An examination indicates
that the works have a diversion capacity of 0.050 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	2.4 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 12, Township 10S, Range 17E
TWIN FALLS County

<u>PLACE OF USE:</u>	<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
IRRIGATION	10S	17E	12	SWSW	0.6		0.6
Total number of acres irrigated:							0.6

PLACE OF USE:
DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.

JUN 27 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08126

CONDITIONS OF APPROVAL AND REMARKS

6. Place of use is located within Lot 8, Blk. 1, Woodridge Estates Subdivision.
7. Domestic use is for 1 home.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
9. This right when combined with all other rights shall provide no more than 0.02 cfs nor exceed a combined annual diversion volume of 2.4 af for irrigation of the lands above.
10. Domestic use under this right is limited to the total annual diversion volume of 0.6 af.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of JUNE, 1976.

Acting for


KARL J. DREHER, Director

State of Idaho
Department of Water Resources

RECEIVED
NOV 27 1992

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Julian P. Newman, hereby assign to Richard F. Boyd
of 250 Oak Creek Circle Twin Falls, Idaho 83301
Address

All my right, title, and interest in and to Permit No. 47-08126
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. 47-08126 to appropriate the public waters of
the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second for
direct diversion, or acre feet for storage)

Made this 24 day of November, 1992.

Julian P. Newman
Permit Holder

Betty W. Newman
Spouse of Permit Holder

State of Idaho)
County of TWIN FALLS) ss

On this 24 day of November, 1992, personally appeared before
me the signer(s) of the above instrument, who duly acknowledged to me that
he (she) (they) executed the same.

Janice L. Stone
Notary Public residing at
Twin Falls, Idaho
NOTARY PUBLIC

s e a l

My commission expires:
7-29-93

JAN 28 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 47-08126 IN THE
NAME OF JULIAN P. NEWMAN

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on June 1, 1990 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on September 20, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 47-08126 be REINSTATED and the priority advanced to January 24, 1989.

Dated this 11th day of January, 1991.

L. Glen Saxton
L. GLEN SAXTON, CLERK
Water Allocation

RECEIVED
FEB 07 1991

RECEIVED
MAY 23 1990

For Office Use Only
Amt. of Fee \$ 30.00
Date 9-30-90
Receipt No. CO18273
Received by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-08126 Telephone No. 208-734 2052

Name(s) of Permit Holder(s): Julian P. Newman

Post Office Address: Rt. 3, Box 6709 Twin Falls, IDA 83301

Source of Water: Groundwater

If ground water, well driller's name: H.E. Austin Date drilled: March 1979

Extent of Use:
Domestic 0.04 cfs (No. of households) Irrigation 0.03 cfs (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.07 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 10-05-88

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Julian P. Newman 734-2052
Name Telephone No.

Rt. 3, Box 6709, 250 Oak Creek Circle, Twin Falls 83301
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 07 1991

May 20, 1990 Julian P. Newman
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

8861 9 - 100

To appropriate the public waters of the State of Idaho

1. Name of applicant Julian P. Newman Phone 734-2052

Post office address Rt. 3 Box 6709, Twin Falls, ID 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____

Sec. 12 Township 10S Range 17E B.M. Twin Falls County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.03 for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.07 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 6 inches; ~~Proposed~~ depth of well is 130 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
one years (minimum 1 year).

MICROFILMED

JUN 13 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. one
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	17E	12											D 0.8						0.8

Total number of acres to be irrigated 0.8

10. Describe any other water rights used for the same purposes as described above. _____

None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Land is Lot 8 Block 1 of Woodridge Estates Subdiv.


System was developed in 1979 without a water right.

FILED

JUN 13 1989

A SUBDIVISION IN THE S⁴SW⁴, SECTION 12 IN
T10S, R17E, B1M.
TWIN FALLS COUNTY, IDAHO

Safeco Title Insurance Company of Idaho
219 Shoshone Street North
Twin Falls, Idaho 83301



JUN 13 1989

A full-page sheet of white graph paper with a black grid. The grid consists of 15 columns and 15 rows of squares. A thicker vertical line runs down the center between the 8th and 9th columns, and a thicker horizontal line runs across the middle between the 8th and 9th rows, creating a central square area. There are some minor scanning artifacts visible on the page.

Julian P. Newman
(Applicant)

Proposed Priority 10/5/88

Received by JS Date 10-5-88 Time 10:30 am Preliminary check by LK

Fee \$ 30.00 Received by JS # 5002754 Date 10-5-88

Publication prepared by M. Baldwin Date 1/12/89 Published in Times News

Publication approved I. Jasper Date 2/2/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-8126, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 9th day of May, 1989.

A. Glen Saxton

MICROFILMED

JUN 13 1989

NOTICE OF
APPLICATION FOR
WATER RIGHT

The following applica-
tion(s) have been filed to
appropriate the public
waters of the State of
Idaho:

47-05126

NEWMAN, JULIAN P.
Rt. 3 Box 6709
TWIN FALLS, ID 83301
Source: Groundwater
Diversion PT: NWSWSW
Sec 12 T 10S R 17E
Use: Domestic (.040
CFS)

Irrigation (.030 CFS)

Dated Filed: 10/05/1988
In: T10S R17E S12 SWSW
0.8 Acres Total

The permit(s) will be
subject to all prior water
rights. Protests may be
submitted based on the
criteria of Sec. 42-203A,
Idaho Code and/or the
new public interest
criteria of Sec. 42-203C,
Idaho Code. Protests
must be filed with the
Director, Dept of Water
Resources, 2148 4th
Avenue East, Twin Falls,
Idaho 83301 on or before
FEBRUARY 6, 1989.

R. Keith Higginson,
Director
PUBLISH: Thursday,
January 19 and 26, 1989.

Affidavit of Publication

Nº 19425

STATE OF IDAHO,
COUNTY OF TWIN FALLS } ss.

I, Linda Capps McShine being first duly sworn upon
oath, depose and say that I am Print Clerk of the TIMES-NEWS,
published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of
the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for Two
consecutive Weeks, commencing with the issue dated
January 19, 1989, and ending with the issue dated
January 26, 1989.

STATE OF IDAHO
COUNTY OF }

On this 26 day of January in the year of 1989, before me,
a Notary Public, personally appeared Linda Capps McShine
known and identified to me to be the person whose name subscribed to the within instru-
ment and being duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

MICROFILMED

JUN 13 1989

Deanna Kruse
Notary Public for Idaho

Residing at Twin Falls

My commission expires: 8-19-91

effective February 16,
Sunday, and the Twin
ch newspapers prior to
ounty continuously and
aths, and said TIMES-
paper except Saturday,
ation under said name

Thursday of each week
er of any court of com-
will be published; and
and in each issue there-
published.

_____ day of

Kruse
ounty of Twin Falls,
n Falls, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 20, 1996

RICHARD F BOYD
250 OAK CREEK CIR
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-08126

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUN 27 1996

MEMORANDUM

DATE: May 31, 1996
TO: File No. 47-08126
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

=====

The following adjustments¹ were made on the field report to reflect lawn irrigation and in-house domestic use:

1. Rate of diversion.
 - a. Irrigation = acres x cfs/acre
= 0.6 x 0.03
= 0.02 cfs.
 - b. Domestic, 1 home, in-house use = 0.02 cfs.
 - c. Maximum rate of diversion = a + b
= 0.02 + 0.02
= 0.04 cfs.

¹Adjustments made are bolded and underlined. JUN 27 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

LIVED
1985
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Richard Boyd Permit No. 47-08126
Current Address: 250 Oak Creek Circle, Twin Falls, ID. 83301 Phone No. 733-8197
2. Accompanied by: Mrs. Boyd EXAM. DATE: 6-23-94
Address: Same Phone No. Same
Relationship to Permit Holder: Wife
3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUN 27 1996

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

There were no overlaps found for the place of use or the point of diversion. A 1½ Hp Sta-Rite pump is used to supply water for the home and buried pipe irrigation system which is composed of 4 Stations with 5 pop-up Rainbird sprinkler heads per station. The irrigated acreage is lawn, bushes, and trees.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Unknown	1½	Unknown	Sta-Rite	CP4F02

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SWSW		12	10S	17E	Twin Falls	Ortho Photo Quad Map

6. Place(s) of Use:

Indicate Method of Determination Pacing

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	17E	12											.6						.6
													D						

JUN 27 1996

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

A theoretical flow equation was used to determine
the system flow rate.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{(1.5) 8.8(7)}{55 + 50(2.30)} = .05 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .6(4) = 2.4 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05(215)/1.9835 = 21.3 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.4 \text{ afa}$

2. Volume Calculations for Other Uses:

JUN 27 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.04 cfs *	.6 afa
Irrigation	4-1	10-31	.02 cfs	2.4 afa
Totals:			.05 cfs *	3.0 afa

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION


Field Examiner's Name Alan Hansten
Signature Alan Hansten 7-8-94
Certification Date _____
Field Report Preparation Date _____


CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* Adjustments made during the review of this right for license approval.
See memo for additional information. 5/31/96 CJD.

JUN 27 1996






PERMIT 47-8126 INIT
T. R. S. Q/Q
P/D 10S 17E 12 SWSW
SCALE
PHOTO ID. BB73

47-08/26

27 1996



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the pub
the State of Idaho as herein set forth.


Julian P. Newth
(Applicant)

4. -08/26

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>John Tison</u> Address <u>Rt 2 Tins, Idaho</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>55</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF Quality _____																																																																			
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Pumping Level</th> <th style="width: 33%;">Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																		
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>6</td><td>0</td><td>12</td><td>Top soil</td><td> </td></tr> <tr><td> </td><td>12</td><td>28</td><td>Heavy loam</td><td> </td></tr> <tr><td> </td><td>28</td><td>35</td><td>Broken chert and</td><td> </td></tr> <tr><td> </td><td>35</td><td>51</td><td>Heavy loam</td><td> </td></tr> <tr><td> </td><td>51</td><td>58</td><td>Red loam</td><td> </td></tr> <tr><td> </td><td>58</td><td>65</td><td>Heavy loam</td><td> </td></tr> <tr><td> </td><td>65</td><td>67</td><td>Light</td><td> </td></tr> <tr><td> </td><td>67</td><td>103</td><td>Dark loam</td><td> </td></tr> <tr><td> </td><td>103</td><td>112</td><td>Light</td><td> </td></tr> <tr><td> </td><td>112</td><td>120</td><td>Heavy loam</td><td> </td></tr> <tr><td> </td><td>120</td><td>128</td><td>Light & medium</td><td> </td></tr> <tr><td> </td><td>128</td><td>130</td><td>Heavy loam</td><td> </td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes No	From	To	6	0	12	Top soil			12	28	Heavy loam			28	35	Broken chert and			35	51	Heavy loam			51	58	Red loam			58	65	Heavy loam			65	67	Light			67	103	Dark loam			103	112	Light			112	120	Heavy loam			120	128	Light & medium			128	130	Heavy loam	
Hole Diam.	Depth		Material	Water Yes No																																																																
	From	To																																																																		
6	0	12	Top soil																																																																	
	12	28	Heavy loam																																																																	
	28	35	Broken chert and																																																																	
	35	51	Heavy loam																																																																	
	51	58	Red loam																																																																	
	58	65	Heavy loam																																																																	
	65	67	Light																																																																	
	67	103	Dark loam																																																																	
	103	112	Light																																																																	
	112	120	Heavy loam																																																																	
	120	128	Light & medium																																																																	
	128	130	Heavy loam																																																																	
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	10. Work started <u>Mar 12</u> finished <u>Mar 15</u>																																																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>6 3/4</u> inches</td> <td><u>1</u> feet</td> <td><u>12</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>12'</u> Material used in seal: ☒ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Type surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Weld ☐ Cemented between struts Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>6 3/4</u> inches	<u>1</u> feet	<u>12</u> feet													Number	From	To										11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>John Tison Drilling</u> Firm No. <u>196</u> Address <u>Rt 2 Tins, Idaho</u> Date <u>4/6/77</u> Signed by (Firm Official) <u>John Tison</u> and _____ (Operator) _____																																			
Thickness	Diameter	From	To																																																																	
<u>250</u> inches	<u>6 3/4</u> inches	<u>1</u> feet	<u>12</u> feet																																																																	
Number	From	To																																																																		
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Twin Falls</u> <u>SW 1/4 Sec 14, T. 12, R. 17W.</u>	USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																			

47-08126



#1

P/D

Well in front
of Home



#2

P/4

Domestic

JUN 27 1993

47-08126

47-08126



#3

P/a

Domestic
and
irrigated lawn



#4

P/a

irrigated lawn

JUN 27 1996

47-08126



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 22, 1992

RICHARD F BOYD
250 OAK CREEK CIR
TWIN FALLS ID 83301

Re: Permit No. 47-08126

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Miller".

BRENDA L. MILLER
Water Resource Agent

BLM:cz

RECEIVED

JAN 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1992

Jean Boyd
250 Oak Creek Circle
Twin Falls, ID 83301

Dear Ms. Boyd:

Per our telephone conversation this morning, I am enclosing and assignment of permit form. As we discussed, this form needs to be completed, notarized and sent back to the Department by the current water right holder. As soon as the form is received, we will make the necessary changes in the water right file and notify you that you are the current owner of the water right permit.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED

JAN 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-8126

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992 139376

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

MINOR REVISION

JAN 28 1993

January 15, 1991

JULIAN P. NEWMAN
RT. 3 BOX 6709
TWIN FALLS, ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08126

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

FEB 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 17, 1990

Julian P. Newman
Rt. 3 Box 6709
Twin Falls, ID 83301

Dear Ms. Newman:

Re: Permit No. 47-8126

On May 23, 1990, the Department received the proof of beneficial use form for Permit No. 47-8126. Enclosed is a copy of that proof form.

Note that the total rate for which proof is submitted is 0.07 cfs. Also note that on the instruction sheet, for any rate of diversion greater than 0.04 cfs but less than 0.07 cfs, the license exam fee is \$50. This fee applies when there are multiple uses even though domestic is one of them.

You have the opportunity to either submit the \$50 license exam fee or reduce the diversion rate to 0.04 cfs (18 gpm) and submit no fee.

Please respond to this letter by October 1. If you have questions, you can reach me at 327-7953.

Sincerely,

RYTA I. FLECK

Secretary/Records Manager

Enclosure

RECEIVED

FEB 07 1991

138506
March 31, 1990

JULIAN P. NEWMAN
RT. 3 BOX 6709
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-08126

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

ENCLOSURE

APR 27 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 10, 1989

JULIAN P. NEWMAN
RT. 3 BOX 6709
TWIN FALLS, ID 83301

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 47-08126

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 13 1989

12-Jan-1989

Julian P. Newman
Rt. 3, Box 6709
Twin Falls, ID 83301

Re: Application for Permit No. 47-08126

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 1/19 & 1/26/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.


If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Terry Blau
Sr. Water Resource Agent

TB:MB



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

JANUARY 10, 1989

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 6, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED
FILMED

JUN 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

47-08126

NEWMAN, JULIAN P.
RT. 3 BOX 6709
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: NWSWSW Sec 12 T 10S R 17E

Use: DOMESTIC (.040 CFS)
IRRIGATION (.030 CFS)

Date Filed: 10/05/1988

In: T10S R17E S12 SWSW

0.8 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 6, 1989.

R. Keith Higginson, Director

Published 1/¹⁹~~18~~/1989 & 1/²⁶~~25~~/1989

MICROFILMED

JUN 13 1989

180-0567

~4~NOTICE OF~
~APPLICATION FOR~
~WATER RIGHT~

The following applica-
tion(s) have been filed to
appropriate the public
waters of the State of
Idaho:~

~47 08126~

NEWMAN, JULIAN P.~

Rt. 3 Box 6709~

TWIN FALLS, ID 83301~

Source: Groundwater~

Diversion PT: NWSWSW

Sec 12 T 10S R 17E~

Use: Domestic (.040
CFS)~

Irrigation (.030 CFS)~

Dated Filed: 10/15/1988~

In: T10S R17E S12 SWSW~

0.8 Acres Total~

The permit(s) will be
subject to all prior water
rights. Protests may be
submitted based on the
criteria of Sec. 42-203A,
Idaho Code and/or the
new public interest
criteria of Sec. 42-203C,
Idaho Code. Protests
must be filed with the
Director, Dept of Water
Resources, 2148 4th
Avenue East, Twin Falls,
Idaho 83301 on or before
FEBRUARY 6, 1989.~

R. Keith Higginson,~

Director~

PUBLISH: Thursday,

January 19 and 26, 1989.~

*Karen called -
Times News
2:40 pm 1/17/89*

RECEIVED

JAN 17 1989

Department of Water Resources
Southern Region Office

MICROFILMED

JAN 17 1989