


47-7999

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joyce [Signature]
(Applicant)

APR 08 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 11 1995

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Joyce Taylor Permit No. 47-07999
Current Address: 353 7th Ave. E., Twin Falls, ID 83301 Phone No. 733-2727
2. Accompanied by: Joyce Taylor EXAM. DATE: 7/11/95
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

SEP 14 1995

Filer

PERMIT 428 7999 IT
T. R. S. Q/Q
P/D 15 16E 21 SENE
SCALE _____
PHOTO ID. _____

RIGHT

93

15

3800 North Rd

P/U
P/D
P/W

U.S. Hwy 93

3700 North Rd

2300 East

Cedar Draw Lake

Godwin

BM 4049

RECEIVED
SEP 14 1995

BM 4091

Well

4096

CANAL

LINE

HIGH

Cedar

Draw

Draw

Cedar

Water Tank

18

17

20

19

22

30

29

28

27

31

32

33

34

07999 INIT

T.	R.	S.	O/O
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9
10	10	10	10
11	11	11	11
12	12	12	12
13	13	13	13
14	14	14	14
15	15	15	15
16	16	16	16
17	17	17	17
18	18	18	18
19	19	19	19
20	20	20	20
21	21	21	21
22	22	22	22
23	23	23	23
24	24	24	24
25	25	25	25
26	26	26	26
27	27	27	27
28	28	28	28
29	29	29	29
30	30	30	30
31	31	31	31
32	32	32	32
33	33	33	33
34	34	34	34
35	35	35	35
36	36	36	36
37	37	37	37
38	38	38	38
39	39	39	39
40	40	40	40
41	41	41	41
42	42	42	42
43	43	43	43
44	44	44	44
45	45	45	45
46	46	46	46
47	47	47	47
48	48	48	48
49	49	49	49
50	50	50	50
51	51	51	51
52	52	52	52
53	53	53	53
54	54	54	54
55	55	55	55
56	56	56	56
57	57	57	57
58	58	58	58
59	59	59	59
60	60	60	60
61	61	61	61
62	62	62	62
63	63	63	63
64	64	64	64
65	65	65	65
66	66	66	66
67	67	67	67
68	68	68	68
69	69	69	69
70	70	70	70
71	71	71	71
72	72	72	72
73	73	73	73
74	74	74	74
75	75	75	75
76	76	76	76
77	77	77	77
78	78	78	78
79	79	79	79
80	80	80	80
81	81	81	81
82	82	82	82
83	83	83	83
84	84	84	84
85	85	85	85
86	86	86	86
87	87	87	87
88	88	88	88
89	89	89	89
90	90	90	90
91	91	91	91
92	92	92	92
93	93	93	93
94	94	94	94
95	95	95	95
96	96	96	96
97	97	97	97
98	98	98	98
99	99	99	99
100	100	100	100


P/D 105 16E 21 SENE

SCALE $1'' = 660'$

PHOTO ID.

U.S. HWY 93

3800 North Rd



WR# 47 07999



P/D

(Well head inside of well-house; PVC pipe is connected to a 2.5 hp. booster pump)



P/U

(south west area of alfalfa field; 1 acre of non-irrigated land on corner)

RECEIVED

SEP 14 1995

47-07999

WR# 47-07999



P/U
(north west
area of al-
falfa field,
& north
sprinkler
line)



P/U
(southeast
area of the
irrigated
area; sub-
division in
background)

RECEIVED

SEP 14 1995

47-07999

WR# 47-07999



P/U
(north east
area of the
irrigated
land; well-
house (P/D)
on the right)

MICROFILMED

SEP 14 1995

47-07999

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07999

Priority: May 14, 1985

Maximum Diversion Rate: 0.20 CFS

Maximum Diversion Volume: 80.0 AF

This is to certify, that JOYCE TAYLOR
353 7TH AVE E

TWIN FALLS ID 83301 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 14, 1985; and has submitted Proof of Beneficial Use on March 30, 1992. An examination indicates that the works have a diversion capacity of 0.200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.20 CFS	80.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 21, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	21	SENE	20		20

Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the right issued to change, add or remove any requirement as determined to be appropriate.

SEP 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07999

CONDITIONS/REMARKS:

8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28th day of AUGUST, 1995.


KARL J. DREHER, Director
Acting for

47-07999
1995

RECEIVED
MAR 30 1992

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$ 50.00Date 3-28-92Receipt No. 2274Received by RB

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-17999 Telephone No. 733-2727
2. Name(s) of Permit Holder(s): Joyce Taylor
3. Post Office Address: 353 7th Ave. E. Twin Falls, Id. 83301
4. Source of Water: Ground water
- a. If ground water, well driller's name: Elsing Well Drilling Date drilled: 5-14-84
- b. Pump horsepower: 5+2 1/2 baster Pressure (psi): 50# Dynamic pumping level (ft.): 150'

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 10 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted
- 20
- cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

8. Fee Enclosed: \$
- 50.00
- (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Ralph Taylor
Name537-8159
Telephone No.1995 E. 8th N Mountain Home, Id. 83647
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-28-92
DateJoyce Taylor
Signature (and title if on behalf of a company or organization)

APR 08 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-07999

Proposed Priority: May 14, 1985 Maximum Diversion Rate: 0.40 CFS
This is to certify, that **JOYCE TAYLOR**
353 7TH AVE E
TWIN FALLS ID 83301
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.40 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 21, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	21	SENE	20		20

Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
7. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
8. The point of diversion is located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

MICROFILMED

APR 08 1992


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-07999

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of March, 1992

for 
R. Keith Higginson, Director

APR 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant TAYLOR, JOYCE Phone 733-2727
Post office address 353 7th Ave. E. Twin Falls, Idaho 83301
2. Source of water supply Groundwater which is a tributary of L
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 21 Township 10 S
Range 16 E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.40 for IRRIGATION purposes from MARCH 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.40 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, MOTOR/pump.
SPRINKLER Lines.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 209 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECEIVED

APR 08 1992

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	16E	21				20													20.0

Total number of acres to be irrigated 20.0

c. Describe any other water rights used for the same purposes as described above. NO


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks Existing facilities

MICROFILMED
APR 08 1992



47-7999

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joyce *[Signature]*
(Applicant)

APR 08 1992

Received by AF Date 5-14-85 Time 2:19 P.M.
Preliminary check by T.B. Fee \$ 45.00 # 35348
Receipted by maya Date 5/14/85
Publication prepared by B.M. Date 1-6-92
Published in Times News
Publication dates 1-14-92 + 1-23-92
Publication approved g2 Date 2/4/92
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED
APR 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 29, 1995

JOYCE TAYLOR
353 7TH AVE E
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-07999

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

SEP 14 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 11 1995

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 47-07999
Phone No. 733-2727
1. Owner: Joyce Taylor
Current Address: 353 7th Ave. E., Twin Falls, ID 83301
2. Accompanied by: Joyce Taylor EXAM. DATE: 7/11/95
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An 8" well, with a 5.0 hp. submersible pump & motor, and a 2.5 hp. booster pump & motor at surface level, diverts water to approximately 500' of main line to irrigate about 20 acres of alfalfa. The system can supply 24 sprinklers (9/64" nozzles) with approximately 40 psi, for a flow rate of 90 gpm (.20 cfs).

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-rite	5.0	CP4502C-04	Sta-rite	Unknown
	Sta-rite	2.5	Unknown	Sta-rite	DHH-112

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE		21	10S	16E	Twp 13	Photo Aug 9

6. Place(s) of Use:

Indicate Method of Determination On-site exsm

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	16E	21																	20.0

RECEIVED

SEP 14 1995

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $24(\text{sprinklers}) \times 3.74(\text{gpm @ 40\#}) = 0.20 \text{ cfs}$
($9/16" \text{ H } 11022 \text{ lbs}$)

2. Alternate Method for Checking Purposes: $Q = \frac{(7.5)(8.8)(0.7)}{[(2.31 \times 50) + 11.5]} = 0.20 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (20.0)(4.0) = 80.0 \text{ afg}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.20)(214)(1.9835) = 85.0 \text{ afg}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 80.0 \text{ afg}$

2. Volume Calculations for Other Uses:

SEP 14 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The irrigation system at capacity can divert about .20 cfs, so this is the recommended rate of diversion. The Planimeter measurement method calculates about 21 acres of land total, of which 1 acre is non-irrigated (the south west corner), for a total of 20 acres of irrigated land. The volume recommendation is the amount permitted for 20 acres of crop (irrigated) land.

No overlaps were found.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	.20	80.0
Totals:			.20	80.0

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name

Bruce Campbell

Signature

Bruce Campbell

Certification Date

Field Report Preparation Date

8/10/95

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 14 1995

Filer

PERMIT 42-07999-T
T. R. S. Q/Q
P/D ~~WS~~ 16E 21 SENE
SCALE _____
PHOTO ID. _____

93

15

18

17

3857

3800 North Rd

3869

3858

Draw

19

20

21

22

P/U
P/D
P/U

U.S. Hwy 93

CANAL

Cedar Draw Lake

3700 North Rd.

3864

3942

2300 East Rd

30

29

28

27

4034

4010

4015

4018

Draw

31

32

33

34

Godwin

BM 4049

SEP 14 1995

Cedar

HIGH

LINE

BM 4091


4089 Well

4096

CANAL

PERMIT 07999 INIT
T. R. S. Q/Q
P/D 105 16E 21 SENE
SCALE 1" = 660
PHOTO ID. _____

3800 North Rd.




WR# 47 07999



P/D

(Well head inside of well-house; PVC pipe is connected to a 2.5 hp. booster pump)



P/U

(south west area of alfalfa field; 1 acre of non-irrigated land on corner)

RECEIVED
SEP 14 1995

47-07999

WR# 47-07999



P/U

(north west
area of al-
falfa field,
& north
sprinkler-
line)




P/U

(southeast
area of the
irrigated
area; sub-
division in
background)

SEP 14 1995

47-07999

WR# 47-07999



P/U
(north east
area of the
irrigated
land; well-
house (P/D)
on the right)

RECEIVED
SEP 14 1995

47-07999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

47-999

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

139364

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

SEP 14 1995

April 3, 1992

JOYCE TAYLOR
353 7TH AVE E
TWIN FALLS ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-07999

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
APR 08 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

March 23, 1992

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

JOYCE TAYLOR
353 7TH AVE E
TWIN FALLS ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-07999

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosure

RECEIVED
APR 08 1992

RECEIVED

Affidavit of Publication

STATE OF IDAHO
COUNTY OF TWIN FALLS } ss.

FEB 03 1992

No 23175

NOTICE OF
APPLICATION FOR
TRUST WATER RIGHT
47-07899TAYLOR, JOYCE
353 7th AVE. E
TWIN FALLS, ID 83301
Source: GROUNDWATER
Diversion Pt: SENE Sec
21 T 10S R 16E TWIN
FALLS County
Use: IRRIGATION (.400
CFS)Total Diversion: (.400
CFS)

Date Filed: 5/14/1985

In: TWIN FALLS Coun
T10S R16E S21 SENE20.0 ACRES TOTAL
47-08019DOSHIER, VERNON E
DOSHIER, PATRICIA M
RT 2 BOX 5804
TWIN FALLS, ID

833010000

Source: GROUNDWATER
Diversion Pt: NWSWSW
Sec 14 T 10S R 16E in
TWIN FALLS CountyUse: IRRIGATION (.760
CFS)Total Diversion: (.760
CFS)

Date Filed: 11/05/1985

In: TWIN FALLS Coun

T10S R16E S14 SWSW

38.0 ACRE TOTAL
47-08109

LYON, RUSSELL

RT 3 BOX 303

BUHL, ID 83316

Source: UNNAMED
STREAM

Tributary: CLEAR CREEK

Diversion Pt: NESENE

Sec 27 T 09S R 14E in

TWIN FALLS County

NESENE Sec 27 T 09S R

14E in TWIN FALLS

County

Use: IRRIGATION (.150
CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.190
CFS)

Date Filed: 12/27/1988

In: TWIN FALLS Coun

T09S R14E S26 SWNW

S27 SENE

5.0 ACRES TOTAL
47-08152

BOHLEN, RUTH

BOHLEN, MICHAEL J

2538 EAST C 3800 N

TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: NWSESW

Sec 14 T 10S R 16E in

TWIN FALLS County

Use: IRRIGATION (.150
CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.190
CFS)

Date Filed: 11/18/1988

In: TWIN FALLS Coun

T10S R16E S14 SESW

5.0 ACRES TOTAL
47-08183

BAGGETT, LARRY

BAGGETT, DELORES

RT 4 BOX 198

BUHL, ID 83316

Source: GROUNDWATER

Diversion Pt: NESESW

Sec 18 T 09S R 15E in

TWIN FALLS County

Use: IRRIGATION (.400
CFS)Total Diversion: (.400
CFS)

Date Filed: 12/15/1988

In: TWIN

T09S R

S26SW

I, Linda Capps McBride being first duly sworn upon oath, depose and say that I am Business Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive weeks, commencing with the issue dated January 16, 1992, and ending with the issue dated January 23, 1992.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLSOn this 31 day of January in the year of 1992, before me,

a Notary Public, personally appeared Linda Capps McBride, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Shirley R. Feltman
Notary Public for IdahoResiding at Twin Falls CountyMy commission expires: 5/19/94

MICROFILMED

APR 08 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
State Office
1301 North Orchard St.

Statehouse Mail
Boise, Idaho 83720
(208) 327-7900

JANUARY 7, 1992

Times News
P.O. Box 548
Twin Falls, ID 83301

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 3, 1992.

Yours truly,

BRENDA L. MILLER
Clerical Specialist

Encl.

RECEIVED

APR 08 1992

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

47-07999

TAYLOR, JOYCE
353 7TH AVE E
TWIN FALLS, ID 83301

Source: GROUNDWATER

Diversion Pt: SENE Sec 21 T 10S R 16E in TWIN FALLS County.

Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)

Date Filed: 5/14/1985

In: TWIN FALLS Coun
T10S R16E S21 SENE

20.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 3, 1992.

R. Keith Higginson, Director

Published: 1/16/1992 & 1/23/1992

APR 08 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 47-7999/*Trust Processing*

DATE: 12-18-91

The above application is a trust water filing which was held in the region and had not been reviewed in sequence with other filings. The filing was not reviewed earlier due to confusion as to whether the point of diversion was in a groundwater management area.

The applicant has returned a trust water information questionnaire stating that development as represented by the application was completed after 1984. Since development was completed after 1984, all acreage will count as trust acreage.

I recommend continued processing of the application. Trust conditions are applicable.

MICROFILMED

APR 08 1992

Microfilm
APR 08 1992

December 2, 1991

RE: APPLICATION FOR PERMIT NO. 47-7999

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, or if the application proposes diversion of more than 5.0 cfs, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

APR 08 1992

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,



TIM LUKE
Sr. Water Resource Spec.

Enclosures

MAILING

APR 8 1992