


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN ELECTRIC	1	MODEL # CBC100 2X5F	Sub	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: IMPRACTICAL, OWNER DID HAVE A PRESSURE GAUGE, BUT IT WAS STUCK AT 20 PSI

FEB 22 1994

T 10S R 16E
Sec 25

22

23

24

19

32'30"

3942

3921

3842

47'12"

27

BM 3974

26

25

30

Knoll

BM 3912

BM 3858

TWIN FALLS (U.S. 30) 3.5 MI.

PACIFIC

UNION

Deadman

47-07956

47'10"

34

35

36

31

FEB 22 1994

PROPERTY

CANAL

BM 4086

4009

CANAL

Guitch

47°06'00"N

T. 10 S.
T. 11 S.

47-7956

L. DEAN



P/D SITTING IN LAWN
EAST OF HOUSE

MICROFILMED

FEB 22 1994

47-7956

L. DEAN



P/U

DOMESTIC USE

NOTE: WELL

CASING TO RIGHT
OF HOUSE



P/U

STOCKWATER USE

(HORSES ARE HIDING
BEHIND TREES)

MICROFILMS

FEB 22 1994

47-7956

L. DEAN



PIU
COMMERCIAL USE
GREENHOUSE



PIU
COMMERCIAL USE
OFFICE &
WAREHOUSE (BACKGROUND)
OF IDAHO SEED &
BEAN COMPANY

MICROFILMED

FEB 22 1994

RECEIVED
JUN 5 1987

Department of Reclamation

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name 245 L DEAN

Address Twin Falls 389

Owner's Permit No. _____

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: DOMESTIC

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐

Dug ☐ Other _____

(explain)

CASING SCHEDULE: Threaded _____ Welded _____

6 1/2" Diam. from 0 ft. to 12 ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

Thickness of casing: 1 1/2" Material: _____

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☐ Type of

perforator used: _____

Size of perforations: " by "

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name _____

Type _____ Model No. _____

Diam. Slot size Set from _____ ft. to _____ ft.

Diam. Slot size Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☐ size of gravel _____ Gravel

placed from _____ ft. to _____ ft. Surface seal

provided? Yes ☐ No ☐ To what depth?

_____ ft. Material used in seal: _____

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water: _____

Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☒ No ☐

Locate well in section

LOCATION OF WELL: County Twin Falls

SE 1/4 SE 1/4 Sec. 25 T. 10 N/S R. 16 E/W

Use other side for additional remarks

Size of drilled hole: 6 1/2" Total

Depth of well: 102 Standing water

level below ground: 7 1/2" Temp. _____

Fahr. _____ Test delivery: _____ gpm

or _____ cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test: _____

Length of time of test: _____ Hrs. _____ Min.

Drawdown: _____ ft. Artesian pressure: ft. _____

above land surface _____ Give flow _____ cfs

or _____ gpm. Shutoff pressure: _____

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER

FEET FEET YES OR NO

0 8 B.T.C. Boulders

8 16 Cinders

16 25 GRAY LAVA

25 35 GRAY LAVA

35 46 GRAY LAVA

46 56 GRAY LAVA

56 61 GRAY LAVA

61 70 CLAY & CINDERS RED

70 75 RED LAVA

75 80 RED LAVA

80 85 CINDERS WATER BACK FORMATION

85 95 BROWN LAVA

95 106 BROWN LAVA

106 102 CINDERS

Work started: July 12-1965

Work finished: July 20-1965

Well Driller's Statement: This well was

drilled under my supervision and this report

is true to the best of my knowledge.

Name: James P. Brown

Address: 1726 Kimberly Road Twin Falls

Signed by: J. P. Brown

License No. 81 Date: Aug 31 1967

MICROFILMED

DEC 23 1988

USGS

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 47-07956

Priority: June 30, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 2.6 AF

This is to certify, that LESLIE L DEAN
RT 4 3639 N 2700 E
TWIN FALLS ID 83301

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 30, 1983; and
has submitted Proof of Beneficial Use on December 7, 1988. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.2 AF
COMMERCIAL	01/01 to 12/31	0.04 CFS	1.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	2.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 25, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10S 16E 25 NESE

PLACE OF USE:

COMMERCIAL, same as STOCKWATER use

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 15 horses.
6. Commercial use is for a greenhouse.
7. Domestic use is for 1 home.

FEB 22 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07956

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of FEBRUARY, 1994.

Acting for


R. Keith Higginson, Director

FEB 22 1994

03/86

RECEIVED

DEC - 7 1988

Department of Water Resources
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

DEC 09 1988

For Office Use Only

Fee Received \$50.

Date 12-7-88

Receipt # 5004315

Receipt by [Signature]

Reviewed by [Signature]

Sent to region 12/8/88
S.O.

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-7956

Name(s) of Permit Holder: Leslie L. Dean

Post Office Address: Rt. 4, 3639 N. 2700 E.

Twin Falls, ID 83301

Telephone No. 733-1984

Source of Water: Groundwater

Extent of Use:

Domestic one (number of households)

Stockwater 40 horses & range (number and type of stock)

Irrigation (acres)

Other/Remark commercial greenhouse

Total rate and/or volume for which proof is submitted 0.10 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: Fall of 1970

Measuring Device: Required? Yes ☐ No ☒
 Installed? Yes ☐ No ☒

Fee enclosed \$ 50.
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☐ No ☒
 Installed? Yes ☐ No ☒

Person to contact to accompany the Department representative during the field examination:

Permit Holder

(Name)

(Telephone Number)

Same

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 20 1988

Date

Signature of Permit Holder (and title, if appropriate)

DEPARTMENT OF WATER RESOURCES

OFFICE OF THE DIRECTOR

Department of Water Resources
Southern Region Office

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

1.000.000.000

1000.000.000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Leslie L. Dean Phone 733-1984

Post office address Rt 4 Twin Falls ID. 83301

2. Source of water supply Groundwater which is a tributary of —

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 10s

Range 16E B.M. Twin Falls County, additional points of diversion if any: —

4. Water will be used for the following purposes:

Amount 0.04 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 cfs for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Allow 0.02 cfs**
Amount 0.04 cfs for Stock water purposes from Oct 1 to April 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: **per Administrator's recommended amount for 40 head
Allow 0.10 cfs* of stock. - kw 3/3/1986
a. 0.12 cfs cubic feet per second and/or b. — acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1 to motor divert water to

1 domestic household, and a bean & seed resant company, bathroom
and 2 green house 40'x60' each. stockwater.

b. Height of storage dam — feet, active reservoir capacity — acre-feet; total reservoir
capacity — acre-feet, materials used in storage dam: —

Period of year when water will be diverted to storage — to — inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 7 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 10s

Range 16E B.M.

(2) Amount of power to be generated: — horsepower under — feet of head.

(3) List number of each kind of livestock to be watered 25 head 15 head Beef Cattle

(4) Name of municipality to be served —, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: 2 bathrooms in plant, and 2 green house

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]**Total number of acres to be irrigated**

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Leslie L. Dear

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 16 E

T
10
S


Section
25

LL Dean Residence
D. G. Wall
Idaho Seed Bean Co

State Hwy 74

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant's Son* (Applicant)

*per phone conversation 3/3/1986 - kw

MICROFILMED

MICROFILMED

Proposed Priority 6/30/83

Received by gpc Date 6/30/83 Time 4:10 PM

Preliminary check by LF Fee \$ 30.00 + 29.00

Receipted by gpc Date 6/30/83

Publication prepared by manga Date 2/22/85

Published in times news

Publication dates 3/7 + 3/14/85

Publication approved manga Date 2/26/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7956, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 91.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The maximum rate of diversion for stockwater purposes under this permit shall not exceed 0.02 cfs.

Witness my hand this 5th day of March, 1986.

A. Glen Saylor
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 15, 1994

LESLIE L DEAN
RT 4 3639 N 2700 E
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-07956

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



FEB 22 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 10 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-7956

1. Owner: LESLIE L. DEAN Phone No. 733-1984

Current Address: Rt 4, 3639 N 2700 E, TWIN FALLS, ID 83501

2. Accompanied by: LESLIE DEAN EXAM DATE: 6-28-93

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: -NONE-

2. Other water rights with the same point of diversion: -NONE-

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	SE	25	10S	16E	TWIN FALLS	QUAD


2. Place(s) of Use:

Indicate Method of Determination QUAD

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	16E	25													PCS				PCS

FEB 22 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN ELECTRIC	1	MODEL # CBC100 2X5F	SUB	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** IMPRACTICAL, OWNER DID HAVE A PRESSURE GAUGE, BUT IT WAS STUCK AT 20 PSI

APR 2 1984

E. NARRATIVE/REMARKS/COMMENTS

A 6 INCH CASED WELL WITH A ONE HP PUMP LIFTS WATER FROM 75 FEET TO A 50 GAL PRESSURE TANK AT 40-60 PSI. WATER IS USE INTERNALLY AND EXTERNALLY AT THE DOMESTIC SITE, STOCKWATER USE IS FOR 10-15 HORSES YEAR-ROUND. COMMERCIAL USE IS FOR "IDAHO SEED AND BEAN COMPANY" WHICH USES WATER IN A 30' x 60' GREENHOUSE (WITH LAVATORY, KITCHEN SINK, AND TOILET), AN OFFICE (WITH LAVATORY, KITCHEN SINK, TOILET & SHOWER) FOR FIVE PERSONS, AND TWO HYDRANTS USED FOR MIXING CHEMICALS, WASHING, AND DUST CONTROL.

PASTURE IS IRRIGATED WITH CANAL WATER.

THE COMMERCIAL PORTION OF THIS PERMIT CLOSELY RESEMBLES A DOMESTIC USE WITH THE GREENHOUSE RESEMBLING AN EXTERNAL USE OF A DOMESTIC. RECOMMEND 0.04 CFS + 1.2 AFA 0.01 CFS OF THIS FLOW RATE IS ^{REQUIRED} FOR THE GREENHOUSE IRRIGATION.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

FEB 22 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

THEORETICAL (1hp, 40 PSI, 75' LIFT) = 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{2.6}$ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{28.95}$ $V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = \underline{2.6}$

2. Volume Calculations for Other Uses:

15hd x 12 x 365 = 1,260 = Stockwater.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	0.04	1.2
COMMERCIAL	1/1	12/31	0.04	1.2
STOCKWATER	1/1	12/31	0.01	0.2
Totals:			0.04	2.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name MIKE HARSHBARGER Date 7-2-93

Reviewer _____ Date _____



T 10S R 16E
Sec 25

22

23

24

19

32'30"

3942

3921

3942

3761

412

27

BM 3974

26

25

30

Knull

BM 3912

BM 3858

PACIFIC

UNION

Deadman

4015

4018

3956

3973

FEB 22 1981

34

35

36

31

CANAL

BM 4086

CANAL

3981

BM 3987

TWIN FALLS (U.S. 30) 3.5 MI.

4710

470000m

T. 10 S.

T. 11 S.

47-09956

To: File 47-7956

From: Groundwater Protection

Date: 12/12/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
3 ☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

This 1965 log may
be for this well. Due
to the age of the
well (1970 or earlier) if
this log is not for this
well it is probably
not available.

OK

JD

RECEIVED

FEB 22 1994

RECEIVED

JAN 6 1965

Department of Conservation

REPORT OF WELL DRILLER State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name LAS J. DILL

Address Twin Falls, Idaho

Owner's Permit No.

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Domestic

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐

Dug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☐

4" Diam. from 0 ft. to 17 ft.

"Diam. from 17 ft. to 25 ft.

"Diam. from 25 ft. to 35 ft.

"Diam. from 35 ft. to 40 ft.

Thickness of casing: 1 1/2 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☐ Type of

perforator used:

Size of perforations: " by "

perforations from 0 ft. to 17 ft.

perforations from 17 ft. to 25 ft.

perforations from 25 ft. to 35 ft.

perforations from 35 ft. to 40 ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name

Type Model No.

Diam. Slot size Set from 0 ft. to 17 ft.

Diam. Slot size Set from 17 ft. to 25 ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☐ size of gravel Gravel

placed from 0 ft. to 17 ft. Surface seal

provided? Yes ☐ No ☐ To what depth?

17 ft. Material used in seal:

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:


Depth of strata 0 ft. Method of sealing

strata off:

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Twin Falls

SE 1/4 Sec. 25 T. 16 N. 16 E. 16 W.

Use other side for additional remarks

Size of drilled hole: 1 1/2 Total

Depth of well: 40 ft. Standing water

level below ground: 35 ft. Temp.

Fahr. Test delivery:

or Test Pump? ☐ Drill ☐

Size of pump and motor used to make test:

Length of time of test: 1 hr. 15 min.

Drawdown: 5 ft. Artesian pressure: 0 ft.

above land surface 0 ft. Give flow 0 gpm.

or 0 gpm. Shut-off pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER

FROM TO YES OR NO

0 5 Gravel

5 10 Gravel

10 15 Gravel

15 20 Gravel

20 25 Gravel

25 30 Gravel

30 35 Gravel

35 40 Gravel

40 45 Gravel

45 50 Gravel

50 55 Gravel

55 60 Gravel

60 65 Gravel

65 70 Gravel

70 75 Gravel

75 80 Gravel

80 85 Gravel

85 90 Gravel

90 95 Gravel

95 100 Gravel

100 105 Gravel

105 110 Gravel

110 115 Gravel

115 120 Gravel

120 125 Gravel

125 130 Gravel

130 135 Gravel

135 140 Gravel

140 145 Gravel

145 150 Gravel

150 155 Gravel

155 160 Gravel

160 165 Gravel

165 170 Gravel

170 175 Gravel

175 180 Gravel

180 185 Gravel

185 190 Gravel

190 195 Gravel

195 200 Gravel

200 205 Gravel

205 210 Gravel

210 215 Gravel

215 220 Gravel

220 225 Gravel

225 230 Gravel

230 235 Gravel

235 240 Gravel

240 245 Gravel

245 250 Gravel

250 255 Gravel

255 260 Gravel

260 265 Gravel

265 270 Gravel

270 275 Gravel

275 280 Gravel

280 285 Gravel

285 290 Gravel

290 295 Gravel

295 300 Gravel

300 305 Gravel

305 310 Gravel

310 315 Gravel

315 320 Gravel

320 325 Gravel

325 330 Gravel

330 335 Gravel

335 340 Gravel

340 345 Gravel

345 350 Gravel

1564

FEB 22 1964

42-7456

L. 1241




RECEIVED

FEB 22 1964

7-17-1934

L. J. B. V.



1934

FEB 22 1934



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-7956

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

MEMORANDUM

DATE: JULY 31, 1992

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

139359

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

FEB 22 1994

To: File 47-7956

From: Groundwater Protection

Date: 12/12/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
3 ☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*This 1965 log may
be for this well. Due
to the age of the
well (1970 or earlier) if
this log is not for this
well it is probably
not available.*

OK

JD

RECEIVED

DEC 23 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 47-7956
Name(s) of Permit Holder(s): Leslie H. Dean
Post Office Address: Rt 4, Box 7871, Twin Falls,
Id. 83301 Tel. No. 33-1984

☒ I hereby certify that construction of diversion works on the above referenced permit began on Complete (date) 1986. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

3/15/86
Date

[Signature]
Signature of Permit Holder

15 MAR 83
1986

ALWAYS
USE ZIP CODE
USA 22

MICROFILMED

DEC 20 1988

RECEIVED



MAR 17 1986 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720
Department of Water Resources

RECEIVED
JAN 5 1965

Department of Reclamation

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Leslie Dean

Address Twin Falls 369

Owner's Permit No.

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Domestic

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐
Dig ☐ Other ☐

CASING SCHEDULE: Threaded ☐ Welded ☐
"Diam. from 6 ft. to 12 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: 1/4 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☐ Type of
perforator used:

Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐


Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☐ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☐ No ☐ To what depth?
 ft. Material used in seal:

Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Twin Falls
SE 1/4 Sec. 25 T. 16 N. 3 R. 16 E

Size of drilled hole: 1 1/2 Total
Depth of well: 102 Standing water
level below ground: 56 Temp.
Fahr. Test delivery: gpm
or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: hrs. min.
Drawdown: ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☐

DEPTH FROM TO FEET FEET	MATERIAL	WATER YES OR NO
0 5	BIG Boulders	
5 16	CLAY LAM	
16 25	CLAY LAM	
25 35	CLAY LAM	
35 46	CLAY LAM	
46 56	CLAY LAM	
56 61	CLAY LAM	
61 76	CLAY & CINDERS LAM	
76 79	RED LAM	
79 86	RED LAM	YES TO
86 95	CINDERS WITH BACK FORMATION	YES TO
95 102	CLAY LAM	
102 102	CINDERS	

Work started: July 12-1965
Work finished: July 20 1965
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: James H. Brown
Address: 1736 Wanda Road Twin Falls
Signed by: James H. Brown
License No. 87 Date: Aug 31 1965

Other side for additional remarks

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 06, 1986

DEAN, LESLIE L.
RT. 4
TWIN FALLS, ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-7956

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-7842
SHAW, N. REX
Rt. 1, Kimberly, ID 83341

Source: Ground water
Date Filed: 01/04/1983
Diversion Pt: SESE

Sec 05 T 10S R 18E
Use: Irrigation (0.02 CFS)

Stockwater (0.01 CFS)
Domestic (0.06 CFS)
In: SESE Sec 05 T 10S R 18E FOR .6 acres

47-7853
LOMAN, HENRY &/or ESTHER

Rt. 4, Box 413, Buhl, ID 83318

Source: Ground water
Date Filed: 01/20/1983
Diversion Pt: SENE

Sec 14 T 10S R 14E
Use: Stockwater (0.20 CFS)

Commercial (0.20 CFS)
Domestic (0.04 CFS)
In: SENE Sec 14 T 10S R 14E

47-7858
DEAN, LESLIE L.

Rt. 4, Twin Falls, ID 83301

Source: Ground water
Date Filed: 06/30/1983
Diversion Pt: NESE

Sec 25 T 10S R 18E
Use: Stockwater (0.04 CFS)

Commercial (0.04 CFS)
Domestic (0.04 CFS)
In: NESE Sec 25 T 10S R 18E

47-7862
SCHEEL, MAURICE E., M.D.

518 East Ave. A, Wendell, ID 83355

Source: UNNAMED STREAM (J-2 COULEE) trib. to MUD CREEK

Dated Filed: 02/25/1983
Diversion Pt: SWSW

Sec 24 T 09S R 14E
Use: Irrigation (0.05 CFS)

Stockwater (0.02 CFS)
Fish Prop. (1.00 CFS)
Aesthetics (1.00 CFS)
In: SWSW Sec 24 T 09S R 14E FOR 2 ACRES

47-7866
BOKMA, WILLIAM

Rt. 4, Sunway North, Twin Falls, ID 83301

Source: Ground Water
Date Filed: 02/24/1983
Diversion Pt: NWSW

Sec 11 T 11S R 17E
Use: Stockwater (0.26 CFS)

Commercial (0.06 CFS)
In: NWSW Sec 11 T 11S R 17E

47-7870
HALEY, J. ROY

Castleford, ID 83321

Source: GROUND WATER
Dated Filed: 03/30/1983

Diversion Pt: NWNW
Sec 34 T 10S R 13E
Use: Stockwater (0.33 CFS)

Commercial (0.33 CFS)
In: NWNW Sec 34 T 10S R 13E

47-7872
HYDROTUBE OF IDAHO

2285 Addison Ave. E., Twin Falls, ID 83301

Source: Ground water
Date Filed: 04/04/1983
Diversion Pt: SWSW

Sec 11 T 10S R 17E
Use: Irrigation (0.05 CFS)

Commercial (0.07 CFS)
Heating (0.20 CFS)
Recreation (0.06 CFS)
In: SWSW Sec 11 T 10S R 17E FOR 1.5 ACRE

GWEN M

PO BOX 2485, ID 83301

Fidavit of Publication

Source: Groundwater

Date Filed: 06/21/1983

Diversion Pt: NENE

Sec 16 T 10S R 18E

Use: Irrigation (0.05 CFS)

Domestic (0.04 CFS)

In: NENE Sec 16 T 10S R 18E FOR 2 ACRES

47-7917

RANDELL, C. GENE

Rt. 1 Box 296, Kimberly, ID 83341

Source: Ground water

Date Filed: 06/22/1983

Diversion Pt: SWSE

Sec 04 T 10S R 18E

Use: Stockwater (0.03 CFS)

Commercial (0.03 CFS)

In: SWSE Sec 04 T 10S R 18E

47-7919

LEYTHAM, RICHARD

Rt. 1, Twin Falls, ID 83301

Source: Ground water

Date Filed: 06/16/1983

Diversion Pt: NWSW

Sec 16 T 11S R 16E

Use: Irrigation (0.06 CFS)

Stockwater (0.02 CFS)

Domestic (0.20 CFS)

In: NESW NWSW Sec 16 T 11S R 16E SESW Sec 16 T 11S R 16E FOR 2 ACRES

47-7920

VANDENBARK, TRENA

KIMBALL, ED

HOWE, LEON

c/o TRENA VANDENBARK, Rt. 1, Kimberly, ID 83341

Source: Ground water

Date Filed: 06/23/1983

Diversion Pt: NWNE

Sec 21 T 10S R 18E

Use: Irrigation (0.03 CFS)

Domestic (0.06 CFS)

In: NWNE Sec 21 T 10S R 18E FOR 1 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN

Director

PUBLISH: Thursday, March 7, and 14, 1985.

COUNTY OF IDAHO.

COUNTY OF TWIN FALLS.

Linda Capps McQuinn

being first duly sworn up

depose and say that I am

lished daily, at Twin Falls, Idaho, and do solemnly swear that a copy of

notice of advertisement, as per clipping attached, was published in the regular and

issue of said newspaper, and not in any supplement thereof, for

secutive weeks

March 7, 1985

March 14, 1985

And I do further certify that said newspaper is a consolidation, effective February 16,

2, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin

s News, published theretofore daily except Monday, both of which newspapers prior to

olidation had been published under said names in said city and county continuously and

interruptedly during a period of more than twelve consecutive months, and said TIMES-

WS, since such consolidation, has been published as a daily newspaper except Saturday,

July 31, 1978, at which time said newspaper began daily publication under said name

aid city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week

been designated as the day on which legal notice by law or by order of any court of com-

tent jurisdiction within the state of Idaho, to be published weekly, will be published; and

at the head of the editorial column of said combined newspapers, and in each issue th-

ursday is announced as the day on which said legal notices will be published.

Linda Capps McQuinn

Subscribed and sworn to before me on this

March 1985

Soldie J. Lawrence

Notary Public in and for the County of Twin Falls,

State of Idaho, residing at Twin Falls, Idaho

47-7876

PAUL, W.R.

P.O. Box 2010, Sparks,

NV 89431

Source: Ground water

Date Filed: 04/29/1983

Diversion Pt: SESE

Sec 32 T 08S R 14E

Use: Commercial (0.04 CFS)

Fish Prop. (0.24 CFS)

Heating (0.10 CFS)

Domestic (0.08 CFS)

Recreation (0.02 CFS)

In: SESE Sec 32 T 08S R 14E

47-7885

LITWILLER, RAYMOND

W.

Rt. 1, Buhl, ID 83316

Source: Ground water

Date Filed: 05/11/1983

Diversion Pt: Lot 02

(NWNE) Sec 03 T 11S R 14E

Use: Stockwater (0.13 CFS)

Stockwater (0.06 CFS)

Commercial (0.06 CFS)

Domestic (0.04 CFS)

In: LOT 02 (NWNE) Sec 03 T 11S R 14E

47-7886

MILLER, JAMES R. &/or

LAURA

532 Washington St., Twin

Falls, ID 83301

Source: DEADMAN

CREEK

Date Filed: 05/17/1983

Diversion Pt: SESE

Sec 18 T 10S R 17E

Use: Irrigation (0.06 CFS)

In: SESE Sec 18 T 10S R 17E FOR 2 ACRES

47-7888

HARMS, MELISSA

SMALLEY

RT. 3 Box 241, Buhl, ID

83316

Source: SPRING trib.

to DEEP CREEK

Date Filed: 05/23/1983

Diversion Pt: SESE

Sec 09 T 09S R 14E

Use: Irrigation (0.06 CFS)

Stockwater (0.02 CFS)

Domestic (0.04 CFS)

In: SESE Sec 09 T 09S R 14E FOR 3 ACRES

N^o 14854

being first duly sworn up

of the TIMES-NEWS,

do solemnly swear that a copy of

notice of advertisement, as per clipping attached, was published in the regular and

issue of said newspaper, and not in any supplement thereof, for

commencing with the issue dated

1985, and ending with the issue dated

1985.

And I do further certify that said newspaper is a consolidation, effective February 16, 2, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin s News, published theretofore daily except Monday, both of which newspapers prior to solidation had been published under said names in said city and county continuously and interruptedly during a period of more than twelve consecutive months, and said TIMES-WS, since such consolidation, has been published as a daily newspaper except Saturday, July 31, 1978, at which time said newspaper began daily publication under said name aid city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week been designated as the day on which legal notice by law or by order of any court of com- tent jurisdiction within the state of Idaho, to be published weekly, will be published; and at the head of the editorial column of said combined newspapers, and in each issue th- hursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this

20 day of

Notary Public in and for the County of Twin Falls, State of Idaho, residing at Twin Falls, Idaho

MICROFILMED

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

FEBRUARY 22, 1985

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 25, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

42-2956-

DEAN, LESLIE L.

RT. 4, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversion Pt: NESE Sec 25 T 10S R 16E

Use: STOCKWATER	(0.04 CFS)
COMMERCIAL	(0.04 CFS)
DOMESTIC	(0.04 CFS)

In: NESE Sec 25 T 10S R 16E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN

Director

Published 3/7/ & 3/14/85.

MICROFILMED

ok
maup
2/26/85

47-7000
DEAN, LESLIE L.
Rt. 4, Twin Falls, ID
83301
Source: Ground water
Date Filed: 08/30/1983
Diversion Pt: NESE
Sec 25 T 10S R 16E
Use: Stockwater (0.04
CFS)
Commercial (0.04 CFS)
Domestic (0.04 CFS)
In: NESE Sec 25 T 10S
R 16E