

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

P.D. P.U.
 7 T 108 R 172

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark S. Hoggli
(Applicant)

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

RECEIVED


JUN 30 1976

1. WELL OWNER Name <u>MASK + Cyndie KOFFER</u> Address <u>Rt 4 1068 Washington</u> Owner's Permit No. _____		2. WATER LEVEL Static water level <u>40</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>58</u> ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Other Discharge G.P.M. <u>40</u> Draw Down <u>20-25 ft</u> Hours Pumped <u>2 hr</u>																																																											
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>5</td><td>0</td><td>9</td><td>Surface Dirt</td><td></td><td></td></tr><tr><td>8</td><td>9</td><td>28</td><td>Black Basalt</td><td></td><td></td></tr><tr><td>6</td><td>28</td><td>47</td><td>Gray Basalt</td><td></td><td></td></tr><tr><td>6</td><td>47</td><td>47</td><td>Crevise</td><td></td><td></td></tr><tr><td>6</td><td>47</td><td>70</td><td>Black Basalt</td><td></td><td></td></tr><tr><td>6</td><td>70</td><td>80</td><td>Dark Gray Basalt</td><td></td><td></td></tr><tr><td>6</td><td>80</td><td>105</td><td>Black Basalt</td><td></td><td></td></tr><tr><td>6</td><td>105</td><td>115</td><td>Black Basalt</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	5	0	9	Surface Dirt			8	9	28	Black Basalt			6	28	47	Gray Basalt			6	47	47	Crevise			6	47	70	Black Basalt			6	70	80	Dark Gray Basalt			6	80	105	Black Basalt			6	105	115	Black Basalt		
Hole Diam.	Depth		Material		Water																																																								
	From	To		Yes	No																																																								
5	0	9	Surface Dirt																																																										
8	9	28	Black Basalt																																																										
6	28	47	Gray Basalt																																																										
6	47	47	Crevise																																																										
6	47	70	Black Basalt																																																										
6	70	80	Dark Gray Basalt																																																										
6	80	105	Black Basalt																																																										
6	105	115	Black Basalt																																																										
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																																													
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>115</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>280</u> inches Diameter <u>6</u> inches From <u>1</u> feet To <u>18</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal ☒ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Shurry pit ☐ Temporary surface casing ☒ Overbore to seal depth																																																													
6. LOCATION OF WELL Sketch map location must agree with written location. (47) <table border="1"><tr><td>N</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>X</td><td></td></tr><tr><td>W</td><td></td><td></td><td>E</td></tr></table> Subdivision Name <u>Carter</u> Lot No. <u>3</u> Block No. <u>2</u> County <u>Twin Falls</u> SW 1/4 NE 1/4 Sec. <u>7</u> T. <u>10</u> N. R. <u>17</u> E		N						X		W			E	10. Work started <u>May 19</u> finished <u>June 2</u>																																															
N																																																													
		X																																																											
W			E																																																										
		11. DRILLERS CERTIFICATION Firm Name <u>Eugene W. Walker</u> Firm No. <u>15</u> Address <u>1207 Pierce St. Twin Falls</u> Date <u>6-29-76</u> Signed by (Firm Official) <u>Eugene W. Walker</u> and (Operator) <u>Fredrick B. Walker</u>																																																											

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = Not to scale

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	unk	1	unk	Goulds	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

JUN 27 1996

57-105-17E
47-7935



RECORDED
JUN 27 1996



→ This was originally
to be a p.o.u.
NOT used as PUM
Hooked - up to city
sewer

P.O.D. ←



→ P.O.U.
RECEIVED
JUN 27 1996
47-07935

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07935

Priority: June 29, 1983

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 2.0 AF

This is to certify, that CYNTHIA G KOFFER
MARK S KOFFER

1068 WIRSCHING AVE W
TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1983; and has submitted Proof of Beneficial Use on February 5, 1991. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	2.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 7, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	7	SWNE	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs nor exceed a combined annual diversion volume of 2.0 af for the lands above.

JUN 27 1983

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07935

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 31ST
day of MAY, 1996.


Acting for KARL J. DREHER, Director

RECEIVED

STATE OF IDAHO

FEB - 5 1991

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-07935 Telephone No. 734-3054

2. Name(s) of Permit Holder(s): Mark S. & Cynthia G. Koffer

3. Post Office Address: 1068 Wirsching Ave. W. Twin Falls, ID 83301

4. Source of Water: Groundwater

a. If ground water, well driller's name: Walker Water Systems, Inc. Date drilled: 5/19/76

b. Pump horsepower: 1 Pressure (psi): N/A Dynamic pumping level (ft.): 47'

5. Extent of Use:

Domestic 1 (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes Yes No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Mark S. Koffer

734-3054

Name

Telephone No.

1068 Wirsching Ave. W. Twin Falls, ID 83301

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Mark S. & Cynthia G. Koffer Phone 208-734-3054

Post office address 1068 Wirschny Ave W, Twin Falls Id 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 Township 10S

Range 17E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum) ALLOW MAR. 15 Nov. 15 - kw 4/1/86

Amount .02 for heating purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 115 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 7 Township 10S
Range 17E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: .02 cfs for use with water to air heat pump

REFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	SW¼	
10S	17E	7			0.5														0.5

Total number of acres to be irrigated 0.5

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Mark S. & Cynthia G. Koffen

b. Who owns the land to be irrigated or place of use AS Above

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark L. Hoffler
(Applicant)

Proposed Priority 6/29/83

MICROFILM

Received by A.A. Date 6-29-83 Time 2:44 PM

Preliminary check by T.G.B. Fee \$ 30⁰⁰ 29089 ju

Receipted by A.A. Date 6-29-83

Publication prepared by maripa Date 1/14/85

Published in times news

Publication dates 1/31 + 2/7/85

Publication approved maripa Date 1/22/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADA kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7935, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

The well shall not be drilled to a depth greater than 200 feet without prior written approval of the Department.

Witness my hand this 2nd day of April, 1986.

A. Glen Saylor
Chief, Operations Bureau

LEGAL NOTICE

LEGAL NOTICE

Affidavit of Publication

Nº 14738

STATE OF IDAHO,
COUNTY OF TWIN FALLS

ss.

being first duly sworn upon

I, Linda Capps McBaine of the TIMES-NEWS, oath, depose and say that I am Print Clerk published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive Weeks, commencing with the issue dated January 31, 1985, and ending with the issue dated January 7, 1985.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this

13 day of

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-7857
INCHAUSTI, MARIE
Rt. 1, Castleford, ID 83321
Source: Ground water
Date Filed: 02/08/1983
Diversion Pt: NWNE
Sec 11 T 11S R 13E
Use: Irrigation (0.02 CFS)
Domestic (0.06 CFS) 2 HOMES
In: NWNE Sec 11 T 11S R 13E FOR 1 ACRES

47-7860
SORENSEN, JOHN
Rt. 1, Twin Falls, ID 83301
Source: Groundwater
Date Filed: 02/25/1982
Diversion Pt: NENE
Sec 17 T 11S R 16E
Use: IRRIGATION (0.10 CFS)
Domestic (0.04 CFS) 2 Homes
In: NENE Sec 17 T 11S R 16E FOR 5 ACRES

47-7866
Stansell, Earl R.
Rt. 4, Twin Falls, ID 83301
Source: Ground water
Date Filed: 03/02/1983
Diversion Pt: SWSE
Sec 23 T 10S R 16E
Use: Irrigation (0.06 CFS)
Domestic (0.02 CFS)
In: SWSE Sec 23 T 10S R 16E FOR 2 ACRES

47-7871
MONROC, INC.
P.O. Box 274, Twin Falls, ID 83301
Source: Ground Water
Date Filed: 04/05/1983
Diversion Pt: SWSE
Sec 07 T 10S R 17E
Use: INDUSTRIAL (0.20 CFS)
In: SWSE Sec 07 T 10S R 17E

47-7898
L.D.S. CHURCH FILER
STAKE
RT. 1, FILER, ID 83328
Source: Ground water
Date Filed: 06/09/1983
Diversion Pt: SWNW
Sec 27 T 12S R 16E
Use: Irrigation (0.02 CFS)
Domestic (0.04 CFS)
In: SWNW Sec 27 T 12S R 16E FOR 0.25 ACRES

47-7902
TEATER, J. DAVID
RT 1, FILER, ID 83328
Source: Groundwater
Date Filed: 06/14/1983
Diversion pt: NWNE
Sec 32 T 09S R 16E
Use: Irrigation (0.08 CFS)
Domestic (0.04 CFS)
In: NWNE Sec 32 T 09S R 16E FOR 2.5 ACRES

47-7905
REIS, GERALD L. &/or MARY R.
Rt. 4 Box 7754, Twin Falls, ID 83301
Source: Ground water
Date Filed: 06/09/1983
Diversion Pt: NENE
Sec 26 T 10S R 16E
Use: Irrigation (0.02 CFS)
Domestic (0.04 CFS)
In: NENE Sec 26 T 10S R 16E FOR 1 ACRES

47-7909
JONES, RODGER &/or LORAIN
Rt. 4 Box 7539, Twin Falls, ID 83301
Source: Groundwater
Date Filed: 05/31/1983
Diversion Pt: NESE
Sec 11 T 10S R 16E
Use: Irrigation (0.02 CFS)
Domestic (0.02 CFS)
In: NESE Sec 11 T 10S R 16E FOR 1 ACRES

47-7921
DUNLAP, CLAYTON L. &/or BLANCHE
Rt. 1, FILER, ID 83328
Source: Ground water
Date Filed: 06/24/1983

47-7935
KOFFER, MARK &/or CYNTHIA G.
1068 Wirsching Ave. West, Twin Falls, ID 83301

Source: Ground water
Date Filed: 06/29/1983
Diversion Pdt: SWNE
Sec 07 T 10S R 17E
Use: Irrigation (0.02 CFS)
Heating (0.02 CFS)
Domestic (0.04 CFS)
In: SWNE Sec 07 T 10S R 17E FOR 0.5 ACRES

47-7936
COUNTRY ACRES WATER CO.
C/O ARNOLD ALGER, Rt. 3, Filer, ID 83328
Source: Ground water
Date Filed: 07/01/1983
Diversion Pdt: SESE
Sec 15 T 10S R 16E
Use: Irrigation (0.03 CFS)
Domestic (0.11 CFS)
In: SESE Sec 15 T 10S R 16E FOR 1 ACRES 5 Homes

47-7988
STAFFORD, DAVID J. &/or CORAL L.
RT. 3, WOOD RIDGE ESTATES, TWIN FALLS, ID 83301

Source: Ground water
Date Filed: 06/01/1984
Diversion Pt: SESW
Sec 13 T 10S R 17E
Use: Stockwater (0.02 CFS)

Commercial (0.04 CFS)
In: SESW Sec 13 LKT 10S R 17E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue lakes Blvd North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 18, 1985.

A. KENNETH DUNN
Director
PUBLISH: Thursday, January 31, and February 7, 1985.

MICROFILMED

47-7880
SAGRI-CHEMICALS
S FARM SERVICE
INTER, P.O. Box 7, Buhl, ID 83328
Source: Ground Water
Date Filed: 05/02/1983
Diversion Pdt: NESE
c 02 T 10S R 15E
Use: Commercial (1.00 S)
NESE Sec 02 T 10S R 15E

47-7881
SAGRI-CHEMICALS
S FARM SERVICE
INTER, P.O. Box 100, Buhl, ID 83334
Source: GROUND WATER
Date Filed: 05/02/1983
Diversion Pt: NENW
26 T 10S R 18E
Use: COMMERCIAL (0 CFS)
NENW Sec 26 T 10S R 18E

47-7887
COLBERG, JAMES M. &/or THERESA M.
3 Box 7, Buhl, ID 83301
Source: Ground water
Date Filed: 05/12/1983
Diversion Pt: NESE
35 T 09S R 14E
Use: IRRIGATION (0.03 CFS)
Domestic (0.02 CFS)
NESE Sec 35 T 09S R 14E FOR 1 ACRES

47-7890
ER, ROBERT &/or JAE.
4 Box 7752, Twin Falls, ID 83301
Source: Ground water
Date Filed: 05/23/1983
Diversion Pt: NENE
26 T 10S R 16E
Use: Irrigation (0.03 CFS)
Domestic (0.04 CFS)
NENE Sec 26 T 10S R 16E FOR 1 ACRES

47-7891
RING, DAVE
4 Box 263, BUHL, ID 83301
Source: Ground water
Date Filed: 05/23/1983
Diversion Pt: NENE
24 T 09S R 14E
Use: Irrigation (0.06 CFS)
Domestic (0.06 CFS)
NENE Sec 24 T 09S R 14E FOR 2 ACRES 2 Homes

47-7893
MCAN. BURL E. &/or VIN L.
t. 2, Kimberly, ID 83301
Source: Ground water
Date Filed: 05/24/1983
Diversion Pt: NESE
20 T 11S R 18E
Use: Irrigation (0.06 CFS)
Domestic (0.06 CFS)
NESE Sec 20 T 11S R 18E FOR 2 ACRES 2 Homes

47-7896
ITH, CLINTON &/or NINE BLADES, LORAIN M. Blades,
Box 53, Filer, ID 83328
Source: Ground water
Date Filed: 06/08/1983
Diversion Pt: SWSE
07 T 10S R 16E
Use: Irrigation (0.03 CFS)
Domestic (0.04 CFS)
SWSE Sec 07 T 10S R 16E

47-7897
S. CHURCH
ABERLY IDAHO
AKE, 50 EAST NORTH
MPLE ST., SALT
KE CITY, UT 84150
Source: Ground water
Date Filed: 05/31/1983
Diversion Pt: SENE
c 17 T 10S R 18E
Use: Irrigation (0.02 S)
Domestic (0.09 CFS)
In: SENE Sec 17 T 10S R 18E FOR 0.5 ACRE

47-7898
Diversion Pt: N
Sec 09 T 10S R 18E
Use: Irrigation (0.08 CFS)
Domestic (0.02 CFS)
In: NWNW Sec 09 T 10S R 16E FOR 2.5 ACRES

47-7922
ANDES, BRADLEY D. &/or JENNIFER
Rt 3 Box 275, Buhl, ID 83316
Source: Ground water
Date Filed: 06/23/1983
Diversion Pt: NWSW
Sec 22 T 09S R 14E
Use: Irrigation (0.07 CFS)
Domestic (0.04 CFS)
In: NWSW Sec 22 T 09S R 14E For 2.5 Acres

47-7926
HARTWELL, DARLENE HAMILTON
PO BOX 1172, Challis, ID 83226
Source: Ground water
Date Filed: 06/28/1983
Diversion Pt: SENW
Sec 36 T 10S R 17E
Use: Irrigation (0.09 CFS)
Stockwater (0.02 CFS)
Domestic (0.08 CFS)
In: NENW SENW Sec 36 T 10S R 17E FOR 3 ACRES 3 homes

47-7929
EUGENE W. WALKER
624 Pierce St., Twin Falls, ID 83301
Source: Ground water
Date Filed: 06/29/1983
Diversion Pt: SENE
Sec 04 T 10S R 17E
Use: Irrigation (0.02 CFS)
Heating (0.02 CFS)
Cooling (0.02 CFS)
Domestic (0.04 CFS)
In: SENE Sec 04 T 10S R 17E FOR 0.5 ACRES

47-7930
GRINDSTED, E. CARL &/or BOBETTE
Rt. 1, Filer, ID 83328
Source: Ground water
Date Filed: 06/28/1983
Diversion Pt: NWNW
Sec 09 T 10S R 18E
Use: Irrigation (0.03 CFS)
Domestic (0.04 CFS)
In: NWNW Sec 09 T 10S R 16E FOR 1 ACRES

47-4732
FISHER, JAMES &/or NINA
Pt. 2 Box 214A, FILER, ID 83328
Source: Ground water
Date Filed: 06/22/1983
Diversion Pt: Lot 04
Sec 01 T 11S R 15E
Use: Irrigation (0.14 CFS)
Domestic (0.06 CFS)
In: Lot 04 (NWNW) Sec 01 T 11S R 15E FOR 5 ACRES 2 Homes

47-7933
FOOTS, MARVIN L. BURKHOLTER, ROCKY
Rt. 2, Twin Falls, ID 83301
Source: Ground water
Date Filed: 06/27/1983
Diversion Pdt: NENW
Sec 26 T 10S R 16E
Use: Irrigation (0.02 CFS)
Domestic (0.06 CFS)
In: NENW Sec 26 T 10S R 16E FOR 0.25 ACRES-2 homes

47-7934
KILLINGER, CARTER
DBA Highway 30 garage, Box 1019, Twin Falls, ID 83301
Source: Ground water
Date Filed: 07/01/1983
Diversion Pt: SESE
Sec 11 T 10S R 16E
Use: Irrigation (0.02 CFS)
Commercial (0.10 CFS)
Domestic (0.08 CFS)
In: SESE Sec 11 T 10S R 16E FOR 1/2 Acre- 3 homes



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 3, 1996

CYNTHIA G KOFFER
MARK S KOFFER
1068 WIRSCHING AVE W
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-07935

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUN 27 1996

MEMORANDUM

DATE: May 28, 1996
TO: File No. 47-07935
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

=====


The following adjustments¹ were made on the field report to reflect actual development of permitted use:

1. Rate of diversion.
 - a. **Irrigation** = acres x cfs/acre
= **0.5** x 0.03
= **0.02** cfs.
2. Annual Volume.
 - a. **Irrigation** = acres x AF/acre
= **0.5** x 4.0
= **2.0** AF.

RECEIVED
JUN 27 1996

¹Adjustments made are **bolded and underlined**.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = Not to Scale

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<u>unk</u>	<u>1</u>	<u>unk</u>	<u>Goulds</u>	<u>1"</u>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

JUN 27 1996

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM CONSISTS OF A 6" WELL 115' DEEP WITH A DYNAMIC HEAD (LIFT) OF 47 FT. H₂O IS DIVERTED TO A NOSE-TYPE SPRINKLER SYSTEM. THERE ARE NO PRESSURE TANKS OR CONTROL SYSTEMS.

THE HEATING COMPONENT OF THE WATER RIGHT HAS BEEN ABANDONED, BECAUSE OF HEALTH REGULATIONS.

THE DOMESTIC COMPONENT OF THE WATER RIGHT HAS BEEN ABANDONED - THE HOUSE IS HOOKED-UP TO CITY WATER.

THE IRRIGATION COMPONENT COULD BE MET, HOWEVER THE OWNER HAS FILED AN ADJ CLAIM THAT IS USING THE DOMESTIC USE COMPONENT AND IS RECOMMENDING .04 CFS.

.04 CFS RECOMMENDED -

Have conditions of permit approval been met? ☐ yes ☒ no

JUN 27 1996

Additional Computation Sheets Attached

Measured Method: Thermistors

$$\frac{8.8 \times 10^3 \times \text{EFF}}{T \Delta H} = Q$$

$$\frac{3.8 \times 1 \times .70}{47 + (35 \times 2.31)} = \frac{6}{128} = .04 \text{ cts.}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{10em}}$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$V = \text{Smaller of } V_{L,R} \text{ and } V_{D,R} =$ _____

2. Volume Calculations for Other Uses:

Dom. Adj Claim for .04 cfs
No FEE rec'd limiting
factor .04 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
* Domestic	01-01 *	12-31 *	.04 *	.03 afa *
Totals:			.04 *	*

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Dallas R. Ingram Date 07-10-95

Reviewer _____ **Date** _____

SEAL

* Adjustments made during the review of this right for license approval.
See memo for additional information. 5/28/96

JUN 2 1996

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 17-17935

DATE: 07-10-95BY: dkf

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) (\dots 1 \dots) (0.70)}{[(\dots 47 \dots) + (\dots 35 \dots \times 2.31)]} = \frac{6}{128} = .04 \text{ cfs}$$

LIFT FROM:

measurement ()

owner (X)

area estimate ()

well logs (X)

Booster (Y) (N)

PSI FROM:

measurement ()

owner (X)

estimate ()

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

Goulds

REMARKS

ANNUAL VOLUME ANALYSIS

$$\text{POTENTIAL Acre Feet/Acre/Annum} = \frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$$

(season)	(days)	
3/15 - 11/15	246	(.....) X (1.98) X (.....)
4/1 - 11/1	215	POTENTIAL =
4/15 - 10/15	184	
3/1 - 12/1	276	(.....)

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum

= (AF/Ann/Ac irrigation requirement from chart for area)


NOTE that this is NOT Consumptive use


IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

RECEIVED
JUN 1 1995


57-105-17E
47-7935





→ This was originally
to be a p.o.u.
NOT used as such
Hooked - up to city
sewer

P.O.D.



→ P.O.U.

JUN 27 1986
47-07935



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

JUN 27 1996

February 26, 1991

CYNTHIA G. KOFFER
MARK S. KOFFER
1068 WIRSCHING AVE. WEST
TWIN FALLS, ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-07935

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

FILED

MAR 19 1991

138019
January 31, 1991

CYNTHIA G. KOFFER
MARK S. KOFFER
1068 WIRSCHING AVE. WEST
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-07935

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

MAR 1 2 1991

STATE OF IDAH
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 03, 1986

KOFFER, MARK & CYNTHIA G.
1068 WIRSCHING AVE. WEST
TWIN FALLS, ID 83301

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-7935

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

Mark S. Koffer
Cynthia G. Koffer
1068 W. Wirsching
Twin Falls, ID 83301

March 26, 1986

RECEIVED
MAR 28 1986

Mr. L. Glen Saxton
Idaho Dept. of Water Resources
Statehouse Mail
Boise, ID 83720

Department of Water Resources

RE: Application for Permit No. 47-7935

Dear Mr. Saxton:

We wish to protest your delays on approving our application for permit # 47-7935. A simple check of the well log for that well will show a total depth of 115 feet and a water temperature of 58° F. There is no way our well could affect the ongoing law suit with the College of Southern Idaho. Our inclusion of heating on the permit was to allow for the use of a ground water heat pump.

We have enclosed a copy of a letter from Nelson, Rosholt, Robertson, Tolman & Tucker, Attorneys at Law, that shows we have been removed from the C.S.I. lawsuit. In the light of the above information, we see no reason to further delay our application.

We look forward to hearing from you on this matter in the very near future.

Very truly yours,

Mark S. Koffer
Mark S. Koffer

Cynthia G. Koffer
Cynthia G. Koffer

Encl.

MICROFILMED

NELSON, ROSHOLT, ROBERTSON, TOLMAN & TUCKER
Chartered

ATTORNEYS AT LAW
142 3RD AVE NO.

MAILING ADDRESS: P.O. Box 1906
TWIN FALLS, ID 83303-1906
TELEPHONE (208) 734-0700
SUN VALLEY (208) 726-4661

THOMAS G. NELSON
JOHN A. ROSHOLT
J. EVAN ROBERTSON
STEVEN K. TOLMAN
JAMES C. TUCKER

TERRY T. UHLING
LAIRD B. STONE
GARY D. SLETTE

March 29, 1985

Mr. Mark Koffer
Cynthia G. Koffer
1068 Wirsching Ave. West
Twin Falls, Idaho 83301

RE: College of Southern Idaho v Idaho Department of Water
Resources, Your Permit No. 47-7935


Dear Mr. & Mrs. Koffer:

This office is in receipt of your letter dated March 19, 1985, referencing the above-captioned action.

We have done extensive research at the Department of Water Resource and in so doing have located your well log report. It has been determined that your well is 115 feet in depth and the temperature of the water is 58°.

From this information, it has been determined by the plaintiff's attorney that you will be dismissed from the captioned lawsuit. A Motion to Dismiss will be timely filed with the court requesting that you be dismissed without prejudice.

Sincerely,



Terry T. Uhling

CCF/sw

MICROFILMED

MEMORANDUM

TO: File 47-7935
FROM: John Beal
DATE: April 26, 1985

This application is for "cold" water rather than the geothermal water.

If approved, I recommend the following conditions:

-  1. Well shall not be drilled to a depth greater than 200 ft. without prior written approval of the Department.
- ✓ 2. Standard Condition 09C.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 26, 1986

Mark S. & Cynthia G. Koffer
1068 Wirsching Ave. W.
Twin Falls, ID 83301

Re: Application for Permit No. 47-7935

Dear Mr. and Mrs. Koffer:

This Department has recently completed the preliminary processing of the above-referenced Application for Permit to appropriate the public waters of the state of Idaho.

Although there were no protests received by the Department against the approval of said application, the Department is presently delaying further action (approval of the application) because the ground water source identified on the application is located in the Twin Falls Ground Water Management Area. (Enclosed for your information is a copy of the Order creating this Management Area.)

The primary reason for creating a ground water management area was due to the competition for the hot water resource in the area. There presently is an on-going lawsuit filed by the College of Southern Idaho relative to competing uses of the hot water.

For the above reasons, the Department will hold your application without approval pending the results of the lawsuit or evidence that there is water available for your use.

It is possible for you to drill a well and to use the water for single family domestic purposes without a water right permit. If water is used from a well in compliance with the definition of domestic use, a water right permit is not required. Water used for heating on one home is included in the definition of domestic use.

If you have questions, please contact either this office or our office in Twin Falls.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

1s

cc: Southern Region

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 17, 1985

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen,

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 18, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NO. OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

42-7935-

KOFFER, MARK &/or CYNTHIA G.

1068 WIRSCHING AVE. WEST, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: SWNE Sec 07 T 10S R 17E

Use: IRRIGATION	(0.02 CFS)
HEATING	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: SWNE Sec 07 T 10S R 17E FOR ~~XXXXXX~~ 0.5 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 18, 1985.

A. KENNETH DUNN

Director

Published 1/31 & 2/7/85.

MICROFILMED

ok
maye

47-7000 47-7
KOFFER, MARK &/or
CYNTHIA G.
1068 Wirsching Ave.
West, Twin Falls, ID
83301
Source: Ground water
Date Filed: 06/29/1983
Diversion Pdt: SWNE
Sec 07 T 10S R 17E
Use: Irrigation (0.02
CFS)
Heating (0.02 CFS)
Domestic (0.04 CFS)
In: SWNE Sec 07 T 10S
R 17E FOR 0.5 Acres