


47-7918



1992



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).


 Photo of Diversion and System Attached


*Code to correspond with No. on map and aerial photo

1	2
---	---

MEMPHIS

MAR 28 1996





PERMIT 47-0914 INIT

T. R. S. Q/Q

P/D 105 16E 15 SE3E

SCALE

PHOTO ID. 8872

47-07918



#1

P/D

Pump is
located under
concrete cover.



#2

P/u

Irrigation

MICRO...

MAR 28 1996

47-07918



#3

P/4

Irrigation



#4

P/4

Irrigation

MISSOURI

MAR 28 1996

47-07918



#5

Home on
the property-



#6

Pasture
that is
west of
House and
is not
irrigated.

MAR 28 1996

NOTICE OF
APPLICATION FOR
WATER PERMIT

The following applica-
tion (s) has been filed to
appropriate the public
waters of the State of
Idaho:

47-7918

ROWE, ROBERT J. &/or
VIOLET

Rt. 2, Filer, ID 83328

Source: Groundwater

Date Filed: 06/23/1983

Diversion Pt: SESE Sec

15 T 10S R 16E, 1 mile S.

and 2.5 miles E. of Filer

Use: Irrigation (0.06 CFS)

In: SESE Sec 15 T 10S R

16E for 2 acres

The permits will be
subject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water
Resources, Southern
Region, 2148 Fourth
Avenue East., Twin
Falls, Idaho 83301 on or
before February 8, 1988.

R. Keith Higginson,
Director

PUBLISH: Thursday,

January 21 & 28, 1988

Affidavit of Publication

STATE OF IDAHO,

COUNTY OF TWIN FALLS

SS.

RECEIVED

No 18240

FEB 8 1988

I, Linda Capps McQuinn, being first duly sworn upon
oath, depose and say that I am Public Clerk of the
published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of
the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for two
consecutive weeks, commencing with the issue dated

January 21, 1988, and ending with the issue dated
January 28, 1988.

And I do further certify that said newspaper is a consolidation, effective February 16,
1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin
Falls News, published theretofore daily except Monday, both of which newspapers prior to
consolidation had been published under said names in said city and county continuously and
uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday,
until July 31, 1978, at which time said newspaper began daily publication under said name
in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week
has been designated as the day on which legal notice by law or by order of any court of com-
petent jurisdiction within the state of Idaho, to be published weekly, will be published; and
that at the head of the editorial column of said combined newspapers, and in each issue there-
of, Thursday is announced as the day on which said legal notices will be published.

Linda Capps McQuinn
Subscribed and sworn to before me on this 29 day of

January, 1988.
Brenda Parker

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

JUL 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07918

Priority: June 23, 1983

Maximum Diversion Rate:

0.03 CFS

This is to certify, that VIOLET ROWE
ROBERT J ROWE

3811 N 2500 E
FILER ID 83328

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 23, 1983; and has submitted Proof of Beneficial Use on August 20, 1992. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	0.03 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 15, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	15	SESE	0.4		0.4

Total number of acres irrigated: 0.4

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
5. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
6. This right when combined with all other rights shall provide no more than .03 cfs nor exceed a combined annual diversion volume of 1.6 af for the land described above.


MAY 28 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07918

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of FEBRUARY, 1996.


Acting for KARL J. DREHER, Director

RECEIVED

STATE OF IDAHO

AUG 20 1992

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-07918 Telephone No. 733-0498

2. Name(s) of Permit Holder(s): Violet Rowe

3. Post Office Address: Rt. 2 3811 N 2500 E Tula, ID 83328

4. Source of Water: groundwater

a. If ground water, well driller's name: Arnold Elsing Date drilled: 1966

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ NA (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

V permit holder
Name Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

8-20-92
Date

Violet Lee Rowe
Signature (and title if on behalf of a company or organization)

SEP 10 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-07918

Proposed Priority: June 23, 1983

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **VIOLET ROWE**
ROBERT J ROWE
RT 2
FILER ID 83328

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 15, Township 10S, Range 16E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	16E	15	SESE	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 2, 1993**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. The point of diversion is located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

2nd day of July, 1992

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

JUL 27 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert J. &/or Violet Rae Rowe Phone 733-0498

Post office address Route #2, Filer, ID 83328

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township 10S

Range 16E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 cfs for Irrigation purposes from 4-1 Mar 15 to 10-31 Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUL 27 1992

Robert + Violet divorced. — send all info to Violet

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 2

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

JUL 27 1992

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JUL 27 1992

(Applicant)

Received by T. C. Blau Date 6-23-83 Time 12:15
Preliminary check by A. H. Hilly Fee \$ 30⁰⁰/100
Receipted by T. C. Blau Date 6-23-83 # 30388
Publication prepared by LW Date 12/30/87
Published in times News
Publication dates 1/21 + 1/28
Publication approved M. Baldwin Date 2/11/88
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by ADm

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

JUL 27 1992

47-7918



T.105

MICROFILMED

JUL 27 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 1, 1996

VIOLET ROWE
ROBERT J ROWE
3811 N 2500 E
FILER ID 83328

RE: WATER RIGHT NO. 47-07918

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
MAR 28 1996

MEMORANDUM

TO: File 47-07918 / Violet Rowe
FROM: Brenda Chapman
DATE: February 27, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 47-07918 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	.03	1.6

The sprinkling system used on the lawn and trees has 7 stations, each with 6 heads running at a time producing a total of 25 gpm or .06 cfs. Based on Permit Application Processing Memorandum No. 17 (9/19/79), which allows a higher rate per acre for small acreages, the rate recommendation has been increased.

RECORDED

MAR 28 1996



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

ADMINISTRATOR'S MEMORANDUM

TO: Regional Offices and Water Allocation Section
FROM: Norm Young *NY*
DATE: September 19, 1979
RE: ACCEPTABLE RATES OF IRRIGATION FLOW FOR SMALL ACREAGES

A rate of flow in excess of .02 cfs/acre is often necessary for irrigation of a small acreage, due to restricted system design mechanics and poor economy of scale. To correspond with practical design procedures, the Department will henceforth accept rates of diversion as high as .03 cfs/acre for irrigation of up to five acres without justification that a rate greater than 0.02 cfs is necessary.

SEP 28 1979

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 1 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-07918

1. Owner: Violet Rowe Phone No. 733-0498

Current Address: Rt. 2 3811 N. 2500 E. Filer, ID 83328

2. Accompanied by: owner EXAM DATE: 6-23-94

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to None

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 1 Canal share

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Goy't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	15	10S	16E	Twin Falls	Ortho Photo Quad Map


2. Place(s) of Use:

Indicate Method of Determination Pacing

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	16E	15																.4	.4

MAR 2 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = No scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2	M46025-22	Sta-Rite	40T46025-39

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: A pitot tube and pressure gage were used to measure the pressure on 3 sprinklers.

MAR 28 1996

E. NARRATIVE/REMARKS/COMMENTS

See Narrative Attachment.

Have conditions of permit approval been met? ☒ yes ☐ no

MIDRE

MAR 28 1996

F. FLOW CALCULATIONS

Measured Method: $P_{avg} = \frac{32 + 34 + 34}{3} = 33$ Additional Computation Sheets Attached

$$Q = \frac{6 \left[30 \times \left(\frac{5}{32} \right)^2 \times \sqrt{33} \right]}{449} = .06 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .4(4.0) = 1.6 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .01(215) \times 1.9835 = 4.26 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.6 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Irrigation	4-1	10-31	.01 cfs	1.6 afa
Totals:			.01 cfs	1.6 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Alan Hamster Date 7-11-94

Reviewer _____ Date _____

SEAL

* See adjustment memo. BC

RECEIVED

MAR 28 1996

47-07918


Narrative Attachment

No overlapping water rights were found for the place of use or the point of diversion. The owner stated that she had 1 share of Twin Falls Canal Company water for the land. The irrigated area is the lawn and trees around the home. The permit was also intended for a pasture area which lies west of the home. At the time of the exam, the pasture was not being irrigated and the owner informed me that a buried pipe irrigation system was in place. However, it was not being used due to the fact that it had holes in the plastic pipe and was not functional. The area appeared to not have been irrigated for several years so it was not included in the recommended acreage for irrigation. Picture #6 shows the pasture that is not irrigated. The area that is irrigated has a Nelson buried pipe irrigation system on it. There are 7 stations with 6 sprinklers on each station.

RECEIVED
MAY 2 1968

Violet Rowe Calcs.

1.5 Hp



$$\text{Irrig Area} = 126(45) + 39^2 + 60(84) + 147(24) + 12(171) = 17,811$$

psi avg = 33.0

$$Q = 30 \times \left(\frac{5}{32}\right)^2 \times \sqrt{33} = (4.21)6 = 25.2 \text{ gpm}$$

.4 ac

$$= .06 \text{ cfs}$$

68' of 1.5" 40 psi

$$Q = \frac{8.8 (\text{Hp})^{.7}}{60 + 2.31P}$$

$$\frac{.06 (60 + 2.31P)}{8.8 (.7)} = \text{Hp}$$

psi	Hp
40	1.5
50	1.7

RECEIVED


MAR 28 1996

Rowe
Pipe is installed for 1 ac but not used

Well

Flow L/H

Nelson



7 settings

4 on Back 5 on front


1 share of water ~~also~~ Twin Falls
No 22

Trees in back

4 wide 57 long

-1.5 Hp

N



Road

MAR 2 8 1996

8

49

mas

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 47-07918
DATE: 6-29-94
BY: Alan Hayston

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$Q = \frac{(8.8) \times (2) \times (0.70)}{[(50) + (40 \times 2.31)]} = .09 \text{ cfs}$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	<u>Franklin MY6025-22</u>
area estimate ()	estimate (X)	Pump Make, Serial or ID, rating
well logs (X)	owner gage ()	<u>Sta-Rite 40T46025-39</u>
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS


POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	POTENTIAL =
4/15 - 10/15	184	
3/1 - 12/1	276	

REQUIRED Acre Feet/Acre/Annum =
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()
IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

MAR 28 1996



93

PERMIT 47-07919 INIT
T. R. S. Q/Q
P/D 103 46 15 SEDE
SCALE
PHOTO ID. BB72

912



#1

P/D

Pump is
located under
concrete cover.



#2

P/u

Irrigation

161000

MAR 28 1996

47-07918



#3

P/4

Irrigation



#4

P/4

Irrigation

RECEIVED
MAR 28 1996

MAR 28 1996



#5

Home on
the property-



#6

Pasture
that is
west of
House and
is not
irrigated.

47-07918-5

MAR 28 1996

August 21, 1992

VIOLET ROWE
ROBERT J ROWE
RT 2
FILER ID 83328

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-07918

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

SEP 10 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

47-7918

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

M E M O R A N D U M

DATE: JULY 31, 1992 139353

TO: WATER RIGHT HOLDERS AND APPLICANTS IN TWIN FALLS
LOW-TEMPERATURE GEOTHERMAL MORATORIUM AREA

FROM: NORM YOUNG

RE: EXTENSION OF MORATORIUM

Enclosed is a copy of an order extending the order designating the Twin Falls Low-Temperature Geothermal Moratorium Area. I appreciated the attendance of many of the users at the public information meeting on this matter held in Twin Falls last week. I understood those in attendance favored an extension of the moratorium, and some of the users were encouraging that the size of the area be increased and that additional actions be taken to protect artesian pressures. I indicated at the meeting that the moratorium would be extended without modification to keep its continuity and that IDWR will schedule as time and resources permit a review of the following matters:

- Expansion of the area.
- The need for repair or reconstruction of wells in and adjacent to the area.
- Evaluate the adequacy of the agreement to manage pumpage to prevent withdrawal in excess of the average rate of recharge or to maintain artesian pressures in the public interest.
- Review need for and adequacy of monitoring programs.

With respect to monitoring, the data recorded by the USGS from the well at the Nazarene Church is an important part of the information now being collected. The Church will soon be finished and will be using water from the well. Data from an unused well is more reliable for evaluating aquifer conditions. USGS and IDWR are evaluating alternatives for replacing this source of data. If you are aware of a well that is finished into the low-temperature geothermal aquifer and is not being used, please call Loren Holmes, IDWR Regional Manager at Twin Falls, a call at 736-3033.

MICROFILMED

SEP 10 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 6, 1992

VIOLET ROWE
ROBERT J ROWE
RT 2
FILER ID 83328

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-07918

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

Enclosures

MICROFILMED

JUL 27 1992

47-7918

RECEIVED
JUN 1 1992

MORATORIUM EXEMPTION QUESTIONNAIRE

Department of Water Resources

IF YOUR APPLICATION PROPOSES AN IRRIGATION USE, PLEASE
COMPLETE AND RETURN THE FOLLOWING:

- Has ALL the land you propose to irrigate been irrigated with surface water in the past?
- Do you summer fallow any of your irrigated land? If so, how many acres?
- List the water right(s) you have used to irrigate the land listed on the application. If you have received water from a canal company or water district, please identify the name of canal or water district.
- During the last ten years, how many years has your surface irrigation water been available for the entire irrigation season?
- What crops have you grown in the past ten years?

Please see reverse side!

I understand if my proposed diversion of groundwater is approved as a supplemental use, that I can only use my well during periods of drought, when a full supply of water is not available. I also agree that my surface water will be fully used to the extent available, will not be sold or used on other lands, and that a change in use of my surface water may result in revocation of any groundwater right granted pursuant to my application for supplemental water.

Dated this 29 day of May, 1992.

MICROFILMED
JUL 27 1992

(Please sign)

Violet L. Rowe

I have 2 acres — the back acre has
1 share of Twin Falls Canal Co. water.

Prior to my divorce (1984), we installed
some sprinklers — connected to the home
domestic well, but these haven't been used
since 1984.

A neighbor rents the back acre and
is suppose to use the one share for
irrigation.

I don't understand what this is
all about — maybe you can classify my
one share with the above information.

Sincerely,

Rae Lowe
(Violet)

RECEIVED
JUL 27 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 20, 1988

RE: Application for Permit No. 47-7918

Robert J. &/or Violet Rae Rowe
Rt. 2
Filer, ID 83328

Dear Applicant(s):

This Department has recently completed the preliminary processing of the above-referenced Application for Permit to appropriate the public waters of the state of Idaho.

Although there were no protests received by the Department against the approval of said application, the Department is presently delaying further action (approval of the application) because the groundwater source identified on the application is located in the Twin Falls Groundwater Management Area.

The Department will hold your application without approval pending evidence that there is water available for your use.

It is possible for you to drill a well and to use the water for single family domestic purposes without a water right permit, although you would have to obtain a separate "drilling permit". If water is used from a well in compliance with the definition of domestic use, a water right permit is not required. Water used for heating on one home is included in the definition of domestic use.

If you have questions, please contact either this office or our office in Twin Falls.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:sc

cc: Southern Region

MICROFILMED

JUL 27 1992

MEMORANDUM

TO: GARY *Jim*

FROM: JIM JOHNSON

RE: APPLICATIONS WITHIN TWIN FALLS GWMA

DATE: 3-21-88

The attached applications are within the Twin Falls GWMA but fall within the Domestic use criteria used in the Idaho Power Contract.

They do not however, meet the Domestic criteria used by the Idaho Code.

We have other applications being held from processing because they do not meet the Statutory Domestic criteria, therefore, I am recommending that these apps. be held from further processing.

3/18/88

Jim-

These apps. fall within the Twin Falls G.W. Mgmt. Area- Shall we process them or hold them?

Kay

Jim,

I agree.

Microfilmed Gary

JUL 27 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 30, 1987

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

Robert Rowe
RT 2
Filer, ID 83328

Re: 47-7918

Dear Mr. Rowe:

The Department of Water Resources has authorization to process Applications for Permit for irrigation of 3 acres or less which were previously held due to pending litigation regarding Swan Falls.

This office will be advertising the above referenced application in the Times News on 1/21 & 1/28. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unopposed application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

LW for Loren Holmes

Loren O. Holmes, P.E.
Southern Region Manager

MICROFILMED

JUL 27 1992

LH:LW

Affidavit of Publication

STATE OF IDAHO.
COUNTY OF TWIN FALLS

ss.

FEB 8 1988

No 18240

OK
MB
2/11/88
I, Linda Capps McShure, Deputy Clerk of being first duly sworn upon oath, depose and say that I am Public Clerk of the Southwest Region of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive weeks, commencing with the issue dated

January 21, 1988, and ending with the issue dated January 28, 1988.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week as been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.


Linda Capps McShure
Subscribed and sworn to before me on this 29 day of

January, 1988.

Brenda Parker
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

JUL 27 1992

POOR QUALITY



The Times-News

P.O. Box 548 • Twin Falls, Id. 83303-0548

February 5, 1988

RECEIVED

FEB 6 1988

Department of Water Resources
Southern Region Office

Idaho Water Resources
2148 4th Ave East
Twin Falls ID 83301

PERMIT #47-7918

Two Times

Jan. 21, 1988, 31 lines @ .32- - \$9.92

Jan. 28, 1988, 31 lines @ .24- - \$7.44

TOTAL DUE \$17.36

OK
MB
2/11/88

INVOICE

AGE PTO.

18240

CLASSIFIED ADVERTISING INVOICE

TWIN FALLS TIMES NEWS
132 3RD ST W.
P. O. BOX 548
TWIN FALLS ID 83301

RECEIVED

FEB 6 1988

MICROFILMED

JUL 27 1992

POOR QUALITY

INVOICE NO.		CLASS		BILLING DATE	
18240		345		01/29/88	
INDEXING TERM					
47-7918					
START DATE		TELEPHONE NO.		ORDER NO.	
1/21/88		784-1171			
LINE/WORD	TIMES	RATE	NET AMOUNT	GROSS AMOUNT	
31	2		17.36	17.36	
PAY THIS AMOUNT			17.36	17.36	

GROSS AMT DUE AFTER 02/15

18240 1736
THIS SPACE FOR ADDRESS ONLY
IDAHO WATER RESOURCES
3148 4TH AVE EAST
TWIN FALLS ID
83301

December 30, 1987

LIST OF LEGAL NOTICES TO BE PUBLISHED
1/21 AND 1/28

47-7918
47-7924
47-7916
47-7903
47-7899
47-7895
47-7877
47-8015
47-7874
47-7856
47-8046
47-8054

RECEIVED

JUL 27 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 30, 1987

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

Times News
P.O. Box 548
Twin Falls, ID 83301

Re: Attached list

Gentlemen:

Enclosed you will find the legal notices which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notices are correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

W for Mary Baldwin

Mary Baldwin
Secretary/Office Coordinator

MIC
JUL 27 1992

NOTICE OF APPLICATION FOR WATER PERMIT

The following application (s) has been filed to appropriate the public waters of the State of Idaho:

47-7212

ROWE, ROBERT J. &/or VIOLET

RT. 2, FILER, ID 83329

Source, GROUNDWATER

Date Filed: 06/23/1988

Diversion Pt: SESE Sec 15 T 10S R 16E 1 mile S. and 2.5 miles E. of Filer

Use: IRRIGATION (0.06 CFS)

In. SESE Sec 15 T 10S R 16E FOR 2 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East., Twin Falls, Idaho 83301 on or before February 8, 1988.

R. Keith Higginson, Director

Published 1/21 & 1/28/88

MICROFILMED

JUL 27 1992

OK
MB
1/7/88

**NOTICE OF
APPLICATION FOR
WATER PERMIT**

The following applica-
tion (s) has been filed to
appropriate the public
waters of the State of
Idaho:

47-7918

**ROWE, ROBERT J. &/or
VIOLET**

Rt. 2, Filer, ID 83328

Source: Groundwater

Date Filed: 06/23/1983

Diversion Pt: SESE Sec
15 T 10S R 16E, 1 mile S.
and 2.5 miles E. of Filer

Use: Irrigation (0.06 CFS)

In: SESE Sec 15 T 10S R
16E for 2 acres

The permits will be
subject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water
Resources, Southern
Region, 2148 Fourth
Avenue East, Twin
Falls, Idaho 83301 on or
before February 8, 1988.

R. Keith Higginson,
Director

**PUBLISH: Thursday,
January 21 & 28, 1988**

MICROFILMED
JUL 27 1992

INTER-DEPARTMENT MEMO — 1

FROM

JA

DATE

9/21/87

TO *File 47-7918*

SUBJECT

Processing under SB 1180 contract

This Application can be processed based on the following;

- 1) Total diversion of less than 2 AF/day including Culinary domestic from Groundwater not included in the application.*
- 2) the P/O is a residential lot of 3 Acres or less*

SIGNATURE

MICROFILMED

JUL 27 1992