


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NOT TO SCALE

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	*	5	*	*	*
	*	7.5	*	*	*

*Code to correspond with No. on map and aerial photo

*** UNABLE TO DETERMINE**

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE TAKEN USED THEORETICAL FLOW ESTIMATION FROM IDWR DAIRY WATER USE WORKSHEET

MICROFILMED

APP 4 5 1988


DEC 10 1985


PERMIT # 47-07870

BALANCED ROCK
QUADRANGLE

BB 69

PREPARED BY C. SKINNER





DOMESTIC
USES

3600 N

CORRALS

NWNW 1/4

LOCATION
OF TWO WELLS

DAIRY BARN
NENW 1/4

FEED SHED

CORRALS

SNNW 1/4

SENNW 1/4

T10S

FIELD EXAM FOR PERMIT 47-07870
09/10/97 BY C. SKINNER




ABOVE: View from 3600 North Road looking at property involved with permit 47-07870. Large arrow indicates location of area shown in view below where the two wells that serve as points of diversion are located. Home(s) near road are covered under A47-04361 and are served by same well(s) under permit 47-07870.

BELOW: View of area where the two points of diversion (wells) are located (as indicated by arrows).



FIELD EXAM FOR PERMIT 47-07870
09/10/97 BY C. SKINNER



View of conveyance works entering dairy barn. Two pressure tanks (conaire model # CA220F) are part of conveyance works. Pressure gauge on water pipeline between pressure tanks was reading 64 psi +/-.



View of 16 stall milk parlor inside milk barn. Note worker cleaning cows with water hose. Worker(s) said that cows were milked twice a day.



View of bulk tanks in dairy barn. The smaller of the two bulk tanks holds 2,500 gallons. Refrigerant (instead of water) is used to cool milk.

APR 16 1998
MICROFILMED

FIELD EXAM FOR PERMIT 47-07870
09/10/97 BY C. SKINNER



ABOVE: View of corrals behind dairy barn next to feed shed. These were part of the corrals and livestock observed on the dairy site.

BELOW: View looking across one of the dairy lagoons back toward the dairy barn and feed shed. Two lagoons were present on the dairy site, with total lagoon surface area being approximately one acre.



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____


Corey Smith
Signature of Dept. Representative & Title

E.I.T.

09/10/97

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: _____

Grey Skinner E.I.T.
Signature of Dept. Representative & Title

09/10/97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED
APR 16 1998

1991 AERIAL PHOTO

Wells

MICROFILMED

JUN 24 1997

T108



NEW PROPERTY OWNER NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type
(see instructions on back of page)

RECEIVED

MAR 10 1999

Department of Water Resources
Southern Region

DATE OF CLOSING: 3/5/99

LEGAL DESCRIPTION OF PROPERTY: Township 10 S Range 13 EBM
Section 34, 1/4 of NW 1/4 of NW 1/4, Govt. Lot _____, BM.
Lot _____, Block _____, Subdivision/Townsite _____
If you have additional legal descriptions, please attach separate sheet.

RECEIVED

MAR 19 1999

Department of Water Resources

- ☐ Served Only by a Public Service Water Supply (all water is received from a city or company who maintains water supply system, owns the water right, and bills the customer on a regular basis)
- ☐ Water Right Number(s)
Assigned by IDWR: 47-07870
- ☐ Name and Address of Former Owner/Claimant(s)(Seller): Dennis G. Hill AND KRISTINE S. HILL
126 W 450 N
Blackfoot, Idaho 83221
- ☐ New Owner/Claimant (Purchaser): Jim L. Wiersma — PATRICIA WIERSMA DBA WIERSMA DAIRY
- ☐ New Mailing Address: 1776 E 4500 N
Buhl, Idaho 83316
- ☐ New Telephone Number: () _____ - _____
- ☐ Does the change in ownership result in a splitting of the water right owned/claimed? yes x no
If yes, then describe the portion of the water right that is now owned/claimed by the new owner:

- ☐ Attach proof of ownership, describe proof attached: Warranty Deed
(proof of ownership must describe either the property conveyed or include the claim number. Proof of ownership is not required if this form is signed by the former owner/claimant.)
- ☐ Signature of New Owner/Claimant(s) [Signature] Date 3-5-99
[Signature] Date 3-5-99
- ☐ Signature of Former Owner/Claimant(s): [Signature] Date _____
[Signature] Kristine Hill Date 3-5-99
(Signature of former claimant(s) is not required if proof of ownership is attached.)

FOR IDWR USE ONLY:

Initial Review and Data-Entry

Date: _____ By: _____

Further Action Needed:

Further Action Taken

Date: _____ By: _____

Final Review and Data-Entry

Date: _____ By: _____

Claim Numbers of Split, if any:

MICROFILMED

APR 09 1999

Original to be mailed to Idaho Department of Water Resources
Copies to Former Owner and New Owner

427088M

RECEIVED

MAR 19 1999

WARRANTY DEED

Department of Water Resources

For Value Received, Dennis G. Hill, a/k/a Dennie G. Hill, and Kristine S. Hill, husband and wife, the Grantors, do hereby grant, bargain, sell, and convey unto Jim L. Wiersma and Patricia Wiersma, husband and wife, d/b/a Wiersma Dairy, of 1776 E 4500 N, Buhl, Idaho 83316, the Grantees, the following-described premises, to-wit:


Township 10 South, Range 13 E.B.M., Twin Falls County, Idaho,
Section 34: West 40 feet of the NE $\frac{1}{4}$ NW $\frac{1}{4}$;
NW $\frac{1}{4}$ NW $\frac{1}{4}$, except the South 60 feet of the East 300 feet

Together with 39 share of TFCC and Water Right No. 47-07870 and all other tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining.

Subject to all existing rights-of-ways for public highways, protective covenants, utility lines, existing roadways, irrigation ditches and all building, zoning and other restrictions of use and all encumbrances of record.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantees, their heirs and assigns forever. And the said Grantors do hereby covenant to and with the said Grantees, that they are the owners in fee simple of said premises; that said premises are free from all encumbrances except as hereinabove set forth and that they will warrant and defend the same from all lawful claims whatsoever.

DATED this 5 day of March, 1999.

 
Dennis G. Hill, a/k/a Dennie G. Hill Kristine S. Hill

Twin Falls County, Idaho
Recorded for:
TITLEFACT
03:50pm Mar. 05, 1999
1999-004255
No. of Pages: 2 Fee: \$8.00
ROBERT S. FOUNT
Ex-Officio Recorder
Deputy: LH

MICROFILMED

APR 09 1999

RECEIVED

MAR 19 1999

STATE OF IDAHO)

: ss.

Department of Water Resources

County of Twins Falls)

On this 5th day of March, 1999, before me, the undersigned, a Notary Public in and for the State of Idaho, personally appeared Dennis G. Hill, a/k/a Dennie G. Hill and Kristine S. Hill, husband and wife, known to me to be the persons whose names are subscribed to the within instrument, and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed by official seal, the day and year first above written.



Susie Moore

Notary Public for Idaho

Residing at: Twins Falls

My Commission Expires: 11-28-2002

MICROFILMED

APR 09 1999

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07870

Priority: February 24, 1997

Maximum Diversion Rate:

0.28 CFS

Maximum Diversion Volume:

26.3 AF

This is to certify, that DENNIE HILL

126 W 450 N

BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 30, 1983; and has submitted Proof of Beneficial Use on February 24, 1997. An examination indicates that the works have a diversion capacity of 0.028 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.28 CFS	19.6 AF
COMMERCIAL	01/01 to 12/31	0.28 CFS	6.7 AF
	Totals	0.28 CFS	26.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 34, Township 10S, Range 13E
TWIN FALLS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

10S 13E 34

NWNW

PLACE OF USE:

COMMERCIAL, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion are located within NWNW, S34, T10S, R13E.
6. Commercial use is for a dairy barn.

MICROFILMED

APR 16 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07870

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of FEBRUARY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 16 1998

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
~~ORIGINAL APPLICATION~~	~~47-07870~~	~~HALEY, J. ROY~~	~~0.66~~
FULL ASSIGNMENT	47-07870	HILL, DENNIE	0.66

MICROFILMED
AUG 19 1997



My commission expires:

10-7-99

Signature _____
MICROFILMED
AUG 19 1997

IN THE MATTER OF PERMIT NO. 47-07870)
)
IN THE NAME OF J. ROY HALEY) **ORDER OF**
) **REINSTATEMENT**
)

FINDINGS OF FACT

- 1250C-ILMED

JUN 24 1937

- Name: Dennie Hill Telephone Number: 208-785-1218
Address: 126 W. 450N. Blackfoot ID 83221

- Signature of permit holder: Dennie Hill Date: 2-20-97
(include your title, if on behalf of company or organization)

JUN 24 1937

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant J. Roy Haley Phone 537-6668

Post office address Castleford, ID 83321

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is ^{2 points} NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 10S

Range 13E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.33 cfs for Livestock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-foot per annum)

Amount 0.33 cfs for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-foot per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)

5. Total quantity to be appropriated:

a. 0.66 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two wells & pumps

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 10S

Range 13E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 500 dairy cows

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: Commercial use in dairy barn


[illegible]

c. Describe any other water rights used for the same purposes as described above.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Two wells of equal capacity have been developed, with each well capable of
supplying the dairy project. Although the wells are connected, only one is
mainly used in the dairy.

11. Map of proposed project: show clearly the proposed point of diversion, p. of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. Roy Healey
(Applicant)

Permit No. 9/30/83

Received by JD Date 3-30-83 Time 3 AM
Preliminary check by ADW 4/1/83 Fee \$ 45.00
Receipted by JD Date 3-30-83 # 26/34
Publication prepared by mmmp Date 3/22/85
Published in Times Mirror
Publication dates 3/7 + 3/14/85
Publication approved mmmp Date 3/26/85
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ADW KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7870, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 91.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 5th day of March, 1986.

J. Glen Saxton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 31, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WIERSMA DAIRY
JIM L WIERSMA
PATRICIA WIERSMA
1776 E 4500 N
BUHL ID 83316

RE: Water Right 47-07870


Dear Mr. & Mrs. Wiersma:

The Department is in receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our records to reflect this change in ownership and a computer generated report is enclosed.

Just a reminder, because of a law that went into effect July 1, 1996, all water right owners are required to report change of address or ownership to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee to the water right owner. If you have other water rights that haven't had the ownership updated please contact the department as soon as possible.

If you have any questions regarding this matter, please feel free to contact me at (208) 327-7947.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED

APR 09 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 25, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DENNIE HILL
126 W 450 N
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 47-07870 .

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 16 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MEMORANDUM

2 APR 16 1992

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of February, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 47-07870

DENNIE HILL
126 W 450 N
BLACKFOOT ID 83221


Kari Lynn Townsend
Secretary

67-1171

APR 16 1998

MEMORANDUM

DATE: February 20, 1998
TO: File No. 47-07870
FROM: Cindy Lou Zimmerman
SUBJECT: Review of Beneficial Use Field Report

This permit identifies stockwater for 500 dairy cattle and commercial use for the dairy barn from two wells. The one of the wells was claimed under A47-04361. The 'R' recommended version of the claim is attached. The claim is being recommended for 2 homes with 1/4 acre lawn and stockwater for 100 dairy cattle and 30 replacement s. The examiner found 700 dairy cattle and 500 replacements. The examiner's recommendations were based on the 700 dairy cattle and 500 replacements. NOTE: When combined, the SRBA claim and this right total 600 dairy cattle and 30 replacements. I did not find any other rights covering the remaining 100 dairy cattle and 470 replacements.

Using the U of I worksheet to calculate fresh water requirements for the dairy, the examiner identified 140 gallons per milking was used to wash the milk line. However, the examiner did not account for water used to clean the milk room or parlor after each milking. In this case, the cooler plate uses refrigerant instead of water, therefore, recycling cooler plate water is not possible. Given the barn set-up shown in the exam photos, it is reasonable to assume the barn is hosed down. I assumed the hose might produce 5 gallons per minute. Average clean-up for this type of set-up is 30 minutes. I added 300 gallons per day to commercial volume for cleaning up the milk room and barn. Total in-barn clean-up is estimated to be 440 gallons per day.

The following adjustments¹ were made on the field report to reflect the limitations of this permit and uses developed under this permit:

F. Flow Calculations.
Capacity.

$$\text{Theoretical} = \frac{8.8 \times 0.7 \times (7.5 + 5.0)}{130 + (2.31 \times 64)} = \frac{77.00}{277.84} = \underline{0.28} \text{ cfs.}$$

- a. Stockwater (see dairy worksheet) = $0.33 = \underline{0.28}$ cfs.
- b. Commercial, in-barn (see dairy worksheet) = $0.60 = \underline{0.28}$ cfs.
- c. Maximum rate of diversion = $a + b = 0.93 = \underline{0.28}$ cfs.

G. Volume Calculations.

- a. Stockwater, limited by permit to 500 dairy cattle only (see dairy worksheet) = 19.6 AF
- b. Commercial use (see dairy worksheet) = 6.7 AF.
- c. Total combined annual volume = $a + b = 19.6 + 6.3 = \underline{26.3}$ AF.

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Stockwater	1/1-12/31	0.28 cfs	<u>19.6</u> AF
Commercial	1/1-12/31	0.28 cfs	<u>6.7</u> AF
Totals:		0.28 cfs	<u>26.3</u> AF

Examiner: Cory Skinner
Examined: September 10, 1997

¹ Adjustments are bolded and underlined.

RECORDED

APR 16 1998

MEMORANDUM

FILE NO.: 47-07670
 REVIEWER: C. L. Zimmerman
 DATE: 2/20/98

DAIRIES: WATER USE WORKSHEET

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE _____ 500¹
 NUMBER OF NONMILKING CATTLE _____ 0¹
 IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES _____
 IF ANAEROBIC, ENTER ZERO _____ 1.0
 EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) _____ 4
 ENTER 0 FOR RECYCLED WATER USE, 1 FOR MANUAL COW WASHING,
 2 FOR AUTOMATIC, OR 3 IF SPRINKLERS ARE USED TO FLUSH HOLDING
 PEN AND WASH COWS _____ 2
 NUMBER OF MILKINGS PER DAY _____ 2
 FLOW OF WATER FOR IN-BARN USE (GPM) _____ 125
 DURATION OF MILKING (MINUTES) _____ 360
 DURATION OF CLEAN-UP (MINUTES) _____ 30
 HOURS PUMP IS ON _____ 23.0

¹ Limited by permit.

CALCULATIONS

DAILY VOLUME FOR STOCKWATER (GALLONS):

MILKING CATTLE @35 GPD/HD _____ 17500
 NONMILKING CATTLE @12 GPD/HD _____ 0
 TOTAL (GALLONS) _____ 17500
 FLOW RATE REQUIRED (CFS) _____ 0.33
 Limited by capacity = 0.28

DAILY VOLUME IN BARN USE (GALLONS):

IN BARN RATE * DURATION (GALLONS) _____ 45000
 FLOW RATE REQUIRED (GPM) _____ 125
 FLOW RATE REQUIRED (CFS) _____ 0.28
 TOTAL FLOW RATE REQUIRED (CFS) _____ 0.60
 Limited by capacity = 0.28

DIVERSION VOLUME (AFA):

STOCKWATER
 MILKING CATTLE @35 GPD/HD ** _____ 19.6
 NONMILKING CATTLE @12 GPD/HD** _____ 0.0
 TOTAL VOLUME _____ 19.6

COMMERCIAL
 WASHING OF BULK TANK AND RELATED EQUIPMENT _____ 0.4
 CLEAN-UP PARLOR AND MILKHOUSE _____ 0.7
 CATTLE WASHING BASED UPON METHOD OF WASHING _____ 5.6

TOTAL VOLUME _____ 6.7

TOTAL DIVERSION VOLUME _____ 26.3

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
 MILKING _____ 2.9
 NONMILKING _____ 0.0
 TOTAL _____ 2.9

COMMERCIAL _____ 4.0

TOTAL CONSUMPTIVE USE _____ 6.9

PUMP INFORMATION

	PUMP 1	PUMP 2
PUMP HORSEPOWER (HP) _____	7.5	5.0
LIFT (FT) _____	130	130
DISCHARGE PRESSURE (PSI) _____	64	64
FRICTION LOSSES (FT) _____	0.0	0.0
HOURS WATER IS PUMPED DAILY _____	24	24

CALCULATIONS

THEORETICAL FLOW RATE (GPM) * _____	75	50
THEORETICAL FLOW RATE (CFS) * _____	0.17	0.11
DAILY VOLUME (GALLONS) _____	239	160
DIVERSION VOLUME (AFA) ** _____	120.4	80.3
COMBINED THEORETICAL CAPACITY _____		0.28

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

** DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY DAY OF THE YEAR.

EVALUATION OF REDUCTION REQUIRED IF AN IRRIGATION RIGHT IS USED
 IRRIGATION RIGHT (BEFORE CHANGE)
 INPUT:

RATE (CFS)	0.80
ACRES	40.0
ACRE FEET PER ACRE	4.0
CONSUMPTIVE USE PER ACRE	3.0

CALCULATIONS:

RATE PER ACRE	0.02	CFS/AC
RATE NEEDED FOR DAIRY OPERATION	0.28	CFS
REDUCTION OF IRR. BASED ON RATE/ACRE	13.9	ACRES
REDUCTION BASED ON CONSUMPTIVE USE	2.3	ACRES
REDUCTION BASED ON ANNUAL VOLUME	6.6	ACRES

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.

NUMBER OF ACRES THAT CAN BE IRRIGATED BY CONSUMPTIVE USE

INPUT DATA	
IRRIGATION CONSUMPTIVE USE/ACRE	4.0
CALCULATED	
ACRES IRRIGATED	1.7
AF	

Acres feet per annum based on maximum rate of diversion:

AF=rate of flow x days per year x 1.9835 = 200.64 AF

APR 16 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 10 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-07870

1. Owner: DENNIE HILL Phone No. (208) 785-1218

Current Address: 126 WEST 450 NORTH, BLACKFOOT, ID 83221

2. Accompanied by: CRAIG A. MOORE OF LEMOYNE REALTY EXAM DATE: 09/10/97

Address: 1418 BLUE LAKES BLVD. N. TWIN FALLS, ID. Phone No. (208) 733-0874

Relationship to Permit Holder: "SEMI KNOWLEDGEABLE ACQUAINTANCE"

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: A47-04361 (STATUTORY CLAIM)

2. Other water rights with the same point of diversion: A47-04361

C. DIVERSION AND DELIVERY SYSTEM

*NO GOVERNMENT LOTS IN SECTION

1. Point(s) of Diversion: TWO WELLS

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	34	10S	13E	TWIN FALLS	MAPS & FIELD VISIT
			NW	NW	34	10S	13E	TWIN FALLS	MAPS & FIELD VISIT

2. Place(s) of Use:

Indicate Method of Determination: SAME AS

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	13E	34						S/C											

Farm, Ranch, Residential and Commercial Appraisals

Phone (208) 733-0874
FAX (208) 733-8475

Le Moyne Realty


MOORFILMED
APR 16 1998

Craig A. Moore
IDAHO CERTIFIED APPRAISER
SALES ASSOCIATE

Res.
(208) 734-7283

1418 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NOT TO SCALE

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	*	5	*	*	*
	*	7.5	*	*	*

*Code to correspond with No. on map and aerial photo

* UNABLE TO DETERMINE

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE TAKEN USED THEORETICAL
FLOW ESTIMATION FROM IDWR DAIRY
WATER USE WORKSHEET

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

Information regarding the wells was difficult to obtain since the wells were put in years ago. Information regarding pump sizes, and the interconnection of the two wells, was taken from the various statements that were filed when proof of beneficial use was filed and the lapsed permit was reinstated. I tried to verify some of this information on site during the exam. In addition, I contacted Burkhardt Well Drilling in Castleford to try and find out additional information regarding the wells on the property since they were reportedly involved with installing one of the pumps. Mr. Burkhardt said he could remember his dad working on the wells for the dairy in the early 1980's, but his dad is no longer around. In addition, he said that they no longer have records dating back that far.

Due to the complexity of the piping system for the dairy, there was no way to obtain an accurate flow measurement. For this reason, the diversion rate recommendation is based off of the theoretical calculations on the IDWR Dairy Water Use Worksheet. As mentioned earlier, the pump sizes were taken from the Beneficial Use statement(s). The discharge pressure was taken from a pressure gage on the pipe entering the dairy barn and the lift value was obtained from various well logs for wells in the area.

Other than the sketchy information regarding the interconnection of the wells, pump sizes, and diversion rate recommendations being based on theoretical calculations, this field exam should be pretty straight forward. Diversion volume recommendations are based off of the IDWR Dairy water use worksheet and information obtained from various individuals that were working at the dairy during the field exam. A University of Idaho dairy worksheet was also used to estimate the water use requirements at the dairy and this worksheet revealed volumes very similar to the IDWR worksheet.

47-07870 FIELD EXAM NARRATIVE/REMARKS

C. SKINNER

* CLAIM A47-04361 (AN OLD STATUTORY CLAIM) COVERS DOMESTIC USES AND SOME STOCK WATER ON SAME DAIRY OUT OF THE SAME WELL(S) COVERED UNDER PERMIT 47-07870.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 16 1992

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

SEE IDWR DAIRY WATER USE WORKSHEET

7 1/2 Hp Pump, 130 ft of Lift & 64 psi discharge pressure $\Rightarrow$ 0.17 cfs

5 Hp Pump, 130 ft. of Lift & 64 psi discharge pressure $\Rightarrow$ 0.11 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

TOTAL = 0.28 cfs

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

SEE DAIRY WATER USE
WORKSHEET(S) ATTACHED

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>STOCKWATER</u>	<u>01/01</u>	<u>12/31</u>	<u>0.28 cfs</u>	<u>34.7 AFA</u>
<u>COMMERCIAL</u>	<u>01/01</u>	<u>12/31</u>	<u>0.28 cfs</u>	<u>8.3 AFA</u>
Totals:			<u>0.28 cfs</u>	<u>43.0 AFA</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cory [Signature] Date 11/02/97

Reviewer _____ Date _____

SEAL


MICROFILMED
APR 18 1998

PERMIT # 47-07870

BALANCED ROCK
QUADRANGLE

BB 69

PREPARED BY C. SKINNER




T10S

T11S

PLACE
OF
USE

POINTS
OF
DIVERSION

RI3E



CONTOUR INTERVAL 20 FEET
SUPPLEMENTARY CONTOUR INTERVAL 10 FEET

APR 16 1998

Pr
ha
Se
ha

STIC
USES

3600 N

CORRALS

NWNW/4

LOCATION
OF TWO WELLS

DAIRY BARN

NE NW/4

FEED SHED

CORRALS

SWNW/4

SE NW/4

T10S

COPY OF AERIAL
PHOTO SHOWING
DAIRY SITE
(NWNW $\frac{1}{4}$ SECTION 34)
T10S, R13E
FOR PERMIT
47-07870

FILE NUMBER 47-67670
REVIEWER CWS

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE _____
NUMBER OF NONMILKING CATTLE _____
IF LAAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO _____
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) _____
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS
NUMBER OF MILKINGS PER DAY _____

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD _____ 0.45
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * _____ 0.45
NONMILKING CATTLE @12 GPD/HD _____ 0.11
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * _____ 0.11
TOTAL (BASED UPON ROUNDED NUMBERS) _____ 0.57

DIVERSION VOLUME (AFA):

STOCKWATER
MILKING CATTLE @35 GPD/HD _____ 27.4
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * _____ 28.0
NONMILKING CATTLE @12 GPD/HD _____ 6.7
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * _____ 6.7
TOTAL (BASED UPON ROUNDED NUMBERS) _____ 34.7

COMMERCIAL

WASHING OF BULK TANK AND RELATED EQUIPMENT _____ 0.4
REBIL FLOOR AND MILK-HOUSE FLOOR _____ 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING _____ 7.1
TOTAL _____ 7.6
TOTAL DIVERSION VOLUME _____ 42.3

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
MILKING _____ 4.1
NONMILKING _____ 0.0
TOTAL _____ 4.1
COMMERCIAL _____ 4.0
TOTAL CONSUMPTIVE USE _____ 8.1

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

PUMP HORSEPOWER (HP) _____ PUMP 1 PUMP 2 PUMP 3
LIFT (FT) _____ 7.50 5.00 0.00
DISCHARGE PRESSURE (PSI) _____ 130 130 0
FRICTION LOSSES (FT) _____ 64 64 0
0.0 0.0 0.0

CALCULATIONS

THEORETICAL FLOW RATE (CFS) * _____ 0.17 0.11 0.00
DIVERSION VOLUME (AFA) ** _____ 120.4 80.3 0.0

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.
* DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE
THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY
DAY OF THE YEAR.

THEORETICAL
FLOW RATES USED
FOR RECOMMENDATION
TOTAL = 0.28 cfs
(TWO WELLS)

UNIVERSITY OF IDAHO DAIRY WORKSHEET

Worksheet 1. Calculating Daily Herd Requirements for Fresh Water

Drinking Water Estimates (see Table 1 & 2)

	Number	Estimated Use (gallons per day)	
		Individual	Total
		per day	
Milking Cows	<u>700</u>	<u>35 *</u>	<u>24,500</u>
Dry Cows	<u>500</u>	<u>12 *</u>	<u>6,000</u>
Heifers			
16-24 mo	<u> </u>	<u> </u>	<u> </u>
13-15 mo	<u> </u>	<u> </u>	<u> </u>
9-12 mo	<u> </u>	<u> </u>	<u> </u>
5-8 mo	<u> </u>	<u> </u>	<u> </u>
3-4 mo	<u> </u>	<u> </u>	<u> </u>
0-2 mo	<u> </u>	<u> </u>	<u> </u>

* IDWR
STANDARD

Total herd drinking water used

A. 30,500 ^{STOCKWATER}
≈ 34.2 AFA ←

Wash Pen Estimate (see Table 3)

1 - Sprinkler discharge per nozzle

2 - Number of nozzles

3 - Minutes per day used

Total wash pen water used

(Line 1 x line 2 x line 3)

NO SPRINKLERS
IN PEN(S)

B. 0

Milk house and Parlor Estimate (see Table 4)

Water per operation

Bulk tank 116/WASH (WASHED DAILY)

Pipeline 140/WASH (TWICE A DAY)

Backflush NONE PRESENT

Cleanup

Gallons per day

116
280
0
396 Σ

116
280

300 * ^{* hose @ 5 gpm for 30 min each milking}
696

(Parlor, milk house and holding pen)

Cow prep 5/WASH per milker

Plate cooler COOLED WITH REFRIGERANT

(ignore if water recycled)

Total milk house and parlor water used

7,000
0

C. 7,396 ^{COMMERCIAL}
≈ 8.3 AFA ←

7696 gpd = 8.6 AFA

TOTAL FRESH WATER ESTIMATE (A + B + C)

37,896 gallons per day

≈ 42.45 Afa ←

APR 16 1998

Table 1. Herd Makeup

Category	Number	% of Herd	Average Weight (lbs)
Milking Cows	83	83	1400
Dry Cows	17	17	1550
Total Mature Cows	100		
Heifers			
16-24 mo	42	38	1050
13-15 mo	13	12	800
9-12 mo	19	17	600
5-8 mo	19	17	400
3-4 mo	9	8	250
0-2 mo	9	8	150
Total Replacements	111		

Table 2. Water Intake for Dairy Cattle

Weight (lb)	Milk (lb)	Temperature (F)		
		40° & below	60°	80°
(Lactating cows)		-----gallons/day-----		
1400	20 ²	12.0	14.5	17.9
	60 ²	22.0	26.1	24.7
	80 ²	27.0	31.9	38.7
	100 ²	32.0	37.7	45.7
(Dry cows)				
1400 ¹	-	9.7	12.0	16.2
1600 ¹	-	10.4	12.8	17.3
(Heifers)				
1200 ¹	-	8.7	10.8	14.5
800	-	6.3	7.9	10.6
400	-	3.7	4.6	6.1
200	-	2.0	2.5	3.3

¹Maintenance and pregnancy.

²Maintenance and milk production.

APR 16 1998

Table 3. Nozzle discharge - Gallons per minute

psi	Nozzle diameter in inches				
	1/8	9/64	5/32	11/64	3/16
40	2.96	3.74	4.61	5.54	6.64
45	3.13	3.99	4.91	5.91	7.03
50	3.30	4.18	5.15	6.19	7.41
55	3.46	4.37	5.39	6.48	7.77

Table 4. Standard Volumes of Milk house and Parlor Waste

Washing operation	Water volume
Spill tank	
450-2000 gallon	46 gallons/wash
3000-4000 gallon	78 gallons/wash
5000 + gallon	116 gallons/wash
Silo tank	126 gallons/wash
Pipeline	
<16 parlor stalls	60 gallons/wash
16> parlor stalls	140 gallons/wash
Backflush	.5 gal/cow/milking
Parlor/milk house/holding pen cleanup	400 - 900 gallons/wash
Cow prep	
automatic	1-4 gal/wash/day
manual	.25 - 5 gal/wash/day
Plate cooler (ignore if water is recycled)	8 gal/cow/day

MINNESOTA
APR 1 1992

FIELD EXAM FOR PERMIT 47-07870
09/10/97 BY C. SKINNER




ABOVE: View from 3600 North Road looking at property involved with permit 47-07870. Large arrow indicates location of area shown in view below where the two wells that serve as points of diversion are located. Home(s) near road are covered under A47-04361 and are served by same well(s) under permit 47-07870.

BELOW: View of area where the two points of diversion (wells) are located (as indicated by arrows).



APR 16 1998
MICROFILM

FIELD EXAM FOR PERMIT 47-07870
09/10/97 BY C. SKINNER



View of conveyance works entering dairy barn. Two pressure tanks (conaire model # CA220F) are part of conveyance works. Pressure gauge on water pipeline between pressure tanks was reading 64 psi +/-.




View of 16 stall milk parlor inside milk barn. Note worker cleaning cows with water hose. Worker(s) said that cows were milked twice a day.

View of bulk tanks in dairy barn. The smaller of the two bulk tanks holds 2,500 gallons. Refrigerant (instead of water) is used to cool milk.

APR 18 1998

FIELD EXAM FOR PERMIT 47-07870
09/10/97 BY C. SKINNER



ABOVE: View of corrals behind dairy barn next to feed shed. These were part of the corrals and livestock observed on the dairy site.

BELOW: View looking across one of the dairy lagoons back toward the dairy barn and feed shed. Two lagoons were present on the dairy site, with total lagoon surface area being approximately one acre.



APR 16 1998

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

WATER RIGHT
PERMIT #

1. DRILLING PERMIT NO: ? OTHER APPLICABLE NO: 47-07870

2. OWNER: DENNIE HILL Phone: (208) 785-1218
Address: 126 WEST 450 NORTH BLACKFOOT, ID 83221

3. WELL LOCATION: Twp 10S Rge. 13E Sec. 34 NW 1/4 NW 1/4
County TWIN FALLS (Provide sketch map and photo on reverse.)

4. DRILLER: UNKNOWN Lic. No. _____
When Drilled? _____

5. WELL CONSTRUCTION:
Casing Diameter 9 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe 8 1/2 OR 2 INCHES ABOVE GROUND (SEE PHOTO)
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe UNKNOWN
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☒ Domestic ☐ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: COMMERCIAL (DAIRY)

APR 15 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____



How far away from the well is this source? _____

9. REMARKS: _____

Cory Shuman E.I.T.
Signature of Dept. Representative & Title

09/10/97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: ? WATER RIGHT
PERMIT # OTHER APPLICABLE NO: 47-07870
2. OWNER: DENNIE HILL Phone: (208) 785-1218
Address: 126 WEST 450 NORTH BLACKFOOT ID 83221
3. WELL LOCATION: Twp 10S, Rge. 13E, Sec. 34, NW 1/4 NW 1/4
County TWIN FALLS (Provide sketch map and photo on reverse.)
4. DRILLER: UNKNOWN Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water _____ ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☐ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: COMMERCIAL (DAIRY)

RECEIVED
SEP 16 1993

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____



How far away from the well is this source? _____

9. REMARKS: _____

Greg Skinner E.I.T.
Signature of Dept. Representative & Title

09/10/97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



NOTED, LMER
APR 16 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 1, 1997

DENNIE HILL
126W 450N
BLACKFOOT ID 83221

RE: ASSIGNMENT OF PERMIT NO. 47-07870

Dear Water Right Holder(s):


We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR** TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

MICROFILMED

AUG 19 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 22, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DENNIE HILL
126 W 450 N
BLACKFOOT ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-07870

Dear Mr. Hill:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof was submitted after the proof due date of March 1, 1991. Please note that the priority date has been advanced to February 24, 1997.

Please note that this permit only authorizes livestock and commercial use with a maximum rate of diversion of 0.66 cfs. Additionally, the permit is still in the name of J. Ray Haley and cannot be changed unless an Assignment of Permit is filed with the department. I have enclosed an assignment form for your convenience.

Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, contact the **SOUTHERN** Regional Office in Twin Falls at (208)736-3033.

Sincerely,


JULIE L. YARBROUGH
Senior Secretary

Enclosures

C: IDWR - Region

MICROFILMED
JUN 24 1997

Le Moyne Appraisal L.L.C.

1418 BLUE LAKES BLVD. NORTH
TWIN FALLS, IDAHO 83301
PHONE (208) 733-0874
FAX (208) 733-8475

HENRI LE MOYNE, S.R.P.A., A.R.A.
ACCREDITED RURAL APPRAISER
IDAHO CERTIFIED APPRAISER

CRAIG A. MOORE
IDAHO CERTIFIED APPRAISER

RECEIVED
MAY 5 - 1997
Department of Water Resources

May 1, 1997


Julie Yarbrough
Idaho Department of Water Resources
131 N. Orchard
Boise ID 83706

Dear Ms. Yarbrough:

I spoke with Glen Saxton this morning regarding the enclosed water right information, particularly lapsed permit 47-07870. I am assisting Mr. Dennie Hill in this matter. I believe that this information was sent to Mr. Saxton in February of this year, however, talking to him this morning it appears that some of the information may not have reached him and therefore I am enclosing additional copies of all the information. I believe that if you read the affidavits of Dennie Hill and J. Roy Haley you will understand the situation. At this time Mr. Hill is the owner of the property and would like to make sure that all of the water rights for the subject property are in proper order and in particular, the lapsed permit 47-07970. He is requesting it be reinstated and licensed.

If I may be of further assistance in supplying additional data please contact me at LeMoyne Appraisal, 733-0874. Thank you.

Sincerely,



Craig A. Moore

CAM:mlc
enclosures

MICROFILMED

JUN 24 1997

1992 AERIAL PHOTO

Wells

ORIGINAL FILED
JUN 24 1997

T-108

TWIN FALLS COUNTY, IDAHO

RECORDED FOR:

TITLEFACT, Inc.

1991 JUN 17 P 3:48

91 003909

TITLEFACT, INC.

163 FOURTH AVENUE NORTH
P.O. BOX 486
TWIN FALLS, IDAHO 83303

LINDA E. WRIGHT
EX-OFFICIO RECORDER
FEE: 30 DEPUTY: UP

30329LJ

*****SPACE ABOVE FOR RECORDER

WARRANTY DEED

FOR VALUE RECEIVED J. ROY HALEY AND IRMA I. HALEY, husband and wife hereinafter called the grantor, hereby grants, bargains, sells and conveys unto DENNIE HILL AND KRISTINE S. HILL, husband and wife whose address is:

hereinafter called grantee, the following described premises in Twin Falls County, Idaho to-wit:

Township 10 South, Range 13 E., B.M., Twin Falls County, Idaho
Section 34: NW1/4NW1/4
EXCEPT the South 60 feet of the East 300 feet

SUBJECT TO: Twin Falls County Highway Right of Way

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, the Grantee's heirs and assigns forever. And the said Grantor does hereby covenant with the said Grantee, that the Grantor is the owner in fee simple of said premises; they are free from all incumbrances except as described above and that Grantor will warrant and defend the same from all lawful claims whatsoever.

Dated: MAY 28, 1991

J. Roy Haley
J. ROY HALEY

Irma I. Haley
IRMA I. HALEY


STATE OF IDAHO
County of Twin Falls

On this 29th day of MAY, 1991, before me, a Notary Public in and for said State, personally appeared J. ROY HALEY AND IRMA I. HALEY, husband and wife, known to me to be the persons whose names are subscribed to the foregoing instrument and acknowledged to me that they executed the same.

IN WITNESS WHEREOF I have hereunto set my hand and official seal the day and year first written.

Lillian Jacobson

Notary Public for Idaho
Residing in: Buhl
Commission Expires: 03/02/94



RECORDED

JUN 24 1997

Le Moyne Appraisal L.L.C.

1418 BLUE LAKES BLVD. NORTH
TWIN FALLS, IDAHO 83301

HENRI LE MOYNE, S.R.P.A., A.R.A.
ACCREDITED RURAL APPRAISER
IDAHO CERTIFIED APPRAISER

PHONE (208) 733-0874
FAX (208) 733-8475

CRAIG A. MOORE
IDAHO CERTIFIED APPRAISER

RECEIVED

FEB 24 1997

February 20, 1997

Department of Water Resources

Glen Saxton
Idaho Department of Water Resources
Box 83720
Boise ID 83720-0098

Dear Mr. Saxton:


I have been assisting Dennie Hill in various matters pertaining to his dairy at Castleford. One of the items I discovered was that no change of ownership had been filed with the IDWR pertaining to the four water rights appurtenant to this property. Enclosed please find a notice of change of water right ownership. There are four water rights specified on this form. 47-04361 is an irrigation and a domestic water right. 47-04214 and 47-10533 are both waste water rights for irrigation.

Water right number 47-07870 is an application for permit which was made in March of 1986. I have enclosed this application for permit along with the water right profile reports for the other three water rights. The application for permit was made by Mr. J. Roy Haley of Buhl, Idaho for purposes of commercial and stock water for his dairy located near Castleford. As the attached affidavits from Mr. Haley and Mr. Hill show, the property was in a transition state with Mr. Haley selling the dairy to Mr. Hill. The filing of proof of beneficial use was due at this transition time. Apparently, one or both parties overlooked the necessity of filing this proof. It appears from the information I have been able to obtain that the well was drilled in 1981 and full beneficial use of the property was made prior to the proposed expiration date of the application for permit. Mr. Hill respectfully requests that he be allowed to file this proof of beneficial use and reinstate the lapsed permit 47-07870. In substantiating his proof for beneficial use, I have attached affidavits from Mr. Hill and Mr. Haley, a well driller's report and aerial photographs showing the amount of corrals which were on the property in 1987 and then again in 1992. These aerial photographs were obtained from the ASCS office in Twin Falls and are the only aerial photographs available as far as I know.

*affidavits
not
attached*

We appreciate your consideration of this matter and if I may be of further assistance to you please contact me at LeMoyne Appraisals in Twin Falls or Mr. Dennie Hill.

Sincerely,


Craig A. Moore

MAIL ROOM

JAN 24 1997

2/10/97

To Whom It May Concern:

I leased the Haley Dairy at Castleford beginning 5/13/89. At that time there were cow corrals for 300 head and calf and heifer pens. There were 2 wells on the dairy.

I added an additional bulk Tank of 3,000 Gallons. There was an existing tank of 2000 Gallon. The parlor was expanded to 16 stalls from 12. Additional corrals were built to bring total cow numbers to 700 Head and 500 calves, heifers, and springers. All of this expansion was in 1989.

I purchased the dairy on May 29, 1991. and operated it until July 1995. The Dairy was leased to Luis Bettencourt in June 1996.

Paper work regarding permit 47-7870 was not sent to me. I was unaware that the permit had lapsed. Please accept these affidavits to reinstate this permit

Dennie Hill

Dennie Hill
126W 450 N
Blackfoot ID 83221
208-785-1218

RECORDED
JUN 24 1997

2/10/97

To Whom It May Concern:

I sold my dairy in Sec. 34 Twp 105 Range 13 EBM to Dennis Hill on 5/29/1991. I had applied for Permit # 49-7870 in 1986 to increase the water right for that dairy. The last of the 2 wells on the place was drilled in 1981. Burkhardt Well Drilling in Castleford installed the pump at that time. I used both wells for stockwater and for cleanup in the barn until I sold the dairy.

I milked up to 300 head with additional calves and heifers and replacements of up to 300 head. The barn had 12 stalls and a 2000 gal bulk tank and water was used to clean equipment and clean the barn.

At the time proof of beneficial use was due I had sold the dairy and this paper work was overlooked. All construction was completed and the water was used in 1981.

Roy Haley

Roy Haley
603 8th Ave. N.
Buhl ID
208-543-4516

INDEXED
JUN 24 1997

March 6, 1991

J. ROY HALEY
CASTLEFORD, ID 83321

LAPSE NOTICE

RE: PERMIT NO. 47-07870

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated December 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.


L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 3-8-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



138910

December 31, 1990

J. ROY HALEY
CASTLEFORD, ID 83321

PROOF DUE NOTICE

RE: PERMIT NO. 47-07870

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERFLY,

Rita Fleck
Secretary/Records Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 06, 1986

HARRY, J. ROY
CASTLEFORD, ID 83321

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-7870

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTTILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET HALEY, J. ROY

INITIAL REVIEW BY: ADN

APPLICATION NUMBER: 47-7870

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: margin

Date: 4/4/85

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. N/A
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/25/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/26/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 3/30/85 Date of priority recommended.
Special conditions of approval or cover letter. 26, 09E

Note: In Twin Falls, Groundwater Management Area
app. released in 3rd S.E. dismissal

By: ADN

Date: 4/1/85

STATE OFFICE REVIEW:

U17

26

RECEIVED
APR 23 1985

- ☐ See attached sheet for more information.

By: EW
EW

Date: 5/13/85
3/3/86

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John A. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 744-3578

April 4, 1985

Gary Burkett
Department of Health & Welfare
Division of Environment
P. O. Box 1626
Twin Falls, Idaho 83301

Re: Applications for Permit No. 47-7853, 47-7865, 47-7870,
47-7872, 47-7879, 47-7885, 47-7919, 47-7929

Dear Mr. Burkett:

Please find enclosed copies of the above referenced applications
for permit for your information and files.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

for

Loren D. Holmes
Southern Region Supervisor

Encl:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-5578

FEBRUARY 22, 1985

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before MARCH 25, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

42-2820

HALEY, J. ROY

CASTLEFORD, ID 83321

Source: GROUNDWATER

Date Filed: 03/30/1983

Diversion Pt: NWNW Sec 34 T 10S R 13E

Use: STOCKWATER (0.33 CFS)
COMMERCIAL (0.33 CFS)

In: NWNW Sec 34 T 10S R 13E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN

Director

Published 3/7/ & 3/14/85.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-7842
SHAW, N. REX
Rt. 1, Kimberly, ID 83341

Source: Ground water
Date Filed: 01/04/1983
Diversión Pt: SESE
Sec 05 T 10S R 18E
Use: Irrigation (0.02 CFS)

Stockwater (0.01 CFS)
Domestic (0.05 CFS)
In: SESE Sec 05 T 10S R 18E FOR 2 ACRES

47-7883
LOMAN, HENRY & or ESTHER
Rt. 4, Box 413, Buhl, ID 83318

Source: Ground water
Date Filed: 01/20/1983
Diversión Pt: SESE
Sec 14 T 10S R 14E
Use: Stockwater (0.20 CFS)

Commercial (0.20 CFS)
Domestic (0.04 CFS)
In: SESE Sec 14 T 10S R 14E

47-7888
DEAN, LESLIE L.
Rt. 4, Twin Falls, ID 83331

Source: Ground water
Date Filed: 08/30/1983
Diversión Pt: NESE
Sec 25 T 10S R 18E
Use: Stockwater (0.04 CFS)

Commercial (0.04 CFS)
Domestic (0.04 CFS)
In: NESE Sec 25 T 10S R 18E

47-7882
SCHEEL, MAURICE E., M.D.
518 East Ave. A, Wendell, ID 83355

Source: UNNAMED STREAM (J-2 COULEE) trib. to MUD CREEK
Dated Filed: 02/25/1983

Diversión Pt: SWSW
Sec 24 T 08S R 14E
Use: Irrigation (0.05 CFS)

Stockwater (0.02 CFS)
Fish Prop. (1.00 CFS)
Aesthetics (1.00 CFS)
In: SWSW Sec 24 T 08S R 14E FOR 2 ACRES

47-7888
BOKMA, WILLIAM
Rt. 4, Sunway North, Twin Falls, ID 83301

Source: Ground Water
Date Filed: 02/24/1983
Diversión Pt: NWSW
Sec 11 T 11S R 17E
Use: Stockwater (0.20 CFS)

Commercial (0.08 CFS)
In: NWSW Sec 11 T 11S R 17E

47-7870
MALEY, J. ROY
Castelford, ID 83321

Source: GROUND WATER
Dated Filed: 03/30/1983

Diversión Pt: NWNW
Sec 34 T 10S R 13E
Use: Stockwater (0.33 CFS)

Commercial (0.33 CFS)
In: NWNW Sec 34 T 10S R 13E

47-7872
HYDROTUBE OF IDAHO
2286 Addison Ave. E., Twin Falls, ID 83301

Source: Ground water
Date Filed: 04/04/1983
Diversión Pt: SWSW
Sec 11 T 10S R 17E
Use: Irrigation (0.08 CFS)

Commercial (0.07 CFS)
Heating (0.20 CFS)
Recreation (0.08 CFS)
In: SWSW Sec 11 T 10S R 17E FOR 1.5 ACRE

CERTIFICATE OF PUBLICATION

NOTICE OF PUBLICATION
X 2488, TWIN FALLS, IDAHO

Source: Groundwater
Date Filed: 08/21/1983
Diversión Pt: NENE
Sec 16 T 10S R 18E
Use: Irrigation (0.05 CFS)

Domestic (0.04 CFS)
In: NENE Sec 16 T 10S R 18E FOR 2 ACRES

47-7917
RANDELL, C. GENE
Rt. 1 Box 298, Kimberly, ID 83341

Source: Ground water
Date Filed: 06/22/1983
Diversión Pt: SWSE
Sec 04 T 10S R 18E
Use: Stockwater (0.03 CFS)

Commercial (0.03 CFS)
In: SWSE Sec 04 T 10S R 18E

47-7919
LEYTHAM, RICHARD
Rt. 1, Twin Falls, ID 83301

Source: Ground water
Date Filed: 06/18/1983
Diversión Pt: NWSW
Sec 18 T 11S R 18E
Use: Irrigation (0.08 CFS)

Stockwater (0.02 CFS)
Domestic (0.20 CFS)
In: NESW NWSW Sec 18 T 11S R 18E SESW Sec 18 T 11S R 18E FOR 2 ACRES

47-7828
VANDENBARK, TRENA KIMBALL, ED
HOWE, LEON
c/o TRENA VANDENBARK, Rt. 1, Kimberly, ID 83341

Source: Ground water
Date Filed: 08/23/1983
Diversión Pt: NWNE
Sec 21 T 10S R 18E
Use: Irrigation (0.05 CFS)

Domestic (0.08 CFS)
In: NWNE Sec 21 T 10S R 18E FOR 1 ACRE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN
Director
PUBLISH: Thursday, March 7, and 14, 1985

NOTICE OF PUBLICATION

NOTICE OF PUBLICATION
X 2488, TWIN FALLS, IDAHO

Source: Groundwater
Date Filed: 08/21/1983
Diversión Pt: NENE
Sec 16 T 10S R 18E
Use: Irrigation (0.05 CFS)

Domestic (0.04 CFS)
In: NENE Sec 16 T 10S R 18E FOR 2 ACRES

47-7917
RANDELL, C. GENE
Rt. 1 Box 298, Kimberly, ID 83341

Source: Ground water
Date Filed: 06/22/1983
Diversión Pt: SWSE
Sec 04 T 10S R 18E
Use: Stockwater (0.03 CFS)

Commercial (0.03 CFS)
In: SWSE Sec 04 T 10S R 18E

47-7919
LEYTHAM, RICHARD
Rt. 1, Twin Falls, ID 83301

Source: Ground water
Date Filed: 06/18/1983
Diversión Pt: NWSW
Sec 18 T 11S R 18E
Use: Irrigation (0.08 CFS)

Stockwater (0.02 CFS)
Domestic (0.20 CFS)
In: NESW NWSW Sec 18 T 11S R 18E SESW Sec 18 T 11S R 18E FOR 2 ACRES

47-7828
VANDENBARK, TRENA KIMBALL, ED
HOWE, LEON
c/o TRENA VANDENBARK, Rt. 1, Kimberly, ID 83341

Source: Ground water
Date Filed: 08/23/1983
Diversión Pt: NWNE
Sec 21 T 10S R 18E
Use: Irrigation (0.05 CFS)

Domestic (0.08 CFS)
In: NWNE Sec 21 T 10S R 18E FOR 1 ACRE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN
Director
PUBLISH: Thursday, March 7, and 14, 1985

47-7870
MALEY, J. ROY
Castelford, ID 83321

Source: GROUND WATER
Dated Filed: 03/30/1983

Diversión Pt: NWNW
Sec 34 T 10S R 13E
Use: Stockwater (0.33 CFS)

Commercial (0.33 CFS)
In: NWNW Sec 34 T 10S R 13E

47-7872
HYDROTUBE OF IDAHO
2286 Addison Ave. E., Twin Falls, ID 83301

Source: Ground water
Date Filed: 04/04/1983
Diversión Pt: SWSW
Sec 11 T 10S R 17E
Use: Irrigation (0.08 CFS)

Commercial (0.07 CFS)
Heating (0.20 CFS)
Recreation (0.08 CFS)
In: SWSW Sec 11 T 10S R 17E FOR 1.5 ACRE

Nº 14854

being first duly sworn up

of the TIMES-NEWS, I do solemnly swear that a copy of notice of advertisement, as per clipping attached, was published in the regular and

notice of said newspaper, and not in any supplement thereof, for two weeks commencing with the issue dated

March 7, 1985, and ending with the issue dated March 14, 1985

And I do further certify that said newspaper is a consolidation, effective February 16, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and

interruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and at the head of the editorial column of said combined newspapers, and in each issue thereof Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 6 March 1985

Notary Public in and for the County of Twin Falls, State of Idaho, residing at Twin Falls, Idaho

47-7878
PAUL, W.R.
P.O. Box 2010, Sparks, NV 89431

Source: Ground water
Date Filed: 04/29/1983
Diversión Pt: SESE
Sec 32 T 08S R 14E
Use: Commercial (0.04 CFS)

Fish Prop. (0.24 CFS)
Heating (0.10 CFS)
Domestic (0.08 CFS)
Recreation (0.02 CFS)
In: SESE Sec 32 T 08S R 14E

47-7888
LITWILLER, RAYMOND W.
Rt. 1, Buhl, ID 83318

Source: Ground water
Date Filed: 05/11/1983
Diversión Pt: Lot 02 (NWNE) Sec 03 T 11S R 14E

Use: Stockwater (0.13 CFS)
Stockwater (0.05 CFS)
Commercial (0.08 CFS)
Domestic (0.04 CFS)
In: LOT 02 (NWNE) Sec 03 T 11S R 14E

47-7888
MILLER, JAMES R. & or LAURA
832 Washington St., Twin Falls, ID 83301

Source: DEADMAN GULCH trib. to ROCK CREEK
Date Filed: 05/17/1983
Diversión Pt: SESE
Sec 18 T 10S R 17E
Use: Irrigation (0.06 CFS)

In: SESE Sec 18 T 10S R 17E FOR 2 ACRES

47-7888
HARMS, MELISSA SMALLEY
Rt. 3 Box 241, Buhl, ID 83318

Source: SPRING trib. to DEEP CREEK
Date Filed: 08/23/1983
Diversión Pt: SESE
Sec 08 T 08S R 14E
Use: Irrigation (0.08 CFS)

Stockwater (0.02 CFS)
Domestic (0.04 CFS)
In: SESE Sec 08 T 08S R 14E FOR 3 ACRES