







STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: William Bokma Permit No. 47-7865
Current Address: 3340 N 3100 E Twin Falls, ID 83301 Phone No. 733-3634
2. Accompanied by: Same EXAM. DATE: 8-15-91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: none

☐ Copies Attached
2. Other water rights with same point of diversion: none

☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = ~ 30'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



47- 7865



P/O
looking
west



P/O - dairy barn
storage tank

JUN 13 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5132
WATER RIGHT NO. 47-07865

This is to certify that: **WILLIAM BOKMA**
DJO BOKMA
3374 N 3100 E
TWIN FALLS ID 83301

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.22 CFS	23.2 AF
COMMERCIAL	01/01 to 12/31	0.06 CFS	1.6 AF
	Totals	0.22 CFS	24.8 AF

SOURCE

GROUNDWATER

Priority: 02/24/1983

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 11, Township 11S, Range 17E
TWIN FALLS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11S 17E 11 NWSW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this right may be affected by an agreement between the protestant and the right holder.
2. Water used under this right when discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
3. Use of water under this approval shall comply with applicable water quality standards of the Division of Environmental Quality of the Idaho Department of Health and Welfare.
4. The dairy operation authorized under this approval shall comply with applicable county zoning and use ordinances


JUN 25 1999

TRANSFER NO. 5132
WATER RIGHT NO. 47-07865

CONDITIONS OF APPROVAL AND REMARKS

5. The right holder shall maintain a totalizing measuring device of a type approved by the Department as a part of the diverting works.
6. After specific notification by the department, the right holder shall measure the diversion or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department or other designated authority.
7. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
8. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
9. Commercial use is for a dairy operation.

Dated this 24th day of may, 1999.


Chief, Water Allocation Bureau

MICROFILMED

JUN 25 1999

Page 1 of 5

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Transfer No. 5132

RECEIVED

JAN 29 1999

APPLICATION FOR TRANSFER OF WATER RIGHT

PART 1

Department of Water Resources

Name of applicant William Bokma 2/or Djo Bokma Phone 733-3634

Post Office address 3374 N 3100 E, Twin Falls, ID 83301

A. PURPOSE OF TRANSFER

- ☐ Change point of diversion
 ☐ Add diversion point(s)
 ☐ Change place of use
☒ Change nature of use
 ☐ Change period of use
 ☐ Other _____
- Describe the reason for the proposed changes I no longer use rainbird sprinklers for washing cattle in the dairy barn, so want to convert the unused commercial volume to stockwater use so that more animals can be milked.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

- | Right Number | Priority | Amount
(cfs/ac-ft) | Nature
of Use | Period of Use |
|-----------------|------------------|-----------------------|-------------------|----------------------------|
| <u>47-07865</u> | <u>2-24-1983</u> | <u>0.22/23.2</u> | <u>Stockwater</u> | <u>1-1</u> to <u>12-31</u> |
| | | <u>0.06/1.6</u> | <u>Commercial</u> | " to " |
| | | | | to |
| | | | | to |
- Total amount of water being transferred 0.22 cubic feet per second and/or 24.8 acre-feet per annum.
- Source of water Groundwater tributary to _____
- Point(s) of Diversion: No Change

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion

5. Lands irrigated or place of use: No Change

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

MICROFILMED
JAN 29 1999

Total acres _____

PART 1

6. General Information:

a. Description of diversion system Well & pump, pipelines to dairy barn & stock troughs

b. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or N/A contracts? _____ Yes _____ No. If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.

c. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer:

N/A

d. Remarks:

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____

And said application is hereby _____, subject to the following limitations and conditions:

Witness my hand this _____ day of _____, 19 _____

MICROFILMED
JUN 25 1999

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 47-07865

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.22 CFS	12.7 AF
COMMERCIAL	01/01 to 12/31	0.06 CFS	12.1 AF
	Totals	0.22 CFS	24.8 AF

SOURCE

GROUNDWATER

Priority: 02/24/1983

LOCATION OF POINT(S) OF DIVERSION:NWSW , Sec. 11, Township 11S, Range 17E
TWIN FALLS County**PLACE OF USE: STOCKWATER****TWN RGE SEC**


11S 17E 11 NWSW

PLACE OF USE: COMMERCIAL, same as STOCKWATER use**CONDITIONS/REMARKS:**

1. Water used under this right when discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
2. Stockwater use is for 50 range cattle and 300 dairy cattle.
3. Commercial use is for a dairy operation.

MICROFILMED

JUN 25 1989



PART 3**B. CHANGES IN NATURE OF USE**

1	New Nature of Use	Amount (cfs/ac-ft)	Hours/days/year	Period of Use
	<u>Stockwater</u>	<u>0.22/23.2</u>	<u>as needed</u>	<u>1-1</u> to <u>12-31</u>
	<u>Commercial</u>	<u>0.06/1.6</u>	<u>"</u>	<u>"</u> to <u>"</u>

2. Quantity and quality of return flows and location of discharge:

Water will remain on the property as required by law.

3. Describe effects on other water uses resulting from the proposed change:

None

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

Willie Bohm

(Signature of Applicant)

Subscribed and sworn to before me this 23rd day of July, 19 97

J. F. Stanton

(Notary Public)

My commission expires 10-25-2000

FOR DEPARTMENT USE ONLY

Transfer contains 5 pages and 2 attachments

Received by J. F. Stanton Date 7-24-97

Protest filed by City of Twin Falls

Prelim. check by J Fee \$100, 5020404

(withdrawn 1/19/99)

Receipted by J Date 7-24-97

Published in Times News

Copies of protest forwarded by _____

Pub. dates 7/4 + 7/11/97

Hearing held by _____ Date _____

Watermaster recommendation requested on N/A

Recommended for ☒ approval ☐ denial

_____ rec'd. _____

by AO

Copy of transfer sent to lien holder _____

RECEIVED

JUL 25 1997

Department of Water Resource

MICROFILM

JUN 25 1999

TWIN FALLS COUNTY ASSESSOR
TWIN FALLS COUNTY COURTHOUSE
P.O. BOX 265
TWIN FALLS, ID 83303-0265

ADDRESS CORRECTION REQUESTED

CATEGORY DESCRIPTION

1 IRRGTD AG
10 RURAL HOMESITE
19 WASTE
31 RURAL RES BLDG
32 RURAL IMP ON AG

IMPORTANT NOTICE-PLEASE READ

PARCEL NO. RP 11S17E115400 A
PAGE 1 OF 1
TAX CODE 43-00

LOTS/ACRES	MARKET VALUE
38.250 AC	28,040
1.000 AC	4,359
.750 AC	37,436
	153,539

40.000 223,374*

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE PAID
TWIN FALLS, ID 83301
PERMIT NO. 5

1995

TAXPAYER'S

VALUATION

ASSESSMENT NOTICE

Taxes are based on the valuation
listed on this statement

IF THERE ARE ANY QUESTIONS
REGARDING THIS STATEMENT
NOTIFY THE ASSESSOR'S OFFICE BEFORE

JUNE 26, 1995

See the reverse side for further references
KEEP THIS COPY FOR YOUR RECORDS

PROPERTY ADDRESS 3340
PREVIOUS NUMBER

3100

Mail To:

SEC 11 T 11 R 17
NW SW

BOKMA, DJO DEROST TRUST
& BOKMA PETE TRUST
*% BOKMA, DJO DEROST TRUSTEE
1651 BRIARWOOD LN
TWIN FALLS ID 83301

GERALD R. BOWDEN, ASSESSOR
TWIN FALLS COUNTY
P.O. BOX 265
TWIN FALLS, ID 83303-0265

ADDRESS CORRECTION REQUESTED

CATEGORY DESCRIPTION

1 IRRGTD AG
10 RURAL HOMESITE
19 WASTE
31 RURAL RES BLDG
32 RURAL IMP ON AG

IMPORTANT NOTICE-PLEASE READ

PARCEL NO. RP 11S17E115400 A
PAGE 1 OF 1
TAX CODE 43-00

LOTS/ACRES	MARKET VALUE
38.250 AC	31,434
1.000 AC	5,586
.750 AC	37,436
	153,539

40.000 227,995*

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE PAID
TWIN FALLS, ID 83301
PERMIT NO. 5

1996

TAXPAYER'S

VALUATION

ASSESSMENT NOTICE

Taxes are based on the valuation
listed on this statement

IF THERE ARE ANY QUESTIONS
REGARDING THIS STATEMENT
NOTIFY THE ASSESSOR'S OFFICE BEFORE

JUNE 24, 1996

See the reverse side for further references
KEEP THIS COPY FOR YOUR RECORDS

PROPERTY ADDRESS 3340
PREVIOUS NUMBER RP11S17E115400A

3100

Mail To:

SEC 11 T 11 R 17
NW SW

BOKMA, DJO DEROST TRUST
& BOKMA PETE TRUST
*% BOKMA, DJO DEROST TRUSTEE
1651 BRIARWOOD LN
TWIN FALLS ID 83301

JUN 25 1999
MICROFILMED

T # 5132

GERALD R. BOWDEN, ASSESSOR
TWIN FALLS COUNTY
P.O. BOX 265
TWIN FALLS, ID 83303-0265

IMPORTANT NOTICE-PLEASE READ

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE PAID
TWIN FALLS, ID 83301
PERMIT NO. 5

ADDRESS CORRECTION REQUESTED

PARCEL NO.

TAX CODE 43-00

CATEGORY DESCRIPTION

LOTS/ACRES

MARKET VALUE

1	IRRGTD AG	38.250 AC	35,782
10	RURAL HOMESITE	1.000 AC	5,590
19	WASTE	.750 AC	
31	RURAL RES BLDG		37,436
32	RURAL IMP ON AG		153,539
		40.000	232,347*

1997

TAXPAYER'S

VALUATION

ASSESSMENT NOTICE

STATEMENT OF THE VALUATION

STATEMENT

IF THERE ARE ANY QUESTIONS
REGARDING THIS STATEMENT
NOTIFY THE ASSESSOR'S OFFICE BEFORE

JUNE 23, 1997

See the reverse side for further references
KEEP THIS COPY FOR YOUR RECORDS

PROPERTY ADDRESS 3340 3100
PREVIOUS NUMBER RP 11S17E115400 A

Mail To:

BOKMA DJO DEROST TRUST
& BOKMA PETE TRUST
% BOKMA DJO DEROST TRUSTEE
1605 GRANDVIEW DR N SP #48
TWIN FALLS ID 83301-2905

SEC 11 T 11 R 17
NW SW

JUN 25 1999
MICROFILMED

T # 5132

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07865

Priority: February 24, 1983

Maximum Diversion Rate:

0.22 CFS

Maximum Diversion Volume:

24.8 AF

This is to certify, that WILLIAM BOKMA
3374 N 3100 E

TWIN FALLS ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 24, 1983; and has submitted Proof of Beneficial Use on March 16, 1990. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.22 CFS	12.7 AF
COMMERCIAL	01/01 to 12/31	0.06 CFS	12.1 AF
	Totals	0.22 CFS	24.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 11, Township 11S, Range 17E
TWIN FALLS County

PLACE OF USE: STOCKWATER

TWN RGE SEC

11S 17E 11

NWSW

PLACE OF USE:

COMMERCIAL, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Stockwater use is for 50 range cattle and 300 dairy cattle.
7. Commercial use is for a dairy operation.

JUN 13 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07865

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of JUNE, 1995.


Acting for KARL J. DREHER, Director

RECEIVED

MAR 16 1990

NO CHECK
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-07865 Telephone No. 208 733 3634

Name(s) of Permit Holder(s): William Bokma

Post Office Address: 3340N 3100 E Twin Falls Idaho 83301

Source of Water: _____

If ground water, well driller's name: Eaton well driller Walker Water System Date drilled: 6-89

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater 300 (No. and type of stock) Other dairy Barn Commercial
dairy use

Total rate and/or volume for which proof is submitted .32 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 10-83

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name

Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3-15-90
Date

William Bokma
Signature (and title if on behalf of a company or organization)

RECEIVED

JUN 6 1990

Department of Water Resources

FILED

JAN 28 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant William Bokma Phone 733-3634

Post office address Route #4 Sunway North, Twin Falls, ID 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11 Township 11S

Range 17E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.26cfs for Livestock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.06cfs for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.32 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 11 Township 11S

Range 17E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 400 dairy cows

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Commercial use in dairy barn

MICROFILMED

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of small squares covering the entire area, with no margins or additional markings.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William Bokun

(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 2/24/83

Received by JP Date 2-24-83 Time 11:10 am

Preliminary check by T6B Fee \$ 45.00

Receipted by JP Date 2-24-83 # 26029

Publication prepared by merge Date 2/22/85

Published in Times News

Publication dates 3/7 & 3/14/85

Publication approved merge Date 2/26/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7865, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 15th day of May, 1985.

J. Glen Saxton
Chief, Operations Bureau





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 26, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM BOKMA
DJO BOKMA
3374 N 3100 E
TWIN FALLS ID 83301

RE: Water Right 47-07865 (Transfer 5132)

Dear Mr. & Mrs. Bokma:

Enclosed is the copy of your approved Transfer of Water Right for the above referenced water right (Transfer 5132). Please be sure to thoroughly read the Conditions and Remarks listed on the transfer. Also, please be advised that the accompanying transfer approval should be considered and treated as a **preliminary order** of the department issued pursuant to section 67-5243, Idaho Code. Enclosed are instructions for responding to **Preliminary Orders** if you are in disagreement with the approved transfer.


As of July 1, 1996, all water right owners are required to report any change in water right ownership and any change of mailing address to the department.

If you have acquired any other water right or have changed your mailing address **PRIOR TO** July 1, 1996, you have until July 30, 1998, to record the ownership and/or address change with the department.

If you acquired other water rights or changed your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes in a timely manner could result in a \$100 late filing fee. You can contact any office of the department for more information. If you have any questions concerning your water right listed above you can contact me at (208) 327-7947.

Sincerely,


JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt
Enclosures

PHOTOFILMED
JUN 25 1999

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of **May, 1999**, I mailed a true and correct copy, postage prepaid, of the foregoing **TRANSFER APPROVAL** to the person(s) listed below:

WATER RIGHT 47-07865 (Transfer 5132)

**WILLIAM BOKMA
DJO BOKMA
3374 N 3100 E
TWIN FALLS ID 83301**


Kari Lynn Townsend
Secretary

MICROFILMED
JUN 25 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
JUN 25 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 25 1999

MEMORANDUM

TO: File 47-07865

FROM: Pam Skaggs /State Office

SUBJECT: Transfer 5132

DATE: May 20, 1999

Transfer 5132 changes the balance of use between the existing stockwater and commercial uses under Right 47-07865. The applicant has changed his system within the dairy and no longer requires the same amount of water for commercial use. Instead the water will be used to provide for additional stock. No additional water will be used or is authorized at the dairy under this right.

Recommended conditions include protest agreement, water quality, county zoning, totalizing measuring device, future annual reporting and standard transfer conditions.

MICROFILMED

JUN 25 1999

IDAHO DEPARTMENT OF WATER RESOURCES
PREFIX/SPLIT QUERY

DATE: 05/19/99

TIME: 07:29:26

PAGE: 1

WATER RIGHT NO.	NAME	OWNER	PRIORITY	DATE	STG/STS	SOURCE	USE DESC	SYSTEM
47-07865	BOKMA, WILLIAM	C		02/24/1983	L/	GROUNDWATER	STOCK COMMER	WR
T47-07865	BOKMA, WILLIAM BOKMA, DJO	C C		02/24/1983	L/	GROUNDWATER	STOCK COMMER	WR

FROM: Allen Merritt *AM*
TO: Transfer File No. 5132
Water Right(s): 47-07865

DATE: January 26, 1999

In the Name of: WILLIAM BOKMA

SUBJECT: Review and Recommendation

This transfer proposes to modify the uses under license 47-07865. Originally the license allowed:

stockwater	0.22 cfs	12.7 afa
commercial	<u>0.06 cfs</u>	<u>12.1 afa</u>
	0.22 cfs	24.8 afa

The applicant has improved the efficiency of his operation in the barn and wishes to convert the commercial volume to stockwater to allow expansion of the herd modifying the right as follows:

stockwater	0.22 cfs	23.2 afa
commercial	<u>0.06 cfs</u>	<u>1.6 afa</u>
	0.22 cfs	24.8 afa

The application was advertised and the City of Twin Falls protested the application. The parties worked together and resolved the protest on agreement. (See enclosed letter dated 1/15/99 which describes the agreement).

ANALYSIS

The transfer as drafted does not appear to expand the water right and should be approved. The proposal is similar to the language contained in paragraph three of the "draft" memo regarding "Water Use Quantification for Dairies" which allows uses at a dairy to fluctuate as long as the maximum authorized rate and volume are not increased.

RECOMMENDATION

I recommend the transfer be approved subject to the following conditions:

- Subject to private agreement between City of Twin Falls and Applicant.
- Install measuring device and totalizing meter on well.
- Subject to future requirement to measure and report use to department or other authority when notified.

MICROFILMED

JUN 25 1999

Draft dairy 6-03-98, am 9-04-98, am 1-15-99 lgs

MEMORANDUM

To: Regional Offices
Water Allocation Bureau
Adjudication Bureau

DRAFT

From: Norman C. Young

RE: WATER USE QUANTIFICATION FOR DAIRIES

Date:

In order to expedite calculation of the amount of water to recommend for stockwater, a Confined Animal Feeding Operation (CAFO) or dairy use claims in the Snake River Basin Adjudication (SRBA), SRBA staff developed a computer program which calculates the amount of water based on a number of parameters which are built into the program and are provided as input to the program. This program is commonly referred to as a "Dairy Use Worksheet". The worksheet should be considered as a "guide" to the amount of water needed, not the "absolute" requirement. Applications for permit or transfer submitted to the Department of Water Resources (IDWR) with more detailed justification of the amount of water needed for a specific operation should be reviewed on a case-by-case basis, evaluated and accepted or rejected on its merits.

Permits issued by the IDWR for a dairy or a Confined Animal Feeding Operation (CAFO) should identify the number of livestock on the permit in order to quantify the amount of water authorized for appropriation under the permit. Licenses, however, issued in connection with those permits should be quantified by the maximum amount of water authorized for diversion in terms of rate and volume, not by the number of livestock as on the permit. Since IDWR does not regulate the amount of water used for a dairy by amount for each specific purpose, licenses will show the total authorized volume of water under the license for both the stockwater and commercial use with the total shown on the license not to exceed the amount for either separate use.

The number of livestock associated with a dairy or CAFO where the water right is represented by a license may be increased without the filing of a transfer, provided the maximum authorized rate of diversion and total authorized volume are not increased over the amount of the license and the stockwater and commercial uses for the dairy or CAFO are delivered through a common system with a common diversion. The number of livestock is not a reliable parameter for regulating water use because the water requirements for different categories of livestock is variable and because the water needed in associated processes of caring for the animals and disposing of water is also subject to change. Assuming this same scenario with separate diversion and delivery

UNRECORDED
JUN 25 1999

systems for stockwater and commercial uses, a transfer would be required to show the changed rate and volume separately associated with the stockwater use and commercial use.

Since a dairy or CAFO is required to totally contain operation wastes without letting the wastes reach either ground water or surface water sources, IDWR staff should treat stockwater and commercial uses associated with these uses as totally consumptive. Water quality considerations associated with dairies is vested in the Division of Water Quality, not IDWR.

In the conversion of an irrigation water right to stockwater and commercial uses for a dairy or CAFO, the rate of diversion, consumptive use and total diverted volume under the original right and the transfer may not be enlarged. The number of acres to be "dried up" to provide the required volume of water for the new uses should be calculated as the total volume of water needed for the new uses(s) divided by the consumptive irrigation requirement of the land to be dried up. As an example, assume a dairy or CAFO needs a total of 100 AFA (acre feet per annum) for its stockwater and commercial uses. Also assume that the total diversion volume allowed for irrigation of the land to be dried up is 4.0 AFA per acre and that the consumptive irrigation requirement (CIR) volume is 3.0 AFA per acre. The calculation to prevent enlargement of the consumptive use component of the original right should be made as $100 \text{ AFA} \div 3 \text{ AF/ac} = 33 \text{ acres}$ to be dried up.

The location of the disposal of dairy waste must be identified on water right documents as part of the place of commercial use even though the dairy waste may be land applied in a manner similar to irrigation use.

In connection with existing dairy and CAFO operations where the location of the land applied waste water is not described on the authorizing water right document, the operator should file an application for transfer to describe the location. This type of filing should be considered as a more thorough description of the authorized commercial use and not as an enlargement. The IDWR also should not issue Notices of Violation to existing dairies to immediately force compliance with this memorandum for existing operations which have had their water requirements determined in a different manner by the IDWR. The IDWR, however, should work toward obtaining consistency in the water requirements associated with a dairy or CAFO.

MICROFILMED

JUN 25 1999

T#5132

WATER RIGHT NO.

47-07865

~~UN 2 3 1999~~



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

January 20, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM BOKMA &/OR
DJO BOKMA
3374 N 3100 E
TWIN FALLS ID 83301

RE: Protested Application for Transfer No. 5132 (47-07865)

Dear Applicants:

We have received a withdrawal of the protest filed by the City of Twin Falls against approval of the above referenced application.

Since they were the only protestant, the issue of the protest has been resolved and the Department is now prepared to proceed with the normal processing of the application which includes regional review prior to being forwarded to our State Office.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

A handwritten signature in dark ink, appearing to read 'A. D. Merritt'.

Allen D. Merritt, P.E.
Southern Region Manager

AM:MB

Enclosure

MICROFILMED
JUN 25 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

January 20, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ATTN BRADLY G GILMORE
CITY OF TWIN FALLS
PO BOX 1907
TWIN FALLS ID 83303-1907

RE: Application for Transfer No. 5132, 47-07865 - (Bokma)

Dear Mr. Gilmore:

This office acknowledges receipt of the withdrawal of your protest against the above referenced application.

Since you were the only protestant, the issue of the protest has been resolved and the Department is now prepared to proceed with the normal processing of the application which includes regional review prior to being forwarded to our State Office.

The Department will continue review of the application without further contact with you unless information is requested.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

A handwritten signature in dark ink, appearing to read 'Allen D. Merritt'.

Allen D. Merritt, P.E.
Southern Region Manager

AM:MB


MICROFILMED

JUN 25 1999

4. Applicant agrees to provide access and allow the City to collect water samples from water wells, both domestic and commercial, on applicants property. The City will provide at a minimum 24-hour notice prior to entering your property for sample collection. The City will pay for the sample analysis and provide a copy of the sample analysis results to you.

Applicant will provide a copy of the nutrient management plan and annual soil sampling results to the City. The copy will be provided after the fall or end of season application but no later than the first of the calendar year.

Sincerely,

A handwritten signature in black ink, appearing to read "Bradly J. Gilmore", with a stylized, flowing script.

Brad Gilmore
Environmental Coordinator

MICROFILM

JUN 25 1989



P.O. Box 1907 • 321 Second Avenue East • Twin Falls, Idaho 83303-1907 • Fax: (208) 736-2296

January 15, 1999

Alan Merritt
IDWR
1341 Fillmore St., Suite 200
Twin Falls, ID 83301

RECEIVED
JAN 19 1999
Department of Water Resources
Southern Region

Re: Protest of water transfer #T 5132

Dear Mr. Merritt:

The following are the points of agreement that were reached between the City of Twin Falls (Protestant) and Willie Bokma (Applicant) to resolve the protest of water transfer T5132. We would ask that the following conditions be attached to the water transfer and the City of Twin Falls will withdraw its protest.

1. Applicant agrees to install a flow meter to determine actual water use. The annual water use will be used to determine the appropriate number of animals for the dairy permit. An initial estimate of animal numbers for the permit will be based on the water use for the first three months after installation of the flow meter. The ultimate number will be reevaluated and determined after one year. The flow meter will be installed downstream of any and all water sources and will be read and reported on a monthly basis.
2. The department of Agriculture has agreed to provide the City of Twin Falls with a copy of the As-Built for the waste lagoons along with the maximum number of animals that the facility can handle above the storm water and facility waste water amounts. A letter from the Department of Agriculture regarding the waste lagoon was received on 12/98. Applicant has agreed to construct any future waste lagoons or expansion of lagoons to the appropriate State guidelines with Department of Agriculture oversight.
3. Applicant has agreed to encase the canal spillway inlet stand pipe in concrete to prevent erosion around the inlet, and to build and maintain a berm around the stand pipe that is at a minimum equal in height to the top of the inlet pipe. The intent of these modifications are to prevent flooding of the corrals on the northern end of the dairy.

MICROFILM

JAN 25 1999

1/98

Willie Baker called - His Letter Been
Received.

No

12/98

No

No

1/5/99

No

I called Gimon - Letter will
be sent out by Friday.

1-19-98

Bobma called, it told him protect had not been withdrawn,
I suggested he contact protestant to get a written withdrawal.
He said he had met their 4 requirements that had been agreed upon
for withdrawal. jim

MICROFILMED

JUN 25 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

September 24, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM BOKMA &/OR
DJO BOKMA
3374 N 3100 E
TWIN FALLS ID 83301

RE: APPLICATION FOR TRANSFER NO. 5132 (47-07865)

Dear Applicants:

Enclosed is a copy of a protest filed against the above referenced application.

The Department suggests you contact the protestant directly to determine the exact nature of the protest and, if possible, to resolve the matter without action by the Department.

The attachment to this letter describes the issues which the Department must consider in taking action on an application. It also gives a brief description of the conference and hearing procedure followed by the Department in resolving protested applications.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Allen D. Merritt, P.E.
Southern Region Manager

AM:MB

Enclosure(s)

MICROFILM

JUN 25 1998

CONFERENCE AND HEARING PROCEDURE

APPLICATION FOR TRANSFER ISSUES

Section 42-222, Idaho Code, identifies the following potential issues that the department can consider in connection with an application for transfer:

1. Will the proposed transfer injure other water rights?
2. Will the proposed transfer constitute an enlargement in the use of the original right?
3. Is the proposed transfer in the local public interest, where local public interest is defined as the affairs of the people in the area directly affected by the proposed use?
4. Is the proposed use contrary to conservation of water resources within the state of Idaho?

BURDEN OF PROOF

The applicant has the initial burden of proof for issues 1, 2, and 4 above and must provide evidence for the department to evaluate these criteria. The initial burden of proof on issue 3 above lies with both the applicant and protestant as to factors of which they are most knowledgeable and cognizant. The applicant has the ultimate burden of persuasion, however, for this issue.

PROCEDURE

The department generally conducts an informal conference with the parties to determine the issues and to try to settle a protested matter before a hearing is scheduled. If a hearing is held, the department will issue a written decision based on the hearing record.

CONFERENCE

The purpose of a pre-hearing conference is to provide the opportunity for the parties and the department to familiarize themselves with a contested matter and to attempt to resolve the matter. At the conference, the department may also formulate and simplify the issues, identify documents to avoid unnecessary proof, exchange proposed exhibits or prepared testimony, limit witnesses, discuss settlement or make settlement offers, schedule hearings, establish procedure at hearing and address other matters that may expedite orderly conduct and disposition of the proceeding or its settlement. The department may issue a "pre-conference statement order" which requires response to the inquiries.

HEARING

The department will tape record the hearing. Copies of a hearing tape are available upon request and the payment of the cost of reproducing the tape. The hearing likely will be conducted by a hearing officer appointed by the Director rather than by the Director himself. If so, the hearing officer will prepare a recommended order for the Director's consideration. Parties can file exceptions to a recommended order, briefs in support of the exceptions or may request oral argument. Parties may seek judicial review of any final order issued by the Director. Parties may by written stipulation waive the right to a recommended order, particularly when a shortened decision process is desirable or necessary. Such a waiver does not eliminate any rights of the parties in connection with the final order of the Director and judicial review of the order.

EXHIBITS

A party who plans to offer an exhibit as part of the hearing record must provide a copy of the proposed exhibit to the parties and to the hearing officer. As part of the conference a date may be set by which exchange of exhibits and witness lists must occur.

EFFECT OF FAILURE TO APPEAR AT A CONFERENCE OR HEARING

Failure to appear at the time and place set for a conference or hearing by the applicant or protestant(s) may allow the department to dismiss without prejudice the protest(s) or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing party.

AMERICANS WITH DISABILITIES ACT

Any hearing scheduled will be conducted in a facility which meets the accessibility requirements of the Americans with Disabilities Act. If you require special accommodations in order to attend, participate in or understand the hearing, please advise the department within (10) days prior to the hearing.

2010-01-14

2010-01-14



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

September 24, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ATTN BRADLY G GILMORE
CITY OF TWIN FALLS
PO BOX 1907
TWIN FALLS ID 83303-1907

RE: APPLICATION FOR TRANSFER NO. TR# 5132 (47-07865-Bokma)

Dear Protestant(s):

Your protest against the approval of the above referenced application has been received and a copy has been sent to the applicant with the suggestion that he contact you directly to determine the exact nature of the protest and, if possible, to resolve the matter without action by the Department.

The attachment to this letter describes the issues which the Department must consider in taking action on an application. It also gives a brief description of the conference and hearing procedure followed by the Department in resolving protested applications.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Allen D. Merritt, P.E.
Southern Region Manager

AM:MB

Enclosure

MICROFILMED

JUN 25 1999

'95

RECEIVED

SEP 22 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF PROTEST

Department of Water Resources
Southern Region

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested PROPOSED TRANSFER NO. 5132 TO WATER RIGHT 47-07865
2. Name of protestant CITY OF TWIN FALLS
3. Protestant's representative for service (If different than protestant)
BRADLY G GILMORE
4. Service mailing address P.O. BOX 1907, TWIN FALLS, ID 83303
5. Service telephone no. 208-736-2228
6. Basis of protest (including statement of facts and law upon which the protest is based) _____

SEE ATTACHED COMMENTS

(additional pages may be attached to describe the nature of the protest)

7. What would resolve your protest? SEE ATTACHED COMMENTS

RECORDED

JUN 25 1999

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 22 day of SEPTEMBER, 1997.

Booley G. Gilman FOR CITY OF TWIN FALLS
PROTESTANT

Booley G. Gilman
PROTESTANT'S REPRESENTATIVE

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application in order for the protest to be considered by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
2. Show the name of the protestant. Not more than two (2) representatives for service of documents may be designated on a protest. If this protest is signed by more than one person without identifying the two representative(s) for service of documents, the hearing officer may select the person(s) upon whom documents will be served.
3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
6. Specifically describe the nature of the protest.
7. Describe the relief being sought by the protestant.

MICROFILM

JUN 25 1999 FOR DEPARTMENT USE ONLY

Received by MBaldwin Date 9/22/97 Time 9:45 am

\$25.00 fee Receipted by MB # 50 20580 Date 9/22/97

T #5132

RECEIVED

SEP 22 1997

Department of Water Resources
Southern Region



Engineering Department



P.O. BOX 1907
321 SECOND AVENUE EAST
TWIN FALLS, ID 83303-1907
PHONE: 208/736-2273
FAX: 208/736-2296

The City of Twin Falls as a purveyor of water and a local government entity has specific responsibilities to protect and manage local water resources as outlined in the 1986 Safe Drinking Water Act Amendments and the Idaho Wellhead Protection Plan. These responsibilities include protecting the health, safety, and welfare of its citizens as they pertain to ground water quality. The City of Twin Falls has a direct and substantial interest in the proposed transfer of water in that the best interests of the public will not be served, and the local Citizens will be negatively impacted by the proposed new use.

The proposed dairy operation does not meet the minimum guidelines for Dairy waste management as identified in IDAPA 02.04.14 *et seq.*, and as such poses a significant threat to the water supply of the City of Twin Falls and the general health, safety, and welfare of the local public.

We are concerned that the water transfer enabling an expanded operation, as proposed in other documents to local and state agencies, will have an adverse impact and pose a significant threat to ground water quality and as such is not in the best interests of the public, specifically:

1. The location of expanded and additional corrals and feed storage areas necessary to utilize the proposed water transfer are directly upgradient and within 100 feet of three (3) existing domestic water supply wells. These wells are located within the wellhead protection Zone III as recognized by the City of Twin Falls and provide a direct path to the aquifer that is part of the water supply for the City. There are no identified measures to protect these wells from surface waste runoff.
2. There is no identified management plan for the facility and how it will manage and dispose of wastes generated by the increase in animal capacity.
3. Past operational practices of this facility have resulted in discharge of pollutants into surface waters. This has occurred with the current waste treatment facility and a fewer number of animals. The proposed increase in number of animals and consequently wastes, has already proceeded without a waste containment facility. This poses a direct and immediate threat to the waters of the State and the local community.

RECEIVED

SEP 25 1999

T # 5132

4. The proposed increased number of animals results in the facility meeting the US EPA definition of a CAFO. As a CAFO a NPDES permit is required and there is no evidence that this has been done. A CAFO and the resulting permit requirements are a result of the potential of the facility to release pollutants to waters of the US and as such this facility is a potential threat to the water supply of the City of Twin Falls.

The second area of concern is that the proposed operation has identified the reduction of water use for washing cattle as justification for the change to another use. We believe that this change in use will expand the water right, specifically:

1. The actual amount of reduction of water use is not identified. The proposed transfer is based on the reduction and should clearly be identified.
2. The applicant has not identified the amount of water used by the alternative cattle washing method (the animals still need to be washed for a Grade A dairy). This use will reduce the amount of actual reduction in use of water.
3. The amount of increase in water use by the increase in animals has not been identified. This information is needed to fully evaluate the proposed transfer.
4. The number of animals used for calculations by IDWR is not consistent with the numbers supplied to other local and state agencies. It is in fact less than the other numbers and as such underestimates actual use.

In summary, we believe that issuance of this water right is not in the local public interest under IC 42-203A(5), and constitutes an enlargement in use of the original right under IC 42-203A(5).

The City of Twin Falls is requesting a hearing regarding the proposed water transfer and asks for a denial of this water right until such hearing occurs.

To resolve this protest the applicant needs to immediately comply with all local state and federal laws regarding the operation of a CAFO. Specifically: 1.) A waste lagoon needs to be constructed to State regulations that is adequately sized for the increased animal numbers. 2.) an operation and management plan needs to be developed and followed regarding the management of all wastes. 3.) A NPDES permit needs to be applied for. Additionally the installation of monitoring wells, one upgradient and two down gradient need to be installed and a sample and analysis plan developed and adhered to. Flow meters need to be installed on the water supplies to ensure that there is not an enlargement of the water right.

MICROFILMED

JUN 25 1999

T# 5132

NOTICE OF PROPOSED
CHANGE OF WATER
RIGHT, T# 5132

Notice is hereby given that
William &/or Djo Bokma,
3374 N 3100 E; TWIN
FALLS ID 83301 have
applied to the Department
of Water Resources for
changes to a licensed right.
The purpose of Transfer
No. 5132 is to change
commercial water use in
barn from cleansing of the
milking herd to stockwater
(drinking) use.

PRESENTLY, Licensed
Water Right No. 47-07865
with a priority date of
2/24/1983 authorizes
stockwater use (0.22
cfs/12.7 afa) and
commercial use (0.06
cfs/12.1 afa); totaling 0.22
cfs diversion rate and 24.8
afa diversion volume, from
a well within
NW1/4SW1/4, S11, T11S,
R17E; Twin Falls County
for a place of use within the
same legal description.

PROPOSED CHANGES

The applicant wishes to
divert an annual volume of
23.2 afa for stockwater use
and an annual volume of
1.6 afa for commercial
dairy use; totaling 24.8 afa.
The diversion rates for uses
shall remain unchanged for
the same point of diversion
and place of use. Any
protest against the proposed
changes must be filed with
the Department of Water
Resources, Southern
Region, 1341 Fillmore St.,
Suite 200; Twin Falls, ID
83301 together with a
protest fee of \$25.00 on or
[Before September 22,
1997 to be considered by
the Department in its
decision to grant or deny
any part of the proposed
change. The protestant
must also send a copy of
the protest to the applicant.
Karl J. Dreher, Director

Published in the Times
News on 9/4 & 9/11/97.

Affidavit of Publication

STATE OF IDAHO
COUNTY OF TWIN FALLS } SS.

No 29846

I, Emily McKnight being first duly sworn upon oath, depose
and say that I am principal clerk of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in any
supplement thereof, for two consecutive weeks,
commencing with the issue dated September 4, 19 97,
and ending with the issue dated September 11, 19 97.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except
Monday, both of which newspapers prior to consolidation had been published under said names in said city and county
continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since
such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said
newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be
published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each
issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

MICROFILMED

On this 11th day of Sept in the year of 1997 before me,
a Notary Public, personally appeared Emily McKnight,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly
sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at Twin Falls, Idaho.

My commission expires:

5/19/03

OK MB 9/17/97

RETAIN THIS PORTION FOR YOUR RECORDS

REMITTANCE ADDRESS THE TIMES-NEWS - LF L P.O. BOX 548, TWIN FALLS, ID 83303-0548		BILL TO DEPT WATER RESOURCES	
AD NUMBER 136242	CLASS 0050 LEGAL	SALESPERSON 5	BILLING DATE 09/11/97
AD DESCRIPTION Water right William Bokma <i>TR # 5132</i> <i># 7-0 2865</i>		START DATE 09/04/97	STOP DATE 09/11/97
PUBLICATION 4 THE TIMES NEWS LEGAL	INSERTIONS 2	RATE LGS FC	NET AMOUNT 65.58 65.58
DAYS RUN			GROSS AMOUNT
PURCHASE ORDER legal		PAY THIS AMOUNT 65.58 65.58*	

MESSAGE:

OK MB
9/17/97

RECEIVED

SEP 16 1997

Department of Water Resources
Southern Region

DETACH AND RETURN THIS PORTION WITH YOUR PAYMENT

THE TIMES-NEWS - LEGAL

P.O. BOX 548, TWIN FALLS, ID 83303-0548

legal

AD NUMBER 136242	CLASS 050 LEGAL	START DATE 09/04/97	STOP DATE 09/11/97
AD DESCRIPTION Water right William Bokma		BILLING DATE 09/11/97	TELEPHONE NUMBER 208-736-3033

GROSS AMOUNT OF
65.58
DUE AFTER

☐ VISA ☐ MASTERCARD

CREDIT CARD NUMBER

EXPIRATION DATE: ____/____/____

SIGNATURE: _____

DEPT WATER RESOURCES
1341 FILLMORE, SUITE 200
TWIN FALLS, ID 83301



TOTAL AMOUNT DUE 65.58
ENTER AMOUNT ENCLOSED

PAID
JUN 28 1998

204000000013624200000000000000000655800000065581

**NOTICE OF PROPOSED
CHANGE OF WATER
RIGHT, T# 5132**

Notice is hereby given that William &/or Djo Bokma, 3374 N 3100 E; TWIN FALLS ID 83301 have applied to the Department of Water Resources for changes to a licensed right. The purpose of Transfer No. 5132 is to change commercial water use in barn from cleansing of the milking herd to stockwater (drinking) use.

PRESENTLY, Licensed Water Right No. 47-07865 with a priority date of 2/24/1983 authorizes stockwater use (0.22 cfs/12.7 afa) and commercial use (0.06 cfs/12.1 afa); totaling 0.22 cfs diversion rate and 24.8 afa diversion volume, from a well within NW1/4SW1/4, S11, T11S, R17E; Twin Falls County for a place of use within the same legal description.

PROPOSED CHANGES

The applicant wishes to divert an annual volume of 23.2 afa for stockwater use and an annual volume of 1.6 afa for commercial dairy use; totaling 24.8 afa. The diversion rates for uses shall remain unchanged for the same point of diversion and place of use. Any protest against the proposed changes must be filed with the Department of Water Resources, Southern Region, 1341 Fillmore St., Suite 200; Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before September 22, 1997 to be considered by the Department in its decision to grant or deny any part of the proposed change. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the Times
News on 9/4 & 9/11/97.

RECORDED
SEP 21 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

August 26, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ATTENTION LEGALS
TIMES NEWS
PO BOX 548
TWIN FALLS ID 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published in your newspaper. We have inserted the required publication dates.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Sr. Secretary

Enclosure

208-736-3033
AUG 28 1997

NOTICE OF PROPOSED CHANGE OF WATER RIGHT
T# 5132

Notice is hereby given that William &/or Djo Bokma, 3374 N 3100 E; TWIN FALLS ID 83301 have applied to the Department of Water Resources for changes to a licensed right.

The purpose of Transfer No. 5132 is to change commercial water use in barn from cleansing of the milking herd to stockwater (drinking) use.

PRESENTLY, Licensed Water Right No. 47-07865 with a priority date of 2/24/1983 authorizes stockwater use (0.22 cfs/12.7 afa) and commercial use (0.06 cfs/12.1 afa); totaling 0.22 cfs diversion rate and 24.8 afa diversion volume, from a well within NW1/4SW1/4, S11, T11S, R17E; Twin Falls County for a place of use within the same legal description.

PROPOSED CHANGES

The applicant wishes to divert an annual volume of 23.2 afa for stockwater use and an annual volume of 1.6 afa for commercial dairy use; totaling 24.8 afa. The diversion rates for uses shall remain unchanged for the same point of diversion and place of use.

Any protest against the proposed changes must be filed with the Department of Water Resources, Southern Region, 1341 Fillmore St., Suite 200; Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before September 22, 1997 to be considered by the Department in its decision to grant or deny any part of the proposed change. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in the Times News on 9/4 & 9/11/97.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

August 26, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM BOKMA &/OR
DJO BOKMA
3374 N 3100 E
TWIN FALLS ID 83301

Re: Application for Transfer No. 5132 (47-07865)

Dear Applicants:

The Department of Water Resources acknowledges receipt of your Application for Transfer.

This office has scheduled advertising the application in The Times News for 9/4 and 9/11/97.

The advertisement(s) will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If an application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

The department's review process may have to include field investigation and verification of the claims which is required as part of the Snake River Basin Adjudication.

State Office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

FILE NUMBER ----- bokma
REVIEWER ----- adm

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE ----- 1000
NUMBER OF NONMILKING CATTLE ----- 600
IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO ----- 3.0
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) ----- 4
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS ----- 1
NUMBER OF MILKINGS PER DAY ----- 2

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD ----- 0.65
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.65
NONMILKING CATTLE @12 GPD/HD ----- 0.13
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.13
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 0.78

DIVERSION VOLUME (AFA):

STOCKWATER

MILKING CATTLE @35 GPD/HD ----- 39.2
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 40.0
NONMILKING CATTLE @12 GPD/HD ----- 8.1
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 8.1
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 48.1

COMMERCIAL

WASHING OF BULK TANK AND RELATED EQUIPMENT ----- 0.4
PARLOR FLOOR AND MILKHOUSE FLOOR ----- 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING ----- 1.1
TOTAL ----- 1.6

TOTAL DIVERSION VOLUME ----- 49.7

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER

MILKING ----- 5.8
NONMILKING ----- 0.0
TOTAL ----- 5.8

COMMERCIAL ----- 1.6

TOTAL CONSUMPTIVE USE ----- 7.4

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP) -----	7.50	1.50	1.00
LIFT (FT) -----	300	120	120
DISCHARGE PRESSURE (PSI) -----	60	60	60
FRICTION LOSSES (FT) -----	10.0	10.0	10.0

CALCULATIONS

THEORETICAL FLOW RATE (CFS) * ----- 0.11 0.03 0.02

DIVERSION VOLUME (AFA) ** ----- 76.3 24.9 17.2

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

* DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE
THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY
DAY OF THE YEAR.

$- 24.8 = 24.9 \text{ AF/AL}$

primary
(72 cu.)

T-#5132

FILE NUMBER ----- bokma
REVIEWER ----- adm

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE ----- 1000
NUMBER OF NONMILKING CATTLE ----- 600
IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO ----- 3.0
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) ----- 4
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS
NUMBER OF MILKINGS PER DAY ----- 2

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD ----- 0.65
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.65
NONMILKING CATTLE @12 GPD/HD ----- 0.13
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 0.13
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 0.78

DIVERSION VOLUME (AFA):

STOCKWATER

MILKING CATTLE @35 GPD/HD ----- 39.2
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 40.0
NONMILKING CATTLE @12 GPD/HD ----- 8.1
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 8.1
TOTAL (BASED UPON ROUNDED NUMBERS) ----- 48.1

COMMERCIAL

WASHING OF BULK TANK AND RELATED EQUIPMENT ----- 0.4
PARLOR FLOOR AND MILKHOUSE FLOOR ----- 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING ----- 36.4
TOTAL ----- 36.9

TOTAL DIVERSION VOLUME ----- 85.0

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER

MILKING ----- 5.8
NONMILKING ----- 0.0
TOTAL ----- 5.8

COMMERCIAL ----- 12.0

TOTAL CONSUMPTIVE USE ----- 17.8

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP) -----	7.50	1.50	1.00
LIFT (FT) -----	300	120	120
DISCHARGE PRESSURE (PSI) -----	60	60	60
FRICTION LOSSES (FT) -----	10.0	10.0	10.0

CALCULATIONS

THEORETICAL FLOW RATE (CFS) * -----	0.11	0.03	0.02
DIVERSION VOLUME (AFA) ** -----	76.3	24.9	17.2

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

* DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE
THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY
DAY OF THE YEAR.

$$85 \div 4 = 21.25 \text{ Acres}$$

$$\begin{array}{r} 85 \\ 24.8 \\ \hline \end{array}$$

$$6012 \text{ AFA} \Rightarrow 15 \text{ Acres.}$$

priming

T-44 5/32



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 8, 1995

WILLIAM BOKMA
3374 N 3100 E
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-07865

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

RECEIVED

JUN 13 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: William Bokma Permit No. 47-7865
Current Address: 3340 N 3100 E Twin Falls, ID 83301 Phone No. 733-3634
2. Accompanied by: Same EXAM. DATE: 8-15-91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

JUN 13 1995

Scale: 1" = 20'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8" well provides water for Commercial dairy barn with 16 milking stations, stockwater, and household. 100 gal p. tank @ 50 psi connected. 100 milk cows are kept. 250 cows/day milked. 10,000 gal storage tank at dairy barn. 100⁵⁰ non-milking cattle

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		7.5		submers.	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	SW	11	11S	17E	Twin Falls	QUAD/inspect.

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11S	17E	11							SB			S, C							

Do not use this space

JUN 13 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: *hp.*

Theoretical capacity = 0.10 cfs
22

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

See dairy worksheet

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

** exhibit 13*
 $V(\text{total}) = 35 \frac{\text{gal}}{\text{day}} (400 \text{ cows}) \left(\frac{365 \text{ day}}{\text{year}} \right) \left(\frac{\text{a.f.}}{325850} \right) = 15.7 \text{ a.f.a.}$
 $* V(\text{stockwater}) = 400 \text{ head} \times 0.0134 \text{ a.f.a.} = 5.36 \text{ a.f.a.}$
 $* \text{exhibit 17}$
 $V(\text{comm}) = V(\text{total}) - V(\text{stockwater}) = 10.34$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

system capacity is less than permit
rate. limit to 0.118 cfs.
22

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
commercial	1/01	12/31	0.06	12.1
stockwater	1/01	12/31	0.20	12.7
~~domestic~~	~~1/01~~	~~12/31~~	~~0.04~~	~~1.2~~
Totals:			0.22	24.8

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

WASH STATE
DWR

J. AUTHENTICATION

Field Examiner's Name

Brian Block

Signature

Brian Block

Certification Date

Field Report Preparation Date

8-15-91

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECOMMENDED

JUN 13 1995

47-7865
 FILE NUMBER ----- 36 072088 FOR PRINTING INSTRUCTIONS
 REVIEWER ----- JES GO TO -- "G30"

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE ----- 300
 NUMBER OF NONMILKING CATTLE ----- 50
 IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
 IF ANAEROBIC, ENTER ZERO ----- 0.3
 EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) ----- 4
 ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
 SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS -
 NUMBER OF MILKINGS PER DAY ----- 2

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD ----- 0.19
 MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.19
 NONMILKING CATTLE @12 GPD/HD ----- 0.01
 NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.02
 TOTAL (BASED UPON ROUNDED NUMBERS) ----- 0.22

DIVERSION VOLUME (AFA):

STOCKWATER
 MILKING CATTLE @35 GPD/HD ----- 11.8
 MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 12.0
 NONMILKING CATTLE @12 GPD/HD ----- 0.7
 NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.7
 TOTAL (BASED UPON ROUNDED NUMBERS) ----- 12.7

COMMERCIAL
 WASHING OF BULK TANK AND RELATED EQUIPMENT ----- 0.4
 PARLOR FLOOR AND MILKHOUSE FLOOR ----- 0.1
 CATTLE WASHING BASED UPON METHOD OF WASHING ----- 11.6
 TOTAL ----- 12.1

TOTAL DIVERSION VOLUME ----- 24.8

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
 MILKING ----- 1.7
 NONMILKING ----- 0.0
 TOTAL ----- 1.7

COMMERCIAL ----- 1.2

TOTAL CONSUMPTIVE USE ----- 2.9

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP) -----	7.50	0.00	
LIFT (FT) -----	141	0	
DISCHARGE PRESSURE (PSI) -----	30	0	
FRICTION LOSSES (FT) -----			

CALCULATIONS

THEORETICAL FLOW RATE (CFS) ** -----	0.22	0.00	0.00
DIVERSION VOLUME (AFA) *** -----	159.0	0.0	0.0

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.
 ** PUMP EFFICIENCY WAS ASSUMED TO BE 70%.
 *** DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON
 THE THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY
 EVERY DAY OF THE YEAR.

TO PRINT:
 USE THE MACRO COMMAND - ALT P

The print macro formula location
 within this spreadsheet is at J63

JUN 13 1995

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 47-7865
DATE: 8-15-91
BY: Brian Block

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (7.5) (0.70)}{[(.141) + (.50 \times 2.31)]} = \frac{4.59}{.661} = 6.94 \text{ cfs}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement ()	measurement (X)	Motor Make, Serial or ID
owner (X)	owner ()	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ()	owner gage ()	
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)	
3/15 - 11/15	246	
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL = $(\dots) \times (1.98) \times (\dots)$
(.....)

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum =
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

JUN 13 1995

Form 235-1
4/88

Drilling Permit No. 47-89-5-005
Water Permit No. 47-7865
Injection Permit No. _____

RECEIVED

MAR 20 1989

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

Southern Region Office

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Bokma, William
2. Address Rt 2 3540 N. 3100 E Twin Falls, Idaho
Telephone 733 5634

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 11, Twp. T11S, Rge. 17E; County Twin Falls,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)
☒ Domestic ☒ Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection ☒ Other, Specify Dairy

5. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 8' Maximum depth 250'
Anticipated bottom hole temperature: _____
() 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date Early May, 1989

7. Well Driller (if known) Walker Water System
Address _____

8. Applicant's signature William Bokma
Title Owner
Date 3-20-89

* After other pre-requisite approvals have been obtained.

ACTION OF IDWR

(✓) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Dated this 20 day of March, 1989.

Signed

Title


Laura O. KellnerSootherman Region Mgr

Received by DRS Fee 100.00 Date 3-20

Receipt No. 5006587 Construction start extension to 11-1-90

Extension approved by _____

JUN 13 1995



OLOGICAL SUR

N FALLS (U.S. 30) 3.9 MI. 27°30' 709'

3169 III SW (TWIN FALLS)

712 25' 390 000 FEET 713

NORTH 4020

ROAD 3969 Grange Hall

3949

HIGH 4100

BR 4096

ROAD 4112

16

ROAD 4218

21

ROAD 4281

22

JUN 13 1995

Well 4236

47-7865

ATLAS, R. 17 E, S. 11

47-7865



P/O
looking
west



Plu - dairy barn
Storage tank JUN 13 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 25, 1995

William Bokma
3374 N 3100 E
Twin Falls, ID 83301

RE: Water Right No. 47-07865

Dear Mr. Bokma:

The department acknowledges receipt of the \$100.00 license examination fee you submitted to this office in connection with the above referenced water right. Thank you for your prompt attention to this matter.

I have forwarded the file to Brenda Miller for final processing of the water right license.

If you have any questions concerning this matter, please do not hesitate to contact me.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

JUN 1 3 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 17, 1995

William Bokma
3340 N 3100 E
Twin Falls, ID 83301

RE: Water Right No. 47-07865

Dear Mr. Bokma:

On March 16, 1990, the department received your Proof of Beneficial Use statement. On May 23, 1990, the department returned the proof for additional information and a license examination fee. The proof was returned on June 6, 1990, with the additional information needed, but a license examination fee was not submitted. On December 19, 1990, a Proof Acknowledgement letter was sent to you even though the proof was not acceptable since a license examination fee was not submitted.

On May 15, 1995, while reviewing the beneficial use field report, the department discovered that the required \$100.00 license examination fee was never paid. The department was in error to acknowledge the proof in 1990, however, the department cannot issue a license for this water right until a license examination fee of \$100.00 is submitted for the 0.32 cfs of water you are diverting.

I have enclosed a copy of the license examination fee schedule and a copy of the proof of beneficial use you submitted.

If you have any questions regarding this matter, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

C: IDWR - Southern Region

JUN 1 3 1995

December 19, 1990

WILLIAM BOKMA
RT.2 BOX 5188
SUNWAY NORTH
TWIN FALLS, ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-07865

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JAN 1 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED
MAY 01 1989

1. WELL OWNER

Name William Bokma
Address Route 2 3340 N 3100 E
Twin Falls, ID 83301
Owner's Permit No. 47-89-S-005

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☒ Stock ☐ Waste Disposal or Injection
☒ Other Dairy (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other
Thickness 250 inches Diameter 8 5/8 inches + 1 feet 170 feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches
Number perforations From To
2 perforations 170 feet 170 feet
2 perforations 170 feet 170 feet
2 perforations 170 feet 170 feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name
Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel
Placed from feet to feet
Surface seal depth 30 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port well cap

7. WATER LEVEL

Static water level 141'8" feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow
Artesian closed-in pressure p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 56 OF. Quality
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other
Discharge G.P.M. 60-70 Pumping Level Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	1 1/2	Surface dirt		
	1 1/2	6	Broken big basalt & dirt		
	6	26	Grey basalt		
	26	32	Broken black basalt		
	32	44	Grey basalt		
	44	55	Very broken basalt, caving		
			Lost circulation		
	55	66	Solid basalt		
	66	71	Broken basalt		
	71	74	Solid basalt		
	74	78	Broken basalt		
	78	81	Solid basalt		
	81	97	Grey basalt, circulation returned		
	97	112	Grey brown basalt		
	112	120	Softer brown & black basalt		
	120	131	Brown w/ red & black basalt		
	131	132	Broken, some clay		T
	132	155	Grey & brown basalt		
	155	160	Slightly softer brown & grey basalt		?
	160	170	Black & brown basalt		
8	170	211	Black & brown basalt		
	211	270	Grey basalt		
	270	308	Grey & brown basalt, some talc		
	308	311	Cracks, trace water		T
	311	330	Black basalt with talc		
	330	472	Grey & brown basalt, hard		
	472	490	Brown basalt w/ talc		?
	490	527	Grey limestone		
	527	542	Red scoria w/ tan talc		
	542	550	Red scoria w/ tan talc		
			Lost circulation		X

6. LOCATION OF WELL

Sketch map location must agree with written location.
Subdivision Name
Lot No. Block No.
County Twin Falls
NW 1/4 SW 1/4 Sec. 11 T. 11 N/S. R. 17 E/W

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Walker Water Systems, Inc.
Firm Name 624 Pierce Street Firm No. 15
Address Twin Falls, Idaho 83301 Date 4/24/89
Signed by (Firm Official) Luel Walk
and (Operator) Luel Walk

May 23, 1990

William Bokma
3340 N. 3100 E.
Twin Falls, ID 83301

Dear Mr. Bokma:

Re: Permit No. 47-7865

Returned is the proof of beneficial use form submitted to this office on March 16, 1990. Before the department can process the form, more information is needed.

Is water being used for to support a dairy? If so, indicate the commercial use (dairy barn) on the proof form under "Extent of Use", "other".

Indicate the total rate for which proof is submitted. The permit issued shows 0.26 cfs (117 gpm) plus 0.06 cfs (27 gpm) for commercial use. Determine the approximate rate of diversion for your system and based on that rate of flow, determine if a license exam fee is needed. See the enclosed instruction/fee schedule. (There is a fee when there are multiple uses even though one of the uses is stockwater or livestock).


Please return the proof of beneficial use within 15 days.

If I can be of assistance, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure



138230

February 28, 1990

WILLIAM BOKMA
RT.2 BOX 5188
SUNWAY NORTH
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-07865

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

JAN 28 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.


SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

William B. 
Rt 2 Box 5188
Twin Falls, ID 83301



RECEIVED



MICROFILMED

JAN 28 1991

AUG 8 1988 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 47-7865
Name(s) of Permit Holder(s): William Bokman
Post Office Address: Rt 2 Box 5188 Twin Falls Id.
83301 (208) 733 3639

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7-1-85 (Date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8-1-85

Date

William Bokman
Signature of Permit Holder

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

*Computer
records changed.*

*per telecon w/ Wm. Bokma
5/30/85 new address*

RECEIVED
MAY 31 1985
DEPARTMENT OF WATER RESOURCES

Rt. 2, Box 5188
Twin Falls, ID
83301

Wm. Bokma
Rt. 4
Twin Falls, ID 83301

*Leland Fyfe
Rt 4
MP*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BOKMA, WILLIAM
RT. 4
SUNWAY NORTH
TWIN FALLS, ID 83301

MAY 21, 1985

RE: PERMIT NO. 47-7865

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

April 4, 1985

Gary Burkett
Department of Health & Welfare -
Division of Environment
P. O. Box 1626
Twin Falls, Idaho 83301

Re: Applications for Permit No. 47-7853, 47-7865, 47-7870,
47-7872, 47-7879, 47-7885, 47-7919, 47-7929

Dear Mr. Burkett:

Please find enclosed copies of the above referenced applications
for permit for your information and files.

Very truly yours,

Mary A. Newby
Sec/Office Coord.

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-7842
SHAW, N. REX
Rt. 1, Kimberly, ID 83341

Source: Ground water
Date Filed: 01/04/1983
Diversion Pt: SESE
Sec 05 T 10S R 18E
Use: Irrigation (0.02 CFS)
Stockwater (0.01 CFS)
Domestic (0.06 CFS)
In: SESE Sec 05 T 10S R 18E FOR .8 acres

47-7853
LOMAN, HENRY &/or ESTHER
Rt. 4, Box 413, Buhl, ID 83318

Source: Ground water
Date Filed: 01/20/1983
Diversion Pt: SENE
Sec 14 T 10S R 14E
Use: Stockwater (0.20 CFS)
Commercial (0.20 CFS)
Domestic (0.04 CFS)
In: SENE Sec 14 T 10S R 14E

47-7866
DEAN, LESLIE L.
Rt. 4, Twin Falls, ID 83301

Source: Ground water
Date Filed: 06/30/1983
Diversion Pt: NESE
Sec 25 T 10S R 18E
Use: Stockwater (0.04 CFS)
Commercial (0.04 CFS)
Domestic (0.04 CFS)
In: NESE Sec 25 T 10S R 18E

47-7862
SCHEEL, MAURICE E., M.D.
518 East Ave. A, Wendell, ID 83355

Source: UNNAMED STREAM (J-2 COULEE) trib. to MUD CREEK
Dated Filed: 02/25/1983
Diversion Pt: SWSW
Sec 24 T 09S R 14E
Use: Irrigation (0.05 CFS)
Stockwater (0.02 CFS)
Fish Prop. (1.00 CFS)
Aesthetics (1.00 CFS)
In: SWSW Sec 24 T 09S R 14E FOR 2 ACRES

47-7866
BOKMA, WILLIAM
Rt. 4, Sunway North, Twin Falls, ID 83301

Source: Ground Water
Date Filed: 02/24/1983
Diversion Pt: NWSW
Sec 11 T 11S R 17E
Use: Stockwater (0.26 CFS)
Commercial (0.06 CFS)
In: NWSW Sec 11 T 11S R 17E

47-7870
HALEY, J. ROY
Castletford, ID 83321

Source: GROUND WATER
Dated Filed: 03/30/1983
Diversion Pt: NWNW
Sec 34 T 10S R 13E
Use: Stockwater (0.33 CFS)
Commercial (0.33 CFS)
In: NWNW Sec 34 T 10S R 13E

47-7872
HYDROTUBE OF IDAHO
2285 Addison Ave. E., Twin Falls, ID 83301

Source: Ground water
Date Filed: 04/04/1983
Diversion Pt: SWSW
Sec 11 T 10S R 17E
Use: Irrigation (0.05 CFS)
Commercial (0.07 CFS)
Heating (0.20 CFS)
Recreation (0.05 CFS)
In: SWSW Sec 11 T 10S R 17E FOR 1.5 ACRE

CARTY, DAVID M. Jr.

OWEN M.
PO BOX 2438
ID 83301

Source: Ground water
Date Filed: 06/21/1983
Diversion Pt: NENE
Sec 16 T 10S R 18E
Use: Irrigation (0.05 CFS)
Domestic (0.04 CFS)
In: NENE Sec 16 T 10S R 18E FOR 2 ACRES

47-7917
RANDELL, C. GENE
Rt. 1 Box 298, Kimberly, ID 83341

Source: Ground water
Date Filed: 06/22/1983
Diversion Pt: SWSE
Sec 04 T 10S R 18E
Use: Stockwater (0.03 CFS)
Commercial (0.03 CFS)
In: SWSE Sec 04 T 10S R 18E

47-7919
LEYTHAM, RICHARD
Rt. 1, Twin Falls, ID 83301

Source: Ground water
Date Filed: 06/16/1983
Diversion Pt: NWSW
Sec 16 T 11S R 18E
Use: Irrigation (0.06 CFS)
Stockwater (0.02 CFS)
Domestic (0.20 CFS)
In: NESW NWSW Sec 16 T 11S R 18E SESW Sec 16 T 11S R 18E FOR 2 ACRES

47-7820
VANDENBARK, TRENA
KIMBALL, ED

HOWE, LEON
c/o TRENA VANDENBARK, Rt. 1, Kimberly, ID 83341

Source: Ground water
Date Filed: 06/23/1983
Diversion Pt: NWNE
Sec 21 T 10S R 18E
Use: Irrigation (0.03 CFS)
Domestic (0.08 CFS)
In: NWNE Sec 21 T 10S R 18E FOR 1 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN
Director
PUBLISH: **Thursday,**
March 7, and 14, 1985.

Fidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS

Linda Capps McBurn
do depose and say that I am *Pure Clerk* of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of notice of advertisement, as per clipping attached, was published in the regular and

issue of said newspaper, and not in any supplement thereof, for *Two* consecutive *Weeks*, commencing with the issue dated *March 7*, 19*85*, and ending with the issue dated *March 14*, 19*85*.

And I do further certify that said newspaper is a consolidation, effective February 16, 1985, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this *20* day of *March*, 19*85*.
Soldie J. Sawcett
Notary Public in and for the County of Twin Falls, State of Idaho, residing at Twin Falls, Idaho

47-7878
PAUL, W.R.
P.O. Box 2010, Sparks, NV 89431

Source: Ground water
Date Filed: 04/28/1983
Diversion Pt: SESE
Sec 32 T 08S R 14E
Use: Commercial (0.04 CFS)
Fish Prop. (0.24 CFS)
Heating (0.10 CFS)
Domestic (0.08 CFS)
Recreation (0.02 CFS)
In: SESE Sec 32 T 08S R 14E

47-7885
LITWILLER, RAYMOND W.
Rt. 1, Buhl, ID 83318

Source: Ground water
Date Filed: 05/11/1983
Diversion Pt: Lot 02 (NWNE) Sec 03 T 11S R 14E
Use: Stockwater (0.13 CFS)
Stockwater (0.05 CFS)
Commercial (0.06 CFS)
Domestic (0.04 CFS)
In: LOT 02 (NWNE) Sec 03 T 11S R 14E

47-7888
MILLER, JAMES R. &/or LAURA
532 Washington St., Twin Falls, ID 83301

Source: DEADMAN CREEK
Date Filed: 05/17/1983
Diversion Pt: SESE
Sec 18 T 10S R 17E
Use: Irrigation (0.06 CFS)
In: SESE Sec 18 T 10S R 17E FOR 2 ACRES

47-7889
HARMS, MELISSA SMALLEY
RT. 3 Box 241, Buhl, ID 83318

Source: SPRING trib. to DEEP CREEK
Date Filed: 05/23/1983
Diversion Pt: SESE
Sec 09 T 09S R 14E
Use: Irrigation (0.06 CFS)
Stockwater (0.02 CFS)
Domestic (0.04 CFS)
In: SESE Sec 09 T 09S R 14E FOR 3 ACRES

Nº 14854

being first duly sworn up

of the TIMES-NEWS,

do solemnly swear that a copy of

notice of advertisement, as per clipping attached, was published in the regular and

issue of said newspaper, and not in any supplement thereof, for

consecutive weeks, commencing with the issue dated

March 7, 1985, and ending with the issue dated

March 14, 1985.

And I do further certify that said newspaper is a consolidation, effective February 16,

1985, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin

Falls News, published theretofore daily except Monday, both of which newspapers prior to

consolidation had been published under said names in said city and county continuously and

uninterruptedly during a period of more than twelve consecutive months, and said TIMES-

NEWS, since such consolidation, has been published as a daily newspaper except Saturday,

July 31, 1978, at which time said newspaper began daily publication under said name

in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week

has been designated as the day on which legal notice by law or by order of any court of com-

petent jurisdiction within the state of Idaho, to be published weekly, will be published; and

at the head of the editorial column of said combined newspapers, and in each issue thereof,

Thursday is announced as the day on which said legal notices will be published.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

FEBRUARY 22, 1985

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 25, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

4Z-2865-

BOKMA, WILLIAM

RT. 4, SUNWAY NORTH, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 02/24/1983

Diversion Pt: NWSW Sec 11 T 11S R 17E

Use: STOCKWATER	(0.26 CFS)
COMMERCIAL	(0.06 CFS)

In: NWSW Sec 11 T 11S R 17E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before MARCH 25, 1985.

A. KENNETH DUNN

Director

Published 3/7/ & 3/14/85.

MICROFILMED

ok
may
26/85

47-7885
BOKMA, WILLIAM
Rt. 4, Sunway North,
Twin Falls, ID 83301
Source: Ground Water
Date Filed: 02/24/1983
Diversion Pt: NWSW
Sec 11 T 11S R 17E
Use: Stockwater (0.26
CFS)
Commercial (0.06 CFS)
In: NWSW Sec 11 T 11S
R 17E

NOT FILMED