


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Orenson
(Applicant)

MICROFILMED

Phone No. 734-7109

Current Address: 3283 N., 2300 E., Rt. 1, Twin Falls, ID 83301

EXAM. DATE: 06/06/95

Phone No. _____


3. Source: Ground water tributary to None

1. Other water rights with same place of use: None

2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No scale


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

Microfilm
MAY 07 1996
or more)

PERMIT 47-07860 INIT
T. R. S. Q/Q
P/D 115 R 16 E 17 NENE
SCALE
PHOTO ID.



T115 R 16 E
sec 17

RECORDED
MAY 07 1996

W/R# 47-07860



P/D



P/U

INDEXED
MAY 07 1996

47-07860

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07860

Priority: February 25, 1982

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JOHN SORENSON
3283 N 2300 E

TWIN FALLS ID 83301 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 25, 1982; and has submitted Proof of Beneficial Use on February 7, 1990. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 17, Township 11S, Range 16E
TWIN FALLS County

PLACE OF USE: DOMESTIC

TWN RGE SEC

11S 16E 17 NENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4TH day of MAY, 1996.

Acting for

KARL J. DREHER, Director

MAY 07 1996

RECEIVED

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

STATE OF IDAHO

FEB 7 - 1990

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Southern Region Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 47-7860 Telephone No. 734-7109

Name(s) of Permit Holder(s): John Sorenson

Post Office Address: Rt 1, Box 4245, Twin Falls, 83301

Source of Water: Groundwater

If ground water, well driller's name: Walker Water Systems Date drilled: May, 1982

Extent of Use:
Domestic 1 (No. of households) Irrigation 1/2 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1983

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

John/Pam Sorenson same as above
Name Telephone No.

same as above
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 31 1990

2-7-90
Date

John Sorenson
Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN Sorenson Phone 734-7109

Post office address Rt 1 - Twin Falls, Idaho 83301

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 11S

Range 16E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for domestic purposes from 1-1- to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.10 for irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

well, motor, pump w/ sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 56 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 11S

Range 16E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11S	16E	17	5																5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Sorenson
(Applicant)

Proposed Priority 2/25/83

MICROFILMED

Received by LF Date 2/25/83 Time 2:00 PM

Preliminary check by JP Fee \$ 20.00 # 26036

Receipted by gf Date 2/25/83

Publication prepared by marga Date 1/4/85

Published in times news

Publication dates 1/31 + 2/7/85

Publication approved marga Date 1/22/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7860, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 21st day of April, 1985.

J. Newington
Chief, Operations Bureau

LEGAL NOTICE

47-7550
SAGRI-CHEMICALS
FARM SERVICE
INTER, P.O. Box 7,
er, ID 83328
Source: Ground water
Date Filed: 05/02/1983
Diversión Pdt: NESE
02 T 10S R 15E
Use: Commercial (1.00
S)
NESE Sec 02 T 10S R
15E

47-7881
SAGRI-CHEMICALS
FARM SERVICE
INTER, P.O. Box 100,
sen, ID 83334
Source: GROUND
TER
ate Filed: 05/02/1983
iversión Pdt: NENW
26 T 10S R 18E
se: COMMERCIAL
(0.02 CFS)
NENW Sec 26 T 10S R
18E

47-7887
OLBERG, JAMES M.
THERESA M.
3 Box 7, Buhl, ID
8
Source: Ground water
ate Filed: 05/12/1983
version Pdt: NESE
35 T 09S R 14E
se: IRRIGATION (0.03
CFS)
NESE Sec 35 T 09S R
14E FOR 1 ACRES

47-7890
ER, ROBERT &/or
JAE.
4 Box 7752, Twin
s, ID 83301
Source: Ground water
ate Filed: 05/23/1983
version Pdt: NENE
26 T 10S R 16E
se: Irrigation (0.03
CFS)
NENE Sec 26 T 10S R
16E FOR 1 ACRES

47-7891
ING, DAVE
1 Box 263, BUHL, ID
8
Source: Ground water
ate Filed: 05/23/1983
version Pdt: NENE
24 T 09S R 14E
se: Irrigation (0.06
CFS)
NENE Sec 24 T 09S R
14E FOR 2 ACRES 2
es

47-7893
ICAN, BURL E. &/or
IN L.
2, Kimberly, ID
1
Source: Ground water
ate Filed: 05/24/1983
version Pdt: NESE
20 T 11S R 18E
se: Irrigation (0.06
CFS)
NESE Sec 20 T 11S R
18E FOR 2 ACRES 2
es

47-7898
TH, CLINTON &/or
NINE BLADES,
DAMARY
O Nelda M. Blades,
Box 53, Filer, ID
28
Source: Ground water
ate Filed: 05/08/1983
iversión Pdt: SWSE
07 T 10S R 16E
se: Irrigation (0.03
CFS)
SWSE Sec 07 T 10S R
16E

47-7897
S. CHURCH
BERLY IDAHO
AKE, 50 EAST NORTH
PLE ST., SALT
KE CITY, UT 84150
Source: Ground water
ate Filed: 05/31/1983
iversión Pdt: SENE
07 T 10S R 18E
se: Irrigation (0.02
S)
Domestic (0.09 CFS)
In: SENE Sec 17 T 10S
R 18E FOR 0.5 ACRES

47-7550
Diversión Pdt: N
Sec 09 T 10S R 16E
Use: Irrigation (0.08
CFS)
Domestic (0.02 CFS)
In: NWNW Sec 09 T 10S
R 16E FOR 2.5 ACRES

47-7922
ANDES, BRADLEY D. &/
or JENNIFER
Rt 3 Box 275, Buhl, ID
83316
Source: Ground water
Date Filed: 06/23/1983
Diversión Pdt: NWSW
Sec 22 T 09S R 14E
Use: Irrigation (0.07
CFS)
Domestic (0.04 CFS)
In: NWSW Sec 22 T 09S
R 14E FOR 2.5 Acres

47-7926
HARTWELL, DARLENE
HAMILTON
PO BOX 1172, Challis, ID
83226
Source: Ground water
Date Filed: 06/28/1983
Diversión Pdt: SENW
Sec 36 T 10S R 17E
Use: Irrigation (0.09
CFS)
Stockwater (0.02 CFS)
Domestic (0.08 CFS)
In: NENW SENW Sec
36 T 10S R 17E FOR 3
ACRES 3 homes

47-7929
EUGENE W. WALKER
624 Pierce St., Twin
Falls, ID 83301
Source: Ground water
Date Filed: 06/29/1983
Diversión Pdt: SENE
Sec 04 T 10S R 17E
Use: Irrigation (0.02
CFS)
Heating (0.02 CFS)
Cooling (0.02 CFS)
Domestic (0.04 CFS)
In: SENE Sec 04 T 10S
R 17E FOR .05 ACRES

47-7930
GRINDSTED, E. CARL &/
or BOBETTE
Rt. 1, Filer, ID 83328
Source: Ground water
Date Filed: 06/28/1983
Diversión Pdt: NWNW
Sec 09 T 10S R 18E
Use: Irrigation (0.03
CFS)
Domestic (0.04 CFS)
In: NWNW Sec 09 T 10S
R 18E FOR 1 ACRES

47-7932
FISHER, JAMES &/or
NINA
Rt. 2 Box 214A, FILER,
ID 83328
Source: Ground water
Date Filed: 06/22/1983
Diversión Pdt: Lot 04
Sec 01 T 11S R 15E
Use: Irrigation (0.14
CFS)
Domestic (0.06 CFS)
In: Lot 04 (NWNW) Sec
01 T 11S R 15E FOR 5
ACRES 2 Homes

47-7933
FOUTS, MARVIN L.
BURKHOLTER, ROCKY
Rt. 2, Twin Falls, ID
83301
Source: Ground water
Date Filed: 05/27/1983
Diversión Pdt: NENW
Sec 26 T 10S R 16E
Use: Irrigation (0.02
CFS)
Domestic (0.06 CFS)
In: NENW Sec 26 T 10S
R 16E FOR 0.25 ACRES-2
homes

47-7934
KILLINGER, CARTER
DBA Highway 30
garage, Box 1019, Twin
Falls, ID 83301
Source: Ground water
Date Filed: 07/01/1983
Diversión Pdt: SESE
Sec 11 T 10S R 16E
Use: Irrigation (0.02
CFS)
Commercial (0.10 CFS)
Domestic (0.08 CFS)
In: SESE Sec 11 T 10S
R 16E FOR 1/2 Acre- 3
homes

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS

Nº 14738

I, *Linda Capps McLean*, being first duly sworn upon oath, depose and say that I am *Doreen* of the TIMES-NEWS, published daily at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for *12* consecutive *Weeks*, commencing with the issue dated *January 31*, 19*85*, and ending with the issue dated *January 7*, 19*85*.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this *13* day of *February*, 19*85*.
Galotie J. Jansen
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-7857
INCHAUSTI, MARIE
Rt. 1, Castleford, ID 83321
Source: Ground water
Date Filed: 02/08/1983
Diversión Pdt: NWNE
Sec 11 T 11S R 13E
Use: Irrigation (0.02 CFS)
Domestic (0.06 CFS) 2 HOMES
In: NWNE Sec 11 T 11S R 13E FOR 1 ACRES

47-7860
SORENSEN, JOHN
Rt. 1, Twin Falls, ID 83301
Source: Groundwater
Date Filed: 02/25/1982
Diversión Pdt: NENE
Sec 17 T 11S R 18E
Use: IRRIGATION (0.10 CFS)
Domestic (0.04 CFS) 2 Homes
In: NENE Sec 17 T 11S R 18E FOR 5 ACRES

47-7866
Stansell, Earl R.
Rt. 4, Twin Falls, ID 83301
Source: Ground water
Date Filed: 03/02/1983
Diversión Pdt: SWSE
Sec 23 T 10S R 16E
Use: Irrigation (0.06 CFS)
Domestic (0.02 CFS)
In: SWSE Sec 23 T 10S R 16E FOR 2 ACRES

47-7871
MONROE, INC.
P.O. Box 274, Twin Falls, ID 83301
Source: Ground Water
Date Filed: 04/05/1983
Diversión Pdt: SWSE
Sec 07 T 10S R 17E
Use: INDUSTRIAL (0.20 CFS)
In: SWSE Sec 07 T 10S R 17E

47-7898
L.D.S. CHURCH FILER STAKE
RT. 1, FILER, ID 83328
Source: Ground water
Date Filed: 06/09/1983
Diversión Pdt: SWNW
Sec 27 T 12S R 16E
Use: Irrigation (0.02 CFS)
Domestic (0.04 CFS)
In: SWNW Sec 27 T 12S R 16E FOR 0.25 ACRES

47-7902
TEATER, J. DAVID
RT. 1, FILER, ID 83328
Source: Groundwater
Date Filed: 06/14/1983
Diversión Pdt: NWNE
Sec 32 T 09S R 16E
Use: Irrigation (0.08 CFS)
Domestic (0.04 CFS)
In: NWNE Sec 32 T 09S R 16E FOR 2.5 ACRES

47-7905
REIS, GERALD L. &/or MARY R.
Rt. 4 Box 7754, Twin Falls, ID 83301
Source: Ground water
Date Filed: 06/09/1983
Diversión Pdt: NENE
Sec 26 T 10S R 16E
Use: Irrigation (0.02 CFS)
Domestic (0.04 CFS)
In: NENE Sec 26 T 10S R 16E FOR 1 ACRES

47-7908
JONES, RODGER &/or LORAIN
Rt. 4 Box 7539, Twin Falls, ID 83301
Source: Groundwater
Date Filed: 05/31/1983
Diversión Pdt: NESE
Sec 11 T 10S R 16E
Use: Irrigation (0.02 CFS)
Domestic (0.02 CFS)
In: NESE Sec 11 T 10S R 16E FOR 1 ACRES

47-7921
DUNLAP, CLAYTON L. &/or BLANCHE
Rt. 1, FILER, ID 83328
Source: Ground water
Date Filed: 06/24/1983

47-7935
KOFFER, MARK &/or CYNTHIA G.
1068 Wirsching Ave.
West, Twin Falls, ID 83301
Source: Ground water
Date Filed: 06/29/1983
Diversión Pdt: SWNE
Sec 07 T 10S R 17E
Use: Irrigation (0.02 CFS)
Heating (0.02 CFS)
Domestic (0.04 CFS)
In: SWNE Sec 07 T 10S R 17E FOR 0.5 Acres

47-7936
COUNTRY ACRES WATER CO.
C/O ARNOLD ALGER, Rt. 3, Filer, ID 83328
Source: Ground water
Date Filed: 07/01/1983
Diversión Pdt: SESE
Sec 15 T 10S R 16E
Use: Irrigation (0.03 CFS)
Domestic (0.11 CFS)
In: SESE Sec 15 T 10S R 16E FOR 1 ACRES 5 Homes

47-7988
STAFFORD, DAVID J. &/or CORALL
Rt. 3, WOOD RIDGE ESTATES, TWIN FALLS, ID 83301
Source: Ground water
Date Filed: 06/01/1984
Diversión Pdt: SESW
Sec 13 T 10S R 17E
Use: Stockwater (0.02 CFS)
Commercial (0.04 CFS)
In: SESW Sec 13 LK T 10S R 17E

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue lakes Blvd North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 18, 1985.

A. KENNETH DUNN
Director
PUBLISH: Thursday,
January 31, and February 7, 1985.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 6, 1996

JOHN SORENSON
3283 N 2300 E
TWIN FALLS ID 83301

RE: WATER RIGHT NO. 47-07860

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

A faint, rectangular stamp or seal, possibly a departmental or archival mark, located in the bottom right corner of the page.

MAY 07 1996

MEMORANDUM

DATE: April 29, 1996
TO: File No. 47-07860
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

=====

The following adjustments¹ were made on the field report to reflect the limited rate of diversion due to well capacity:

1. Rate of diversion.
 - a. Capacity = $\frac{8.8 \times 0.7 \times 1.5}{250 \times (2.31 \times 30)} = \frac{9.24}{319.3} = 0.03 \text{ cfs.}$
 - b. Domestic use, 1 home w/lawn = $0.04 = \underline{0.03} \text{ cfs.}$

¹Adjustments made are **bolded and underlined.**

RECEIVED 3:00
MAY 07 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 06 1995
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 47-07860
Phone No. 734-7109
1. Owner: John Sorenson
Current Address: 3283 N., 2300 E., Rt. 1, Twin Falls, ID 83301
2. Accompanied by: Unaccompanied EXAM. DATE: 06/06/95
Address: — Phone No. —
Relationship to Permit Holder: —
3. Source: Ground water tributary to None

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 300'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MAY 17 1996

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.):

A 6" diameter well with a 1.5 hp. submersible pump & motor diverts water to a pressure tank located in an adjacent test cell. Water is then diverted for domestic use to the house, a small lawn, shrubbery & a garden.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	#282-3007-102	Berkeley Submersible	#8218 847

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				NENE	17	11S	16E	Fair	Photo Aug 96

6. Place(s) of Use:

Indicate Method of Determination On-site exam

Twp.	Rge.	Sec.		NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
				NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11S	16E	17	D																	

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

No Measurements

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{(1.5)(8.8)(0.7)}{[(2.31 \times 40) + 240]} = .03 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
MAY 07 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No irrigation system has been developed. According to Mr. Sorenson, he has no plans to use water for irrigation. Therefore, only the domestic use of water has been recommended. No overlaps were found.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.04 *	1.2
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Bruce Campbell
Signature Bruce Campbell
Certification Date _____
Field Report Preparation Date 06/07/95


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* Adjustments made during the review of this right for license approval.
See memo for additional information. 4/20/96 cjs

MAY 07 1996

PHOTO ID.



T/15 R16E

See 17

WR# 47-07860



P/D



P/U

MAY 07 1996

47-07860

CONVERSATION MEMORANDUM

NAME OF PARTY John Sorenson
EMPLOYEE: Jeanie Robertson

DATE 3/14/92
FILE 47-07860

RE: _____

Mr. Sorenson was in today and indicated that he will probably just let this permit lapse for the irrigation of the 5 acres. He said he has never developed the system and just uses the well for domestic purposes (house and a few trees.) He has not claimed this number in the SRBA but has claimed A47-12400 which covers his domestic well.

RECEIVED

May 21, 1990

JOHN SORENSON
RT. 1
TWIN FALLS, ID 83301

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-07860

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 31 1990

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER		7. WATER LEVEL	
Name <u>John Sorenson</u>		Static water level <u>240</u> feet below land surface.	
Address <u>294 Ash St. No. Twin Falls, ID</u>		Flowing? ☐ Yes ☒ No G.P.M. flow _____	
Owner's Permit No. _____		Artesian closed in pressure _____ p.s.i.	
		Controlled by: ☐ Valve ☐ Cap ☐ Plug	
		Temperature _____ °F. Quality _____	
2. NATURE OF WORK		8. WELL TEST DATA	
☒ New well ☐ Deepened ☐ Replacement		☐ Pump ☐ Bailer ☐ Air ☐ Other _____	
☐ Abandoned (describe method of abandoning) _____		Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____	
3. PROPOSED USE		9. LITHOLOGIC LOG	
XXX Domestic ☐ Irrigation ☐ Test ☐ Municipal		Hole Diam. Depth From To Material Water Yes/No	
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		8 0 2 Surface dirt	
☐ Other _____ (specify type) _____		2 15 Black basalt	
		15 18 Broken basalt & cinder	
		6 18 40 Grey basalt with traces of brown	
		40 41 1/2 Red cinders	
		41 1/2 50 Black basalt	
		50 56 Brown basalt	
		56 Lost returns	
		No returns after 56 ft.	
		total depth 415 ft	
4. METHOD DRILLED			
☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary			
☐ Cable ☐ Dug ☐ Other _____			
5. WELL CONSTRUCTION			
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____			
Thickness Diameter From To			
.250 inches 6 5/8 inches + 1 feet 19 feet			
_____ inches _____ inches _____ feet _____ feet			
_____ inches _____ inches _____ feet _____ feet			
_____ inches _____ inches _____ feet _____ feet			
Was casing drive shoe used? ☐ Yes ☒ No			
Was a packer or seal used? ☐ Yes ☒ No			
Perforated? ☐ Yes ☒ No			
How perforated? ☐ Factory ☐ Knife ☐ Torch			
Size of perforation _____ inches by _____ inches			
Number From To			
_____ perforations _____ feet _____ feet			
_____ perforations _____ feet _____ feet			
_____ perforations _____ feet _____ feet			
Well screen installed? ☐ Yes ☒ No			
Manufacturer's name _____			
Type _____ Model No. _____			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____			
Placed from _____ feet to _____ feet			
Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout			
☒ Pudding clay ☒ Well cuttings			
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing			
☒ Overbore to seal depth			
Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent			
Weld _____			
☐ Cemented between strata			
Describe access port _____			
6. LOCATION OF WELL		10. Work started <u>5/5/82</u> Finished on <u>5/7/82</u>	
Sketch map location must agree with written location.		11. DRILLERS CERTIFICATION	
N W E S		I/We certify that all minimum well construction standards were complied with at the time the rig was removed.	
Subdivision Name _____		Firm Name <u>Walker Water Systems, Inc.</u> Firm No. <u>15</u>	
Lot No. _____ Block No. _____		Address <u>624 Pierre Street</u> Date <u>5/27/82</u>	
County <u>Twin Falls</u>		Signed by (Firm Official) <u>Frederick B. Walker</u>	
NE 1/4 NE 1/4 Sec. <u>17</u> , T. <u>11</u> N. R. <u>16</u> E. W.		and (Operator) <u>Frederick B. Walker</u>	

138129
January 31, 1990

JOHN SORENSON
RT. 1
TWIN FALLS, ID 83301

PROOF DUE NOTICE

RE: PERMIT NO. 47-07860

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAY 31 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

RECEIVED
MAY 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 47-7860
Name(s) of Permit Holder(s): John Sorenson
Post Office Address: Route #1
Twin Falls, ID 83301 Tel No. 84-7109

☒ I hereby certify that construction of diversion work for the above referenced permit began on May, 1982 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7/28/82
Date

John Sorenson
Signature of Permit Holder

PLACE
STAMP
HERE

MAY 28 1985

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
BOISE, IDAHO

MICROFILMED
MAY 31 1980



RECEIVED
JUN 1 1985

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water BOISE, IDAHO 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SORENSEN, JOHN
RT. 1
TWIN FALLS, ID 83301

MAY 01, 1985

RE: PERMIT NO. 47-7860

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 17, 1985

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before FEBRUARY 18, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-2860

SORENSEN, JOHN

RT. 1. TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 02/25/1982

Diversion Pt: NENE Sec 17 T 11S R 16E

Use: IRRIGATION (0.10 CFS)
DOMESTIC (0.04 CFS) 2 HOMES

In: NENE Sec 17 T 11S R 16E FOR 5 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 18, 1985.

A. KENNETH DUNN

Director

Published 1/31 & 2/7/85.

MICROFILMED

ok
manga
1/2/85

47-7880
SORENSEN, JOHN
RT. 1, Twin Falls, ID
83301
Source: Groundwater
Date Filed: 02/25/1982
Diversion Pt: NENE
Sec 17 T 11S R 16E
Use: IRRIGATION (0.10
CFS)
Domestic (0.04 CFS) 2
Homes
In: NENE Sec 17 T 11S
R 16E FOR 5 ACRES

MICROFILMED