




State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 47-7833 Priority July 22, 1982 Amount 0.04 cfs

THIS IS TO CERTIFY, that Gary Earl &/or Penny Earl
of Twin Falls, Idaho, has complied with the terms and conditions of Permit
No. 47-7833 issued pursuant to Application for Permit dated July 22, 1982,
and has submitted proof to the Department of Water Resources on December 1, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.07 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (2 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>2.4</u> acre feet
	from _____ to _____	_____ cfs and	_____
	from _____ to _____	_____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 16, Twp.
11S, Rge. 17E in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals			
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$
11S	17E	16				X												

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

In witness whereof, I, _____, Secretary of the Department of Water Resources, do hereby certify the seal and signature of the Director, affixed at Boise, Idaho, this 2nd day of _____, 19 83.

Acting for the Director

Rosanne C. Gray

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Gary Earl and/or Penny Earl Phone 733-2597

Post office address Route 2, Twin Falls, Idaho 83301

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 16 Township 11S

Range 17E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for domestic purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump & well, 408' deep 380' pump
depth

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 16 Township 11S
Range 17E B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) _____ of municipality to be served _____, or number of families to be
applied with domestic water 2.

If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Samuel Carl
(Applicant)

MICROFILMED

Proposed Priority 7/22/1982

Received by mayer Date 7/22/82 Time 12:00 p
Preliminary check by ADM Fee \$ 30.00 # 20889
Receipted by mayer Date 7/22/82
Publication prepared by mayer Date 7/28/82
Published in Times news
Publication dates 8/5 + 8/12/82
Publication approved mayer Date 7/30/82
Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7833, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 16th day of September, 1982.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

**NOTICE OF
APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-7833

EARL GARY &/or
PENNY
RT. 2, TWIN FALLS, ID
83301

Source:

GROUNDWATER

Date Filed: 07/22/1982

Amount: 0.04 CFS

Diversion Point: SENE

Sec 16 T 11S R 17E, TWIN

FALLS Co.

Use: DOMESTIC (0.04

CFS) from 01/01 to 12/31

Place of Use: SENE Sec

16 T 11S R 17E

Diversion Means: WELL,

PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 23, 1982.

A. KENNETH DUNN

Director

PUBLISH: Thursday,
August 5, and 12, 1982.

Water Resources

strict Office

Affidavit of Publication

STATE OF IDAHO,

COUNTY OF TWIN FALLS }

ss.

N^o 11819

I, Dianna Kruse being first duly sworn up—

oath, depose and say that I am _____ of the TIMES-NEWS,
published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of
the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for two
consecutive weeks, commencing with the issue dated

8-5, 19 82, and ending with the issue dated

8-12, 19 82

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 13th day of

August, 1982

Salder J. Farrell

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho.

May 3, 1983

RE: Permit No. 47-7833

Gary Earl &/or Penny Earl
Route #2
Twin Falls, ID 83301

Dear Mr. and Mrs. Earl:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

MAR 25 1983

47-7833
Department of Water Resources
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:			
☒ Telephone call made: (List Telephone No. used)	3/8/83	TB	233-2597
☒ Appointment scheduled for: (Date, time, location)	3/8/83	TB	5 1/2 mi south of T-FON Blue Lakes Blvd.

EXAMINATION

Date 3-8-83 Accompanied by Norma Earl Total Q measured 0.07 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement calibrated bucket / stopwatch Meets Permit requirements? yes

Measurement calculations: Container Size 43 gal Ave. fill time 45 sec Rate of flow = 5.78 gpm
Cycle time 5 min 20 sec ∴ Amt. discharged from pressure tank before pump starts is 5.7 gpm x 5.33 min
= 30.5 gal Pump takes 1 min. to Recharge tank ∴ Pump produces 30.5 gpm 0.068 cfs Allow amt filled
capacity
Allow .04 cfs as per permit

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	3	Smile	14810	Submersible				

System Description 3 hp Submersible pump in 408' deep well water level
was 260 ft at time well was drilled.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Domestic (2 units)</u>	<u>0.04</u>	<u>24</u> <u>1.2 AFA</u>	<u>JAN 1</u>	<u>Dec 31</u>
Total	<u>0.04</u>	<u>24</u> <u>1.2 AFA</u>		

Remarks Per T. Blum There are 2 homes on the system
with outside use for both homes.
RC 4/4/83

MICROFILMED

[illegible]

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 NE 1/4 Sec. 16, Twp 11S, Rge. 17E

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other


Examined Signature Terry J. Blum
Checked John D. Merrill
Approved by [Signature]

Date 3-9-83

Date 3-10-83

Date 3-30-83

Examined
Checked
Approved by





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

February 2, 1982

Gary & Penny Earl
Route 2
Twin Falls, Idaho 83301

Re: Permit 47-7833

Dear Mr. & Mrs. Earl:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent

FECH:GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 47-7833

Name(s) of Permit Holder: Gary & Penny Earl

Post Office Address: Rt 2

Trout Falls, Idaho Tel. No. 733-2597

Source of Water:

Extent of Use:

- ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

11-30-12
Date

Penny Earl
Signature of Permit Holder



MICHAEL
MILNE



RECEIVED

DEC 1 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

EARL, GARY & PENNY
RT. 2
TWIN FALLS, ID 83301

SEPTEMBER 28, 1982

RE: PERMIT NO. 47-7833

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

4Z-2833-

EARL, GARY &/or PENNY

RT. 2, TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 07/22/1982

Amount: 0.04 CFS

Diversion Point: SENE Sec 16 T 11S R 17E, TWIN FALLS Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 16 T 11S R 17E

Diversion Means: WELL, PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 23, 1982.

A. KENNETH DUNN

Director

Published 8/5 & 8/12/82.

RECEIVED

LEGAL for Thursday,
needs proof!

**NOTICE OF
APPLICATION
FOR WATER RIGHT**

Notice is hereby given
that the following
application(s) have been
submitted for permit to
appropriate the public
waters of the State of
Idaho:

47-7833

EARL GARY &/or
PENNY
RT. 2, TWIN FALLS, ID
83301

Source:

GROUNDWATER

Date Filed: 07/22/1982

Amount: 0.04 CFS

Diversion Point: SENE
Sec 16 T 11S R 17E, TW'N
FALLS Co.

Use: DOMESTIC (0.04
CFS) from 01/01 to 12/31

Place of Use: SENE Sec
16 T 11S R 17E

Diversion Means: WELL,
PUMP

If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of
any permit must be filed
with the Director of the
Idaho Department of
Water Resources, 1041
Blue Lakes Blvd. North,
Twin Falls, Idaho 83301
and received on or
before AUGUST 23, 1982.

A. KENNETH DUNN
Director

PUBLISH: Thursday,
August 5, and 12, 1982.

*OK
mcc
7/30/82*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JULY 28, 1982

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 23, 1982.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED