


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Map grid showing township and range coordinates:

- Range: R 17E
- Township: T 10S
- Section: 6
- Well location: Row 10, Column 13

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

NOTICE OF APPLICATION
FOR WATER RIGHT
Notice is hereby given
that the following applicat-
ion(s) have been submitted
for permit to appropriate the
public waters of the State of
Idaho:

45-7710
SHELBY, JOE
2046 HILLCREST DR., TWIN
FALLS, ID 83301
Source: GROUNDWATER
Date Filed: 03/05/1981
Amount: 0.10 CFS
Diversion Point: NENE Sec
06 T 10S R 17E, TWIN
FALLS Co.
Use: DOMESTIC (0.10 CFS)
from 01/01 to 12/31
Place of Use: LOT 01 (NENE)
SENE Sec 06 T 10S R 17E
Diversion Means: WELL &
PUMP

RECEIVED
APR 22 1981

Department of Water Resources
Boise District Office

MICROFILMED

Affidavit of Publication

STATE OF IDAHO,

COUNTY OF TWIN FALLS }

ss.

Nº 9768

I, Linda Capps McSwine being first duly sworn upon
oath, depose and say that I am Print Clerk of the TIMES-NEWS,
published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of
the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for Two
consecutive Weeks, commencing with the issue dated
March 26, 1981, and ending with the issue dated
April 2, 1981.

And I do further certify that said newspaper is a consolidation, effective February 16,
1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin
Falls News, published theretofore daily except Monday, both of which newspapers prior to
consolidation had been published under said names in said city and county continuously and
uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday,
until July 31, 1978, at which time said newspaper began daily publication under said name
in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week
has been designated as the day on which legal notice by law or by order of any court of com-
petent jurisdiction within the state of Idaho, to be published weekly, will be published; and
that at the head of the editorial column of said combined newspapers, and in each issue there-
of, Thursday is announced as the day on which said legal notices will be published.

Linda Capps McSwine
Subscribed and sworn to before me on this 8 day of

April, 1981.

Dorinda Rowlett-Smith
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

MICROFILMED

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

(2 points) Gov. Lot 1

Point(s) of diversion: $(N\frac{1}{2}\frac{1}{4} NE\frac{1}{4})$ Sec. 6 T10S R17E

Place(s) of Use $\checkmark$ per map above and permit.

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	17E	6	X			X													

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Larry Jundberg

Checked by Al P. Mott


Approved by Larry Walker
KW

Date 12-28-1982

Date 1/5/83 24

Date 10-9-85
4/17/86

Township No. 10 South, Range



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 47-7710 Priority March 5, 1981 Amount 0.02 cfs

THIS IS TO CERTIFY, that Joe Shelby
of Twin Falls, Idaho, has complied with the terms and conditions of Permit
No. 47-7710 issued pursuant to Application for Permit dated March 5, 1981,
and has submitted proof to the Department of Water Resources on April 7, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.16 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (4 Units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>2.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.02 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the (2 pts) Gov. Lot 1
(NE $\frac{1}{4}$ NE $\frac{1}{4}$) Section 6, Twp 10 S, Rge 17E in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10S	17E	6	GL1 X			X													

Total number of acres irrigated _____

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

The maximum combined rate of diversion under this right and Rt. 47-7311 shall not exceed 0.16 cfs.

Use of water under this right and Rt. 47-7311 shall be limited to 54 domestic units.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23RD day of JANUARY, 19 86.

Norman C. Gung
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Joe Shelby Phone 733-7629

Post office address 2046 Hillcrest Drive, Twin Falls, ID 83301

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 10S

Range 17E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .10 for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 284 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation: See Sec. 8B

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



RECEIVED

Scale: 1 inch equals 1 mile.

IT IS KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 3/5/81
Received by lh Date 3-5-81 Time _____
Preliminary check by J Fee \$ 20⁰⁰
Receipted by marya Date 3/5/81 # 16868
Publication prepared by lh Date 3/18/81
Published in Tenier news
Publication dates 3/26 & 4/2/81
Publication approved marya Date 4/22/81
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by lh RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7710, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 18th day of May, 1981.

J. Glen Sayton
Chief, Operations Bureau

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

45-7710
SHELBY, JOE
2046 HILLCREST DR., TWIN
FALLS, ID 83301
Source: GROUNDWATER
Date Filed: 03/05/1981
Amount: 0.10 CFS
Diversion Point: NENE Sec
06 T. 10S R. 17E, TWIN
FALLS Co.
Use: DOMESTIC (0.10 CFS)
from 01/01 to 12/31
Place of Use: LOT 01 (NENE)
SENE Sec 06 T 10S R 17E
Diversion Means: WELL &
PUMP

RECEIVED
APR 22 1981

Department of Water Resources
Twin Falls District Office

Affidavit of Publication

Nº 9768

STATE OF IDAHO,
COUNTY OF TWIN FALLS } ss.

I, Linda Capps McBain being first duly sworn upon oath, depose and say that I am Print Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated

March 26, 1981, and ending with the issue dated April 2, 1981.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterrupted during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterrupted.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day, on which said legal notices will be published.

Linda Capps McBain
Subscribed and sworn to before me on this 8 day of

April, 1981.

Debra Rowlett-Smith
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 24, 1986

RE: Permit No. 47-7710

Joe Shelby
2046 Hillcrest Dr.
Twin Falls, ID 83301

Dear Mr. Shelby:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

October 17, 1985

RE: Permit No. 47-7710

Joe Shelby
2046 Hillcrest Dr.
Twin Falls, ID 83301

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 47-7710 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 2.4 acre feet Source: groundwater

The maximum quantity diverted shall not exceed 2.4 acre feet per
year.

Point(s) of diversion: 2 pts Gov. Lot 1 (NENE) Sec. 6, Twp 10S,
Rge 17E

Beneficial Use: Domestic use for 4 units within NENE, SENE,
Sec. 6, Twp 10S, Rge 17E

Priority date established: March 5, 1981

Conditions (if any): The maximum combined rate of diversion
under this rt. and Rt. 47-7311 shall not exceed 0.16 cfs. Use
of water under this rt. and Rt. 47-7311 shall be limited to 54
domestic units.

MICROFILMED

Permit No. 47-7710
Page 2

If you do not concur with these findings, please contact us within 10 days;
otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

47-7710

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	June 19, 1982	J.F.	
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date June 15, 1982 Accompanied by Joe Shelby Total Q measured 0.16 C.F.S. ✓
If source is surface water, estimate total flow of source ✓
Methods of measurement Badger Meter Meets Permit requirements? yes

Measurement calculations: $100 \text{ gal} / 83 \text{ sec} \times 60 \text{ sec} = 72.28 \text{ gpm} = 0.16 \text{ C.F.S. Allow.}$
 $54 \text{ units} @ 3/\text{person/unit} @ 50 \text{ gal/person} = 8100 \text{ gpd} \div 2 \text{ hr. flow} \div 60 \text{ min} = 67.5 \text{ gpm} = 0.15 \text{ C.F.S.}$
See Remarks: $(1.98)(0.10 \text{ C.F.S.})(365 \text{ days}) = 72.3 \text{ A.F.A.}$
 $(1.98)(0.01 \text{ C.F.S.})(365 \text{ days}) = 7.2 \text{ A.F.A. (See Remarks.)}$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	7.5	Franklin	282-2012-201			Badger	good	
	7.5	"	282-2012-202					

System Description (2) wells pump into 10 pressure Tanks
 $\frac{100 \text{ gal.}}{83 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min.}} = \frac{6000 \text{ gal}}{83 \text{ min}} = 72.28 \text{ gpm} - \text{NO NEW WATER developed at rate}$

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS	USE	Irrigation requirement =	AFA/Acre
		Q (cfs)	V (afa)
Domestic (4) units only	47-7311	0.01 cfs	2.4 AFA
50 units under 47-7311		ALLOW 0.02	
		0.02	
		0.01 cfs	2.4 AFA

Remarks (4) units @ 3/person/unit @ 50 gal/person = 600 gpd ÷ 2hr/day ÷ 60 min = 0.01 cfs. 448.8 gal/cfs

Under 47-7311 30 AFA HAS been issued For 50 units WHICH IS .6 AFA/unit. 6 AFA X (4) as applied for is = to 2.4 AFA
* use condition limiting cfs when combined
When combined with 47-7311 rate of div. shall not exceed 0.16 cfs. nor 32.4 AFA/Ann. See copy of Rt. 47-7311 attached.

MICROFILMED

MICROFILMED

well

PLACE of USE

✓

See 6

T 103 R 175

(Include distance from pump to measuring device, if applicable.)

(2 points) Gov. Lot 1
Point(s) of diversion: (N 2 1/4 NE 1/4), Sec. 6 T10S R17E

Place(s) of Use ✓ per map above and permit.

[illegible]

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Ray Funderburg
Checked by Alfred D. Morris
Approved by Ray Walker
KW

Date 12-28-1982
Date 1/5/83 24
Date 10-9-85
✓ 17/86

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

47-7311

License of Water Right No. 47-7311 Priority September 26, 1975 Amount 0.16 cfs

THIS IS TO CERTIFY, that SHELBY ENTERPRISES
of Twin Falls, Idaho, has complied with the terms and conditions of Permit
No. 47-7311 issued pursuant to Application for Permit dated September 26, 1975,
and has submitted proof to the Department of Water Resources on July 1, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.16 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> (50 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.16</u> cfs and	<u>30</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.16 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
30 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Lot 1, Sec. 6,
Twp. 10S, Rge. 17E, B.M. in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10S	17E	6	X			X													

Total number of acres irrigated _____

REMARKS: 2 points of diversion in NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, Twp. 10S, Rge. 17E.

MICROFILMED


NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
December, 19 80.

Director

Township No. 10 South, Range





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

May
~~June~~ 19, 1982

Joe Shelby
2046 Hillcrest Drive
Twin Falls, Idaho 83301

RECEIVED
MAY 27 1982
Department of Water Resources

Re: Permit No. 47-7710

Dear Mr. Shelby:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

GARY L. FUNDERBURG
Sr. Water Resource Agent

LOH:GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 47-7710

Name(s) of Permit Holder:

SHELBY, JOE

Post Office Address:

2046 HILLCREST DR.

TWIN FALLS, IDAHO 83301

Tel. No. 733-7629

Source of Water:

WELL

Extent of

☒ Domestic

54

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

LAWN WATERING (acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

4-5-82

Date

Signature

of Permit Holder

Shelby

RECEIVED

JOE SHELBY
2046 HILLCREST DR
TWIN FALLS ID 83301



MAILING SERVICE

RECEIVED
APR 7 1989
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138587

SHELBY, JOE
2046 HILLCREST DR.
TWIN FALLS, ID 83301

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 47-7710 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SHELBY, JOE
2046 HILLCREST DR.
TWIN FALLS, ID 83301

JUNE 03, 1981

RE: PERMIT NO. 47-7710

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

MARCH 18, 1981

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 13, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

RECEIVED
MAR 22 1981

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

42-2210-

SHELBY, JOE

2046 HILLCREST DR., TWIN FALLS, ID 83301

Source: GROUNDWATER

Date Filed: 03/05/1981

Amount: 0.10 CFS

Diversion Point: NENE Sec 06 T 10S R 17E, TWIN FALLS Co.

Use: DOMESTIC (0.10 CFS) from 01/01 to 12/31

Place of Use: LOT 01 (NENE) SENE Sec 06 T 10S R 17E

Diversion Means: WELL & PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before APRIL 13, 1981.

C. STEPHEN ALLRED

Director

Published 3/26 & 4/2/81.

NOTIFIED