


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Ralph H. Petersen
(Applicant)

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Full Pipe Gravity Flow System.

Point(s) of diversion: SE 1/4 NE 1/4, Sec. 27 T10S R14E

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	14E	27			40	34				40									114 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature Larry Linderburg

Checked by Terry A. B. Don

Approved by Ray Walker

Date Jan 19, 1983

Date Feb 14, 1983 27

Date 10-9-85

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: Gary Sunderburg
Owner: Ralph Peterson

Date 8-5-1982
Permit No. 47-7687

Description of well &/or measuring site (give distance to restrictions upstream and downstream): well, motor gravity flow
System

Measured inside diameter of pipe in inches (A) 8.0"

Size of Annubar used in test 7.98

State ID# of Annubar Meter used 191139

Size Eagle Eye Meter used 10-80

State ID# of Meter used 091475

Date of Last Calibration of Meter _____


Observed inches of H2O read on Meter 20"

Adjusted inches of H2O from Last Calibration (B) _____

CALCULATION: $\frac{(3.85) \times (A)^2 \sqrt{B}}{448.8} = 2.44 \text{ c.f.s. } \text{as measured}$
 $= 2.455 \approx 2.46$

Where A and B are measured in inches and 3.85 is a constant for the model 75 Annubar.

SKETCH:



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 47-7687 Priority December 22, 1980 Amount 2.42 cfs

THIS IS TO CERTIFY, that Ralph H. Peterson
of Buhl, Idaho, has complied with the terms and conditions of Permit
No. 47-7687 issued pursuant to Application for Permit dated December 22, 1980,
and has submitted proof to the Department of Water Resources on March 30, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.42 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u> from <u>March 15</u> to <u>November 15</u> at <u>2.28</u> cfs and <u>456.0</u> acre feet			
<u>Stockwater</u> from <u>January 1</u> to <u>December 31</u> at <u>0.14</u> cfs and <u>8.1</u> acre feet			
_____ from _____ to _____ at _____ cfs and _____			
(both dates inclusive)			

Subject, however, to the condition that no more than 2.42 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
464.1 acre feet per year, said waters to be diverted within the SE1NE1 Section 27,
Twp 10S, Rge 14E in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	14E	27			40	34				40									114

Total number of acres irrigated 114

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19TH day of NOVEMBER, 19 85.

Acting for the

Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ralph H. Peterson Phone 543-6052

Post office address Route #1 Box 117, Buhl, Id 83316

2. Source of water supply groundwater which is a tributary of 2 points

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 10S

Range 14E B.M. Twin Falls County, additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 2.4 cfs for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.14 cfs for livestock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.54 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two existing wells and pumps

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 6.12 inches; ~~proposed~~ depth of well is 250, 430 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 10S

Range 14E B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered 600 range cattle

(4) Name of municipality to be served , or number of families to be supplied with domestic water .

If water is to be used for other purposes describe:

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 120

c. Describe any other water rights used for the same purposes as described above.

none

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use " _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT FURTHER SHOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph N. Peterson
(Applicant)

Proposed Priority 12/22/80

Received by GA Date 12-22-80 Time 3:50 pm

Preliminary check by ZH Fee \$ 85.00

Receipted by JP Date 12-22-80 # 16730

Publication prepared by macepa Date 1/5/81

Published in Times News

Publication dates 1/29 + 2/5/81

Publication approved macepa Date 1/27/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ZH GA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7687, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 3rd day of March, 19 81.

L. Glen Saxton

MICROFILMED

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS

ss.

Nº 10066

I, Linda Copps McBuire being first duly sworn upon oath, depose and say that I am Print Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated January 29, 1981, and ending with the issue dated February 5, 1981.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this Linda Copps McBuire 5 day of February, 1981.

Melba Rowlett Smith
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

RECEIVED

FEB 9 1981

Department of Water Resources
Southern District Office

MILWAUKEE

November 29, 1985

RE: Permit No. 47-7687

Ralph H. Peterson
Rt. 1, Box 117
Buhl, ID 83316

Dear Mr. Peterson:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script that reads "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

October 17, 1985

RE: Permit No. 47-7687

Ralph H. Peterson
Rt. 1, Box 117
Buhl, ID 83316

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 47-7687 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 2.42 cfs Source: groundwater

The maximum quantity diverted shall not exceed 464.1 acre feet
per year.

Point(s) of diversion: SENE, Sec. 27, Twp 10S, Rge 14E

Beneficial Use: Stockwater and irrigation of 114 acres within
S1/2NE1/4, SENW, Sec. 27, Twp 10S, Rge 14E

Priority date established: December 22, 1980

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days;
otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

MAR 11 1982

47-7687
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	May 19, 82	AF	
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 8-5-1982 Accompanied by MR. R. PETERSON Total Q measured 2.46
2.44 C.F.S.
 If source is surface water, estimate total flow of source ✓
 Methods of measurement ANNU-BAR Meets Permit requirements? yes
Eagle Eye meter

Measurement calculations: Measured 2.44 C.F.S. Allow 2.28 C.F.S. 1"/Acre
Volume 456 AFA = (IRR Req 4.0) (114 Ac)
8.1 AFA = Lifestock 600 Hd Range Cattle see memo 4-7-75
irr. V = 2.28 x 1.9835 x 245 = 1108.0 AF

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	75	US	LAYNE					

System Description well, motor, pump. w/ gravity flow system.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
IRRIGATION ✓	2.28 cfs ✓	456 AFA	MARCH 15 ✓	NOV. 15 ✓
(600 Hd of) Lifestock ✓	.14 cfs ✓	8.1 AFA ✓	1-1	12-31
Total	2.42 cfs ✓	464.1 AFA ✓		

Irrigation requirement = 4.0 ✓ AFA/Acre 245 days

Remarks This well pumps into an Irr. Ditch that has other water from Twin Falls CANAL System.

MICROFILMED

Hand-drawn map on a grid showing a well location. The map includes a north arrow, a shaded rectangular area with dimensions 40, 40, and 34, and a well symbol labeled 'WELL'. The text 'TOWNSHIP 10 South' and 'Range 14 East' is written at the bottom.

(Include distance from pump to measuring device, if applicable.)



Full Pipe Gravity Flow System.

Point(s) of diversion: ✓ SE 1/4 NE 1/4, Sec. 27 T10S R14E

Place(s) of Use ✓

[illegible]

Total	114	✓
-------	-----	---

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

Date _____

Date _____

Date _____

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: Gary Sunderburg

Date 8-5-1982

Owner: Ralph Peterson

Permit No. 47-7687

Description of well &/or measuring site (give distance to restrictions upstream and downstream): well, motor gravity flow
System

Measured inside diameter of pipe in inches (A) 8.0"

Size of Annubar used in test 7.98

State ID# of Annubar Meter used 191139

Size Eagle Eye Meter used 10-80

State ID# of Meter used 091475

Date of Last Calibration of Meter _____


Observed inches of H2O read on Meter 20"

Adjusted inches of H2O from Last Calibration (B) _____

CALCULATION: $\frac{(3.85) \times (A) \sqrt{B}}{448.8} = 2.44 \text{ c.f.s. } \text{as measured}$
 $= 2.455 \approx 2.46$

Where A and B are measured in inches and 3.85
is a constant for the model 75 Annubar.

SKETCH:



Overlap Review - Permit 47-7687
per micro-fische 10/9/85:
p/d - 47-7743 gw

plu - none

47-7743 - same right holder, same
well to be used along with
2 additional wells, permit,
no proof or exam in file -
no plu overlap.

kw



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

May 19, 1982

Ralph H. Peterson
Rt 1 Box 117
Buhl, Idaho 83316

RECEIVED
MAY 27 1982
Department of Water Resources

Re: Permit No. 47-7687

Dear Mr. Peterson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

LOH:GLF:marya

RECEIVED
MAY 27 1982

PLACE
TEN CENT
STAMP
HERE

RECEIVED
DEC 15 1982



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 7-7682

Name(s) of Permit Holder:

Ralph N. Peterson

Post Office Address:

P.O. 1 Burley, Idaho83316

Tel. No.

573-6052

Source of Water:

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation140

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes☐ No

Installed?

☐ Yes☐ No

Access Port:

Required?

☒ Yes☐ No

Installed?

☒ Yes☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug. 12, 1982
Date

Ralph N. Peterson
Signature of Permit Holder

Field Exam
Done

PLACE
TEN CENT
STAMP
HERE

RECEIVED

APR 1 1982

Department of Water Resources



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

MAR 20 1982

Department of Water Resources
Southern District Office

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 47-7687.

Name(s) of Permit Holder: Ralph H. Peterson

Post Office Address: Route #1 Box 117

Buhl, ID Tel. No. 543-6052

Source of Water: Groundwater

Extent of Use:

☐ Domestic		(number of households)
☒ Stockwater	<u>600</u>	(number and type of stock)
☒ Irrigation	<u>120</u>	(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No will be

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No installed

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-30-82
Date

Ralph H. Peterson
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138165

PETERSON, RALPH H.
RT. 1 BOX 117
BUHL, ID 83316

JANUARY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 47-7687 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PETERSON, RALPH H.
RT. 1 BOX 117
BUHL, ID 83316

MARCH 10, 1981

RE: PERMIT NO. 47-7687

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 16, 1981

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 16, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

4Z-268Z-

PETERSON, RALPH H.

RT. 1 BOX 117, BUHL, ID 83316

Source: GROUNDWATER

Date Filed: 12/22/1980

Amount: 2.54 CFS

Diversion Point: SENE Sec 27 T 10S R 14E, TWIN FALLS Co.

Use: IRRIGATION	(2.40 CFS)	from 03/15 to 11/15
STOCKWATER	(0.14 CFS)	from 01/01 to 12/31

Place of Use: SWNE SENE SENW Sec 27 T 10S R 14E FOR 120 ACRES

Diversion Means: WELLS AND PUMPS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 16, 1981.

C. STEPHEN ALLRED

Director

Published 1/29 & 2/5/1981.

MICROFILMED

sb
maria
1/27/81

47-7887
PETERSON, RALPH H.
RT. 1 BOX 117, BUHL, ID
83316
Source: GROUNDWATER
Date Filed: 12/22/1980
Amount: 2.54 CFS
Diversion Point: SENE Sec
27 T 10S R 14E, TWIN
FALLS Co.
Use: IRRIGATION (2.40 CFS)
from 03/15 to 11/15
STOCKWATER (0.14 CFS)
from 01/01 to 12/31
Place of use: SWNE SENE
SENE Sec 27 T 10S R 14E
FOR 120 ACRES
Diversion Means: WELLS
AND PUMPS

MICROFILMED