

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald A. Kasel Phone (208) 733-1503
Post office address Route #3, Twin Falls, Idaho 83301
2. Source of water supply Springs which is a tributary of Snake River
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 9 South
Range 17 E. B.M. Twin Falls County, additional points of diversion if any: SE SE, Section 34, Township 9 South, Range 17 E.B.M.
4. Water will be used for the following purposes:
Amount 14.0 cfs for power purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 14.0 cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Headworks, penstock, and
generating plant.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 9 South
Range 17 E. B.M.
(2) Amount of power to be generated: 390 horsepower under 350 feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Roy Roper


b. Who owns the land to be irrigated or place of use Applicant.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant will seek permission easements or initiate
condemnation.

10. Remarks Water arises on Applicant's property to the south of point of diversion
and Applicant holds drainage easement for water in present channel. Channel
traverses property owned by Roper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald A. Kasel
 Ronald A. Kasel (Applicant)

Proposed Priority 12/1/1980

Received by JH Date 12-1-80 Time 9 AM
Preliminary check by JH Fee \$ 305.00
Received by JH Date 12-1-80 # 16696
Publication prepared by range Date 12/8/80
Published in Times news
Publication dates 12/10 + 12/25/80
Publication approved range Date 12/17/80
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date: _____
Recommended for approval denial by LD

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7682, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

This permit is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this permit. Failure to comply with these provisions is cause for immediate cancellation of this permit.

This project shall be operated in a manner that will not conflict or interfere with the future diversion of water for irrigation or other beneficial consumption.

This permit does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of October, 1982.

J. Glen Saxton
Chief, Operations Bureau

DET

Affidavit of Publication

Nº 9840

STATE OF IDAHO)
COUNTY OF TWIN FALLS) ss.

I, Ronda Capps McBine being first duly sworn upon oath, depose and say that I am Print Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Weeks, commencing with the issue dated December 18, 1980, and ending with the issue dated December 25, 1980.


And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.


Subscribed and sworn to before me on this 30 day of

December, 1980
Thelma Paullett Smith


Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho




1981
Water Resources
Southern District Office



SCHEMATIC OF DIVERSION AND
POWER GENERATING FACILITIES
PERMITS 47-7679 and 47-7682





KASSEL-WITHERSPOON HYDRO
INLET STRUCTURE
NOT TO SCALE

Design Discharge 45 cfs in pipe
70 cfs maximum

CEB. 8/23/93

I certify that file No. 47-7682 has been
reviewed and is ready to be MICROFILMED
and DESTROYED.

Beta Fleck
Signature

8-2-1988
Date



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

47-7682
KASEL, RON LD A.
RT. 6 BOX 9104
TWIN FALLS, ID 83301

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 12, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on October 12, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on August 12, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before December 11, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

4/86

RECEIVED
NOV 5 1986
Department of Water Resources
Submittal Fee Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 0
Date 11/4/86
Receipt # 244
Receipt by WJA
Sent to S.O. 11/4/86

RECEIVED
NOV 5 1986

1. Permit No. 47-7682

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: KASEL RONALD A.

3. Post Office Address: Rt #6 Box 9104 TWIN FALLS
Idaho 83301 Telephone No. 233-1503

4. Source of Water: Spring Water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark Hydr Project

6. Total rate &/or volume for which proof is submitted 14 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

(Name)

(Address)

(Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

11/4/86
Date

Ronald A. Kassel OWNER
Signature of Permit Holder (and title, if appropriate)

C. E. BROCKWAY P. E.
ENGINEERING CONSULTANT

Groundwater, Hydrology,
and Hydraulic Engineering

706 Sunrise Blvd. N.
Twin Falls, Idaho 83301 733-0938

November 4, 1986

Mr. Loren Holmes
Idaho Department of Water Resources
1018 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

RECEIVED

NOV 4 1986

Subject: Water Rights Certification
Ron Kasel

Department of Water Resources
Southern Region Office

Dear Loren:

This letter is to notify you that I have agreed to perform the water
rights examination for Mr. Ron Kasel on permits 47-7679 and 47-7682
for hydropower.

I intend to perform the examination by November 1, 1986.

RECEIVED

NOV 5 1986

Sincerely,

C. E. Brockway

C. E. Brockway, P.E.

Department of Water Resources

CEB:



John V. Evans
Governor

A. Kenneth Dunn
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

47-7682
KASEL, RONALD A.
RT. 6 BOX 9104
TWIN FALLS, ID 83301

August 12, 1986

138144
CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water

right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department office.

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Sincerely,

Loren Holmes
LOREN HOLMES
Southern Regional Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

FEBRUARY 11, 1986

RONALD A. KASEL
RT. 6 - BOX 9104
TWIN FALLS ID 83301

RE: Permit No. 47-7682

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

Form 217
RECEIVED
OCT 22 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

OCT 18 1985

Department of Water Resources
Southern District Office

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 47-7682

Name(s) of Permit Holder: Ronald A. Kasel

Post Office Address: Route #6, Box 9104, Twin Falls, ID 83301

Telephone No. 733-1503

Source of Water: Springs trib. to Snake River

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks Power - 14 cfs

Indicate the date water was first diverted and beneficially used under this permit: March 3, 1983

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Will supply rating curve for ditch

Person to contact to accompany the Department representative during the field examination:

permit holder
(Name)

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date 10/18/85

Ronald A. Kasel
Signature of Permit Holder (and Title, if appropriate)

28-86
128-86



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Deputy

Mailing address:
Statehouse
Boise, Idaho 83721
(208) 334-4448

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NOT COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. Glen Saxton
L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

October 20, 1982

RE: Permit No. 47-7682

Ronald A. Kasel
Route #6
Twin Falls, ID 83301

Dear Mr. Kasel:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please be advised that your application for permit has been approved because we no longer wait for approval from the Federal Energy Regulatory Commission (FERC) or the Idaho Public Utilities Commission (PUC) when the flow is less than 25 cfs and the power to be generated is less than 500 HP. However, you may still need to obtain approval from FERC and/or PUC.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

Overlap Review for 47-7682

No Overlap at P/D

No Overlap at P/U

No rights bypassed

RC 10/8/82

ACTION

47-7682

Application for exemption of
small hydro electric power
project from license
K.W. Co., Applicant
TWIN FALLS, ID
JUNE, 1952

THIS DOCUMENT IS
LOCATED IN FILE
47-7679



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 27, 1981

RE: Applications for Permit Nos. 47-7679 and 47-7682

Ronald A. Kasel
Route #3
Twin Falls, ID 83301

Dear Mr. Kasel:

We have completed a preliminary review of the above referenced application. This review has included advertising by the regional office and a verification that all required preliminary information has been provided.

For power projects that are under the jurisdiction of the Federal Energy Regulatory Commission (FERC), we withhold final action on the application pending FERC approval of (1) a preliminary permit, or (2) an exemption. If you have not yet contacted FERC, the address below is a good starting point:

Regional Engineer
San Francisco Regional Office
Federal Energy Regulatory Commission
333 Market Street, Sixth Floor
San Francisco, CA 94105-2195
Telephone No. (415) 974-7177

The continued validity of this application is contingent on your proceeding with due diligence toward obtaining an approval or an exemption from FERC. Please keep this office informed of progress in this regard.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

KASEL, RONALD A.

INITIAL REVIEW BY: D. Sundberg

APPLICATION NUMBER: 47-7682

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: Sam Jendry
Date: 12-24-1980
Comments: THE WATER THAT IS
FILED FOR HAS BEEN FILED FOR
BY APPLICANTS NEARBY AT TIME
OF FIELD TRIP THERE WAS NOT
100 CFS FLOWING APPROX. 60 CFS
THERE MAY BE MORE FLOW DURING IRR
SEASON.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

File 47-7679 - These two apps are not the
same system but are
geographically located in the
same area.

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: _____ Map No. BB-73
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No In form for advertising.
Final date for protests: 1/5/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/5/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
12/1/80 Date of priority recommended.
☒ Special conditions of approval or cover letter. OBA, 17

* THIS PERMIT DOES NOT CONSTITUTE IDAHO PUBLIC UTILITIES COMMISSION
OR FEDERAL ENERGY REGULATORY COMMISSION APPROVAL THAT MAY BE REQUIRED.

By: Loren D. Hahner Date: 9/29/81
STATE OFFICE REVIEW:

SLW/103,47 OIC/OBA, 17 25 26

☐ See attached sheet for more information.

By: Prep Date: 10/21/81 OCT 21 1981

Do not approve at this time
Since FEEL letter
Jan

RECEIVED

Department of Water Resources

POWER CALCULATIONS FOR APPLICATION NO. 47-7682

P = Kilowatts .74 X hp 390

proposed

Q = cfs

288.6 Kw

H = feet

14.0 cfs

e = efficiency

350 ft

?

$$e = \frac{P(11.8)}{QH} = \frac{288.6(11.8)}{14 \times 350} = \frac{3405.48}{4900} = .69 \text{ or } 69\%$$

Based on the above calculations the proposed project must have an 69 % efficiency.

Rc $\frac{1072}{81}$



John V. Evans
Governor

C. Stephen Allred
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3576

September 30, 1981

John A. Rosholt
Attorney at Law
P. O. Box 1906
Twin Falls, Idaho 83301

Re: Applications 47-7679 and 47-7682 - Ronald A. Kasel

Dear John:

Returned herewith is the financial statement of Ronald A. & Carole J. Kasel.

A memorandum has been placed in each of the above application files indicating the the applicant has made a showing of financial capability to undertake the proposed projects.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

Encl:

cc: Ronald Kasel

INTER-DEPARTMENT MEMO — 1

DATE 9/29/81

FROM Loten Holmes

TO File 47-7682

SUBJECT Financial statement of Applicant.

I have reviewed a statement of assets & liabilities submitted by the applicant.

It appears that the applicant has the funds necessary to undertake the project if costs are as stated in John Roskoff's letter of Sept. 16, 1981

LH

SIGNATURE

NELSON, ROSHOLT, ROBERTSON, TOLMAN & TUCKER
ATTORNEYS AT LAW

P. O. BOX 1986
TWIN FALLS, IDAHO 83301
TELEPHONE (208) 734-0700

THOMAS G. NELSON
JOHN A. ROSHOLT
J. EVAN ROBERTSON
STEVEN K. TOLMAN
JAMES C. TUCKER

SUN VALLEY-KETCHUM OFFICE
P.O. BOX 2399
SUN VALLEY, IDAHO 83351
TELEPHONE (208) 726-4491

September 16, 1981

RECEIVED

SEP 17 1981

Department of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

Department of Water Resources
Twin Falls District Office

Re: Application Nos. 47-7679 and 47-7682 - Ron Kasel

Dear Sir:

Find enclosed an affidavit pertaining to Application No. 47-7682.

As to Application No. 47-7679 for 30 c/f/s for power generation purposes, find enclosed an affidavit. Also find enclosed a financial statement for Ron and Carol Kasel. Further enclosed are some general plans of the power facility contemplated. The cost estimated is not yet available, although early indications are that the facility will cost between \$500,000.00 and \$750,000.00.

I would request that if the Department has questions of Kasel in regard to design and cost breakdown, that Jack Witherspoon be contacted at 733-2598. He is consulting with Mr. Kasel and would be available to come in and answer whatever questions the Department may have.

The parties are anxious to proceed with this project and ask for expeditious handling of Application No. 47-7679.

Respectfully submitted,

John A. Rosholt
JOHN A. ROSHOLT

JAR:bg

Enclosures

cc: Jack Witherspoon
Ron Kasel



JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

copy
Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 24, 1981

RE: Application for Permit No. *47-7682*

Dear Applicant:

The 1981 Idaho Legislature made a change in Section 42-205, Idaho Code, that may affect the above referenced application. The change requires that if a proposed hydropower project will use existing irrigation facilities, the approval of the owner of the facilities must be obtained before an application for permit to develop a water right can be approved.

Please find enclosed an affidavit which we must receive before we can complete the review of your application. Please complete the affidavit, sign it before a notary, and return it to this office at your earliest convenience, no later than August 15, 1981.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocation Section

DRT:jg

Enclosure



TWIN FALLS CANAL COMPANY

POST OFFICE BOX 326
TWIN FALLS, IDAHO. 83301



December 18, 1980

Department of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

RE: App. for Permit No. 47-7682, 47-7679
Name: Ronald Kasel

Gentlemen:

The Twin Falls Canal Company after researching filed water right permit has concluded that water sought to be appropriated is waste water, which would accrue below the Company's last delivery. However, we are advised that many others hold prior rights to this waste water and of course the holder has a right to cease wasting water.

The Canal Company will continue to make deliveries to their shareholders to the extent possible, but makes no effort to put additional water in the ditches so as to insure that waste water would be available for permits such as this one.

Respectfully Submitted,

C.W. Travis
General Manager

CWT:brw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720



UNDELIVERABLE AS ADDRESSED

PRESORTED
FIRST-CLASS



Ronald A. Kasel
Rt. #3
Twin Falls, Idaho 83301

Handwritten:
Handwritten
11-25-81
address should be
Rt. 6
removed 11-27-81

Handwritten:
47-7682 -
47-7679 -
James J. Smith

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

47-2682-

KASEL, RONALD A.

RT. 3, TWIN FALLS, ID 83301

Source: SPRINGS tributary to SNAKE RIVER

Date Filed: 12/01/1980

Amount: 14.00 CFS

Diversion Point: SWSW Sec 35 T 09S R 17E SESE Sec 34 T 09S R 17E,
TWIN FALLS Co.

Use: POWER (14.00 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 35 T 09S R 17E

Diversion Means: HEADWORKS, PENSTOCK, GENERATING PLANT

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JANUARY 5, 1981.

C. STEPHEN ALLRED

Director

Published 12/18 & 12/25/80.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

DECEMBER 15, 1980

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JANUARY 5, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

Form 205
7/81

Ident. No. 47-7682

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AFFIDAVIT FOR WATER RIGHTS TO BE USED
FOR POWER PURPOSES

RECEIVED

DEC 2 1981

Ownership of Facilities: (To be completed for hydropower projects only)

The hydropower facility to be developed pursuant to the attached Application for

Permit:

☒ Will not utilize existing man-made irrigation facilities such as a dam or a canal.

(check one)

☐ Will utilize existing man-made irrigation facilities such as a dam or a canal, and permission of the owner is documented in an affidavit attached hereto.

☐ Will utilize existing man-made irrigation facilities such as a dam or a canal and the owner of the facilities is the signee of this affidavit.

Ronald A. Kaseel
Applicant

State of Idaho)
County of Twin Falls) ss.

On this 28th day of Sept, 19 81, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

John A. Roschert
Notary Public residing at

seal

Twin Falls

My commission expires:

1986

Individual Owner

AFFIDAVIT TO ESTABLISH RESIDENCE

I, Ronald A. Kasel of Twin Falls, County of Twin Falls, State of Idaho, being duly sworn, do hereby certify that I am a bona fide resident of the State of Idaho.


Subscribed and sworn to before me this 18th day of November, 1988
/s/ Ronald A. Kasel
/s/ Betty Gustafson
Notary Public
Residence Twin Falls, Idaho
My Commission Expires _____


Corporation or Association

AFFIDAVIT TO ESTABLISH RESIDENCE
OR QUALIFICATIONS TO DO BUSINESS UNDER THE LAWS OF
IDAHO...

I, _____ of _____, County of _____, State of Idaho, being first duly sworn, depose and say:
That I am the designated statutory agent of the _____,
that as such I am in charge of the registered office of the said _____,
_____ as provided by Section 30-143, Idaho Code, at _____,
Idaho, wherein are kept the records provided by Section 30-144, Idaho Code, and that _____ is a legal _____ qualified to do business in the State of Idaho under the laws of the State of Idaho.

Subscribed and sworn to before me this _____ day of _____, 19____
/s/ _____
/s/ _____
Notary Public
Residence _____
My Commission Expires _____





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald A. Kasei Phone (208) 733-1563
Post office address Route #3, Twin Falls, Idaho 83301
2. Source of water supply Springs which is a tributary of Snake River
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 9 South
Range 17 E. S.M. Twin Falls County, additional points of diversion if any: _____
SE SE, Section 34, Township 9 South, Range 17 E.S.M.
4. Water will be used for the following purposes:
Amount 14.0 cfs for power purposes from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated:
a. 14.0 cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Headworks, penstock, and
generating plant.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 9 South
Range 17 E. S.M.
(2) Amount of power to be generated: 390 horsepower under 350 feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

[illegible]


c. Describe any other water rights used for the same purposes as described above. None

b. Who owns the land to be irrigated or place of use Applicant.

10. Remarks Water arises on Applicant's property to the south of point of diversion
and Applicant holds drainage easement for water in present channel. Channel
transverse property owned by Roper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald A. Krael
 Ronald A. Krael (Applicant)

Proposed Permit: 12/1/1980

Received by JH Date 12-1-80 Time 9am
Preliminary check by JH Fee \$ 305.00
Resubmitted by JH Date 12-1-80 \$ 165.00
Publication prepared by W. W. W. Date 12/8/80
Published in Times
Publication dates 12/8 + 12/25/80
Publication approved W. W. W. Date 12/17/80
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7682, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
This permit is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this permit. Failure to comply with these provisions is cause for immediate cancellation of this permit.
This project shall be operated in a manner that will not conflict or interfere with the future diversion of water for irrigation or other beneficial consumption.
This permit does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of October, 1982.

J. Glen Saxton
Chief, Operations Bureau

DET

Affidavit of Publication

Nº 9840

STATE OF IDAHO)
COUNTY OF TWIN FALLS)

I, *Ronda Capps McNeill* bring first duly sworn upon
oath, depose and say that I am *Rene Clark* of the TIMES-NEWS,
published daily at Twin Falls, Idaho, and do solemnly swear that a copy of
the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for *Two*
consecutive *Weeks* (commencing with the issue date)
December 18 19 *80* and ending with the issue date
December 25 19 *80*.

And I do further certify that said newspaper is a consolidation, effective February 16,
1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin
Falls News, published theretofore daily except Monday, both of which newspapers prior to
consolidation had been published under said names in said city and county continuously and
uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday,
until July 31, 1978, at which time said newspaper began daily publication under said name
in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 80-100 Idaho Code, Thursday of each week
has been designated as the day on which legal notice by law or by order of any court of com-
petent jurisdiction within the state of Idaho, to be published weekly, will be published; and
that at the head of the editorial column of said combined newspapers, and in each issue there-
of, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this

December 19 *80*

Ronda Capps McNeill
30 day of

Thelma Paullet Smith
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 13 1989

Department of Water Resources

Permit No. 47-7682

A. GENERAL INFORMATION

1. Owner: Ronald A. Kasel Phone No. 208-733-1503
Current Address: Rt 6 Twin Falls, Idaho 83301
2. Accompanied by: Ron Kasel EXAM. DATE: 4 September 1987
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Canal waste and tributary to Snake River
Springs

B. OVERLAP REVIEW

1. Other water rights with same place of use: 47-7679

☐ Copies Attached
2. Other water rights with same point of diversion: 7-7679

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Diversion from a spring fed stream and canal wasteway utilizing a concrete structure with overflow and gated penstock to powerhouses. The penstock is a 34 inch dia. steel pipe 1000 ft long to the first powerhouse with a vertical drop of 375 feet. The pipe from the first powerhouse to the lower powerhouse is a 34 inch dia. steel pipe 165 feet long dropping 105 feet. Equipment in each powerhouse is shown on the accompanying table.

Return flow from the lower powerhouse returns to a small stream through two 15 inch steel pipes and then returns to the Snake River at the historical return point of the wasteway in the SW1/4 SW1/4 of Sec. 35 ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	6	SE	SW		35	9S	17E	Twin Falls	USGS QUAD

6. Place(s) of Use:

Indicate Method of Determination USGS QUAD

Twp.	Rge.	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
9S	17E	35										X							
												Lots 16 & 17							

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
USGS Current meter	Price Type	(see attached sheet)		P-0585	AA	Std

2. Measurements:

The discharge measurement was made by USGS personnel at the request of the examiner at 0930 am Sept. 4, 1987 just prior to the field exam to check the rating for the recorder .(Sta 13090370)

All flow except approximately 0.5 cfs measured at the USGS station was diverted and flowing through the penstock and powerhouses.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

USGS current meter sheet

1. Measured Method:

Measured flow 46.0 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Hydropower

Based on USGS published records
9833 acre feet per year is available
utilizing all flow up to 14 cfs

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This stream is included in the water supply for the power plant which includes flow under permit 47-7679. The exams for this permit and 47-7679 were both conducted on September 4, 1987. Due to an oversight, the exam for this permit was not filed at the same time as the report for 47-7679.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Power Generation	January 1	December 31	14 cfs	9833 acre feet
Totals:			14 cfs	9833 acre feet

2. Recommended Amendments

- ☒ Change P.D. as reflected above
Delete additional points of div.
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

☐ None

☐ Other


J. AUTHENTICATION

Field Examiner's Name Charles Brockway


Signature *Charles Brockway*

Certification Date _____


Field Report Preparation Date 9/30/1989




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



SCHEMATIC OF DIVERSION AND
POWER GENERATING FACILITIES
PERMITS 47-7679 and 47-7682



CS 985



KASEL WITHERSPOON HYDRO
INLET STRUCTURE
NOT TO SCALE

Design Discharge 45 cfs in pipe
70 cfs maximum

CED 8/23/93

I certify that file No. 40-10712 has been
reviewed and is ready to be MICROFILMED
and DESTROYED.

[Signature]
Signature

10 1968
Date



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

47-7682
KASEL, RON LD A.
RT. 6 BOX 9104
TWIN FALLS, ID 83301

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 12, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on October 12, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on August 12, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before December 11, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received ✓
Date 11/14/86
Receipt # 214
Receipt by WPA
Sent to S.O. 11/14/86

RECEIVED
NOV 5 1986

1. Permit No. 47-7652

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: KAZEL RONALD A

3. Post Office Address: Rt #6 Box 9104 Twin Falls
Idaho 83301 Telephone No. 233-1503

4. Source of water: SPRING WATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark Hydr Project

6. Total rate &/or volume for which proof is submitted 14 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

(Name)

(Address)

(Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

11/14/86
Date

Ronald A. Kazel owner
Signature of Permit Holder (and title, if appropriate)

**C. E. BROCKWAY P. E.
ENGINEERING CONSULTANT**

Groundwater, Hydrology,
and Hydraulic Engineering

706 Sunrise Blvd. N.
Twin Falls, Idaho 83301 733-0938

November 4, 1986

Mr. Loren Holmes
Idaho Department of Water Resources
1018 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

RECEIVED

NOV 4 1986

Subject: Water Rights Certification
Ron Kasel

Department of Water Resources
Southern Region Office

Dear Loren:

This letter is to notify you that I have agreed to perform the water
rights examination for Mr. Ron Kasel on permits 47-7679 and 47-7682
for hydropower.

I intend to perform the examination by November 1, 1986.

RECEIVED
NOV 5 1986

Sincerely,

C. E. Brockway

C. E. Brockway, P.E.

Department of Water Resources

CEB:



John V. Evans
Governor

A. Kenneth Dunn
Director

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES SOUTHERN REGION

1001 Blue Lakes Blvd. North
Twin Falls, Idaho 83403
(208) 736-3000

47-7682
KASEL, RONALD A.
RT. 6 BOX 9104
TWIN FALLS, ID 83301

August 12, 1986

138144
CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. To become a certified water right examiner, you must meet the requirements of the Idaho Water Right Examiner Act, which is being developed at this time. A listing of certified examiners

right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department office.

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Sincerely,


LOREN HOLMES
Southern Regional Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

FEBRUARY 11, 1966

RONALD A. KASEL
RT. 6 - BOX 9104
TWIN FALLS ID 83301

RE: Permit No. 47-7682

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

RECEIVED
OCT 22 1965

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
OCT 26 1965
Department of Water Resources
Bureau of Water Conservation

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit (or the beneficial use(s) described below:

Permit No. 67-2682

Name(s) of Permit Holder: Ronald A. Kopal

Post Office Address: Route 46, Box 9104, Twin Falls, ID 83301

Telephone No. 733-1383

Source of Water: Spring trib. to Snake River

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks Flow - 14 cfs

Indicate the date water was first diverted and beneficially used under this permit: March 3, 1963

Muzzling Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Will supply rating curve for discharge

Person to contact to accompany the Department representative during the field examination:

permit holder

(Name)

(Address)

(Telephone Number)

The above information is a true statement of the permit holder to which the permit holder has subscribed.

Ronald A. Kopal



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 400 W. State Street, Boise, Idaho

JOHN V. DAVIS
Governor

A. HENDERSON
Commissioner

Advisory Council
on Water Resources
Boise, Idaho
September 1, 1966

SEPTEMBER 1, 1966

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH STATE OF IDAHO BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1966, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN STATE LAW, EFFECTIVE JULY 1, 1966, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-3000, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NOT COMPLETED ON OR BEFORE JULY 1, 1966, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS CONCERNING THE RE-EVALUATION OF PERMITS ARE NOT YET PUBLISHED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1966, YOU SHOULD FURNISH A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1966 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-3000, WHICH READS AS FOLLOWS:

42-3000. REVIEW OF PERMITS - OPPORTUNITY FOR HEARINGS. - (1) THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE (JULY 1, 1966) OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1966, TO DETERMINE WHETHER THEY COMPLY WITH THE REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMITTEE HAS NOT MET THE REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE, THE DEPARTMENT SHALL EITHER ORDER THE PERMITTEE TO COMPLY WITH THE REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE, OR ORDER THE PERMITTEE TO COMPLY WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMITTEE SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ORDER AS ORDERED BY THE DEPARTMENT. (2) THE DEPARTMENT SHALL FURNISH AN OPPORTUNITY FOR HEARING TO ANY PERMITTEE WHOSE PERMIT IS SUBJECT TO REVIEW UNDER SECTION 42-3000, IDAHO CODE, AND SECTION 42-3000 THROUGH 42-3004, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR TO BE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US HEAR.

Sincerely,

A. Henderson
A. Henderson
Commissioner

October 26, 1982

RE: Permit No. 47-7682

Ronald A. Kasei
Route #6
Twin Falls, ID 83301

Dear Mr. Kasei:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please be advised that your application for permit has been approved because we no longer wait for approval from the Federal Energy Regulatory Commission (FERC) or the Idaho Public Utilities Commission (PUC) when the flow is less than 25 cfs and the power to be generated is less than 500 HP. However, you may still need to obtain approval from FERC and/or PUC.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTWILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

Overlap Review for 47-7682

No Overlap at P/D

No Overlap at P/U

No rights bypassed

PC 19/8/02

ACTION

47-7682

Application for exemption of
Small Hydro Electric Power
Project from National
Rural Co., Applicant
Thom Falls, ID
June, 1982

THIS DOCUMENT IS
LOCATED IN FILE
#47-7679



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 27, 1981

RE: Applications for Permit Nos. 47-7679 and 47-7682

Ronald A. Kasel
Route #3
Twin Falls, ID 83301

Dear Mr. Kasel:

We have completed a preliminary review of the above referenced application. This review has included advertising by the regional office and a verification that all required preliminary information has been provided.

For power projects that are under the jurisdiction of the Federal Energy Regulatory Commission (FERC), we withhold final action on the application pending FERC approval of (1) a preliminary permit, or (2) an exemption. If you have not yet contacted FERC, the address below is a good starting point:

Regional Engineer
San Francisco Regional Office
Federal Energy Regulatory Commission
333 Market Street, Sixth Floor
San Francisco, CA 94105-2195
Telephone No. (415) 974-7177

The continued validity of this application is contingent on your proceeding with due diligence toward obtaining an approval or an exemption from FERC. Please keep this office informed of progress in this regard.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

KASEL, RONALD A.

INITIAL REVIEW BY: D. J. J. J.

APPLICATION NUMBER: 47-7682

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☐ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No In form to receipt.

Field check by: D. J. J. J.
Date: 12-24-1980
Comments: THE WATER TREAT. IS
FILED FOR NEW F.I.R. FOR
BY APPLICANT. NUMBER AT TIME
OF FIELD TRIP THERE WAS NOT
10,000 G.P.S. FLOWING APPROX. 600 G.P.S.
THESE MAYBE MORE FLOW DURING THE
SEASON.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

File 47-7679 - These two apps are not the
same system but are
geographically located in the
same area.

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: _____ Map No. BB-73
☐ Yes ☐ No Other rights on same place of use. _____
☐ Yes ☒ No In form for advertising. _____
Final date for protests: 1/5/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/5/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
12/1/80 Date of priority recommended.
✓ Special conditions of approval or cover letter. 02A, 17

THIS PERMIT DOES NOT CONSTITUTE IDAHO PUBLIC UTILITIES COMMISSION
OR FEDERAL ENERGY REGULATORY COMMISSION APPROVAL THAT MAY BE REQUIRED.

STATE OFFICE REVIEW:

By: Ronald A. Kasel Date: 2/22/81
SL/10/81 10/2/81 11/4/81 12/1/81

- ☐ See attached sheet for more information.

By: Ronald A. Kasel Date: 10/2/81
do not approve at this time
Same FBEC letter

RECEIVED

OCT 2 1981

Department of Water Resources

POWER CALCULATIONS FOR APPLICATION NO. 47-7682

P = Kilowatts .74 x hp 390

proposed

Q = cfs

288.6 kw

H = feet

14.0 cfs

e = efficiency

350 ft

?

$$e = \frac{P(11.8)}{QH} = \frac{288.6(11.8)}{14 \times 350} = \frac{3405.48}{4900} = .69 \text{ or } 69\%$$

Based on the above calculations the proposed project must have an 69 % efficiency.

RC $\frac{1072}{81}$



John V. Evans
Governor

C. Douglas Alfred
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

1001 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3576

September 30, 1981

John A. Rosholt
Attorney at Law
P. O. Box 1906
Twin Falls, Idaho 83301

Re: Applications 47-7679 and 47-7682 - Ronald A. Kasel

Dear John:

Returned herewith is the financial statement of Ronald A. & Carole J. Kasel.

A memorandum has been placed in each of the above application files indicating the the applicant has made a showing of financial capability to undertake the proposed projects.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

Encl:

cc: Ronald Kasel

INTER-DEPARTMENT MEMO

DATE 9/29/81

mem Loren Holmes

re File 47-7682

re: Financial statement of Applicant.

I have reviewed a statement of assets & liabilities submitted by the applicant.

It appears that the applicant has the funds necessary to undertake the project if costs are as stated in John Rodolfo's letter of Sept. 16, 1981

John Rodolfo

Signature

NELSON, ROSHOLT, ROBERTSON, TOLMAN & TUCKER
ATTORNEYS AT LAW

P. O. BOX 198
TWIN FALLS, IDAHO 83401
TELEPHONE (208) 734-0700

THOMAS G. NELSON
JOHN A. ROSHOLT
J. EVAN ROBERTSON
STEVEN E. TOLMAN
JAMES C. TUCKER

SUN VALLEY TOLMAN OFFICE
P.O. BOX 200
SUN VALLEY, IDAHO 83401
TELEPHONE (208) 724-0404

September 16, 1981

Department of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

Water Resources
Twin Falls District Office

Re: Application Nos. 47-7679 and 47-7682 - Ron Kasel

Dear Sir:

Find enclosed an affidavit pertaining to Application No. 47-7682.

As to Application No. 47-7679 for 30 c/f/s for power generation purposes, find enclosed an affidavit. Also find enclosed a financial statement for Ron and Carol Kasel. Further enclosed are some general plans of the power facility contemplated. The cost estimated is not yet available, although early indications are that the facility will cost between \$500,000.00 and \$750,000.00.

I would request that if the Department has questions of Kasel in regard to design and cost breakdown, that Jack Witherspoon be contacted at 733-2598. He is consulting with Mr. Kasel and would be available to come in and answer whatever questions the Department may have.

The parties are anxious to proceed with this project and ask for expeditious handling of Application No. 47-7679.

Respectfully submitted,

John A. Rosholt
JOHN A. ROSHOLT

JAR:bg

Enclosures

cc: Jack Witherspoon
Ron Kasel



JOHN V. EVANS
Governor

A. WENDELL DARR
Deputy

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 24, 1981

RE: Application for Permit No. **47-7682**

Dear Applicant:

The 1981 Idaho Legislature made a change in Section 42-205, Idaho Code, that may affect the above referenced application. The change requires that if a proposed hydropower project will use existing irrigation facilities, the approval of the owner of the facilities must be obtained before an application for permit to develop a water right can be approved.

Please find enclosed an affidavit which we must receive before we can complete the review of your application. Please complete the affidavit, sign it before a notary, and return it to this office at your earliest convenience, no later than August 15, 1981.


Sincerely,

David R. Tuthill

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocation Section

DET:jg

Enclosure



TWIN FALLS CANAL COMPANY

POST OFFICE BOX 326
TWIN FALLS, IDAHO. 83301



December 18, 1980

Department of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

RE: App. for Permit No. 47-7682, 47-7679
Name: Ronald Kassel

Gentlemen:

The Twin Falls Canal Company after researching filed water right permit has concluded that water sought to be appropriated is waste water, which would accrue below the Company's last delivery. However, we are advised that many others hold prior rights to this waste water and of course the holder has a right to cease wasting water.


The Canal Company will continue to make deliveries to their shareholders to the extent possible, but makes no effort to put additional water in the ditches so as to insure that waste water would be available for permits such as this one.

Respectfully Submitted,


C.W. Travis
General Manager

CWT:brv

M 3
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Boise, Idaho 83720



PRESORTED
FIRST-CLASS



Ronald A. Kasel
Rt. #3
Twin Falls, Idaho 83301

*Plantation
11-25-81
Adrian Smith
456
removed 11-27-81*

*James H. Smith
47-7679 -
47-7682 -*

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

42-7682

KASEL, RONALD A.

RT. 3, TWIN FALLS, ID 83301

Source: SPRINGS tributary to SNAKE RIVER

Date Filed: 12/01/1980

Amount: 14.00 CFS

Diversion Point: SWSW Sec 35 T 09S R 17E SESE Sec 34 T 09S R 17E,
TWIN FALLS Co.

Use: POWER (14.00 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 35 T 09S R 17E

Diversion Means: HEADWORKS, PENSTOCK, GENERATING PLANT

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JANUARY 5, 1981.

C. STEPHEN ALLRED

Director

Published 12/18 & 12/25/80.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

DECEMBER 15, 1980

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JANUARY 5, 1981.

Yours truly,

Mary A. Hill
Secretary

Encl.

Form 205
7/81

Ident. No. 47-7682

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AFFIDAVIT FOR WATER RIGHTS TO BE USED
FOR POWER PURPOSES

DEC 2 1981

Ownership of Facilities: (To be completed for hydropower projects only)

The hydropower facility to be developed pursuant to the attached Application for
Permit:

- (check one)
- ☒ Will not utilize existing man-made irrigation facilities such as a dam or a canal.
- ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal, and permission of the owner is documented in an affidavit attached hereto.
- ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal and the owner of the facilities is the signee of this affidavit.

Ronald A. Kasel
Applicant

State of Idaho
County of Twin Falls ss.

On this 20th day of Sept, 19 81, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

John A. Rosnow
Notary Public residing at

seal

Twin Falls

My commission expires:

1986

Individual Owner

AFFIDAVIT TO ESTABLISH RESIDENCE

I, Ronald A. Kessel of Twin Falls, County of
Twin Falls, State of Idaho, being duly sworn, do hereby certify that I
am a bona fide resident of the State of Idaho.

Subscribed and sworn to before me this

/s/ Ronald A. Kessel
18th day of November, 1988

/s/ Betty Gustafson
Notary Public
Residence Twin Falls, Idaho
My Commission Expires _____

Corporation or Association

AFFIDAVIT TO ESTABLISH RESIDENCE
OR QUALIFICATIONS TO DO BUSINESS UNDER THE LAWS OF
IDAHO...

I, _____ of _____, County of
_____, State of Idaho, being first duly sworn, depose and say:
That I am the designated statutory agent of the _____,
that as such I am in charge of the registered office of the said _____
_____, as provided by Section 30-143, Idaho Code, at _____
_____, Idaho, wherein are kept the records provided by Section 30-144, Idaho
Code, and that _____ is a legal _____
qualified to do business in the State of Idaho under the laws of the State of Idaho.

/s/ _____

Subscribed and sworn to before me this _____ day of _____, 19____

/s/ _____

Notary Public
Residence _____
My Commission Expires _____

