


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Erving B. Hicks
(Applicant)

8/10/77
8/16/77

Affidavit of Publication

STATE OF IDAHO,

COUNTY OF TWIN FALLS }

ss.

No 6242

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ewing B. &/or Vivian Hicks Buhl ID 83316 has on 7/20/77 submitted Application No. 47-7411 for a permit to appropriate 0.60 cubic feet per second of water from unnamed coulee by means of pump, flume, ditch, check dam within the SW 1/4 NE 1/4, Sec. 26, Twp. 9S, Rge. 15E., BM., Twin Falls County to be used from Mar. 15 to Nov. 15 for irrigation purposes of 40 acres within the SW 1/4 NE 1/4, Sec. 26, Twp. 9S, Rge. 15E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before August 22, 1977.

C. STEPHEN ALLRED
Director

PUBLISH: August 4 & 11, 1977

RECEIVED

AUG 15 1977

Department of Water Resources
Southern District Office

I, Kay Mauer being first duly sworn upon oath, depose and say that I am Primo Clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive Thursdays, commencing with the issue dated August 4, 1977, and ending with the issue dated August 11, 1977.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.


And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 11/21 day of

August, 1977.


Carolynne Jennings

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 1/4 NE 1/4 Sec 26 Township 9 South
RANGE 15 EAST

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	15E	26			40														40

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature: Sandy Lundberg
 Checked by: John D. Moritt
 Approved by: [Signature]

Date: 11-24-1981
 Date: 4-26-83





Diagram of System

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 NE 1/4, Sec. 26 T. 9 S. R. 15 E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	15E	26			36														36.9

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Sam Junderburg Date 1/7/1982
 Checked by A. Stanton Date 1-15-82
 Approved by _____ Date _____

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 47-7411 Priority July 20, 1977 Amount 0.47 cfs

THIS IS TO CERTIFY, that Ewing B. &/or Vivian Hicks
of Buhl, Idaho, has complied with the terms and conditions of Permit
No. 47-7411 issued pursuant to Application for Permit dated July 20, 1977,
and has submitted proof to the Department of Water Resources on October 5, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.67 cfs of water from unnamed coulee,
tributary to Cedar Draw, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at	<u>0.47</u> cfs and	<u>160.0</u> acre feet
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 0.47 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
mentioned and is limited to the amount which can actually be beneficially used and shall not exceed
160.0 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 26,
Twp 9S, Rge 15E in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	15E	26			40														40

Total number of acres irrigated 40

This right when combined with all other rights shall provide no more
than 0.02 cfs per acre nor more than 4.0 afa per acre for the lands
above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20TH day of
SEPTEMBER, 19 83.

Acting for the Director

Norm Young

Identification No. _____

Application No. 47-7411

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Ewing B. &/or Vivian Hicks Phone: 543-5798 543-6464
post office address Rt. # 4 Buhl, Idaho 83316

2. Source of water supply unnamed coulee which is a tributary of Cedar Draw

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 9S
Range 15E B.M. Twin Falls County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into unnamed coulee at a point in SW $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 26 Township 9S Range 15E B.M. Twin Falls

4. Water will be used for the following purposes:

Amount 0.60 for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.60 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PTO Pump delivering from coulee
into existing flume which delivers to gravity flow ditch which irrigates
place of use. Also existing check dam diversion below flume which is used
to divert right #47-2146

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.

b. Estimated construction cost is \$ 1450.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	15E	26			40														40


Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. A portion of
Licence #47-2146, also shares in Twin Falls Canal Company

9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Water will be used on various parts of the quarter-quarter section as needed,
but will not be used on the entire 40 acres at the same time.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Erving B. Hicks
(Applicant)

Proposed priority date: July 20, 1977

Received by ADM Date 7-20-77 Time 3:30 p.m.
Preliminary check by JA Fee \$ 25.00 # 8646
Receipted by Am Date 7/20/77
Publication prepared by Am Date 7/26/77
Published in Times News
Publication dates 8/4 + 8/11/77
Publication approved DA Date 8/16/77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by MS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7411, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1978.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 31 day of October, 1977.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 47-7411

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

27/10/77
8/11/77

**NOTICE OF APPLICATION
FOR WATER PERMIT**
Notice is hereby given that Eugene B. Swanwick, Hicks Blvd. N. Boise, Idaho, has submitted for review No. 43741 for a permit to divert 0.05 cubic feet per second of water from unimpaired flows by means of pump, flume, ditch, check dam within the SW 1/4 Sec. 28, Twp. 36, Range 18E, S4E, Twin Falls County, Idaho, from Mar. 15 to Nov. 15 for irrigation purposes of 40 acres within the SW 1/4 Sec. 28, Range 18E, S4E, B.M.
It is noted, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Resources, 191 Blue Lakes Blvd., North, Twin Falls, Idaho, 83401, on or before August 22, 1977.
C. STEVEN ALLRED
Director
Published: August 4 & 11, 1977

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS }

ss.

Nº 6242

I, Eugene B. Swanwick being first duly sworn upon oath, depose and say that I am Print Clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive Thursdays, commencing with the issue dated August 4, 1977, and ending with the issue dated August 11, 1977.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 11th day of

August, 1977
Carole Ann Jennings

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

October 7, 1983

RE: Permit No. 47-7411

Ewing B. &/or Vivian Hicks
Rt. 4
Buhl, ID 83316

Dear Mr. and Mrs. Hicks:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED
OCT 10 1983



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 27, 1983

Ewing B. &/or Vivian Hicks
Rt. 4
Buhl, ID 83316

Dear Mr. and Mrs. Hicks:

A representative of this Department has made an examination of the works covered by your Permit No. 47-7411, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 55 cfs Source: unnamed coulee

160.0

The maximum quantity diverted shall not exceed _____ acre feet per year.

SWNE Sec. 26, T. 9 S., R. 15 E.

Point(s) of diversion:

Irrigation of 40 acres in SWNE 1/4, Sec. 26, T. 9 S., R. 15 E

Beneficial use:

7-20-1977

Priority date established:

This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

INTER-DEPARTMENT MEMO — 1

FROM

Dave T

DATE

4/26/83

TO

Jim Frohyn ^{RC}

SUBJECT

- Lic 47-2146 provides 0.0125 in/acre for 16 acres (0.20 cfs)

- Examiner measured 0.67 cfs, same pd. (apparently)

I don't think we could license for more than

$$\begin{array}{r} 0.67 \\ - 0.20 \\ \hline 0.47 \text{ cfs} \end{array}$$

Dave

SIGNATURE

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

47-7411

Permit No.

DEC 18 1981.

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

Department of Water Resources

☐ Appointment letter mailed:

☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

11-6-1981 JF

EXAMINATION

Date 11-6-1981 Accompanied by E. B. Hicks

Total Q measured ~~0.50~~ C.F.S.

If source is surface water, estimate total flow of source 5.0 CFS

Methods of measurement SPARKING METER. Meets Permit requirements? YES

Measurement calculations: $(300 \text{ gal/min}) \div (448.8 \text{ gal/min/CFS}) = 0.67 \text{ CFS}$
 $(4.0 \text{ ACF/acre}) (40 \text{ Acres}) = 160.0 \text{ ACF/ANN.}$
 IRRIGATION
 REQUIREMENT.

[illegible]

System Description TRACTOR POWERED PORTABLE PUMP, BERKLEY Pump
Model # A32RM BCW - 32 RMCCW Serial # 7738905

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE

IRRIGATION.

Irrigation requirement = 4.0 AFA/Acre

Q (eff₇)

0.60 ✓

V (afa)

160.0

FROM

3-15

TO

11-15

Total

0.60


160.2

3-15

11-15


Remarks THIS ground is COVERED by Right No. 97-2146

Overlap Review attached



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 1/4 NE 1/4 Sec 26 Township 9 South
RANGE 15 EAST

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	15E	26			40														40

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

11-24-1981

4-26-83

4-26-83

Overlap Review for 47-7411

License 47-2146

unnamed
Coulée

T/D SWNE Sec 26 T9S R15E
(same)

$$\frac{.6 \text{ cfs}}{48 \text{ AC}} = \frac{.0125}{\text{cfs/AC}}$$

T/U see attached license copy
(same)

$$\begin{array}{rcl} 16 \text{ AC} \times .0075 & = & .12 \text{ cfs} \\ 24 \text{ AC} \times .02 & = & + .48 \\ \hline & & .60 \text{ cfs} \end{array}$$

$$\text{But } \frac{.60 \text{ cfs}}{48 \text{ acres}} = 0.0125 \frac{\text{cfs}}{\text{acre}}$$

$$\times 16 \text{ acres} = 0.20 \text{ cfs} \\ (\text{already provided})$$

$$\begin{array}{rcl} 0.67 \text{ (measured)} & - & 0.20 \text{ cfs (already provided)} \\ & = & 0.47 \text{ cfs} \\ & & \text{DNR} \end{array}$$

Permit identified canal water
Recommend R16

RC 4/26/83

State of Idaho

License and Certificate of Water Right

Water License No. 14770/47-2146
Water District No. 46

Amount 0.6 sec.ft.
Priority 10-9-20

THIS IS TO CERTIFY that E. B. HICKS
of Boise, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated June 9, 19 20; that Permit No. 14770
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
0.6 second feet, was issued thereunder on April 21, 19 21, showing that said works
were completed on the 12th day of April, 19 21; and that on the 15th
day of April, 19 22,

E. B. HICKS
of Boise, State of Idaho, made proof to the satisfaction of the
Commssioner of Reclamation of Idaho, of the right to use the waters of unnamed coulee
, a tributary of Cedar Draw, for the purpose of irrigation
& domestic use, under Use Permit No. 14770 of the Commissioner of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of
Idaho, and is hereby confirmed by the Commissioner of Reclamation of Idaho and entered of record in
Volume 6 of Licenses, at page 3040, on the 16th day of March, 19 23;

The right hereby confirmed dates from October 9, 19 20;

The Point of Diversion is located
in the SW 1/4 NE 1/4, Sec. 26, Tp. 9 S., R. 15 E., B. M. County of Twin Falls.

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not
exceed 0.6 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
9 S.	15 E.	26	NW <u>1/4</u> NE <u>1/4</u> SW <u>1/4</u> NE <u>1/4</u>	40 40	32 16 <u>48 acres</u>

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of
use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the Commissioner of Reclamation, affixed at Boise, Idaho,
this 16th day of March, 19 23.

W. G. SWENDSEN.
Commissioner of Reclamation.

(SEAL)

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

NOV 2 1978
Phone _____

Director, of Water Resources
Phone District Office

1. Name of permit holder Ewing B. Joe Durian Hicks NOV 2 1978
Post office address Rt. 4, Buhl, Idaho Phone _____
Person to contact _____ Department of Water Resources
Southern District Office
2. Source of water supply: Groundwater ☐ Surface water ☒ unnamed coulee
(name spring, stream, etc.)
Tributary to Cedar Draw

3. Water will be used for the following purposes:

Amount 0.60 c.f.s. for irrigation
 _____ AF/Annum (nature of use)

Period of Use: from 3-15 to 11-15
(mo.-day) inclusive (mo.-day) 0

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses:

4. Total amount to be appropriated:

Max Rate of Diversion 2.60 cubic feet per second and annual volume 0 AF/Annum.

5. Location of Point(s) of Diversion:

Township 9S N/S, Range 15 E/W, M., Section 26, Subdivision QW 1/4 78

Township _____ N/S, Range _____ E/W, B.M. _____, Section _____, 1/4 _____ 1/4 _____

Township _____ N/S, Range _____ E/W, B. A., Section _____, Subdivision _____ 1/4 _____ 1/4 _____

Other Points of Diversions:

Description of diverting works: *tractor-powered portable sump & ditch*

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE 40




Diagram of System

Handwritten scribbles or additional markings below the caption.

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

APR 9 1982

47-7411

Permit No. _____

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

REMARKS

- ☐ Appointment letter mailed:
- ☐ Telephone call made:
(List Telephone No. used)
- ☐ Appointment scheduled for:
(Date, time, location)

EXAMINATION

Date 7-13-1979 Accompanied by E. Hicks Total measured 0.67 CES.

If source is surface water, estimate total flow of source

Methods of measurement SPARKING Meter Meet Permit requirements? yes

Measurement calculations: MEAS: $(300 \text{ gal/min} \div 4.78 \text{ CFS}) = 0.67 \text{ CFS}$
 $(0.52 \text{ CFS}) (1.98) (245 \text{ DAYS}) = 252.2 \text{ ACFT/ANN.}$
 $(\text{IRRI. Req. } 4.0 \text{ AC.FT./AC/ANN.}) (36 \text{ ACRES}) = 144.0 \text{ ACFT/ANN}$

Allow 0,52 cfs (36 ac x .02 cfs/ac = 0,72 cfs - 0,20 cfs licensed = 0,52 cfs)

[illegible]

System Description TRACTOR Powered PORTABLE pump-WITH Gravity
Flow DITCHES 4" INLET w/ 3" OUTLET

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

Irrigation requirement = 4.0 AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

IRRIGATION

0.52 C.F.S

144,08.88

22-15

11-15


Total

0.52 CFS

144.0 AFA

Remarks This is a re-examination of this system.
The original exam showed only 30gal/min should have
been 300gal/min. Not to exceed 0.67 cfs when combined with license 47-2146

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 NE 1/4, Sec. 26 T15S R15E

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by _____

Date 1/7/1982

Date 7-15-82

Date _____

DATE OF EXAM 2-13-79

ACREAGE
Found 40
Recommended 40

Irrigation Requirement 4.0 Ac Ft/Ac

USE
Irrigation Q= ✓ c.f.s. V= 34.0 ✓ AF/Ann. from 3-15 to 11-15
Domestic Q= ✓ c.f.s. V= ✓ AF/Ann. from ✓ to ✓
Livestock Q= ✓ c.f.s. V= ✓ AF/Ann. from ✓ to ✓

Is water co-mingled? yes ✓ no ✓

Name source: ✓
twp. ✓ N/S, Rge ✓ E/W, B.M., Sec. ✓ Sub. ✓ 1/4 ✓ County ✓

Exchange? yes ✓ no ✓

Name source exchanged with: ✓
twp. ✓ N/S, Rge ✓ E/W, B.M., Sec. ✓ Sub. ✓ 1/4 ✓ County ✓

Point of injection: ✓
twp. ✓ N/S, Rge ✓ E/W, B.M., Sec. ✓ Sub. ✓ 1/4 ✓ County ✓

Point of exchange: ✓
twp. ✓ N/S, Rge ✓ E/W, B.M., Sec. ✓ Sub. ✓ 1/4 ✓ County ✓

Total Q measured ✓ gal/min. Method of measurement ✓ Sparrow Meter

Total Q recommended ✓ CFS, Meter No. 610682 Type 16" Condition good

Total V recommended 34.0 ACFT/ANN

Recommended Amendments:

P.D. ✓
Place of Use ✓
Other ✓
None ✓

MEASUREMENT CALCULATION:

✓ Sparrow Meter - 0.70 CFS (300 gal/min) = 498.8 gal/min.
Volume = 0 ACFT/ANN (1.98 ACFT) / (0.70 CFS) (245 days)

V = 40 x 4.0 = 160.0

SYSTEM DESCRIPTION:

✓ Tractor & Portable Pump, pumping into gravity
Flow System. Small Tractor & Pump.
4" inlet 3" outlet.

REMARKS:

✓ Mr. Hicks was present during the exam
✓ Supplemental water to Twin Falls Canal System.

Examiner's Signature ✓ Gary Funderburg Date Jan 7, 1980

Checked by ✓ J. E. Stanton Date 1-10-80

Approved by ✓ ✓ Date 9/23/81

Overlap review attached

CONVERSATION MEMORANDUM

DATE 10/26/81

FILE 47-7411

NAME OF PARTY LOREN HOLMES

EMPLOYEE JIM JOHNSON

RE: MR. HICKS called LOREN IN RESPONSE TO
MY 10 DAY LETTER SENT OCT 14, 1981.

MR. HICKS believes there was an error
made on the amount of water being
diverted.

AFTER REVIEWING The field exam
LOREN AND I CONCLUDED THAT The field examiner
may have mis read the Spaulding meter.

Loren requested that I return the
field exam to the region.

This is being done

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 14, 1981

RE: Permit No. 47-7411

Ewing B. &/or Vivian Hicks
Route #4
Buhl, ID 83316

Dear Mr. and Mrs. Hicks:

A representative of this Department has made an examination of the works covered by your Permit No. 47-7411, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.07 cfs Source: unnamed coalee trib. to Cedar Draw

The maximum quantity diverted shall not exceed 34.0 acre feet per year.

Point(s) of diversion: SW 1/4, Sec. 26, Twp. 9S, Rge. 15E, Twin Falls, County

Beneficial use: Irrigation of 40 acres within the SW 1/4, Sec. 26, Twp. 9S, Rge. 15E

Priority date established: July 20, 1977

Conditions (if any): This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

October 24, 1978

Ewing B. &/or Vivian Hicks
Route 4,
Buhl, ID 83316

Dear Mr. & Mrs. Hicks:

Re: Permit No. 47-7411

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in **Twin Falls.**

Sincerely,

RITA FLECK
Water Rights

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
**PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE**

RECEIVED

OCT 5 1978

Department of Water Resources
Southern District Office

1. a) Name of permit holder Ewing R. &/or Vivian Hicks
b) Post office address Rt. #4, Buhl, Idaho
2. Permit number 47-7411
3. Date of priority that you are prepared to establish July 20, 1977
4. a) Source from which water was appropriated Unnamed Coulee
b) Location of the point of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 26
Township 9S, Range 15E Boise Meridian. Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.60 for irrigation purposes from Mar. 15 to Nov. 15 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
b) Total amount appropriated 0.60 cfs ~~and for some other purpose~~
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
not measured
6. If the means of diversion and conveyance are owned by someone other than the permit holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement of understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):
Tractor-powered portable pump and ditch

b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)
none installed

10/25/78

c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	15E	26			40														40

Total number of acres irrigated 40

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

Oct. 5, 1978 Ewing B. Hicks
(Date) (Signature)

State of _____)
County of Twin Falls) ss.

On this 5th day of October, 1978, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Loren O'Halloran
Notary Public
Residing at Twin Falls, ID
My commission expires Mar 26, 1979



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

CERTIFIED MAIL

August 31, 1978

100127

Re: Permit No. 47-7411

Ewing P. &/or Virginia Hicks
Route 4
Buhl, ID 83316

Dear Mr. & Mrs. Hicks:

One of the conditions of approval of your water Permit No. 47-7411 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK
Water Rights

Encl: Proof affidavit
Order

November 3, 1977

Re: Permit No. 47-7411

Ewing B. &/or Virginia Hicks
Route #4
Buhl, ID 83316

Dear Mr. &/or Mrs. Hicks:

Enclosed is a copy of your approved Application for Permit No. 47-7411 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

PRE-PERMIT SURFACE-WATER EXAMINATION DATA SHEET

Date 10-19-77 Examiner Stanton Application No. 47-7411

Applicant(s) Interviewed Ewing Hilde

Upstream Users Interviewed _____

&/or Upstream Diversions Inspected _____

Downstream Users Interviewed Mr. Biskew

&/or Downstream Diversions Inspected _____

Legal Description Verified By Map (or give proper description) yes

Water Flow: Visual Estimate 10 cfs Channel Width 7' Average Depth 1'

Water Velocity 1.5 fps Channel Slope _____

Do Additional Inflows Enter Downstream From This Diversion? unknown

stream enters Cedar Draw about 1 mile below applicants property

Does This Water Enter Canal-Company Waterways? no Canal Co. Approval? yes

Source Of Waste Water: Legal Description _____

water comes from Low-Line Canal and irrigation return flow

Proportion Of Water Flow Arising On Applicant's Land 10% or less

Does There Appear To Be Sufficient Water To Fulfill This Application Without Harming

Downstream Users? Yes ✓ No _____

Do Other Aspects Of The Application Appear To Be As Stated? Yes ✓ No _____

Notes only established users below applicant are his brother and Mr. Biskew. Mr. Biskew stated that neither have objections to this application. water is no longer in Twin Falls Canal Co. system. after it enters Cedar Draw. Applicant claimed that about 1 cfs of waste water flows off his land just above his diversion point.

Signed J. Stanton

FROM: Jim Stanton, Water Resources Agent

DATE August 12, 1977

TO: Mike Steele, Regional Supervisor

SUBJECT: Pre-Permit Exam For Ewing B. &/or Vivian Hicks, Application #47-7411.

In connection with the application of Ewing & Vivian Hicks (#47-7411) to divert .60 cfs of water from an unnamed coulee for irrigation, I have on this date examined the point of diversion, water source, and place of use as described in the application. There appears to be sufficient water to satisfy the application. Other aspects of the application appear to be as claimed.

James E. Stanton
SIGNATURE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ~~Ewing B. &/or Vivian Hicks~~
~~Buhl, ID 83316~~
has on ~~7/20/77~~ submitted Application No. ~~47-7411~~
for a permit to appropriate ~~0.60~~ cubic feet per second ~~acre feet per annum~~
of water from ~~unnamed coulees~~
by means of ~~pump, flume, ditch, check dam~~
within the ~~SW 1/4, Sec. 26, Twp. 9S, Rge. 15E., B.M., Twin Falls County~~

to be used from ~~Mar. 15 to Nov. 15~~
for ~~irrigation purposes of 40 acres~~

within the ~~SW 1/4, Sec. 26, Twp. 9S, Rge. 15E., B.M.~~

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before August 22, 1977.

C. Stephen Allred

Director

Published in the Times News
on 8/4 and 8/11/77

RECEIVED
AUG 22 1977



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

July 26, 1977

Times News
P. O. Box 548
Twin Falls, ID 83301

Re: Claim to a Water Right No. 47-4071 - Northwest Crane, Rigging, & Transport
" " " " " No. 36-4064 - " " " "
Application for Permit NO. 47-7411 - Ewing B. &/or Vivian Hicks

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sm

Enclosures

MICROFILM