


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Salmon River Canal Co. By Larrin E. Ragan
(Applicant)

OK/SB/3/16/77

NOTICE OF
APPLICATION FOR
WATER PERMIT

Notice is hereby given that the Salmon River Canal Company Route #1, Twin Falls, Idaho 83301 has on 2-18-77 submitted Application No. 47-7373 for a permit to appropriate 0.20 cubic feet per second of water from groundwater by means of well, pump to pressure system delivered to five houses, 1 shop, and 1 office within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27 Twp. 12S, Rge. 16E., B.M., Twin Falls County to be used from Jan. 1 to Dec. 31 for domestic purposes within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, Twp. 12S, Rge. 16E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 3-21-77.

R. KEITH HIGGINSON
Director
Publish: March 3 & 10, 1977

MICROFILMED

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS }

ss.

RECEIVED

MAR 16 1977

No 5748

I, Kay Mauer being first duly sworn upon oath, depose and say that I am Printer of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive Thursdays, commencing with the issue dated March 3, 19 77, and ending with the issue dated March 10, 19 77.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.


And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 14th day of March, 19 77.

M. A. L. Clark
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ✓ NW 1/4 SW 1/4, Sec 27; T 12 S R 16 E

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12 S	16 E	27							X			X							

- Recommended Amendments:
- ☐ Change P.D. as reflected above
 - ☐ Add P.D. as reflected above
 - ☒ None
 - ☐ Change P.U. as reflected above
 - ☐ Add P.U. as reflected above
 - ☐ Other

Examiner's Signature Larry Furubay Date 1/20/1982
 Checked by Larry Furubay Date 2/8/83
 Approved by Larry Furubay Date 10-9-85

State of Idaho
Department of Water Resources
WATER RIGHT LICENSE

License of Water Right No. 47-7373 Priority February 18, 1977 Amount 0.12 cfs

THIS IS TO CERTIFY, that Salmon River Canal Company
of Twin Falls, Idaho, has complied with the terms and conditions of Permit
No. 47-7373 issued pursuant to Application for Permit dated February 18, 1977,
and has submitted proof to the Department of Water Resources on January 8, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.12 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> from <u>January 1</u> to <u>December 31</u> at <u>0.12</u> cfs and <u>7.2</u> acre feet			
_____ from _____ to _____ at _____ cfs and _____			
_____ from _____ to _____ at _____ cfs and _____			

(both dates inclusive)

Subject, however, to the condition that no more than 0.12 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
7.2 acre feet per year, said waters to be diverted within the NW1SW1 Section 27,
Twp 12S. Rge 16E in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	16E	27						X			X								

Total number of acres irrigated _____

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Domestic use is for 5 houses, 1 shop and 1 office.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19TH day of NOVEMBER, 19 85.

Acting for the

Director

Norman C. Young

✓

Identification No. _____

Application No. 47-7373

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Salmon River Canal Company Phone: 655-4220
post office address Route #1, Twin Falls, Idaho 83301
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 12S
Range 16E., B.M. Twin Falls County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.20 cfs for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump to pressure system
delivered to five houses, 1 shop and 1 office.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 380 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 5,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 12S
Range 16E., B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 5.
(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12S	16E	27							X			X							

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Salmon River Canal Co. By Larkin E. Pagan
(Applicant)

Proposed Priority 2/18/77

Received by ADM Date 2/18/77 Time 1:00 P.M.
Preliminary check by LS Fee \$ 10.00 Rec # 2353
Received by AB Date 2/18/77
Publication prepared by AB Date 2/22/77
Published in Times News
Publication dates 3/3 & 3/10/77
Publication approved AB Date 3/16/77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by mls:jg

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7373, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 82.


c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 28th day of March, 19 77.


Director

OK/SB/3/16/77



RECEIVED

Affidavit of Publication

RECEIVED

STATE OF IDAHO,
COUNTY OF TWIN FALLS

ss.

MAR 16 1977

N^o 5748

I, Kay Marny being first, duly sworn upon
oath, depose and say that I am Princ. Editor of the TIMES-NEWS,
published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy
of the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for Two
consecutive Thursday, commencing with the issue dated
March 3, 1977, and ending with the issue dated
March 10, 1977.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 14th day of
March, 1977.

James L. Clark
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

November 29, 1985

RE: Permit No. 47-7373

Salmon River Canal Co.
Rt. 1
Twin Falls, ID 83301

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson", with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

October 17, 1985

RE: Permit No. 47-7373

Salmon River Canal Co.
Rt. 1
Twin Falls, ID 83301

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 47-7373 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 0.12 cfs Source: groundwater

The maximum quantity diverted shall not exceed 7.2 acre feet per
year.

Point(s) of diversion: NWSW, Sec. 27, Twp 12S, Rge 16E

Beneficial Use: Domestic use for 5 houses, 1 shop and 1 office
within SWNW, NWSW, Sec. 27, Twp 12S, Rge 16E

Priority date established: February 18, 1977

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days;
otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

47-7373

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☒ Appointment letter mailed: 1/29/82 H.F.

☐ Telephone call made:
(List Telephone No. used)

☐ Appointment scheduled for:
(Date, time, location)

EXAMINATION 2:22 pm

Date 7-8-82 Accompanied by _____ Total Q measured Allow Theoretical 0.12 cfs

If source is surface water, estimate total flow of source _____

Methods of measurement ✓ Meets Permit requirements? yes

Measurement calculations: See Remarks
System HAS More Capacity Than Calculations ← Note
60PSI, 119' well depth/w/5HP motor. Eff @ 0.70%
 $Q = \frac{8.8 \times 5 \times 70}{119 + (2.31 \times 60)} = \frac{30.8}{257.6} = 0.119 \approx 0.12 \text{ cfs}$
V = 5 homes (1.2) = 6.0
1 shop = 0.6
1 office = 0.6
ALLOW 7.2 AFA

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	5	Franklin Electric	M-282-1139	203				

System Description WELL, MOTOR, PUMP (2) 80 gal pressure TANKS, 5 Houses, 1 office & 1 SHOP.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = N/A AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Domestic <u>✓</u>	~~0.023 cfs~~	~~1.36 AFA~~	Jan 1 <u>✓</u>	Dec 31 <u>✓</u>
ALLOW	0.12	7.2 AF		
ALLOW	0.12	7.2 AF		

MICROFILMED


Estimates below are too low - Total

Remarks RATS. (1) office (3 persons) 15 gal/person/day = 135 gal/day = 67.5 gal/2 hr day
(1) shop (6 persons) 15 gal/person/day = 135 gal/day = 67.5 gal/2 hr day
 $67.5 \text{ gal/2 hr day} \div 60 \text{ min/hr} = 448.8 \text{ gal/min} = 0.002 \text{ cfs}$
(3) houses (3 persons/house) (75 gal per person/day) = 1125 gal/day ÷ 2 hr day ÷ 60 min/hr = 448.8 gal/min = 0.021 cfs
(3) houses (3 person/house) (75 gal person/day) (365 day/ANN. ÷ 325900 gal/AFA = 1.25 AFA
office & shop (9) persons @ 15 gal/person/day = (135 gal/day) (260 day/ann) ÷ 325900 gal/AFA = 0.11 AFA

allow theoretical calculation capacity above.


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ✓ NW 1/4 SW 1/4, Sec 27; T12S R16E

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12S	16E	27						X				X							

- Recommended Amendments:
- ☐ Change P.D. as reflected above
 - ☐ Add P.D. as reflected above
 - ☐ Change P.U. as reflected above
 - ☐ Add P.U. as reflected above
 - ☒ None
 - ☐ Other

Examiner's Signature Larry Furuberg Date 1/20/1982
 Checked by Larry Furuberg Date 2/8/83
 Approved by Larry Furuberg D 10-9-85



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

January 29, 1982

Salmon River Canal Co. Ltd.
Route 1
Twin Falls, Idaho 83301

Re: Permit No. 47-7373

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

CLF:marva

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 47-7373

Name(s) of Permit Holder: Salmon River Canal Co. Ltd.

Post Office Address: Route 1

Idaho Falls, Idaho 83301

Tel. No. 655-4220

Source of Water: ground water

Extent of Use: ☒ Domestic 5 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☒ Other 1 shop - 1 office

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-6-82

Date

Salmon River Canal Co. By Louis E. Rogers
 Signature of Permit Holder

Salmon River Co. Ltd.

Route 1

Twin Falls, Idaho 83301



Department of Water Resources

JAN 8 1982

RECEIVED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138012

SALMON RIVER CANAL CO.
RT. 1
TWIN FALLS, ID 83301

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 47-7373 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
DEC 31 1981

April 1, 1977

Re: Permit No. 47-7373

Salmon River Canal Company
Route #1
Twin Falls, ID 83301

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. **47-7373**. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

RECEIVED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that the Salmon River Canal Company

Route #1, Twin Falls, Idaho 83301

has on 2/18/77 submitted Application No. 47-7373

for a permit to appropriate 0.20 cubic feet per second ~~2000 cubic feet per second~~

of water from groundwater

by means of well, pump to pressure system delivered to five houses, 1 shop, and 1 office

within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, Twp. 12S, Rge. 16E., B.M., Twin Falls County

to be used from Jan. 1 to Dec. 31

for domestic purposes

within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 27, Twp. 12S, Rge. 16E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before 3/21/77.

R. KEITH HIGGINSON

Director

Published in the Times News

on 3/3 and 3/10/77

REPRODUCED

February 22, 1977

Times News
P.O. Box 548
Twin Falls, Idaho 83301

RE: Application For Permit #47-7373- Salmon River Canal Company

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sb
enclosure

Bill submitted: 3/16/77

RECEIVED