


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RANGE 17 E.

Township 10 South



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)
President
(per phone call - 11-12-75)
CE

RECEIVED

OCT 17 1975

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
GHELBLY ENTERPRISES, Inc.
Hillcrest Drive, Twin Falls, Idaho
83301 has on 9/26/75 submitted
Application No. 47-7311 for a permit
to appropriate 2.0 cubic feet per
second of water from Groundwater
by means of pump, motor, pressure
tank & pipelines, within Gov't. Lot 1,
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, Twp. 10S, Rge.
17E, B.M. Twin Falls County to be
used from January 1 — December 31
for Multiple Domestic purposes
within Gov't. Lot 1, NE $\frac{1}{4}$ NE $\frac{1}{4}$,
SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, Twp. 10S, Rge.
17E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of the
permit must be filed with the Idaho
Department of Water Resources,
1041 Blue Lakes Blvd., North, Twin
Falls, Idaho, 83301 on or before
October 28, 1975.

R. KEITH HIGGINSON

Director

Published in the Times-News on
10-9 and 10-16-75.

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS }

ss.

No 4268

I, Kay Mauey being first duly sworn upon
oath, depose and say that I am Print. Clerk of the TIMES-NEWS,
published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy
of the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for two
consecutive Thursdays, commencing with the issue dated
October 9, 19 75, and ending with the issue dated
October 16, 19 75.

And I do further certify that said newspaper is a consolidation, effective February 16,
1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the
Twin Falls News, published theretofore daily except Monday, both of which newspapers
prior to consolidation had been published under said names in said city and county con-
tinuously and uninterruptedly during a period of more than twelve consecutive months, and
said TIMES-NEWS, since such consolidation, has been published as a daily newspaper
except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each
week has been designated as the day on which legal notice by law or by order of any
court of competent jurisdiction within the state of Idaho, to be published weekly, will be
published; and that at the head of the editorial column of said combined newspapers, and
in each issue thereof, Thursday is announced as the day on which said legal notices will
be published.


Subscribed and sworn to before me on this Kay Mauey 16th day of

October, 19 75.
Mabel L. Clark
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

MICROFILMED


O.K.C.
10-17-75

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 NE 1/4, Sec 6 T 10 S R 17 E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10 S	17 E	6	X			X													

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Dave Junderburg
 Date 7-28-1980

Checked by JP Hinton
 Date 8-6-80

Approved by Robyn
 Date 9/25/80

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 47-7311 Priority September 26, 1975 Amount 0.16 cfs

THIS IS TO CERTIFY, that SHELBY ENTERPRISES
of Twin Falls, Idaho, has complied with the terms and conditions of Permit
No. 47-7311 issued pursuant to Application for Permit dated September 26, 1975,
and has submitted proof to the Department of Water Resources on July 1, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.16 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> from <u>January 1</u> to <u>December 31</u> at <u>0.16</u> cfs and <u>30</u> acre feet (50 units)			
from _____		cfs and _____	
from _____		at _____ cfs and _____	
(both dates inclusive)			

Subject, however, to the condition that no more than 0.16 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
30 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Lot 1, Sec. 6,
Twp. 10S, Rge. 17E, B.M. in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Section	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	
10S	17E	6	X		X										

Total number of acres irrigated _____

REMARKS: 2 points of diversion in NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, Twp. 10S, Rge. 17E.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
December, 19 80.

Director

Identification No. _____

Application No. 47-7311

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APPROVED

APPLICATION FOR PERMIT

SEP 26 1975

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

Department of Water Resources
Southern District Office

1. Name of applicant SHELBY ENTERPRISES Phone: 733-7629
post office address 2046 Hillcrest Drive, Twin Falls, Idaho 83301
2. Source of water supply Groundwater which is a tributary of _____
Gov't. Lot 1
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 10S
Range 17E B.M. Twin Falls County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Domestic
Amount 2.0 cfs for Multiple Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 20 H.P. pump & motor, pressure tank
and pipelines.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 170 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 7,000.00.
8. Description of proposed uses:
a. If water is not for irrigation: Gov't. Lt. 1, NE $\frac{1}{4}$ NE $\frac{1}{4}$; SE $\frac{1}{4}$ NE $\frac{1}{4}$;
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 6 Township 10S
Range 17E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 50 families
(5) If water is to be used for other purposes describe: Trailer Park

RECEIVED

2

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant) **President**
(per phone call - 11-12-75)
C.C.

Proposed Priority 9-26-1975

mb Received by TGB Date 9-26-75 Time 2:30 PM

Preliminary check by GLF Fee \$ 25.00 # 1707

Receipted by CC Date 9-26-75

Publication prepared by CC Date 9-30-75

Published in Times News

Publication dates 10-9 & 10-16-75

Publication approved CC Date 10-17-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by *mb*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7311, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 80.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25 day of November, 19 75.


Director

RECEIVED

OCT 17 1975

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
D. Keith Higginson, of the County of Twin Falls, Idaho
83301, has on 9/26/75 submitted
Application No. 47-7311 for a permit
to appropriate 2.6 cubic feet per
second of water from Groundwater
by means of pump, motor, pressure
tank & pipelines, within Gov't. Lot 1,
NE1/4NE1/4, Sec. 6, Twp. 10S, Rge.
17E, B.M. Twin Falls County to be
used from January 1 - December 31
for Multiple Domestic purposes
within Gov't. Lot 1, NE1/4NE1/4,
SE1/4NE1/4, Sec. 6, Twp. 10S, Rge.
17E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of the
permit must be filed with the Idaho
Department of Water Resources,
1041 Blue Lakes Blvd., North, Twin
Falls, Idaho, 83301 on or before
October 28, 1975.

R. KEITH HIGGINSON
Director

Published in the Times-News on
10-9 and 10-10-75.

Affidavit of Publication

STATE OF IDAHO,

COUNTY OF TWIN FALLS }

ss.

No 4268

I, Kay Macey being first duly sworn upon
oath, depose and say that I am Print. Clerk of the TIMES-NEWS,
published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy
of the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for three
consecutive Sundays, commencing with the issue dated
October 9, 1975, and ending with the issue dated
October 16, 1975.

And I do further certify that said newspaper is a consolidation, effective February 16,
1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the
Twin Falls News, published theretofore daily except Monday, both of which newspapers
prior to consolidation had been published under said names in said city and county con-
tinuously and uninterruptedly during a period of more than twelve consecutive months, and
said TIMES-NEWS, since such consolidation, has been published as a daily newspaper
except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each
week has been designated as the day on which legal notice by law or by order of any
court of competent jurisdiction within the state of Idaho, to be published weekly, will be
published; and that at the head of the editorial column of said combined newspapers, and
in each issue thereof, Thursday is announced as the day on which said legal notices will
be published.

Kay Macey
Subscribed and sworn to before me on this 16th day of
October, 1975.

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

O.K.C.
10.17.75

Jim:

- ① see Volume calculations
WHICH SHOULD WE USE?
 - ② See 50 TRAILERS vs. 54
 - ③ Coding sheet not completed,
PER ANSWERS TO ABOVE
QUESTIONS.
-

WATER RIGHT NUMBER 47-7311

OWNER LAST NAME - SHELBY ENTERPRISES ✓

FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - 2046 HILLCREST DR. ✓

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - TWIN FALLS ✓

STATE - ID ZIP CODE - 83301 ✓

SOURCE - GROUNDWATER ✓

TRIBUTARY OF -

STAGE - PERMIT ✓

STATUS -

PRIORITY - 09-26-1975 ✓ COUNTY - TWIN FALLS ✓ TOTAL DIV. RATE -

2.0000 -CFS

TOTAL DIV. VOLUME -

.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NENE 06 10S 17E LOT 01 MEDIV -

FROM - 01-01 TO - 12-31 ✓ USE - DOMESTIC ✓

USE DIV. RATE -

2.0000 CFS

USE DIV. VOLUME -

.00 AFA

USE - DOMESTIC

PLACE OF USE - TWN 10S RNG 17E SEC 06 TRACT NENE LOT 01 ✓ AC

TRACT SENE LOT AC

DECREE NAME -

DATE -

TOTAL ACRES

0

REMARKS -

NON IRRIG USE - 0/50 UNITS.

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 11-01-1980 PERMIT/DENIED - 11-25-1975 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL - 01

DIVERSION MEANS - WELL, PUMP, TANK & PIPELINES. ✓

DO NOT SCAN

DO NOT SCAN

January 7, 1981

Shelby Enterprises
2046 Hillcrest Drive
Twin Falls, Idaho 83301

Dear Sirs,

RE: License No. 85-7193

Enclosed is a copy of the Water Right License issued on the above referenced permit.

You should note that only 50 of your 54 trailer house hook-ups are covered in this license. This is because only 50 units were identified on your permit when it was filed.

For your protection, enclosed is an application for water permit which you should file to cover the 4 additional units.

If I can be of further assistance please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

December 16, 1980

Shelby Enterprises
2046 Hillcrest Drive
Twin Falls, Idaho 83301

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 47-7311, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.16 cfs Source: groundwater

The maximum quantity diverted shall not exceed 64.8 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Lot 1, Sec. 6, Twp. 10S, Rge. 17E, B.M.

Beneficial use: Domestic use for 54 units within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Lot 1, SE $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 6, Twp. 10S, Rge. 17E.

Priority date established: September 26, 1975

Conditions (if any):

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN J. PROYENSON
Water Rights Supervisor

MICROFILMED

- we have to limit
the license to 50
units

- Use .6 AF/unit
for trailer parks


MICROFILMED

MAP (Attach Aerial Photo)

A hand-drawn map on a grid. The grid consists of solid lines forming a 10x10 grid of squares, with dashed lines further subdividing each square. A well is located in the center-right area, marked with a circle containing a cross and the word 'WELL' next to it. A shaded rectangular area, filled with diagonal lines, is positioned to the left of the well. Various numbers and letters are scattered across the grid: '6' appears in several locations, '10' and '9' are near a 'T' in the lower-left, and 'R 17 E' is written in the upper-middle section.

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 NE 1/4, Sec 6 T 10S R 12E.

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ ~~None~~
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Gary Funderburg
Checked by J.P. Stanton
Approved by Robyn

Date 7-28-1980
Date 8-6-80
Date 9/25/80



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

July 22, 1980

Joe Shelby - President
Shelby Enterprise
2040 Hillcrest Drive
Twin Falls, Idaho 73301

Re: Permit No. 47-7311

Dear Mr. Shelby:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 47-1.

Name(s) of Permit Holder:

Shelby Enterprises
Joe Shelby

Post Office Address:

2046 Hillcrest Dr.

Irwin Falls, Idaho 83301 Tel. No. 733-7339

Source of Water:

Wells

Extent of Use:



Domestic

(number of households)



Stockwater

(number and type of stock)



Irrigation

(acres)



Other

Measuring Device:

Required?



Yes



No

Installed?



Yes



No

Access Port:

Required?



Yes



No

Installed?



Yes



No



The above information is a true statement of the extent to which the above numbered permit has been developed.

June 30-1980
Date

Joe Shelby
Signature of Permit Holder

MICROFILMED

Joe Shelby
2046 Hillcrest Drive
Twin Falls, ID 83301



RECEIVED

JUL 1 1980

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 8, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 47-7311)
_____)

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

NOT RECORDED

November 26, 1975

Re: Permit No. 47-7311

Shelby Enterprises
2046 Hillcrest Drive
Twin Falls, ID 83301

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 47-7311 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

September 30, 1975

RE: Application No. 47-7311 - Shelby Enterprises

Times News
P. O. Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

MIKE STEELE
SOUTHERN DISTRICT SUPERVISOR

MS:cc

Bill submitted: 10-17-75 CC

RECEIVED
OCT 1 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that SHELBY ENTERPRISES

2046 Hillcrest Drive, Twin Falls, Idaho 83301

has on 9/26/75 submitted Application No. 47-7311

for a permit to appropriate 2.0 cubic feet per second ~~XXXXXX~~

of water from Groundwater

by means of pump, motor, pressure tank & pipelines.

within ~~xxx~~ Gov't. Lot 1, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, Twp. 10S, Rge. 17E, B.M. Twin Falls County

to be used from January 1 - December 31

for Multiple Domestic purposes

within ~~xxx~~ Gov't. Lot 1, NE $\frac{1}{4}$ NE $\frac{1}{4}$; SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, Twp. 10S, Rge. 17E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before October 23, 1975.

R. KEITH HIGGINSON

Director

Published in the Times News

on 10-9 and 10-16-75