




PLAT OF SURVEY
 TRACTS IN THE SE 1/4 NE 1/4
 OF SEC. 9, T 25, R 11 E, B 1 N,
 TWIN FALLS CO., IDAHO
 DEC. 1, 1972.



AFFIDAVIT of PUBLICATION

RECEIVED

MAY 25 1973

Department of Water Administration
Southern District Office

STATE OF IDAHO
County of Twin Falls

ss.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert S. & Adella S. Luntz, 10730 W. Saratoga Place, Littleton, Colorado, has on May 10, 1973, submitted Application No. 47-7205 for a permit to appropriate 3.0 cubic feet per second of water from a groundwater source by means of artesian well, flumes, and ditches within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, T. 9S, R. 14E, B.M., Twin Falls County to be used from Jan. 1 to Dec. 31 for fish propagation and livestock and from April 1 to Oct. 31 for the irrigation of 8 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, T. 9S, R. E4E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 4, 1973.

R. KEITH HIGGINSON
Director

Published in the Buhl Herald, Buhl, Idaho, on May 17 and May 24, 1973.
(19t2)

I, **Robert E. Bailey**, do solemnly swear that I am the printer and editor of THE BUHL HERALD, a weekly newspaper of general circulation, published once each week at Buhl, Idaho; that the notice attached hereto was published in said newspaper two consecutive weeks, the first publication having been made on the 17th day of May, 1973, and the last publication having been made on the 24th day of May, 1973; that said notice was published in the regular and entire issue of every number of the paper during the period and time of publication, and that the said notice was published in the newspaper proper, and not in the supplement thereof.

That said newspaper has been printed and published continuously in **Buhl, Twin Falls County, Idaho**, for a period of more than 78 weeks prior to the first publication of the attached notice.

Subscribed and sworn to before me this

24th day of May, 1973

Robert E. Bailey
Notary Public.


Buhl, Idaho

Residing at

April 17, 1977

My Commission Expires

47 7205



Point(s) of diversion: SE 1/4 NE 1/4 Sec. 9 Twp. 9 S. Rge. 14 E. ✓

Place(s) of Use ✓ less acres

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	14E	9				1X													1

Recommended Amendments: Irrigation actually = 0.87 acres.


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other Add heating use

Examiner's Signature Larry A. Blau Date 4-22-82

Checked by J. F. Stanton Date 5-26-82

Approved by Ray Walker Date 2-28-84



Irrigation use

2 25 PJ-DA $5/32 @ 40 \text{ PSI} = 8.8 \text{ gpm}$
 1 " " $3/16 @ 40 \text{ PSI} = 6.27 "$
 205 Drip System emitters @ $2 \text{ gal/hr} = 6.8 \text{ gpm}$
 5 Shrub heads @ $1.4 \text{ gpm} = 7 \text{ gpm}$
 $28.9 \text{ gpm} = .06 \text{ cfs VOK}$

MICROFILMED

Robert S. Luntley 47-7205
 Sketch of water use




Robert S. Luntz Tal Fish ponds 47-7205

Discharge measurements made by stop watch and Calibrated Container at each nozzle or outlet where water is direct flow from well.

North Ponds 0.2356 cfs
Ponds by well 0.0151 "
South ponds 0.3060 cfs
House Heating & Pool 0.0825 cfs
To Coy Ponds
Total 0.6392 2

All lower ponds have flow through from above ponds in addition to direct flow





Volume in Cubic ft.

North ponds	2178
Ponds @ well	384
South ponds	3040
Pool	<u>2660</u>
	8262 = 0.1897AF

Large Ponds $\frac{1.8 \text{ AF}}{1.99 \text{ AF}}$

RECEIVED

306095



0075	0083	0065	0094	0075	0065	0071	0068
0071	0068	0058	0062	0068	0068	006	0062
0062	0068	0075	0065	0065	0068	0062	0068
0065	0062	0075	0065	0065	006	0075	0068

26 ponds
 $4.5 \times 13.5 \times 2$
 to
 2×11.5
 $83.75 \text{ cf} \times 26 = 2178 \text{ cf}$

.0075	.0062	.0071	.0083						
.0075	.0068	.0079	.0079	.0068	.0079	.0079	.0079	.0079	.0079
.0075	.0083	.0075	.0079	.0079	.0079	.0075	.0075	.0079	.0079
.0079	.0075	.0071	.0079	.0079	.0079	.0068	.0083	.0079	.0079
.0083	.0079	.0094	.0083	.0083	.0083	.0083	.0083	.0079	.0079
.0075	.0075	.0068	.0083	.0083	.0083	.0083	.0083	.0083	.0083
.0083	.0079	.0075	.0079	.0079	.0079	.0075	.0075	.0079	.0079
.0083	.0079	.0075	.0079	.0079	.0079	.0075	.0075	.0079	.0079

32 Ponds
5' x 15' x 2'
to
2 x 10
= 3,040 CF

c. Describe the lands or use to which the right will be transferred:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	14E	9				4													4
"	"	10							4.2										3.3
									3.3										

Total number of acres to be irrigated 7.3

- Describe any other water rights used for the same purpose as described above. 47-7123
- Draw a map indicating the new point(s) of diversion and/or the new land to be irrigated. Show clearly the land involved by section, township and range number.

Twp. 9S. Rge 14E.

4 3
9 10

MICROFILMED

47-7205 →

Lands Irrigated by well #1
Lands Irrigated by well #2
Lands Irrigated by well #3

MICROFILMED

Scale Approx 100' = 1 inch

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 47-7205 Priority May 10, 1973 Amount 0.64 cfs

THIS IS TO CERTIFY, that Robert S. & Adella S. Luntey
of Buhl, Idaho, has complied with the terms and conditions of Permit
No. 47-7205 issued pursuant to Application for Permit dated May 10, 1973,
and has submitted proof to the Department of Water Resources on September 17, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.64 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Fish Propagation	from <u>January 1</u> to <u>December 31</u>	at <u>0.64</u> cfs and <u>n/a</u>	
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>0.36</u> cfs and <u>3.5 acre feet</u>	
	from _____ to _____	at _____ cfs and _____	

(both dates inclusive)

Subject, however, to the condition that no more than 0.64 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.5 acre feet per year, said waters to be diverted within the SE 1/4 NE 1/4 Section 9,
Twp 9S, Rge 14E in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Section	NEW												Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9S	14E	9													0.9

Total number of acres irrigated 0.9

Facility Volume = 2 acre feet

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 11TH day of

April, 19 84.

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF THE BANBURY HOT SPRINGS	)	ORDER SUPPLEMENTING
	)	CONDITIONS OF APPROVAL FOR
GROUNDWATER MANAGEMENT AREA	)	PERMIT TO APPROPRIATE
	)	GROUNDWATER NO. 47-7205

WHEREAS, on April 12, 1982, the Director of the Department of Water Resources created the Banbury Hot Springs Groundwater Management Area (BHSGWMA); and,

WHEREAS, reported problems have shown a need for increased regulation of existing and future wells within the boundaries of the BHSGWMA; and,

WHEREAS, Department records show a number of outstanding water right permits for which development has not yet occurred; and,

WHEREAS, the above-referenced Permit represents the potential for additional well drilling within the boundaries of the BHSGWMA; and,

WHEREAS, leakage and intermingling between groundwater aquifers within the BHSGWMA has been determined to be a significant problem for which careful monitoring and protection is required;

NOW, THEREFORE, the conditions of approval for Permit No. 47-7205 are hereby supplemented with the following additional conditions:

- 1) Thirty days prior to drilling or modification of a well, the permit holder shall notify the Department of Water Resources of who the driller will be and when drilling is proposed to commence.
- 2) Prior to drilling, the permit holder and/or driller shall submit to the Department a drilling prospectus which includes proposed casing and grouting procedures. The well shall not be drilled without approval of the prospectus.
- 3) For wells presently being constructed or modified, the permit holder shall immediately advise the Department of the name of the driller or drilling firm, proposed date of completion, and shall provide details of well construction to date for Department review and approval prior to removal of the drill rig from the site.
- 4) Prior to well completion, the permit holder and/or driller shall request inspection and approval of the well construction by the Department. Construction shall not be considered to be completed

RECEIVED

until approved by the Department.

- 5) Failure to comply with any of the conditions identified above may result in cancellation of the permit.

Dated this 2nd day of May, 1983.

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED
MAY 10 1983

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 47-7205

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN 18 1976

APPLICATION FOR EXTENSION OF TIME

Department of Water Resources

State of Idaho)
County of Twin Falls)

Permit No. 47-7205

Robert S. and Adella S. Luntz of 12103 SE 46th Court, Bellevue, WA 98006
(name) (address)

State of Washington, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 47-7205.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before July 1, 1976.

That he has heretofore performed the following work described under said permit:
Drilled, capped and valved 8", 850 ft. deep well (artesian); Has begun
irrigation of 12 acres of nursery, one fish pond is constructed.

Costing \$ 10,000.00

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: Has been an absentee owner and is now moving to the
area to oversee development.

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to July 1, 19 81.

Robert S. Luntz
Adella S. Luntz
(signature) *

Subscribed and sworn before me this 14 day of June, 19 76.

seal

Marilyn L. Bates
Notary Public residing at
Mercer Is, Wash.

My commission expires 6-9-79

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use of water is extended
to July 1 1981.

Witness my hand this 22 day of June, 19 76.

R. Keith Higginson
R. KEITH HIGGINSON
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

MB

Identification No. _____
Application No. 47-7205

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Robert S. & Adella S. Luntey
post office address 10730 W. Saratoga Place, Littleton, Colorado 80123
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 9 S.
Range 14 E., B.M. Twin Falls County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into Snake River at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3 for fish propagation purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .16 for irrigation purpose from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for livestock domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Deep well (Artesian)
with flumes, ditches and headgates necessary to distribute water.
- b. Height of storage dam -0- feet, active reservoir capacity -0- acre feet; total reservoir capacity -0- acre feet, materials used in storage dam: -0-
Period of year during which storage will occur -0- to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 700 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years.
b. Estimated construction cost is \$ 6,500.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 9 S.
Range 14 E., B.M. Tract II
(2) Amount of power to be generated: -0- hp under -0- feet of head.
(3) List number of each kind of livestock to be watered Possibly 2 head cattle and
1 horse
(4) Name of municipality to be served n/a, or number of families to be supplied with domestic water n/a.
(5) If water is to be used for other purposes describe: Propagation of catfish and
possibly tropical fish. Sufficient raceways will be constructed to
use entire anticipated flow of artesian well to be drilled, with
exception of small volume for irrigation during months indicated
and minor volume for livestock and domestic purposes.

47-7205
1-2306

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
9 S.	14 E	9				8													8

Total number of acres to be irrigated 8

c. Describe any other water rights used for the same purposes as described above. Eight shares of water from Kanaki Springs Water Users Association. Well Permit No. 47-7115


9. a. Who owns the property at the point of diversion Robert S. & Adella S. Luntley

b. Who owns the land to be irrigated or place of use Robert S. & Adella S. Luntley

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing n/a

10. Remarks We intend to construct 8 concrete raceways (8' w. x 70' l. x 4' d.). One fish-holding pond of approximately one-half acre in size ranging in depth from 1 to 8 feet now exists on property. An additional pond about half that size is contemplated. If 150 inches of water is sufficient to support additional fish, we would construct additional raceways as shown on map.

47 7205



PLAT OF SURVEY
TRACTS IN THE SE 1/4
OF SEC. 9, T. 25, R. 16 E.,
TWIN FALLS CO., IDAHO
DEC. 1, 1972.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]SE $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 9, Township 9 South, Range 14 E., B.M., Twin Falls, Idaho

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert S. Luntz
Aileen S. Luntz
(Applicant)

Adrian S. Luntz
(Applicant)

(Applicant)

17 7205

Proposed Priority 5-10-1973

Received by alp Date 5-10-73 Time 3:00pm
alp Date 5-7-73 Time 2:50pm

47 7205

Preliminary check by CLF Fee \$ 45.00

mu97 Receipted by alp Date 5-10-73 # 10876

Publication prepared by alw Date 5-11-73

Published in Buhl Herald, Buhl, ID

Publication dates 5-17 & 5-24-73

Publication approved jmm Date 5-25-73

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by le DE

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7205, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1976.

c. Other: A Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge for fish propagation. Applicant must comply with Section 42-1603, Idaho Code, which provides for the installation of

~~2. Revoke said application except as shown on the following conditions.~~
an approved mechanical device for controlling the flow of an artesian well.

Witness my hand this 11th day of June, 19 73.


Director

AFFIDAVIT of PUBLICATION

STATE OF IDAHO
County of Twin Falls

} ss.

I, **Robert E. Bailey**, do solemnly swear that I am the printer and editor of **THE BUHL HERALD**, a weekly newspaper of general circulation, published once each week at Buhl, Idaho; that the notice attached hereto was published in said newspaper five consecutive weeks, the first publication having been made on the 27th day of Mar, 1977, and the last publication having been made on the 21st day of Mar, 1977; that said notice was published in the regular and entire issue of every number of the paper during the period and time of publication, and that the said notice was published in the newspaper proper, and not in the supplement thereof.

That said newspaper has been printed and published continuously in **Buhl, Twin Falls County, Idaho**, for a period of more than 78 weeks prior to the first publication of the attached notice.

Robert E. Bailey

Subscribed and sworn to before me this

27th day of Mar, 1977

Robert E. Bailey
Notary Public.

Buhl, Idaho

Residing at

April 20, 1977

My Commission Expires

Robert E. Bailey, Editor, gave that
Robert E. Bailey, Editor, gave that
10730 10730 Place, Littleton,
Colorado, on May 10, 1973,
subscribed to Commission No. 47-7205
for a period of appropriate 3.0
years, and a second of water
from a natural water source by
means of artesian well, flumes,
and ditches within the SE 1/4, Sec. 9, T. 2S, R. 14E, B.M., Twin
Falls County to be used from Jan.
to Dec. 31 for fish propagation
and livestock and from April 1 to
Oct. 31 for the irrigation of 8
acres within the SE 1/4, Sec. 9,
T. 2S, R. 14E, B.M.
If issued, the permit will be
subject to the prior water rights.
The permit is subject to the
Idaho Department of Water Ad-
ministration, 1041 Blue Lakes Bou-
levard North, Twin Falls, Idaho,
83301 on or before June 1, 1973.
Buhl, Idaho, on May 17 and May
18, 1977.

17 7205

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

- | Item | Initial | Date | |
|------|---------|---------|---|
| (1) | KDF | 5-10-73 | Application No. 47-7205 Name Robert S. & Adella S. Luntz |
| (2) | KDF | 5-10-73 | Check:
☒ Point of Diversion
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for C/W and application of water to B/U
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☐ Fee |
| (3) | KDF | 5-10-73 | Send copies to:
☐ Idaho State Health Department
☒ Idaho Fish and Game Department
☐ Bureau of Land Management |
| (4) | | | ☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant |
| (5) | KDF | 5-10-73 | In form for advertising |
| (6) | jmm | 5/25/73 | Affidavit of Publication received |
| (7) | KDF | 6-4-73 | Final date for protests June 4, 1973
Protests received: yes ☒ no ☐ |
| (8) | | | Date and Place of hearing
Decision reached at hearing |
| (9) | | | Located within Water District No. |
| (10) | KDF | 6-4-73 | Critical groundwater area: yes ☐ no ☒ |
| (11) | KDF | 6-4-73 | Groundwater levels:
☐ Decline (comment)
☒ Stable (comment)
☐ Increasing (comment) |
| (12) | KDF | 6-4-73 | All requested information received from agencies or applicant
yes ☒ no ☐ |
| (13) | | | Comments: |
| (14) | KDF | 6-4-73 | Action recommended:
☒ Approve Priority
☐ Deny Reason for Reduction
See attached sheet for conditions of approval
No conditions for approval |
| (15) | | | District Southern By KDF
Date 6-4-73 Title Resource Examiner |

RECEIVED

47 7205

RECOMMENDED

CONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☒ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge. *for fish propagation*

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☒ Other: *Applicant must comply with Sec 42-1603, Idaho Code, which provides for the installation of an approved mechanical device for controlling the flow of an artesian well.*



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 25, 1986

Robert S. & Adella S. Luntley
Rt. 3, Box 240
Buhl, ID 83316

Dear Mr. and Mrs. Luntley:

The Department has received your correspondence dated January 9, 1986 with respect to License 47-7205 and other uses you are making of the water.

A review of License No. 47-7205 and Permit Nos. 47-7580 and 47-7826 shows that the uses not included in the existing license are, or can be, included on the existing permits when they are licensed.

If you have any questions concerning this matter, please contact this office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

RECEIVED

MAR 10 1988

Rt. 3, Box 240
Buhl, Idaho 83316
January 9, 1986

RECEIVED
JAN 13 1986

Mr. Jim Johnson
Department of Water Resources
Idaho State House
Boise, Idaho 83720

Department of Water Resources

RE: License 47-7205

Dear Mr. Johnson:

We are writing to request an amendment to Water Right License No. 47-7205 issued to Robert S. and Adella S. Luntley. The purpose of the requested amendment is twofold:

1. To include a second point of diversion within the SE¹/₄NE¹/₄Sec 9, Tsp 9Srg 14E in the County of Twin Falls.
2. To include in the license beneficial uses of water made at the time of the field examination of the works covered by permit 47-7205 but which were not included in the license. The examination was made on April 9, 1982.

Beneficial uses of water together with completed works existing on April 9, 1982, not included in the license are as follows:

1. Heating 0.20 cfs Jan. 1 to Dec. 31

A concrete slab including a copper pipe heating system using geothermal water was poured on December 21, 1976, for our house floor. Geothermal water was connected to the heating system in early 1977. The water used was from the second point of diversion requested in an amendment to the License. We moved into the house in June 1977 and geothermal water has been used for heating to date.

2. Domestic 0.04 cfs Jan. 1 to Dec. 31

The domestic water supply system was installed and in use in June 1977 when we moved into the house. Domestic water was from the second point of diversion requested in an amendment to the License.

3. Recreation 0.20 cfs Jan. 1 to Dec. 31

A swimming pool was constructed and completed in the summer of 1978. Its size and volume are as follows: 16' by 32' with an 8' by 8' entry - way with steps leading into the pool. The pool has a slanted floor leading to an 8' deep section. Its approximate volume is 2284 cf.

Water for the pool is from the second point of diversion requested in an amendment to the License. It should be pointed out that during the house heating season water exiting from the house heating system is dumped into the pool and used for fish propagation during the winter months. When house heating is not required, new water is used in the spring, summer and fall pool recreation season.

RECEIVED
MAR 10 1988

4. Commercial 0.05 cfs Jan. 1 to Dec. 31

A combination greenhouse-fish and plant sales processing room was constructed in 1980. Commercial use of water commenced in September 1980, the water coming from the second point of diversion requested in an amendment to the License.

In compliance with the December 12, 1985, letter from L. Glen Saxton, Chief Operations Bureau, Department of Water Resources, concerning our Water Right Permits No. 47-7580 and 47-7826 we have completed and are enclosing Proof of Beneficial Use forms for both permits. We assume they are not needed if the requested amendment to License 47-7205 is granted. However, we would like for the Department of Water Resources to keep them on file in the event we may want to undertake additional development in the future should sufficient water be available.

Sincerely yours,

Robert S. Luntley
Robert S. Luntley

Adella S. Luntley
Adella S. Luntley

Encl.

MICROFILMED

MAR 10 1988

April 11, 1984

RE: Permit No. 47-7205

Robert S. & Adella S. Luntley
Rt. 3, Box 195
Buhl, ID 83316

Dear Mr. and Mrs. Luntley:


Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



MEMORANDUM

TO: File 47-7205

FROM: Jim Johnson

DATE: April 4, 1984 *JW*

RE: Review of File to Determine Why the File was Reconstructed from the Microfilm Records

With the aid of several people, I believe we have a general idea as to when the file was destroyed and later reconstructed from microfilm records, however, the reason for it being destroyed is still unknown.

Following is a history of the right as best as can be determined:

The file was apparently destroyed sometime between June 23, 1976 and December 8, 1982.

The last item to appear on the microfilm record was correspondence sent on 6/23/76 informing the permit holder that the request for extension of time had been approved and that the new proof to beneficial use date was July 1, 1981.

There is no record showing that proof due notice correspondence normally mailed 60 days prior to the proof due date was ever sent.

A review of the rolodex card kept on this file shows that the proof to beneficial use card was received in the State Office on June 3, 1981.

A copy of the proof card was received in Southern Region on September 17, 1981 and on September 19, 1981 Southern Region sent correspondence acknowledging the receipt of the proof card.

There is no further information on this file until the field exam was received in the State Office on December 8, 1982. It was apparently at this time that it was discovered that the original file had been destroyed.

The copy of the proof card in the file is the same copy that Southern Region had received in 1981. It is assumed that someone requested Southern Region to return a copy of the proof card and acknowledgement letter so that they could be placed in the file. It appears that the file was reconstructed about this time.

THE ORIGINAL FILE WAS FOUND 2-4-1985 DURING THE DATA BASE CORRECTION UPDATE. THE DUPLICATE FILE WAS THEN MERGED WITH THE ORIGINAL. CEW

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

March 14, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 47-7205

Robert S. & Adella S. Luntley
Rt. 3, Box 195
Buhl, ID 83316

Dear Mr. and Mrs. Luntley:

A representative of this Department has made an examination of the works covered by your Permit No. 47-7205, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.64 cfs Source: groundwater

The maximum quantity diverted shall not exceed 3.5 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 9, Twp 9S, Rge 14E

Beneficial Use: Fish Propagation and irrigation of 0.87 acres within
SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 9, Twp 9S, Rge 14E

Priority date established: May 10, 1973

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

DEC 8 1982

Department of Water Resources

47-7205

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	9-19-81		
☒ Telephone call made: (List Telephone No. used)	3-23-82	TG B.	543-8334
☒ Appointment scheduled for: (Date, time, location)	3-29-82 4-9-82	TB	2:pm 9:00 Am

EXAMINATION

Date 4-9-82 Accompanied by Bob Luntz Total Q measured 0.64 cfs ✓

If source is surface water, estimate total flow of source

Methods of measurement Stop watch & Calibrated container Meets Permit requirements? yes less than 7 cfs

Measurement calculations: See attached sheets

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS

System Description Artesian well shut in pressure 50 psi pipelines of various sizes
No places of use.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 4.0 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Fish Propagation ✓	0.32	-	May 1	Oct 1
Fish Propagation ✓	0.64 ✓	-	Oct 2	Apr 30
Heating (Home & Pool) (unrelated to above) ✓	0.08	-	JAN 1	Dec 31
Irrigation ✓	ok-see calculations attached → 0.06 ✓	4.0-3.5	MAR 15	Nov 15

Per w.u. handbook
245 days

$V = 0.87 \times 4.0 = 3.48$ allow 3.5

Total 0.64 cfs ✓

Remarks Total fish pond volume is approximately 2 Acre feet.
Water used for heating is also used in fish ponds.
During cold weather the flow requirement in the tropical fish ponds is approximately twice what it is during periods of warm weather. Therefore the maximum use for raising fish is seldom if ever used when water is being used for irrigation.
During winter Coy are kept in the swimming pool with water used for heating the house. The applicants irrigation system operates at .06 cfs. (see breakdown on attached sheet) Although there is a greater than normal diversion rate the vol of use is the same or less than allowable.
No livestock use



Point(s) of diversion: SE 1/4 NE 1/4 Sec. 9 Twp. 9 S. Rge. 14 E. ✓

Place(s) of Use ✓ less acres

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	14E	9				1X													1

X = A.U. for all purposes

Recommended Amendments:

Irrigation actually = 0.87 acres.

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None

☒ Other Add heating use

Examiner's Signature

Larry A. Blau
J. F. Stanton

Checked by

Approved by

Ray Walker

Date 4-22-82

Date 5-26-82

Date 2-28-84

24

50' x 100' Woods
11 Acres

Well

150
100
Garden + Woodlots
(Not Shown)
.34 acres

85
80
Orchard 16 Acres

SEE ATTACHED PAGE

75'
Fish Pond
.16 AF
Avg depth 4'
36'

75'
Fish Pond
.14 AF
Avg depth 4'
45'

Green House
House
Heated by hot water
Swimming Pool
Also used
For wintering cays
32'

Lawn + Shrub Irrigation .26 acres

Irrigation use

2 25 PJ-DR 5/32 @ 40 PSI = 8.8 gpm
1 " " 3/16 @ 40 PSI = 6.27 "

205 Drip System emitters @ 2 gal/hr = 68 gpm
5 Shrub heads @ 1.4 gpm = 7 gpm


28.9 gpm = .066 cfs VOK

117'
Fish Pond
.28 AF
Avg depth 3'
90'

120'
Fish Pond
Est
1.22 AF
Avg depth 5'
800'

MICROFILMED


Robert S. Luntley 47-7205
Sketch of water use



Discharge measurements made by stopwatch and Calibrated Container at each nozzle or outlet where water is direct flow from well.


North Ponds 0.2356 cfs
Ponds by well 0.0151 "
South ponds 0.3060 cfs
House Meeting Pool 0.0825 cfs
To Coy Ponds
Total 0.6392

All lower ponds have flow through from above ponds in addition to direct flow



.0065	.0062	.0075	.0055	.006	.0075	.0062	.0068
.0062	.0068	.0075	.0065	.0065	.0068	.0062	.0068
.0071	.0068	.0058	.0062	.0068	.006	.0068	.0062
.0075	.0083	.0065	.0094	.0075	.0065	.0071	.0068


26 ponds
4.5 x 13.5 x 2
to
2 x 11.5
83.75 cfs x 26 = 2178 cfs



Volume in Cubic ft.
North ponds 2178
Ponds @ well 384
South ponds 3040
Pool 2660
8262 = 0.1897 AF
Large Ponds 1.8 AF
Total Vol 1.99 AF

.0031	.0035	.0039	.0043	.0036	.004
.0083	.0068	.0068	.0079	.0083	.0083
.0071	.0079	.0079	.0071	.0094	.0068
.0062	.0068	.0083	.0075	.0079	.0079
.0075	.0075	.0075	.0079	.0083	.0083

32 ponds
5 x 15 x 2
to
2 x 10
= 3040 cfs



UNOFFICIAL

Overlap Review 47-7205

from permit see 47-7115

Kanaki Springs Water Users,
Assoc.

may be same well - there are
no pump I.D. numbers for 47-7205,
both exams reference artesian well.

Capacity found for 47-7115 = 0.69 cfs
" " 47-7205 = 0.64 cfs

Map attached to Transfer 2918 shows
different wells are involved, - no
overlap. see copy attached

kw

MICROFILMED

Transfer No. 2918

Water Right No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT

To Change the Point of Diversion and/or the Place of Use

APPROVED

Name of applicant Wesley E. and Mary J. Reynolds Phone 602-982-5820Post Office address 1110 East Canyon Rd., Apache Junction, Arizona 85220**A. DESCRIPTION OF RIGHT AS RECORDED****1. Right evidenced by:**

a. Decree No. _____ Decreed to _____ (Name)
in case of _____ vs _____
dated in _____ in _____ county of _____
(Name of court)

b. License No. 47-7115 issued by the Idaho Department of Water Resources

c. Claim No. _____ on file with the Idaho Department of Water Resources

2. If applicant is not the original holder of this right, explain how it was acquired and attach a copy of the deed or other evidence of ownership of the land to which the right is appurtenant Land and
Water purchased from owner

3. Source of water Groundwater tributary to _____4. Date of priority April 8, 1971**5. Water is used for the following purposes:**

amount 0.20 cfs for Fish Propagation purposes from JAN 1. to Dec 31
0.02 cfs Domestic Jan 1. Dec 31
amount 0.50 cfs for Recreation purposes from Jan 1. to Dec 31
amount 0.30 cfs for Irrigation purposes from April 1 to Nov. 1
(month/day -- both dates inclusive)

6. Total amount of water under right: a. 0.69 cfs cubic feet per second
&/or
b. _____ acre feet per annum

7. Location of original point of diversion is (Well #1) SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9
Township 9S Range 14E B.M., in Twin Falls County
Additional points of diversion, if any _____

8. Lands irrigated or place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	14E	9				X													25

Total number of acres to be irrigated 259. Describe any other water rights used for the same purpose as described above 47-7123

10. To my knowledge, has any portion of this water right undergone a period of five or more consecutive years of nonuse? No If yes, describe in item D, REMARKS.

MICROFILMED

MICROFILMED

11/10/76
16

B. DESCRIPTION OF PORTION RIGHT OWNED BY APPLICANT (If the right is owned by the applicant, omit part B).

1. Amount of water: a. 0.10 cubic feet per second
b. 29.2 acre feet per annum
2. Point of diversion SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 9 Township 9S
Range 14E, B.M., Twin Falls County
Additional points _____
3. Place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	14E	9				4													4
9S	14E	10							6.2 3.3										3.3

Total number of acres to be irrigated 7.3

C. DESCRIPTION OF RIGHT OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. General Information
- a. Amount of water to be diverted 0.10 cfs c.f.s. &/or 29.2 acre feet
- b. Description of diverting works Artesian wells pipelines to place of use
- c. Describe the reasons for the proposed changes To add points of diversion which Mr Reynolds owns or has an interest in and to show the correct description of where the water was used at the time of licensing
2. Change in point of diversion (Well #1 & Well #3)
- Point of diversion ^{2 pts} SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 9 Township 9S
Range 14E, B.M., Twin Falls County
Additional points ^{Lot # 2} NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 10 (Well #2)

Change in place of use

- a. Are there liens, mortgages, or contracts on the lands from which you propose to transfer the water right which limit your authority to make the proposed change? Yes _____ No ☒ If yes, provide a statement agreeing to the proposed change from the holder of the lien, mortgage or contract.
- b. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer
No effect This land was always irrigated but was not properly described.

c. Describe the lands and use of use to which the right will be transferred:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	14E	9				4													4
"	"	10							4.2										3.3

Total number of acres to be irrigated 7.3

4. Describe any other water rights used for the same purpose as described above. 47-7123
5. Draw a map indicating the new point(s) of diversion and/or the new land to be irrigated. Show clearly the land involved by section, township and range number.

Twp. 9S. Rge 14E.

4 | 3
9 | 10

MICROFILMED

PD(9ADB1)
Kerpa well #1

PD #1

PD(9ADB1)
Kerpa Well #3

Lameth

Thamizh

47-7205 →

Lands Irrigated by well #1
Lands Irrigated by well #2
Lands Irrigated by well #3

Kerpa Well #2
PD(10CBB)

MICROFILMED

Scale approx 10' inch

D. REMARKS

Applicant has 1 share in well #1 out a total of 39 shares
 $\frac{1}{39} \times .5 = 0.0128$ for recreation Irrigation ^{7.3 acres} $\times .3 \text{ cfs} = .0876 \text{ cfs}$
 total = 0.10 cfs.

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willfull misrepresentations made in this application may result in voiding its approval.

Wesley E. Reynolds
 (Signature of Applicant)

Subscribed and sworn to before me this 7 day of June, 19 83

Mary A. Newby
 (Notary Public)

My commission expires life

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. 47-7115B
 and said application is hereby APPROVED, subject to the following limitations and conditions:

Witness my hand this 31st day of January, 19 84

J. Glen Saxon
 Chief, Operations Bureau

FOR DEPARTMENT USE ONLY

Received by T.G. Blau Date 6-7-83

Protest filed by ~~Kenneth E. Harbst~~

Prelim. check by A.S. Fee 30⁰⁰/100

Kenneth E. Harbst

Receipted by T.G. Blau Date 6-7-83 #30261

Protest withdrawn 9/20/83

Published in Times News

Copies of protest forwarded by _____

Pub. dates 6/23 + 6/31/81

Hearing held by _____ Date _____

Watermaster recommendation requested on NA

Recommended for approval denial

_____ rec'd. _____

by Adm

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Gottman

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 2, 1983

Dear Permit Holder:

Enclosed you will find an Order Supplementing Conditions of Approval for your permit to appropriate groundwater within the newly formed Banbury Hot Springs Groundwater Management Area.

Please be advised that there will be a meeting on Thursday, May 5, 1983 at 7:30 p.m. at Buhl Junior High School, 216 North 7th St., Buhl, Idaho to discuss the reasons for designation as a management area and potential impacts.

Sincerely,

Jim Johnson

DAVID R. TUTHILL, JR.
Water Allocations Section Supervisor

DRT:rf

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

September 19, 1981

Robert S. Luntley
Rt. 3 Box 195
Buhl, Idaho 83316

Re: Permit No. 47-7205

Dear Mr. Luntley:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburn
Senior Water Resource Agent

GLF:marva

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 47-7205.

Name(s) of Permit Holder: Robert S. Luntley

Post Office Address: Route #3 Box 195, Buhl, ID 83316

Tel. No. 543-8334

Source of Water: Artesian Well

Extent of Use: ☒ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☒ Other commercial, heating, recreation
Fish propagation, Irrigation.

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

will be installed

The above information is a true statement of the extent to which the above numbered permit has been developed.

June 1, 1981
Date

Robert S. Luntley
Signature of Permit Holder

RECEIVED

JUN 3 1981

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

Robert S. & Adella S. Luntney
12103 SE 46th Ct.
Bellevue, WA 98006

APRIL 30, 1981


DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 47-7205 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,




RITA FLECK
SR. SECRETARY

ENCLOSURES

DEPARTMENT OF WATER RESOURCES

STATEHOUSE




REASON CHECKED

Unclaimed ☐ Refused ☒
 Address ☐ ☒
 Insufficient address
 No such street number
 No such office in state
 Do not re-mail in this envelope


Department of Water Resources

MAY 13 1981

RECEIVED



*per Luvix Sales Co. Assessor
 no new address.*



DATE

1ST NOTICE

2ND NOTICE

RETURN

Delivered from
 PE 3848-A
 ML 19

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

Robert S. & Adella S. Luntz
12103 SE 46th Ct.
Bellevue, WA 98006

138141

APRIL 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 47-7205 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,


RITA FLECK
SR. SECRETARY

ENCLOSURES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES


house
Idaho 83720

mw
626



Robert S. and Adella S. Luntley
12103 SE 46th Court
Bellevue, Wa. 98006

47-7205
7580



**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**INSTRUCTIONS FOR
ACCESS PORT INSTALLATION**

Purpose


The Department of Water Resources' examiners now have portable measuring devices to measure the flow of water in a pipe flowing full. However, for them to be able to use these devices you must install an access port in your pipeline. You, of course, may wish to install a permanent measuring device or have the flow of your system measured and certified by a professional engineer.

General Requirements

The access port shall be made by welding a 1¼ inch welding coupling onto the supply pipe as shown on the attached figures. These welding couplings may be obtained at most plumbing supply dealers.

The access port must be installed at least 24 pipe diameters downstream from the pump, at least 9 pipe diameters downstream and at least 4 pipe diameters upstream from any flow restrictions such as reducers, elbows or control valves. Control valves should be located downstream from the access port. The above required distances may be reduced if straightening vanes are installed in the pipe.

The coupling must be installed perpendicular to the pipe axis and also so that the centerline of the port passes through the center of the pipe. The access should be installed on the side of the pipe, as shown in the following sketch, to eliminate the problem of air in the pipe interfering with the measuring device reading.



Specific Requirements

The type of access port necessary, between Figure 1 and Figure 2 on the back of this page, depends on whether you are willing to turn off your diversion system during the installation of the measuring device.

An access port constructed as shown on Figure 1, access port cold tap, is acceptable if you are willing to turn off your system during the installation of the measuring device. This installation should take no longer than thirty minutes.

An access port constructed as shown in Figure 2, access port hot tap, is necessary if you are not willing to turn your system off during the installation of the measuring device. The valve must be a 1¼ inch gate valve with a clear opening of at least one inch. This hot tap can only be made on systems that have pressures less than 70 pounds per square inch. If your system pressure is greater than 70 pounds per square inch, then it must be turned off during the measuring device installation.

If you have questions about the access port, please contact the department's nearest regional office.




Figure 1

ACCESS PORT COLD TAP





Figure 2

ACCESS PORT HOT TAP



BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 47-7205

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 2, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Western Region Office
92 South Cole Road
Boise, Idaho 83705



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 2, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

June 23, 1976

Re: Permit No. 47-7205

Robert S. & Adella S. Luntley
12103 S.E. 46th Court
Bellevue, WA 98006

Dear Mr. & Mrs. Luntley:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to July 1, 1981.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

RECEIVED

JUN 18 1976

Department of Water Resources

12103 S.E. 46th Court
Bellevue, Washington 98006
June 15, 1976

Department of Water Resources
State of Idaho
Statehouse
Boise, Idaho 83720

Re: Permit No. 47-7205

Gentlemen:

In response to your April 30, 1976, letter (re permit number 47-7205)
we are enclosing a notarized application for extension of time to
put the water to beneficial use.

Sincerely yours,

Robert S. Luntz
Robert S. Luntz

P.S. Please note our change of address from 10730 W. Saratoga Place,
Littleton, Colorado, to the one shown above.

● SENDER: Complete items 1, 2, and 3.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☒ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ RESTRICTED DELIVERY.
Show to whom and date delivered..... 65¢
☐ RESTRICTED DELIVERY.
Show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	138629	

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent4. *Adella Luntz*

DATE OF DELIVERY

5-14-76

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

5-12

CLERK'S
INITIALS*Robert S. + Adella p of BH*

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.


- Complete items 1, 2, and 3 on reverse side.
- Moisten gummed ends and attach to back of article.

RETURN
TO



DEPARTMENT OF THE ARMY
STATES
BOISE, IDAHO 83720

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



April 30, 1976

CERTIFIED MAIL *138558*

Re: Permit No. 47-7205

Robert S. & Adella S. Luntley
10730 W. Saratoga Place
Littleton, Colorado 80123

Dear Mr. & Mrs. Luntley:

One of the conditions of approval of your water Permit No. 47-7205 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before JULY 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

State of Idaho
Department of Water Administration

RECEIVED
APR 19 1970
U.S. DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D.C. 20535

0 APR 19

MICROFILMED

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

June 12, 1973

Re: Permit No. 47-7205

Mr. Robert S. Luntley
10730 W. Saratoga Place
Littleton, CO 80123

Dear Mr. Luntley:

Enclosed is a copy of your approved Application for Permit No. 47-7205 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

47 7205

May 11, 1973

RE: Application Nos. 36-7330 - Joyce C. Menchaca and/or Juan N. Menchaca
47-7205 - Robert S. & Adella S. Luntz
47-7206 - Virgil P. Ruhter and/or Mildred Ruhter

Robert Bell
Idaho Fish and Game Department
P. O. Box 138
Jerome, ID 83338

Dear Bob:

We are enclosing a copy of the above referenced applications for permit which may be of interest to your agency.

Please review the applications and if you have any comments, please submit them to our Department as soon as possible.

We normally complete the processing of an application within a six (6) week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this Department.

Sincerely,

Bob Haynes
District Engineer
Southern District

BH:alw
Enc.

47 7205

May 11, 1973

RE. Application Nos. 47-7205 - Robert S. & Adella S. Luntay
47-7206 & 47-7207 - Virgil P. Runter and/or Mildred Runter
Claim No. 47-4032 - Virgil P. Runter and/or Mildred Runter

Don't Errol
P. O. Box 312
Don't Errol 35316

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Bob Haynes
District Engineer
Southern District

Don't Errol
Enc: Legal notices (4)

Bill submitted 5/25/73 by jmm

47 7205

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Robert S. & Adella S. Luntley,
10730 W. Saratoga Place, Littleton, Colorado
has on May 10, 1973 submitted Application No. 47-7205
for a permit to appropriate 3.0 cubic feet per second ~~XXX XXX XXX XXXXX~~
of water from a groundwater source
by means of artesian well, flumes, and ditches
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, T. 9S, R. 14E, B.M., Twin Falls County

to be used from Jan. 1 to Dec. 31 for fish propagation and livestock and from
~~XXX~~ April 1 to Oct. 31 for the irrigation of 8 acres

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, T. 9S, R. 14E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 4, 1973.

R. KEITH HIGGINSON

Director

Published in the Buhl Herald, Buhl, ID
on May 17 and May 24, 1973

47 7205

LEGAL

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Robert S. & Adella S. Luntz, 10730 W. Saratoga Place, Littleton, Colorado, has on May 10, 1973, submitted Application No. 47-7205 for a permit to appropriate 3.0 cubic feet per second of water from a groundwater source by means of artesian well, flumes, and ditches within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, T. 9S, R. 14E, B.M., Twin Falls County to be used from Jan. 1 to Dec. 31 for fish propagation and livestock and from April 1 to Oct. 31 for the irrigation of 8 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, T. 9S, R. E4E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, Idaho, 83301 on or before June 4, 1973.

R. KEITH HIGGINSON
Director

Published in the Buhl Herald, Buhl, Idaho, on May 17 and May 24, 1973.
(1973)

OK alw 5-15-73

47 7205

May 10, 1973

RE: Application No. 47-7205 - Robert S. & Adella S. Luntley

Mr. Robert S. Luntley
10730 W. Saratoga Place
Littleton, Colorado 80123

Dear Mr. Luntley:

Attached is your Receipt No. 10876 for \$45.00 for the above referenced Application for Permit which was received in our office under the above date.

Very truly yours,

Bob Haynes
District Engineer
Southern District

BH:alw

Enc.

47 7205

47-7205

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
SOUTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

1041 Blue Lakes Boulevard North
Twin Falls, Idaho 83301
(208) 734-3578

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

May 8, 1973

Hepworth, Nungester & Felton
1020 Main
Buhl, ID 83316


Gentlemen:

Enclosed is the Application for Permit and check No. 82-146 for \$45.00 sent to us by you in behalf of Mr. Robert S. Luntley.

By Idaho law you cannot appropriate more than one inch per acre unless justification can be shown where more is needed. Mr. Luntley is only irrigating eight (8) acres, therefore, only eight inches or .16 cubic feet per second is needed. As for livestock and domestic use, our studies show that for no more than 200 head of cattle only .04 c.f.s. is needed.

Would you please retype in the area as indicated in red and mail the application and a check to our office.

Very truly yours,


Gary Funderburg
Resource Examiner
Southern District

GF:alw
Enc.

47 7205

LAW OFFICES
HEPWORTH, NUNGESTER, AND FELTON
PROFESSIONAL CENTER
1020 MAIN
AREA CODE 208
PHONE 543-4368
BUHL, IDAHO--83316

JOHN C. HEPWORTH
WM. L. NUNGESTER
MICHAEL H. FELTON

May 4, 1973

Dept. of Water Administration
1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301

Re: Permit Application
Robert S. Luntey

Gentlemen:

Enclosed is an application for permit for Robert S. Luntey and Adella S. Luntey, together with a check in the sum of \$45 for the filing fee, together with a plat of survey. Please advise if anything further is needed.

Very truly yours,

HEPWORTH, NUNGESTER & FELTON



Wm. L. Nungester

WLN:bh

Encl.

47 7205

April 4, 1972

Mr. Robert S. Lunty
10730 W. Saratoga Place
Littleton, Colorado 80123

Dear Mr. Lunty:

Enclosed is an Application for Permit form with instructions which you requested. Fill it out and return it to the Department of Water Administration, 1041 Blue Lakes Boulevard North, Twin Falls, ID 83301.

You should receive an approved application within 20 days after we receive the form properly filled out. In the event there is a protest to this filing, you will be notified by mail of the hearing date.

If you or your power of attorney would like to come in the office, we would be happy to help you fill out the application and answer any questions you may have.

Very truly yours,

Mike Steele
Resource Examiner
Southern District

MS:alw

Enc.

RECEIVED


10730 W. Saratoga Place
Littleton, Colo 80123
April 1, 1973

Department of Water Administration
1041 Blue Lakes Blvd., North
Twin Falls, Idaho

Gentlemen:

Please send me an application to drill a well on my property northwest of Buhl to obtain water for fish propagation and irrigation purposes. I would appreciate knowing to whom I should send the application and what subsequent actions I must take before drilling the well.

Sincerely yours,



Robert S. Luntz

47 7295